

## Trimmed UTM WGS84 Zone 51 grid

| HOLEID  | DEPTH (m's) | AZIMUTH (°) | DIP (°) |
|---------|-------------|-------------|---------|
| DDDH240 | 0           | 22.0        | -60.2   |
| DDDH240 | 10          | 22.0        | -60.2   |
| DDDH240 | 20          | 22.0        | -60.2   |
| DDDH240 | 30          | 21.9        | -60.2   |
| DDDH240 | 40          | 21.9        | -60.2   |
| DDDH240 | 50          | 21.9        | -60.3   |
| DDDH240 | 60          | 21.8        | -60.2   |
| DDDH240 | 70          | 21.7        | -60.2   |
| DDDH240 | 80          | 21.5        | -60.2   |
| DDDH240 | 90          | 21.8        | -60.0   |
| DDDH240 | 100         | 21.7        | -59.9   |
| DDDH240 | 110         | 21.5        | -59.9   |
| DDDH240 | 120         | 21.3        | -59.9   |
| DDDH240 | 130         | 21.2        | -59.9   |
| DDDH240 | 140         | 21.1        | -59.9   |
| DDDH240 | 150         | 21.2        | -59.8   |
| DDDH240 | 160         | 21.4        | -59.6   |
| DDDH240 | 170         | 21.3        | -59.5   |
| DDDH240 | 180         | 21.4        | -59.4   |
| DDDH240 | 190         | 21.4        | -59.3   |
| DDDH240 | 200         | 21.2        | -59.2   |
| DDDH240 | 210         | 21.3        | -59.1   |
| DDDH240 | 220         | 21.3        | -59.0   |
| DDDH240 | 230         | 21.1        | -58.9   |
| DDDH240 | 250         | 20.8        | -58.8   |
| DDDH240 | 260         | 20.8        | -58.8   |
| DDDH240 | 270         | 20.9        | -58.7   |
| DDDH240 | 280         | 20.9        | -58.6   |
| DDDH240 | 290         | 20.8        | -58.4   |
| DDDH240 | 300         | 20.9        | -58.2   |
| DDDH240 | 310         | 20.9        | -58.1   |
| DDDH240 | 320         | 20.9        | -57.8   |
| DDDH240 | 330         | 20.9        | -57.6   |
| DDDH240 | 340         | 21.0        | -57.4   |
| DDDH240 | 350         | 21.0        | -57.2   |
| DDDH240 | 360         | 21.1        | -56.9   |
| DDDH240 | 370         | 21.1        | -56.7   |
| DDDH240 | 380         | 21.0        | -56.7   |
| DDDH240 | 390         | 21.0        | -56.6   |
| DDDH240 | 400         | 21.1        | -56.5   |
| DDDH240 | 410         | 21.1        | -56.5   |
| DDDH240 | 420         | 21.1        | -56.3   |
| DDDH240 | 430         | 21.1        | -56.2   |
| DDDH240 | 440         | 21.1        | -56.0   |
| DDDH240 | 450         | 21.0        | -55.9   |
| DDDH240 | 460         | 21.1        | -55.9   |
| DDDH240 | 470         | 21.2        | -55.7   |
| DDDH240 | 480         | 21.0        | -55.7   |

## Trimmed UTM WGS84 Zone 51 grid

| HOLEID  | DEPTH (m's) | AZIMUTH (°) | DIP (°) |
|---------|-------------|-------------|---------|
| DDDH240 | 490         | 21.0        | -55.7   |
| DDDH240 | 500         | 21.0        | -55.9   |
| DDDH240 | 510         | 21.0        | -55.7   |
| DDDH240 | 520         | 20.9        | -55.6   |
| DDDH240 | 530         | 20.8        | -55.5   |
| DDDH240 | 540         | 20.9        | -55.3   |
| DDDH240 | 550         | 21.1        | -55.1   |
| DDDH240 | 560         | 21.1        | -54.9   |
| DDDH240 | 570         | 21.0        | -54.6   |
| DDDH240 | 580         | 21.1        | -54.4   |
| DDDH240 | 590         | 21.0        | -54.3   |
| DDDH240 | 600         | 21.1        | -54.0   |
| DDDH240 | 610         | 21.1        | -53.8   |
| DDDH240 | 620         | 21.2        | -53.6   |
| DDDH240 | 630         | 21.1        | -53.6   |
| DDDH240 | 640         | 21.1        | -53.5   |
| DDDH240 | 650         | 21.2        | -53.2   |
| DDDH240 | 660         | 21.3        | -52.9   |
| DDDH240 | 670         | 21.4        | -53.0   |
| DDDH240 | 680         | 21.2        | -52.8   |
| DDDH240 | 690         | 20.9        | -53.0   |
| DDDH240 | 700         | 20.9        | -53.0   |
| DDDH240 | 710         | 21.0        | -53.3   |
| DDDH240 | 720         | 21.1        | -52.9   |
| DDDH240 | 730         | 21.1        | -52.9   |
| DDDH240 | 740         | 21.1        | -52.9   |
| DDDH242 | 0           | 60.0        | -59.9   |
| DDDH242 | 10          | 60.1        | -59.6   |
| DDDH242 | 20          | 60.2        | -59.2   |
| DDDH242 | 30          | 60.4        | -59.1   |
| DDDH242 | 40          | 60.6        | -58.8   |
| DDDH242 | 50          | 60.4        | -58.6   |
| DDDH242 | 60          | 60.4        | -58.3   |
| DDDH242 | 70          | 60.4        | -58.0   |
| DDDH242 | 80          | 60.6        | -57.7   |
| DDDH242 | 90          | 60.6        | -57.3   |
| DDDH242 | 100         | 60.6        | -57.1   |
| DDDH242 | 110         | 60.6        | -56.9   |
| DDDH242 | 120         | 60.7        | -56.7   |
| DDDH242 | 130         | 60.8        | -56.4   |
| DDDH242 | 140         | 61.0        | -56.1   |
| DDDH242 | 150         | 61.1        | -55.9   |
| DDDH242 | 160         | 61.1        | -55.6   |
| DDDH242 | 170         | 61.2        | -55.5   |
| DDDH242 | 180         | 61.3        | -55.3   |
| DDDH242 | 190         | 61.4        | -55.0   |
| DDDH242 | 200         | 61.4        | -54.8   |
| DDDH242 | 210         | 61.5        | -54.5   |

## Trimmed UTM WGS84 Zone 51 grid

| HOLEID  | DEPTH (m's) | AZIMUTH (°) | DIP (°) |
|---------|-------------|-------------|---------|
| DDDH242 | 220         | 61.5        | -54.2   |
| DDDH242 | 230         | 61.6        | -54.0   |
| DDDH242 | 240         | 61.6        | -53.6   |
| DDDH242 | 250         | 61.8        | -53.4   |
| DDDH242 | 260         | 61.9        | -53.0   |
| DDDH242 | 270         | 62.0        | -52.7   |
| DDDH242 | 280         | 62.1        | -52.3   |
| DDDH242 | 290         | 62.1        | -52.1   |
| DDDH242 | 300         | 62.1        | -51.8   |
| DDDH242 | 310         | 62.4        | -51.6   |
| DDDH242 | 320         | 62.4        | -51.3   |
| DDDH242 | 330         | 62.7        | -50.9   |
| DDDH242 | 340         | 62.7        | -50.6   |
| DDDH242 | 350         | 62.9        | -50.2   |
| DDDH242 | 360         | 63.1        | -49.9   |
| DDDH242 | 370         | 63.0        | -50.0   |
| DDDH242 | 380         | 62.9        | -50.2   |
| DDDH242 | 390         | 62.8        | -50.5   |
| DDDH242 | 400         | 62.9        | -50.7   |
| DDDH242 | 410         | 62.9        | -51.0   |
| DDDH242 | 420         | 63.0        | -51.1   |
| DDDH242 | 430         | 62.9        | -51.3   |
| DDDH242 | 440         | 62.5        | -51.5   |
| DDDH242 | 450         | 62.2        | -51.7   |
| DDDH242 | 460         | 62.0        | -52.0   |
| DDDH242 | 470         | 61.9        | -52.1   |
| DDDH242 | 480         | 61.9        | -52.2   |
| DDDH242 | 490         | 61.9        | -52.4   |
| DDDH242 | 500         | 61.8        | -52.6   |
| DDDH242 | 510         | 61.7        | -52.8   |
| DDDH242 | 520         | 61.4        | -53.0   |
| DDDH242 | 530         | 61.1        | -53.3   |
| DDDH242 | 540         | 60.9        | -53.5   |
| DDDH242 | 550         | 60.7        | -53.7   |
| DDDH242 | 560         | 60.7        | -54.0   |
| DDDH242 | 570         | 60.5        | -54.2   |
| DDDH242 | 580         | 60.2        | -54.6   |
| DDDH242 | 590         | 59.9        | -54.6   |
| DDDH242 | 600         | 59.6        | -54.8   |
| DDDH242 | 610         | 59.3        | -55.1   |
| DDDH242 | 620         | 59.2        | -55.3   |
| DDDH242 | 630         | 59.1        | -55.3   |
| DDDH242 | 640         | 59.1        | -55.4   |
| DDDH242 | 650         | 58.7        | -55.7   |
| DDDH242 | 660         | 58.4        | -56.0   |
| DDDH242 | 670         | 58.2        | -56.2   |
| DDDH242 | 680         | 58.2        | -56.5   |
| DDDH242 | 690         | 58.2        | -56.7   |

## Trimmed UTM WGS84 Zone 51 grid

| HOLEID  | DEPTH (m's) | AZIMUTH (°) | DIP (°) |
|---------|-------------|-------------|---------|
| DDDH242 | 700         | 58.1        | -57.0   |
| DDDH242 | 710         | 57.5        | -57.4   |
| DDDH242 | 720         | 57.1        | -57.9   |
| DDDH242 | 730         | 56.8        | -58.2   |
| DDDH242 | 740         | 57.0        | -58.4   |
| DDDH246 | 0           | 44.5        | -32.0   |
| DDDH246 | 130         | 44.5        | -33.0   |
| DDDH246 | 160         | 44.5        | -34.1   |
| DDDH246 | 190         | 44.5        | -35.0   |
| DDDH246 | 220         | 44.5        | -35.9   |
| DDDH246 | 250         | 44.5        | -36.8   |
| DDDH246 | 282         | 44.5        | -37.4   |
| DDDH247 | 0           | 44.5        | -24.0   |
| DDDH249 | 0           | 45.0        | -39.0   |
| DDDH250 | 0           | 45.0        | -31.0   |
| DDDH251 | 0           | 45.0        | -22.0   |
| DDDH252 | 12          | 42.4        | -25.9   |
| DDDH252 | 30          | 42.4        | -25.3   |
| DDDH252 | 90          | 42.4        | -23.7   |
| DDDH252 | 204.2       | 42.4        | -25.1   |
| DDDH253 | 6           | 41.5        | -13.2   |
| DDDH253 | 30          | 41.5        | -13.2   |
| DDDH253 | 60          | 41.5        | -13.7   |
| DDDH253 | 90          | 41.5        | -14.0   |
| DDDH253 | 120         | 41.1        | -14.4   |
| DDDH253 | 150         | 41.4        | -14.8   |
| DDDH253 | 180         | 42.1        | -14.5   |
| DDDH253 | 210         | 42.3        | -13.8   |
| DDDH255 | 6           | 40.7        | -2.2    |
| DDDH255 | 30          | 40.7        | -2.6    |
| DDDH255 | 60          | 40.7        | -3.1    |
| DDDH255 | 90          | 40.7        | -3.7    |
| DDDH255 | 120         | 40.7        | -3.4    |
| DDDH255 | 150         | 40.7        | -3.3    |
| DDDH255 | 180         | 40.7        | -2.6    |
| DDDH255 | 203         | 40.7        | -1.9    |
| RDUG005 | 0           | 45.0        | -2.0    |
| RDUG005 | 195         | 44.9        | -2.2    |
| RDUG006 | 12          | 44.9        | -14.1   |
| RDUG006 | 36          | 44.8        | -14.1   |
| RDUG006 | 66          | 44.8        | -14.3   |
| RDUG006 | 96          | 43.8        | -14.9   |
| RDUG006 | 126         | 42.8        | -15.2   |
| RDUG006 | 156         | 44.4        | -15.5   |
| RDUG006 | 186         | 43.9        | -15.8   |
| RDUG006 | 216         | 44.9        | -16.3   |