

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1283	0	125.05	-57.44
DDH1283	6.1	125.36	-57
DDH1283	12.19	125.46	-57.14
DDH1283	18.29	125.34	-57.2
DDH1283	24.38	125.25	-57.48
DDH1283	30.48	125.17	-57.51
DDH1283	36.58	125.21	-57.29
DDH1283	42.67	125.46	-56.89
DDH1283	48.77	125.79	-56.5
DDH1283	54.86	126.25	-56
DDH1283	60.96	126.92	-55.35
DDH1283	67.06	127.54	-54.81
DDH1283	73.15	127.97	-54.4
DDH1283	79.25	128.28	-54.14
DDH1283	85.34	128.47	-53.89
DDH1283	91.44	128.86	-53.74
DDH1283	97.54	129.07	-53.54
DDH1283	103.63	129.16	-53.35
DDH1283	109.73	129.39	-53.14
DDH1283	115.82	129.52	-53.05
DDH1283	121.92	129.68	-52.96
DDH1283	128.02	129.95	-52.83
DDH1283	134.11	130	-52.69
DDH1283	140.21	130.11	-52.62
DDH1283	146.3	130.23	-52.62
DDH1283	152.4	130.38	-52.6
DDH1283	158.5	130.46	-52.5
DDH1283	164.59	130.62	-52.44
DDH1283	170.69	130.65	-52.3
DDH1283	176.78	130.79	-52.14
DDH1283	182.88	130.82	-52.13
DDH1283	188.98	130.82	-52.12
DDH1283	195.07	130.83	-52.1
DDH1283	201.17	130.79	-52.03
DDH1283	207.26	130.94	-52.01
DDH1283	213.36	130.98	-51.9
DDH1283	219.46	131.14	-51.91
DDH1283	225.55	131.14	-51.89
DDH1283	231.65	131.29	-51.86
DDH1283	237.74	131.37	-51.65
DDH1283	243.84	131.53	-51.53
DDH1283	249.94	131.9	-51.45
DDH1283	256.03	132.25	-51.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1283	262.13	132.27	-51.16
DDH1283	268.22	132.59	-51.15
DDH1283	274.32	132.63	-51.06
DDH1283	280.42	132.84	-51.08
DDH1283	286.51	132.86	-51.14
DDH1283	292.61	133.17	-51.16
DDH1283	298.7	133.16	-51.08
DDH1283	304.8	133.3	-51.17
DDH1283	310.9	133.55	-51.22
DDH1283	316.99	133.56	-51.25
DDH1283	323.09	133.74	-51.25
DDH1283	329.18	133.87	-51.29
DDH1283	335.28	134.01	-51.37
DDH1283	341.38	134.12	-51.47
DDH1283	347.47	134.29	-51.5
DDH1283	353.57	134.46	-51.46
DDH1283	359.66	134.41	-51.55
DDH1283	365.76	134.54	-51.14
DDH1283	371.86	134.88	-50.78
DDH1283	377.95	136.09	-48.94
DDH1283	384.05	137.42	-46.57
DDH1283	390.14	138.15	-45.53
DDH1283	396.24	138.11	-45.44
DDH1283	402.34	138.1	-45.36
DDH1283	408.43	138.23	-45.37
DDH1283	414.53	138.17	-45.38
DDH1283	420.62	138.28	-45.37
DDH1283	426.72	138.37	-45.39
DDH1283	432.82	138.35	-45.43
DDH1283	438.91	138.57	-45.4
DDH1283	445.01	138.4	-45.43
DDH1283	451.1	138.42	-45.5
DDH1283	457.2	138.51	-45.43
DDH1283	463.3	138.58	-45.45
DDH1283	469.39	138.86	-45.42
DDH1283	475.49	139.02	-45.48
DDH1283	481.58	138.85	-45.52
DDH1283	487.68	138.77	-45.61
DDH1283	493.78	138.85	-45.64
DDH1283	499.87	138.81	-45.73
DDH1283	505.97	138.68	-45.81
DDH1283	512.06	138.69	-45.77
DDH1283	518.16	138.77	-45.75

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1283	524.26	138.84	-45.8
DDH1283	530.35	138.96	-45.82
DDH1283	536.45	138.91	-45.8
DDH1283	542.54	138.97	-45.83
DDH1283	548.64	138.98	-45.79
DDH1283	554.74	139.15	-45.87
DDH1283	560.83	139.21	-45.86
DDH1283	566.93	139.41	-45.9
DDH1283	573.02	139.43	-45.91
DDH1283	579.12	139.44	-45.83
DDH1283	585.22	139.49	-45.75
DDH1283	589.59	139.5	-45.7
DDH1295	0	341.26	-59.2
DDH1295	6.1	341.07	-58.35
DDH1295	12.19	341.1	-57.77
DDH1295	18.29	341.21	-58.15
DDH1295	24.38	341.67	-58.37
DDH1295	30.48	342.14	-58.53
DDH1295	36.58	342.31	-58.58
DDH1295	42.67	342.41	-58.69
DDH1295	48.77	342.64	-58.81
DDH1295	54.86	342.79	-58.73
DDH1295	60.96	342.79	-58.88
DDH1295	67.06	342.53	-58.93
DDH1295	73.15	342.47	-58.94
DDH1295	79.25	342.58	-58.99
DDH1295	85.34	342.75	-59.04
DDH1295	91.44	342.58	-59.14
DDH1295	97.54	342.89	-59.17
DDH1295	103.63	342.96	-59.18
DDH1295	109.73	342.7	-59.39
DDH1295	115.82	342.46	-59.47
DDH1295	121.92	342.38	-59.55
DDH1295	128.02	342.3	-59.67
DDH1295	134.11	342.19	-59.77
DDH1295	140.21	342.12	-59.95
DDH1295	146.3	341.79	-59.95
DDH1295	152.4	341.46	-60
DDH1295	158.5	341.43	-60
DDH1295	164.59	341.37	-60.02
DDH1295	170.69	341.28	-60.04
DDH1295	176.78	341.19	-60.17
DDH1295	182.88	341.01	-60.34

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1295	188.98	340.73	-60.55
DDH1295	195.07	340.57	-60.57
DDH1295	201.17	340.37	-60.72
DDH1295	207.26	340.52	-60.74
DDH1295	213.36	340.05	-60.9
DDH1295	219.46	340.05	-60.98
DDH1295	225.55	339.88	-60.99
DDH1295	231.65	339.59	-61.17
DDH1295	237.74	339.3	-61.28
DDH1295	243.84	339.16	-61.37
DDH1295	249.94	339.27	-61.41
DDH1295	256.03	339.63	-61.45
DDH1295	262.13	339.28	-61.49
DDH1295	268.22	339.47	-61.51
DDH1295	274.32	339.45	-61.45
DDH1295	280.42	339.7	-61.42
DDH1295	286.51	339.67	-61.47
DDH1295	292.61	339.57	-61.55
DDH1295	298.7	339.38	-61.56
DDH1295	304.8	339.45	-61.56
DDH1295	310.9	339.29	-61.67
DDH1295	316.99	339.38	-61.84
DDH1295	323.09	339.31	-61.89
DDH1295	329.18	339.17	-61.84
DDH1295	335.28	339.33	-61.97
DDH1295	341.38	339.24	-62.1
DDH1295	347.47	339.14	-62.24
DDH1295	353.57	339.34	-62.45
DDH1295	359.66	339.27	-62.61
DDH1295	365.76	339.17	-62.69
DDH1295	371.86	339.09	-62.77
DDH1295	377.95	339.27	-62.78
DDH1295	384.05	339.46	-62.88
DDH1295	390.14	339.45	-63
DDH1295	396.24	339.49	-63.1
DDH1295	402.34	339.49	-63.2
DDH1295	408.43	339.5	-63.29
DDH1295	414.53	339.59	-63.31
DDH1295	420.62	339.66	-63.38
DDH1295	426.72	339.65	-63.52
DDH1295	432.82	340.14	-63.67
DDH1295	438.91	340.03	-63.75
DDH1295	445.01	340.46	-63.82

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1295	451.1	340.77	-63.94
DDH1295	457.2	340.78	-64.06
DDH1295	463.3	340.77	-64.12
DDH1295	469.39	340.96	-64.17
DDH1295	475.49	340.97	-64.22
DDH1295	481.58	341.08	-64.5
DDH1295	487.68	341.02	-64.6
DDH1295	493.78	340.75	-64.64
DDH1295	499.87	340.98	-64.75
DDH1295	505.97	340.5	-64.64
DDH1295	512.06	340.6	-64.75
DDH1295	518.16	340.7	-64.95
DDH1295	524.26	340.66	-65.06
DDH1295	530.35	340.83	-65.31
DDH1295	536.45	340.92	-65.43
DDH1295	542.54	340.99	-65.54
DDH1295	548.64	341.06	-65.76
DDH1295	554.74	341.31	-65.88
DDH1295	560.83	341.31	-65.99
DDH1295	566.93	341.27	-66.1
DDH1295	573.02	341.25	-66.28
DDH1295	579.12	341.08	-66.39
DDH1295	585.22	341.3	-66.59
DDH1295	591.31	341.11	-66.84
DDH1295	597.41	341.25	-66.97
DDH1295	603.5	341.28	-67.12
DDH1295	609.6	341.18	-67.28
DDH1295	615.7	341.17	-67.49
DDH1295	621.79	341.08	-67.65
DDH1295	627.89	340.91	-67.77
DDH1295	633.98	341.33	-68.04
DDH1295	640.08	341.2	-68.28
DDH1295	646.18	341.3	-68.53
DDH1295	652.27	341.51	-68.77
DDH1295	658.37	341.24	-69.11
DDH1295	664.46	341.34	-69.61
DDH1295	670.56	341.36	-70.12
DDH1295	676.66	340.96	-70.59
DDH1295	682.75	341.05	-71.01
DDH1295	688.85	340.63	-71.34
DDH1295	694.94	340.48	-71.79
DDH1295	701.04	340.66	-71.97
DDH1295	707.14	340.51	-71.97

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1295	709.73	340.51	-71.97
DDH1298	0	355.46	-55.74
DDH1298	6.1	355.78	-55.29
DDH1298	12.19	355.53	-55.07
DDH1298	18.29	355.4	-55.29
DDH1298	24.38	355.37	-55.7
DDH1298	30.48	355.42	-55.48
DDH1298	36.58	355.96	-55.51
DDH1298	42.67	355.99	-55.67
DDH1298	48.77	355.68	-55.73
DDH1298	54.86	355.48	-55.95
DDH1298	60.96	355.75	-55.97
DDH1298	67.06	356.03	-56.03
DDH1298	73.15	355.85	-56.06
DDH1298	79.25	355.81	-56.15
DDH1298	85.34	356.08	-55.88
DDH1298	91.44	355.67	-56.09
DDH1298	97.54	355.29	-56.27
DDH1298	103.63	354.79	-56.51
DDH1298	109.73	354.63	-56.74
DDH1298	115.82	354.16	-56.99
DDH1298	121.92	353.84	-57.24
DDH1298	128.02	353.38	-57.47
DDH1298	134.11	353.09	-57.56
DDH1298	140.21	352.71	-57.87
DDH1298	146.3	352.41	-58.11
DDH1298	152.4	352.39	-58.14
DDH1298	158.5	352.29	-58.28
DDH1298	164.59	352.14	-58.4
DDH1298	170.69	351.96	-58.43
DDH1298	176.78	351.85	-58.78
DDH1298	182.88	352.08	-58.97
DDH1298	188.98	352.17	-59.13
DDH1298	195.07	352.36	-59.18
DDH1298	201.17	352.41	-59.31
DDH1298	207.26	352.35	-59.44
DDH1298	213.36	352.63	-59.68
DDH1298	219.46	352.92	-59.99
DDH1298	225.55	352.94	-60.12
DDH1298	231.65	353.12	-60.17
DDH1298	237.74	353.25	-60.18
DDH1298	243.84	353.5	-60.16
DDH1298	249.94	353.74	-60.12

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1298	256.03	353.69	-60.08
DDH1298	262.13	353.9	-60.08
DDH1298	268.22	353.98	-60.03
DDH1298	274.32	354.11	-59.98
DDH1298	280.42	354.19	-60.15
DDH1298	286.51	354.3	-60.2
DDH1298	292.61	354.33	-60.32
DDH1298	298.7	354.42	-60.51
DDH1298	304.8	354.43	-60.64
DDH1298	310.9	354.69	-60.8
DDH1298	316.99	354.95	-60.95
DDH1298	323.09	354.89	-61.12
DDH1298	329.18	355.03	-61.19
DDH1298	335.28	355.16	-61.38
DDH1298	341.38	355.39	-61.56
DDH1298	347.47	355.68	-61.74
DDH1298	353.57	355.8	-61.89
DDH1298	359.66	356.13	-62.11
DDH1298	365.76	356.48	-62.48
DDH1298	371.86	356.63	-62.61
DDH1298	377.95	356.69	-62.7
DDH1298	384.05	357.17	-62.8
DDH1298	390.14	357.15	-63.03
DDH1298	396.24	357.35	-63.25
DDH1298	402.34	357.67	-63.4
DDH1298	408.43	357.8	-63.52
DDH1298	414.53	358.3	-63.53
DDH1298	420.62	358.82	-63.6
DDH1298	426.72	358.85	-63.64
DDH1298	432.82	359.28	-63.82
DDH1298	438.91	359.93	-63.94
DDH1298	445.01	0.24	-64.03
DDH1298	451.1	0.75	-64.13
DDH1298	457.2	1.13	-64.27
DDH1298	463.3	1.32	-64.33
DDH1298	469.39	1.75	-64.35
DDH1298	475.49	2.18	-64.42
DDH1298	481.58	2.68	-64.48
DDH1298	487.68	2.96	-64.55
DDH1298	493.78	3.12	-64.58
DDH1298	499.87	3.84	-64.63
DDH1298	505.97	4.24	-64.72
DDH1298	512.06	4.72	-64.86

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1298	518.16	4.85	-64.96
DDH1298	524.26	5.29	-65.07
DDH1298	530.35	5.64	-65.25
DDH1298	536.45	6.18	-65.31
DDH1298	542.54	6.55	-65.43
DDH1298	548.64	6.93	-65.55
DDH1298	554.74	7.31	-65.63
DDH1298	560.83	7.75	-65.68
DDH1298	566.93	8.07	-65.82
DDH1298	573.02	8.28	-65.92
DDH1298	579.12	8.47	-66
DDH1298	585.22	9.03	-66.11
DDH1298	591.31	9.43	-66.19
DDH1298	597.41	9.68	-66.32
DDH1298	603.5	10.2	-66.43
DDH1298	609.6	10.51	-66.6
DDH1298	615.7	10.87	-66.69
DDH1298	621.79	11.27	-66.86
DDH1298	627.89	11.51	-67.02
DDH1298	633.98	11.95	-67.15
DDH1298	640.08	12.38	-67.28
DDH1298	646.18	12.82	-67.39
DDH1298	652.27	13.26	-67.57
DDH1298	658.37	13.55	-67.62
DDH1298	664.46	14.34	-67.82
DDH1298	670.56	15.03	-68.04
DDH1298	676.66	15.25	-68.1
DDH1298	682.75	15.78	-68.25
DDH1298	688.85	16.28	-68.32
DDH1298	694.94	16.47	-68.45
DDH1298	701.04	16.92	-68.52
DDH1298	707.14	17.75	-68.71
DDH1298	713.23	18.2	-68.76
DDH1298	719.33	18.45	-68.87
DDH1298	725.42	18.26	-69.02
DDH1298	731.52	18.94	-69.14
DDH1298	737.62	19.12	-69.39
DDH1298	743.71	19.24	-69.42
DDH1298	749.81	19.34	-69.5
DDH1298	755.9	19.3	-69.57
DDH1298	762	19.56	-69.65
DDH1298	768.1	19.55	-69.84
DDH1298	774.19	20.52	-70.26

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1298	780.29	21.41	-70.48
DDH1298	786.38	22.11	-70.59
DDH1298	792.48	22.22	-70.83
DDH1298	798.58	22.66	-71.08
DDH1298	804.67	22.56	-71.24
DDH1298	808.66	23.05	-71.29
DDH1305	0	336.6	-70.16
DDH1305	15.32	336.83	-68.66
DDH1305	30.55	336.84	-68.6
DDH1305	45.73	335.6	-69
DDH1305	61.04	336.91	-69.13
DDH1305	76.25	336.83	-69.25
DDH1305	91.71	336.7	-69.49
DDH1305	106.71	337.27	-69.27
DDH1305	121.95	335.76	-69.58
DDH1305	137.21	335.6	-69.96
DDH1305	152.48	336	-70.16
DDH1305	167.75	334.79	-70.65
DDH1305	182.9	334.87	-70.99
DDH1305	198.21	334.44	-71.36
DDH1305	213.47	334.81	-71.7
DDH1305	228.74	333.6	-71.86
DDH1305	243.94	333.82	-72.18
DDH1305	259.13	333.34	-72.51
DDH1305	274.38	334.1	-72.95
DDH1305	289.57	333.09	-73.82
DDH1305	304.92	333.08	-74.53
DDH1305	320.09	332.21	-74.7
DDH1305	335.42	332.56	-75.47
DDH1305	350.75	331.6	-75.99
DDH1305	365.86	331.25	-76.38
DDH1305	381.07	329.98	-76.72
DDH1305	396.26	331.3	-76.88
DDH1305	411.54	330.05	-76.87
DDH1305	426.83	330.26	-77.01
DDH1305	441.98	330.13	-77.15
DDH1305	457.24	328.76	-77.47
DDH1305	472.49	328.36	-77.78
DDH1305	487.77	329.96	-77.76
DDH1305	502.93	329.43	-77.93
DDH1305	518.25	329.75	-78.11
DDH1305	533.45	329.59	-78.24
DDH1305	548.66	328.4	-78.47

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1305	563.94	329.92	-78.66
DDH1305	579.15	328.67	-78.91
DDH1305	594.53	325.58	-79.24
DDH1305	609.66	322.85	-79.71
DDH1305	624.91	320.03	-80.01
DDH1305	640.16	319.5	-79.85
DDH1305	655.37	319.16	-79.91
DDH1305	670.63	318.01	-80.05
DDH1305	685.83	317.24	-80.19
DDH1305	701.07	316.83	-80.1
DDH1305	716.37	315.83	-80.44
DDH1305	731.61	314.38	-80.56
DDH1305	746.88	313.63	-80.59
DDH1305	762.02	314.12	-80.79
DDH1305	777.39	314.18	-80.8
DDH1305	792.49	313.57	-80.77
DDH1305	807.8	313.5	-80.89
DDH1305	823.15	311.76	-81.59
DDH1305	838.24	310.84	-82.17
DDH1305	853.48	309.93	-82.52
DDH1305	868.71	308.3	-82.6
DDH1305	883.96	308.17	-82.8
DDH1305	899.2	309.84	-82.8
DDH1305	914	308.81	-82.8
DDH1307	0	342.98	-70.97
DDH1307	6.1	343.07	-70.76
DDH1307	12.19	342.69	-70.49
DDH1307	18.29	342.72	-70.23
DDH1307	24.38	343.1	-69.98
DDH1307	30.48	343.25	-70.31
DDH1307	36.58	343.14	-70.5
DDH1307	42.67	343.27	-70.59
DDH1307	48.77	343.08	-70.71
DDH1307	54.86	343.1	-70.75
DDH1307	60.96	343.09	-70.67
DDH1307	67.06	342.63	-70.83
DDH1307	73.15	343.23	-70.74
DDH1307	79.25	343.02	-70.73
DDH1307	85.34	342.98	-71.04
DDH1307	91.44	343.02	-71.08
DDH1307	97.54	342.96	-71.12
DDH1307	103.63	343.17	-71.21
DDH1307	109.73	343.08	-71.25

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1307	115.82	343.07	-71.27
DDH1307	121.92	343.27	-71.37
DDH1307	128.02	343.34	-71.37
DDH1307	134.11	343.45	-71.45
DDH1307	140.21	343.53	-71.51
DDH1307	146.3	343.85	-71.58
DDH1307	152.4	343.65	-71.68
DDH1307	158.5	343.79	-71.71
DDH1307	164.59	343.97	-71.81
DDH1307	170.69	344.12	-71.83
DDH1307	176.78	344.11	-71.75
DDH1307	182.88	344.41	-71.99
DDH1307	188.98	344.45	-71.95
DDH1307	195.07	344.5	-72.13
DDH1307	201.17	344.47	-72.25
DDH1307	207.26	344.79	-72.31
DDH1307	213.36	344.96	-72.41
DDH1307	219.46	344.64	-72.48
DDH1307	225.55	344.8	-72.52
DDH1307	231.65	344.86	-72.6
DDH1307	237.74	345	-72.69
DDH1307	243.84	345.1	-72.79
DDH1307	249.94	345.19	-72.87
DDH1307	256.03	345.39	-72.87
DDH1307	262.13	345.73	-72.87
DDH1307	268.22	345.73	-72.99
DDH1307	274.32	345.8	-73.03
DDH1307	280.42	345.56	-73.05
DDH1307	286.51	345.39	-73.16
DDH1307	292.61	345.74	-73.2
DDH1307	298.7	345.96	-73.21
DDH1307	304.8	346.22	-73.25
DDH1307	310.9	346.3	-73.29
DDH1307	316.99	346.44	-73.37
DDH1307	323.09	346.58	-73.49
DDH1307	329.18	346.61	-73.56
DDH1307	335.28	346.26	-73.61
DDH1307	341.38	346.65	-73.82
DDH1307	347.47	346.86	-73.98
DDH1307	353.57	347.13	-74.03
DDH1307	359.66	347.51	-74.11
DDH1307	365.76	347.62	-74.38
DDH1307	371.86	347.6	-74.47

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1307	377.95	347.82	-74.58
DDH1307	384.05	347.61	-74.67
DDH1307	390.14	347.66	-74.76
DDH1307	396.24	347.6	-74.93
DDH1307	402.34	347.43	-75.07
DDH1307	408.43	347.97	-75.07
DDH1307	414.53	348.11	-75.24
DDH1307	420.62	348.05	-75.35
DDH1307	426.72	348.27	-75.35
DDH1307	432.82	348.51	-75.38
DDH1307	438.91	348.78	-75.51
DDH1307	445.01	349.19	-75.65
DDH1307	451.1	349.2	-75.76
DDH1307	457.2	349.13	-75.83
DDH1307	463.3	349.21	-75.95
DDH1307	469.39	349.9	-76.13
DDH1307	475.49	349.86	-76.13
DDH1307	481.58	350.15	-76.21
DDH1307	487.68	350.06	-76.25
DDH1307	493.78	350.34	-76.39
DDH1307	499.87	350.76	-76.48
DDH1307	505.97	351.09	-76.58
DDH1307	512.06	351.42	-76.67
DDH1307	518.16	351.38	-76.73
DDH1307	524.26	351.46	-76.92
DDH1307	530.35	351.75	-77.11
DDH1307	536.45	352.25	-77.24
DDH1307	542.54	352.5	-77.33
DDH1307	548.64	352.77	-77.46
DDH1307	554.74	353.36	-77.63
DDH1307	560.83	353.47	-77.86
DDH1307	566.93	353.84	-78.15
DDH1307	573.02	354.04	-78.22
DDH1307	579.12	354.56	-78.27
DDH1307	585.22	354.72	-78.39
DDH1307	591.31	354.81	-78.49
DDH1307	597.41	355.55	-78.56
DDH1307	603.5	356.16	-78.76
DDH1307	609.6	356.05	-78.89
DDH1307	615.7	356.44	-78.97
DDH1307	621.79	356.72	-79.06
DDH1307	627.89	356.7	-79.25
DDH1307	633.98	357.27	-79.29

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1307	640.08	357.23	-79.32
DDH1307	646.18	357.04	-79.3
DDH1307	652.27	356.83	-79.32
DDH1307	658.37	357.26	-79.3
DDH1307	664.46	357.71	-79.4
DDH1307	670.56	357.51	-79.51
DDH1307	676.66	358.36	-79.56
DDH1307	682.75	359.39	-79.59
DDH1307	688.85	359.65	-79.78
DDH1307	694.94	0.13	-80.01
DDH1307	701.04	0.97	-79.98
DDH1307	707.14	0.5	-80.06
DDH1307	713.23	0.78	-80.07
DDH1307	719.33	0.31	-80.12
DDH1307	725.42	0.22	-80.27
DDH1307	728.27	359.73	-80.21
DDH1309	0.01	165.7	-63.96
DDH1309	6.1	165.96	-63.23
DDH1309	12.19	165.59	-62.08
DDH1309	18.29	165.92	-61.41
DDH1309	24.38	166.64	-61.63
DDH1309	30.48	167.11	-62.27
DDH1309	36.58	167.53	-62.14
DDH1309	42.67	167.82	-62.21
DDH1309	48.77	167.99	-61.86
DDH1309	54.86	168.67	-61.64
DDH1309	60.96	168.15	-61.37
DDH1309	67.06	168.01	-60.95
DDH1309	73.15	168.09	-60.73
DDH1309	79.25	167.7	-60.61
DDH1309	85.34	167.55	-60.55
DDH1309	91.44	167.55	-60.4
DDH1309	97.54	167.17	-60.45
DDH1309	103.63	167.07	-60.43
DDH1309	109.73	167.13	-60.43
DDH1309	115.82	167.02	-60.37
DDH1309	121.92	166.96	-60.34
DDH1309	128.02	166.93	-60.18
DDH1309	134.11	166.75	-60.1
DDH1309	140.21	166.7	-59.99
DDH1309	146.3	166.51	-59.97
DDH1309	152.4	166.58	-59.87
DDH1309	158.5	166.6	-59.87

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1309	164.59	166.81	-59.75
DDH1309	170.69	166.5	-59.79
DDH1309	176.78	166.46	-59.67
DDH1309	182.88	166.45	-59.61
DDH1309	188.98	166.79	-59.55
DDH1309	195.07	166.54	-59.5
DDH1309	201.17	166.49	-59.45
DDH1309	207.26	166.57	-59.4
DDH1309	213.36	166.34	-59.37
DDH1309	219.46	166.32	-59.31
DDH1309	225.55	166.33	-59.27
DDH1309	231.65	166.34	-59.24
DDH1309	237.74	166.42	-59.16
DDH1309	243.84	166.4	-59.11
DDH1309	249.94	165.53	-58.33
DDH1309	256.03	163.82	-57.4
DDH1309	262.13	161.6	-56.55
DDH1309	268.22	159.3	-55.08
DDH1309	274.32	157.69	-53.49
DDH1309	280.42	156.42	-53.06
DDH1309	286.51	156.53	-53.05
DDH1309	292.61	156.43	-53.08
DDH1309	298.7	156.45	-53.06
DDH1309	304.8	156.45	-52.98
DDH1309	310.9	156.4	-52.95
DDH1309	316.99	156.49	-52.96
DDH1309	323.09	156.41	-52.92
DDH1309	329.18	156.23	-52.8
DDH1309	335.28	156.36	-52.76
DDH1309	341.38	156.4	-52.75
DDH1309	347.47	156.38	-52.74
DDH1309	353.57	156.45	-52.73
DDH1309	359.66	156.48	-52.68
DDH1309	365.76	156.44	-52.63
DDH1309	371.86	156.41	-52.61
DDH1309	377.95	156.39	-52.59
DDH1309	384.05	156.48	-52.56
DDH1309	390.14	156.49	-52.52
DDH1309	396.24	156.45	-52.55
DDH1309	402.34	156.51	-52.54
DDH1309	408.43	156.61	-52.56
DDH1309	414.53	156.56	-52.48
DDH1309	420.62	156.57	-52.54

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1309	421.02	156.57	-52.54
DDH1311	0	115.41	-58.55
DDH1311	6.1	115.38	-58.59
DDH1311	12.19	115.02	-58.54
DDH1311	18.29	114.93	-58.48
DDH1311	24.38	114.61	-59.03
DDH1311	30.48	114.8	-59.28
DDH1311	36.58	114.69	-59.36
DDH1311	42.67	115.06	-59.09
DDH1311	48.77	116.73	-58.75
DDH1311	54.86	118.25	-58.27
DDH1311	60.96	119.22	-57.92
DDH1311	67.06	120.71	-57.53
DDH1311	73.15	122.09	-56.88
DDH1311	79.25	123.1	-56.2
DDH1311	85.34	123.23	-56.32
DDH1311	91.44	123.06	-56.31
DDH1311	97.54	123.28	-56.29
DDH1311	103.63	123.32	-56.36
DDH1311	109.73	123.39	-56.33
DDH1311	115.82	123.53	-56.3
DDH1311	121.92	123.67	-56.26
DDH1311	128.02	123.76	-56.24
DDH1311	134.11	123.89	-56.17
DDH1311	140.21	123.89	-56.14
DDH1311	146.3	124.11	-56.15
DDH1311	152.4	124.16	-56.15
DDH1311	158.5	124.16	-56.14
DDH1311	164.59	124.25	-56.12
DDH1311	170.69	124.31	-56.15
DDH1311	176.78	124.24	-56.14
DDH1311	182.88	124.32	-56.19
DDH1311	188.98	124.38	-56.16
DDH1311	195.07	124.49	-56.14
DDH1311	201.17	124.54	-56.16
DDH1311	207.26	124.72	-56.16
DDH1311	213.36	124.63	-56.15
DDH1311	219.46	124.64	-56.12
DDH1311	225.55	124.71	-56.07
DDH1311	231.65	124.65	-56.05
DDH1311	237.74	124.78	-56.09
DDH1311	243.84	124.73	-56.09
DDH1311	249.94	124.74	-56.06

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1311	256.03	124.84	-56.1
DDH1311	262.13	124.94	-56.04
DDH1311	268.22	125.01	-56.05
DDH1311	274.32	125.06	-56.01
DDH1311	280.42	125.13	-55.97
DDH1311	286.51	125.32	-55.94
DDH1311	292.61	125.59	-55.88
DDH1311	298.7	126.03	-55.72
DDH1311	304.8	126.42	-55.69
DDH1311	310.9	126.77	-55.68
DDH1311	316.99	127.21	-55.71
DDH1311	323.09	127.57	-55.64
DDH1311	329.18	127.73	-55.64
DDH1311	335.28	128.03	-55.55
DDH1311	341.38	128.05	-55.66
DDH1311	347.47	126.54	-55.16
DDH1311	353.57	124.29	-53.46
DDH1311	359.66	121.82	-52.29
DDH1311	365.76	121.93	-52.27
DDH1311	371.86	122.29	-52.2
DDH1311	377.95	122.6	-52.23
DDH1311	384.05	123.05	-52.23
DDH1311	390.14	123.2	-52.24
DDH1311	396.24	123.56	-52.21
DDH1311	402.34	123.67	-52.23
DDH1311	408.43	124.01	-52.3
DDH1311	414.53	124.06	-52.28
DDH1311	420.62	124.07	-52.21
DDH1311	426.72	124.14	-52.21
DDH1311	432.82	124.23	-52.23
DDH1311	438.91	124.36	-52.19
DDH1311	445.01	124.41	-52.16
DDH1311	451.1	124.37	-52.18
DDH1311	457.2	124.4	-52.17
DDH1311	463.3	124.61	-52.15
DDH1311	469.39	124.57	-52.08
DDH1311	475.49	124.75	-52.02
DDH1311	481.58	124.9	-51.98
DDH1311	487.68	124.73	-51.91
DDH1311	493.78	124.9	-51.95
DDH1311	499.87	124.99	-52.01
DDH1311	505.97	125.01	-52.01
DDH1311	512.06	124.92	-52.01

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1311	518.16	125.01	-51.97
DDH1311	524.26	125.27	-52.02
DDH1311	530.35	125.25	-52.05
DDH1311	536.45	125.46	-52.14
DDH1311	542.54	125.42	-52.09
DDH1311	542.82	125.42	-52.09
DDH1312	0	121.81	-50.87
DDH1312	6.1	121.63	-50.18
DDH1312	12.19	121.76	-49.89
DDH1312	18.29	122.07	-50.22
DDH1312	24.38	121.88	-50.12
DDH1312	30.48	121.65	-49.83
DDH1312	36.58	121.81	-49.91
DDH1312	42.67	122.46	-49.82
DDH1312	48.77	122.58	-49.75
DDH1312	54.86	122.71	-49.75
DDH1312	60.96	123.28	-49.56
DDH1312	67.06	123.41	-49.35
DDH1312	73.15	123.25	-49.25
DDH1312	79.25	123.34	-49.28
DDH1312	85.34	123.54	-49.28
DDH1312	91.44	123.62	-49.26
DDH1312	97.54	123.65	-49.15
DDH1312	103.63	123.61	-49.19
DDH1312	109.73	123.46	-49.3
DDH1312	115.82	123.52	-49.34
DDH1312	121.92	123.61	-49.35
DDH1312	128.02	123.72	-49.3
DDH1312	134.11	123.59	-49.23
DDH1312	140.21	123.48	-49.14
DDH1312	146.3	123.08	-49.24
DDH1312	152.4	123.03	-49.22
DDH1312	158.5	123.08	-49.2
DDH1312	164.59	123.32	-49.13
DDH1312	170.69	123.98	-48.95
DDH1312	176.78	124.12	-48.9
DDH1312	182.88	124.11	-48.81
DDH1312	188.98	124.31	-48.77
DDH1312	195.07	124.59	-48.69
DDH1312	201.17	125.06	-48.57
DDH1312	207.26	125.27	-48.4
DDH1312	213.36	125.4	-48.41
DDH1312	219.46	125.46	-48.38

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1312	225.55	125.45	-48.3
DDH1312	231.65	125.5	-48.5
DDH1312	237.74	125.6	-48.49
DDH1312	243.84	125.56	-48.47
DDH1312	249.94	125.68	-48.5
DDH1312	256.03	125.85	-48.51
DDH1312	262.13	125.85	-48.54
DDH1312	268.22	126.14	-48.55
DDH1312	274.32	126.22	-48.54
DDH1312	280.42	126.27	-48.53
DDH1312	286.51	126.4	-48.47
DDH1312	292.61	126.5	-48.49
DDH1312	298.7	126.53	-48.51
DDH1312	304.8	126.55	-48.49
DDH1312	310.9	126.72	-48.44
DDH1312	316.99	126.79	-48.39
DDH1312	323.09	126.88	-48.39
DDH1312	329.18	127.1	-48.4
DDH1312	335.28	127.22	-48.4
DDH1312	341.38	127.41	-48.35
DDH1312	347.47	127.56	-48.39
DDH1312	353.57	126.04	-47.23
DDH1312	359.66	122.85	-46.27
DDH1312	365.76	122.23	-44.37
DDH1312	371.86	122.21	-43.25
DDH1312	377.95	122.29	-43.25
DDH1312	384.05	122.51	-43.33
DDH1312	390.14	122.63	-43.39
DDH1312	396.24	122.86	-43.5
DDH1312	402.34	123	-43.47
DDH1312	408.43	123.27	-43.36
DDH1312	414.53	123.38	-43.27
DDH1312	420.62	123.56	-43.17
DDH1312	426.72	123.7	-43.16
DDH1312	432.82	123.86	-43.27
DDH1312	438.91	123.99	-43.35
DDH1312	445.01	124.09	-43.37
DDH1312	451.1	124.24	-43.47
DDH1312	457.2	124.23	-43.55
DDH1312	463.3	124.38	-43.59
DDH1312	469.39	124.49	-43.67
DDH1312	475.49	124.66	-43.7
DDH1312	481.58	124.68	-43.72

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1312	487.68	124.77	-43.78
DDH1312	493.78	124.89	-43.9
DDH1312	499.87	125	-44.06
DDH1312	505.97	125.12	-44.1
DDH1312	512.06	125.17	-43.83
DDH1312	518.16	125.17	-43.79
DDH1312	524.26	125.31	-43.79
DDH1312	530.35	125.42	-43.81
DDH1312	536.45	125.38	-43.94
DDH1312	542.54	125.46	-44
DDH1312	548.64	125.53	-44.02
DDH1312	548.97	125.54	-44.05
DDH1313	0	114.49	-56.2
DDH1313	6.1	114.52	-55.77
DDH1313	12.19	114.56	-55.7
DDH1313	18.29	114.39	-56.45
DDH1313	24.38	114.8	-56.77
DDH1313	30.48	115.03	-56.5
DDH1313	36.58	115.34	-56.41
DDH1313	42.67	115.78	-56.32
DDH1313	48.77	116.36	-56.35
DDH1313	54.86	117.38	-56.01
DDH1313	60.96	118.2	-55.53
DDH1313	67.06	119.4	-55.01
DDH1313	73.15	120.64	-54.32
DDH1313	79.25	121.27	-53.89
DDH1313	85.34	121.23	-53.84
DDH1313	91.44	121.52	-53.72
DDH1313	97.54	121.78	-53.55
DDH1313	103.63	121.73	-53.48
DDH1313	109.73	121.89	-53.31
DDH1313	115.82	121.86	-53.26
DDH1313	121.92	122.33	-53.13
DDH1313	128.02	122.57	-53.04
DDH1313	134.11	122.81	-52.9
DDH1313	140.21	123.18	-52.8
DDH1313	146.3	123.29	-52.59
DDH1313	152.4	123.56	-52.46
DDH1313	158.5	123.89	-52.33
DDH1313	164.59	124.05	-52.26
DDH1313	170.69	124.42	-52.18
DDH1313	176.78	124.67	-52.1
DDH1313	182.88	124.74	-52.07

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1313	188.98	124.95	-52.03
DDH1313	195.07	125.07	-51.86
DDH1313	201.17	125.16	-51.78
DDH1313	207.26	125.39	-51.63
DDH1313	213.36	125.49	-51.57
DDH1313	219.46	125.54	-51.53
DDH1313	225.55	125.7	-51.45
DDH1313	231.65	125.91	-51.36
DDH1313	237.74	125.99	-51.37
DDH1313	243.84	126.16	-51.26
DDH1313	249.94	126.31	-51.18
DDH1313	256.03	126.59	-51.14
DDH1313	262.13	126.54	-51.07
DDH1313	268.22	126.72	-51.01
DDH1313	274.32	126.8	-50.98
DDH1313	280.42	127.03	-50.89
DDH1313	286.51	127.27	-50.92
DDH1313	292.61	127.38	-50.89
DDH1313	298.7	127.39	-50.81
DDH1313	304.8	127.72	-50.75
DDH1313	310.9	127.91	-50.68
DDH1313	316.99	127.81	-50.66
DDH1313	323.09	128.07	-50.59
DDH1313	329.18	128.25	-50.58
DDH1313	335.28	128.53	-50.27
DDH1313	341.38	129.18	-48.55
DDH1313	347.47	129.35	-46.43
DDH1313	353.57	128.53	-44.57
DDH1313	359.66	129.2	-44.09
DDH1313	365.76	130.34	-43.72
DDH1313	371.86	131.02	-42.64
DDH1313	377.95	131.1	-42.61
DDH1313	384.05	131.22	-42.58
DDH1313	390.14	131.28	-42.65
DDH1313	396.24	131.42	-42.69
DDH1313	402.34	131.53	-42.7
DDH1313	408.43	131.75	-42.7
DDH1313	414.53	131.86	-42.65
DDH1313	420.62	132.03	-42.71
DDH1313	426.72	132.19	-42.68
DDH1313	432.82	132.36	-42.63
DDH1313	438.91	132.5	-42.62
DDH1313	445.01	132.43	-42.58

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1313	451.1	132.77	-42.5
DDH1313	457.2	132.92	-42.48
DDH1313	463.3	133.16	-42.47
DDH1313	469.39	133.25	-42.45
DDH1313	475.49	133.35	-42.41
DDH1313	481.58	133.55	-42.42
DDH1313	487.68	133.68	-42.48
DDH1313	493.78	133.81	-42.52
DDH1313	499.87	133.95	-42.58
DDH1313	505.97	134.09	-42.57
DDH1313	512.06	134.15	-42.56
DDH1313	518.16	134.27	-42.59
DDH1313	524.26	134.28	-42.6
DDH1313	530.35	134.27	-42.59
DDH1313	536.45	134.38	-42.65
DDH1313	542.54	134.48	-42.63
DDH1313	548.64	134.63	-42.67
DDH1313	549.97	134.62	-42.67
DDH1315	0.02	121.53	-52.26
DDH1315	6.1	121.9	-51.64
DDH1315	12.19	121.88	-50.9
DDH1315	18.29	121.2	-51.97
DDH1315	24.38	120.97	-52.27
DDH1315	30.48	120.9	-51.54
DDH1315	36.58	121.04	-51.63
DDH1315	42.67	121.43	-51.75
DDH1315	48.77	121.66	-51.69
DDH1315	54.86	122.27	-51.43
DDH1315	60.96	122.55	-51.32
DDH1315	67.06	122.94	-51.14
DDH1315	73.15	123.25	-50.77
DDH1315	79.25	123.77	-50.96
DDH1315	85.34	123.92	-50.79
DDH1315	91.44	123.79	-50.69
DDH1315	97.54	123.76	-50.62
DDH1315	103.63	123.91	-50.62
DDH1315	109.73	124.18	-50.46
DDH1315	115.82	124.31	-50.23
DDH1315	121.92	124.56	-50.07
DDH1315	128.02	124.8	-49.91
DDH1315	134.11	124.92	-49.78
DDH1315	140.21	125.17	-49.61
DDH1315	146.3	125.16	-49.53

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1315	152.4	125.42	-49.39
DDH1315	158.5	125.64	-49.21
DDH1315	164.59	125.76	-49.06
DDH1315	170.69	125.99	-48.96
DDH1315	176.78	126.18	-48.77
DDH1315	182.88	126.28	-48.7
DDH1315	188.98	126.64	-48.54
DDH1315	195.07	126.81	-48.35
DDH1315	201.17	126.93	-48.32
DDH1315	207.26	127.02	-48.27
DDH1315	213.36	127.28	-48.2
DDH1315	219.46	127.39	-48.18
DDH1315	225.55	127.58	-48.09
DDH1315	231.65	127.7	-48.11
DDH1315	237.74	127.92	-48.02
DDH1315	243.84	128.14	-47.93
DDH1315	249.94	128.26	-47.87
DDH1315	256.03	128.23	-47.88
DDH1315	262.13	128.24	-47.77
DDH1315	268.22	128.43	-47.76
DDH1315	274.32	128.51	-47.69
DDH1315	280.42	128.65	-47.6
DDH1315	286.51	128.79	-47.52
DDH1315	292.61	128.84	-47.58
DDH1315	298.7	129.03	-47.55
DDH1315	304.8	129.24	-47.53
DDH1315	310.9	129.42	-47.45
DDH1315	316.99	129.46	-47.41
DDH1315	323.09	129.56	-47.36
DDH1315	329.18	129.64	-47.34
DDH1315	335.28	129.87	-47.28
DDH1315	341.38	130.01	-47.29
DDH1315	347.47	129.92	-47.24
DDH1315	353.57	131.48	-47.25
DDH1315	359.66	134.82	-47.7
DDH1315	365.76	138.29	-47.89
DDH1315	371.86	141.36	-46.86
DDH1315	377.95	144.53	-46.15
DDH1315	384.05	147.9	-45.23
DDH1315	390.14	149.77	-45.06
DDH1315	396.24	149.66	-45.15
DDH1315	402.34	149.62	-45.01
DDH1315	408.43	149.53	-44.99

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1315	414.53	149.5	-44.9
DDH1315	420.62	149.54	-44.82
DDH1315	426.72	149.53	-44.78
DDH1315	432.82	149.36	-44.75
DDH1315	438.91	149.35	-44.93
DDH1315	445.01	149.33	-45.01
DDH1315	451.1	149.34	-44.97
DDH1315	457.2	149.4	-45.01
DDH1315	463.3	149.36	-44.99
DDH1315	469.39	149.42	-45.03
DDH1315	475.49	149.35	-45.1
DDH1315	481.58	149.38	-45.14
DDH1315	487.68	149.31	-45.22
DDH1315	493.78	149.23	-45.27
DDH1315	499.87	149.14	-45.4
DDH1315	505.97	149.3	-45.45
DDH1315	512.06	149.43	-45.48
DDH1315	518.16	149.52	-45.47
DDH1315	522.93	149.51	-45.47
DDH1316	0	170.41	-59.48
DDH1316	6.1	170.36	-59.02
DDH1316	12.19	170.17	-58.57
DDH1316	18.29	169.94	-58.47
DDH1316	24.38	170.06	-58.43
DDH1316	30.48	170.25	-58.36
DDH1316	36.58	170	-58.3
DDH1316	42.67	169.78	-58.34
DDH1316	48.77	169.77	-58.28
DDH1316	54.86	169.73	-58.16
DDH1316	60.96	169.71	-58.08
DDH1316	67.06	169.81	-58.01
DDH1316	73.15	169.79	-57.95
DDH1316	79.25	169.63	-57.85
DDH1316	85.34	169.62	-57.89
DDH1316	91.44	169.55	-57.94
DDH1316	97.54	169.65	-57.87
DDH1316	103.63	169.66	-57.76
DDH1316	109.73	169.63	-57.64
DDH1316	115.82	169.64	-57.64
DDH1316	121.92	169.52	-57.66
DDH1316	128.02	169.81	-57.72
DDH1316	134.11	170.08	-57.64
DDH1316	140.21	169.85	-57.56

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1316	146.3	169.63	-57.55
DDH1316	152.4	169.6	-57.56
DDH1316	158.5	169.72	-57.5
DDH1316	164.59	169.58	-57.55
DDH1316	170.69	169.75	-57.63
DDH1316	176.78	169.64	-57.73
DDH1316	182.88	169.83	-57.75
DDH1316	188.98	169.9	-57.64
DDH1316	195.07	170.01	-57.63
DDH1316	201.17	170.05	-57.62
DDH1316	207.26	170.16	-57.62
DDH1316	213.36	170.1	-57.59
DDH1316	219.46	170.05	-57.57
DDH1316	225.55	170.15	-57.55
DDH1316	231.65	170.19	-57.54
DDH1316	237.74	170.29	-57.55
DDH1316	243.84	170.24	-57.46
DDH1316	249.94	170.19	-57.42
DDH1316	256.03	170.19	-57.36
DDH1316	262.13	170.3	-57.28
DDH1316	268.22	170.11	-57.23
DDH1316	274.32	170.27	-57.18
DDH1316	280.42	170.17	-57
DDH1316	286.51	170.03	-57
DDH1316	292.61	170.08	-56.95
DDH1316	298.7	170.06	-56.94
DDH1316	304.8	169.98	-56.97
DDH1316	310.9	170.08	-56.95
DDH1316	316.99	170.01	-56.93
DDH1316	323.09	169.79	-57.1
DDH1316	329.18	169.83	-57.14
DDH1316	335.28	169.87	-57.19
DDH1316	341.38	169.87	-57.14
DDH1316	347.47	169.9	-57.21
DDH1316	353.57	169.98	-57.19
DDH1316	359.66	169.96	-57.17
DDH1316	365.76	170.08	-57.13
DDH1316	371.86	170.13	-57.17
DDH1316	377.95	170.1	-57.18
DDH1316	384.05	170.13	-57.3
DDH1316	390.14	170.08	-57.45
DDH1316	396.24	170.21	-57.66
DDH1316	402.34	169.95	-57.71

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1316	408.43	169.92	-57.77
DDH1316	414.53	169.93	-57.9
DDH1316	420.62	169.76	-57.99
DDH1316	426.72	169.69	-58.17
DDH1316	432.82	169.68	-58.31
DDH1316	438.91	169.59	-58.38
DDH1316	445.01	169.3	-58.38
DDH1316	451.1	168.98	-58.51
DDH1316	457.2	168.69	-58.57
DDH1316	463.3	168.51	-58.63
DDH1316	469.39	168.5	-58.73
DDH1316	475.49	168.25	-58.71
DDH1316	481.58	168.3	-58.8
DDH1316	487.68	167.98	-58.56
DDH1316	493.78	167.81	-58.1
DDH1316	499.87	168.25	-56.92
DDH1316	505.97	167.81	-55.09
DDH1316	512.06	167.21	-53.22
DDH1316	518.16	167.07	-51.42
DDH1316	524.26	166.66	-49.9
DDH1316	530.35	166.02	-48.57
DDH1316	536.45	165.52	-47.13
DDH1316	542.54	165.19	-45.72
DDH1316	548.64	165.16	-44.62
DDH1316	554.74	165.14	-43.72
DDH1316	560.83	165.31	-43.84
DDH1316	566.93	165.4	-43.9
DDH1316	573.02	165.55	-44.04
DDH1316	579.12	165.61	-44.27
DDH1316	585.22	165.39	-44.59
DDH1316	591.31	165.58	-45.1
DDH1316	597.41	165.83	-45.48
DDH1316	603.5	165.96	-45.77
DDH1316	609.6	166.13	-46.15
DDH1316	615.7	166.49	-46.5
DDH1316	621.79	166.6	-46.87
DDH1316	627.89	166.55	-47.22
DDH1316	633.98	166.68	-47.48
DDH1316	640.08	166.82	-47.68
DDH1316	646.18	166.99	-47.94
DDH1316	652.27	166.99	-48.16
DDH1316	658.37	167.02	-48.29
DDH1316	664.46	167.26	-48.48

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1316	670.56	167.29	-48.59
DDH1316	676.66	167.37	-48.78
DDH1316	682.75	167.7	-48.92
DDH1316	688.85	167.81	-49.11
DDH1316	694.94	167.95	-49.28
DDH1316	701.04	168.31	-49.71
DDH1316	707.14	168.68	-50.02
DDH1316	713.23	168.73	-50.3
DDH1316	719.33	168.63	-50.48
DDH1316	725.42	168.74	-50.75
DDH1316	731.52	168.79	-50.92
DDH1316	737.62	168.79	-51.06
DDH1316	743.71	168.93	-51.14
DDH1316	749.81	169.04	-51.23
DDH1316	755.9	169.05	-51.52
DDH1316	762	169.04	-51.74
DDH1316	768.1	169.1	-51.96
DDH1316	774.19	169.28	-52
DDH1316	780.29	169.5	-51.96
DDH1316	786.38	169.33	-51.92
DDH1316	792.48	169.13	-51.94
DDH1316	798.58	169.02	-52.09
DDH1316	804.67	169.17	-52.2
DDH1316	806.66	169.17	-52.2
DDH1317	0.53	111.5	-56.09
DDH1317	6.1	111.55	-55.68
DDH1317	12.19	111.44	-55.18
DDH1317	18.29	111.34	-55.51
DDH1317	24.38	111.43	-55.42
DDH1317	30.48	111.32	-55.33
DDH1317	36.58	111.33	-55.19
DDH1317	42.67	111.83	-54.96
DDH1317	48.77	112.69	-54.82
DDH1317	54.86	113.45	-54.47
DDH1317	60.96	114.59	-53.89
DDH1317	67.06	115.85	-53.24
DDH1317	73.15	116.95	-52.76
DDH1317	79.25	117.48	-52.32
DDH1317	85.34	117.53	-52.27
DDH1317	91.44	117.69	-52.14
DDH1317	97.54	117.93	-52.04
DDH1317	103.63	118.03	-51.98
DDH1317	109.73	118.13	-51.92

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1317	115.82	118.32	-51.89
DDH1317	121.92	118.44	-51.84
DDH1317	128.02	118.6	-51.78
DDH1317	134.11	118.67	-51.74
DDH1317	140.21	118.9	-51.69
DDH1317	146.3	118.97	-51.69
DDH1317	152.4	119.14	-51.66
DDH1317	158.5	119.3	-51.61
DDH1317	164.59	119.32	-51.58
DDH1317	170.69	119.45	-51.54
DDH1317	176.78	119.68	-51.55
DDH1317	182.88	119.76	-51.55
DDH1317	188.98	119.99	-51.52
DDH1317	195.07	119.91	-51.51
DDH1317	201.17	120.12	-51.45
DDH1317	207.26	120.19	-51.41
DDH1317	213.36	120.2	-51.43
DDH1317	219.46	120.31	-51.37
DDH1317	225.55	120.44	-51.41
DDH1317	231.65	120.51	-51.41
DDH1317	237.74	120.5	-51.42
DDH1317	243.84	120.73	-51.39
DDH1317	249.94	120.8	-51.37
DDH1317	256.03	120.82	-51.36
DDH1317	262.13	120.95	-51.33
DDH1317	268.22	121.02	-51.27
DDH1317	274.32	121.13	-51.27
DDH1317	280.42	121.11	-51.3
DDH1317	286.51	121.26	-51.31
DDH1317	292.61	121.4	-51.33
DDH1317	298.7	121.51	-51.31
DDH1317	304.8	121.68	-51.26
DDH1317	310.9	121.68	-51.29
DDH1317	316.99	121.74	-51.31
DDH1317	323.09	121.89	-51.28
DDH1317	329.18	122.05	-51.26
DDH1317	335.28	122.11	-51.22
DDH1317	341.38	122.19	-51.24
DDH1317	347.47	122.5	-51.21
DDH1317	353.57	122.57	-51.2
DDH1317	359.66	122.59	-51.2
DDH1317	365.76	122.67	-51.19
DDH1317	371.86	122.9	-51.17

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1317	377.95	123.18	-51.23
DDH1317	384.05	123.44	-51.28
DDH1317	390.14	123.61	-51.31
DDH1317	396.24	123.79	-51.27
DDH1317	402.34	123.81	-51.38
DDH1317	408.43	124.12	-51.41
DDH1317	414.53	124.2	-51.36
DDH1317	420.62	124.47	-51.38
DDH1317	426.72	124.46	-51.36
DDH1317	432.82	124.62	-51.35
DDH1317	438.91	124.82	-51.42
DDH1317	445.01	125.19	-51.38
DDH1317	451.1	125.21	-51.36
DDH1317	457.2	125.33	-51.35
DDH1317	463.3	125.26	-51.32
DDH1317	469.39	125.44	-51.35
DDH1317	475.49	125.38	-51.36
DDH1317	481.58	125.4	-51.39
DDH1317	487.68	125.46	-51.39
DDH1317	493.78	125.67	-51.43
DDH1317	499.87	125.61	-51.39
DDH1317	505.97	125.83	-51.36
DDH1317	512.06	126	-51.31
DDH1317	518.16	125.97	-51.47
DDH1317	524.26	126.02	-51.45
DDH1317	530.35	125.91	-51.41
DDH1317	536.45	126.01	-51.46
DDH1317	542.54	126.11	-51.46
DDH1317	548.64	126.09	-51.47
DDH1317	554.74	126.34	-51.49
DDH1317	560.83	126.5	-51.52
DDH1317	566.93	126.37	-51.66
DDH1317	573.02	126.51	-51.69
DDH1317	573.8	126.51	-51.69
DDH1318	0.01	338.85	-69.75
DDH1318	15.27	338.94	-69.02
DDH1318	30.56	340.58	-68.9
DDH1318	45.75	339.85	-68.3
DDH1318	60.97	339.31	-68.12
DDH1318	76.26	340.31	-68.22
DDH1318	91.45	340.02	-68.53
DDH1318	106.73	338.47	-69.16
DDH1318	121.94	339.03	-69.37

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1318	137.23	339.11	-69.63
DDH1318	152.4	338.29	-69.87
DDH1318	167.67	339.75	-70.13
DDH1318	182.98	339.63	-70.41
DDH1318	198.13	339.48	-70.63
DDH1318	213.37	338.67	-70.81
DDH1318	228.61	339.11	-71.12
DDH1318	243.84	339.1	-71.53
DDH1318	259.11	338.99	-71.81
DDH1318	274.34	337.36	-72.44
DDH1318	289.59	336.57	-72.93
DDH1318	304.82	333.18	-73.44
DDH1318	320.06	327.55	-75.62
DDH1318	335.29	324.05	-76.04
DDH1318	350.65	321.6	-75.71
DDH1318	365.89	321.32	-75.85
DDH1318	381.02	321.89	-76.02
DDH1318	396.28	321.42	-76.5
DDH1318	411.56	320.75	-76.53
DDH1318	426.75	320.75	-76.85
DDH1318	442.07	320.42	-77.07
DDH1318	457.24	321.31	-77.52
DDH1318	472.49	321.16	-77.63
DDH1318	487.72	320.66	-77.91
DDH1318	502.96	321.52	-78.23
DDH1318	518.18	320.19	-78.58
DDH1318	533.45	319.36	-78.79
DDH1318	548.75	317.52	-79.3
DDH1318	564.06	316.98	-79.69
DDH1318	579.24	315.04	-80.02
DDH1318	594.38	314.6	-80.67
DDH1318	609.67	309.12	-81.32
DDH1318	624.9	307.09	-82.03
DDH1318	640.11	305.73	-82.34
DDH1318	655.35	304.88	-82.5
DDH1318	670.56	305.05	-82.61
DDH1318	685.82	305.48	-82.71
DDH1318	701.07	303.89	-83.02
DDH1318	716.28	305.23	-83.25
DDH1318	731.53	305.69	-83.2
DDH1318	746.82	304.91	-83.27
DDH1318	762.02	304.99	-83.35
DDH1318	777.36	305.34	-83.42

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1318	792.52	304.76	-83.54
DDH1318	807.84	306.47	-84.68
DDH1318	823.08	305.72	-85.44
DDH1318	838.27	305.75	-85.87
DDH1318	853.52	304.1	-86.65
DDH1318	868.74	306.57	-86.85
DDH1318	883.94	292.99	-87.54
DDH1318	899.2	277.86	-88.1
DDH1318	905.53	277.02	-88.13
DDH1319	0	128.69	-61.28
DDH1319	6.1	129.13	-62.74
DDH1319	12.19	128.86	-62.06
DDH1319	18.29	129.15	-62.34
DDH1319	24.38	129.1	-62.25
DDH1319	30.48	129.56	-62.18
DDH1319	36.58	129.8	-62.01
DDH1319	42.67	130.17	-61.9
DDH1319	48.77	130.76	-61.73
DDH1319	54.86	130.85	-61.53
DDH1319	60.96	131	-61.41
DDH1319	67.06	131.43	-61.34
DDH1319	73.15	131.67	-61.23
DDH1319	79.25	131.65	-61.15
DDH1319	85.34	132	-61.03
DDH1319	91.44	132.19	-60.82
DDH1319	97.54	132.4	-60.64
DDH1319	103.63	132.64	-60.58
DDH1319	109.73	132.77	-60.4
DDH1319	115.82	133.15	-60.26
DDH1319	121.92	133	-60.02
DDH1319	128.02	133.28	-59.85
DDH1319	134.11	133.34	-59.81
DDH1319	140.21	133.27	-59.66
DDH1319	146.3	133.41	-59.54
DDH1319	152.4	133.4	-59.38
DDH1319	158.5	133.48	-59.3
DDH1319	164.59	133.7	-59.13
DDH1319	170.69	133.96	-59.06
DDH1319	176.78	133.91	-59.05
DDH1319	182.88	134.06	-59.02
DDH1319	188.98	134.03	-58.89
DDH1319	195.07	134.16	-58.75
DDH1319	201.17	134.13	-58.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1319	207.26	134.37	-58.51
DDH1319	213.36	134.45	-58.4
DDH1319	219.46	134.49	-58.32
DDH1319	225.55	134.62	-58.26
DDH1319	231.65	134.89	-58.17
DDH1319	237.74	134.91	-58.09
DDH1319	243.84	135.02	-58.04
DDH1319	249.94	134.96	-58.01
DDH1319	256.03	135.11	-57.95
DDH1319	262.13	135.19	-57.97
DDH1319	268.22	135.2	-58
DDH1319	274.32	135.21	-57.92
DDH1319	280.42	135.27	-57.81
DDH1319	286.51	135.18	-57.76
DDH1319	292.61	135.2	-57.71
DDH1319	298.7	135.16	-57.68
DDH1319	304.8	135.12	-57.63
DDH1319	310.9	135.32	-57.56
DDH1319	316.99	135.36	-57.5
DDH1319	323.09	135.53	-57.47
DDH1319	329.18	135.58	-57.47
DDH1319	335.28	135.65	-57.52
DDH1319	341.38	135.65	-57.51
DDH1319	347.47	135.77	-57.45
DDH1319	353.57	135.84	-57.44
DDH1319	359.66	135.8	-57.38
DDH1319	365.76	135.84	-57.4
DDH1319	371.86	135.82	-57.38
DDH1319	377.95	136.56	-56.75
DDH1319	384.05	137.28	-56.67
DDH1319	390.14	137.4	-56.71
DDH1319	396.24	137.51	-56.7
DDH1319	402.34	137.5	-56.72
DDH1319	408.43	137.58	-56.65
DDH1319	414.53	137.39	-55.73
DDH1319	420.62	137.26	-53.98
DDH1319	426.72	136.84	-52.39
DDH1319	432.82	137.18	-50.48
DDH1319	438.91	137.64	-50.18
DDH1319	445.01	137.8	-50.17
DDH1319	451.1	137.93	-50.11
DDH1319	457.2	137.98	-50.04
DDH1319	463.3	138.03	-50.02

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH1319	469.39	138.13	-49.99
DDH1319	475.49	138.18	-49.97
DDH1319	481.58	138.25	-49.98
DDH1319	487.68	138.44	-49.99
DDH1319	493.78	138.52	-50.01
DDH1319	499.87	138.56	-50.07
DDH1319	505.97	138.65	-50.03
DDH1319	512.06	138.76	-50.1
DDH1319	515.45	138.75	-50.1
UGD0104	0	266.95	-41.67
UGD0104	6.1	267.42	-41.45
UGD0104	12.19	267.34	-41.53
UGD0104	18.29	267.31	-41.65
UGD0104	24.38	267.33	-41.8
UGD0104	30.48	267.48	-41.92
UGD0104	36.58	267.55	-41.89
UGD0104	42.67	267.8	-41.99
UGD0104	48.77	267.86	-42
UGD0104	54.86	268	-42.02
UGD0104	60.96	268.2	-42.1
UGD0104	67.06	268.15	-42.19
UGD0104	73.15	268.25	-42.38
UGD0104	79.25	268.25	-42.53
UGD0104	85.34	268.26	-42.59
UGD0104	91.44	268.09	-42.59
UGD0104	97.54	268	-42.71
UGD0104	103.63	267.94	-42.72
UGD0104	109.73	267.85	-42.97
UGD0104	115.82	267.7	-43.06
UGD0104	121.92	267.71	-43.09
UGD0104	128.02	267.7	-43.15
UGD0104	134.11	267.58	-43.21
UGD0104	140.21	267.58	-43.36
UGD0104	146.3	267.43	-43.39
UGD0104	152.4	267.3	-43.45
UGD0104	158.5	267.27	-43.58
UGD0104	164.59	267.29	-43.6
UGD0104	170.69	267.64	-43.63
UGD0104	176.78	267.65	-43.74
UGD0104	182.88	267.49	-43.71
UGD0104	188.98	267.45	-43.79
UGD0104	195.07	267.54	-43.88
UGD0104	201.17	267.44	-43.92

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0104	207.26	267.36	-43.75
UGD0104	213.36	267.32	-43.77
UGD0104	219.46	267.41	-43.68
UGD0104	225.55	267.23	-43.77
UGD0104	231.65	266.9	-43.85
UGD0104	237.74	266.73	-43.89
UGD0104	243.84	266.64	-43.95
UGD0104	249.94	266.76	-43.93
UGD0104	255.53	266.89	-43.81
UGD0104	256.03	266.62	-44
UGD0104	262.13	266.41	-44.04
UGD0104	268.22	266.22	-44.11
UGD0104	274.32	266.21	-44.14
UGD0104	280.42	266.28	-44.05
UGD0104	286.51	266.17	-43.98
UGD0104	292.61	265.88	-43.87
UGD0104	298.7	265.7	-43.85
UGD0104	304.8	265.51	-43.95
UGD0104	310.9	265.38	-44.02
UGD0104	316.99	265.53	-44.08
UGD0104	323.09	265.81	-44.06
UGD0104	329.18	265.98	-44.14
UGD0104	335.28	266.07	-44.4
UGD0104	339.04	265.97	-44.43
UGD0107	0	239.01	-61.99
UGD0107	1.52	240.23	-62.01
UGD0107	3.05	240.07	-62.02
UGD0107	4.27	240.02	-61.97
UGD0107	6.1	239.85	-63.08
UGD0107	12.19	239.96	-63.14
UGD0107	18.29	239.72	-63.12
UGD0107	24.38	239.51	-63.05
UGD0107	30.48	239.35	-63.01
UGD0107	36.58	239.02	-63.01
UGD0107	42.67	238.44	-62.93
UGD0107	48.77	238.37	-62.91
UGD0107	54.86	238.28	-62.87
UGD0107	60.96	238.13	-62.81
UGD0107	67.06	237.73	-62.79
UGD0107	73.15	237.6	-62.75
UGD0107	79.25	237.67	-62.7
UGD0107	85.34	237.61	-62.74
UGD0107	91.44	237.49	-62.66

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0107	97.54	237.3	-62.54
UGD0107	103.63	237.25	-62.52
UGD0107	109.73	237.16	-62.58
UGD0107	115.82	237.16	-62.62
UGD0107	121.92	236.95	-62.61
UGD0107	128.02	237.02	-62.53
UGD0107	134.11	237.29	-62.68
UGD0107	140.21	237.26	-62.73
UGD0107	146.3	237.42	-62.7
UGD0107	152.4	236.83	-62.62
UGD0107	158.5	236.41	-62.52
UGD0107	164.59	236.31	-62.51
UGD0107	170.69	235.37	-62.53
UGD0107	176.78	233.85	-62.55
UGD0107	182.88	233.21	-62.6
UGD0107	188.98	232.16	-62.78
UGD0107	195.07	231.53	-62.81
UGD0107	201.17	230.92	-62.8
UGD0107	207.26	230.32	-62.94
UGD0107	213.36	230.14	-62.99
UGD0107	219.46	229.69	-62.96
UGD0107	225.55	228.93	-62.88
UGD0107	231.65	228.65	-62.76
UGD0107	237.74	228.04	-62.75
UGD0107	243.84	227.1	-62.88
UGD0107	244.79	226.31	-62.97
UGD0107	249.94	226.38	-62.97
UGD0107	256.03	225.87	-63.04
UGD0107	262.13	225.23	-63.1
UGD0107	268.22	224.74	-63.28
UGD0107	274.32	224.24	-63.37
UGD0107	280.42	223.64	-63.53
UGD0107	286.51	223.03	-63.84
UGD0107	292.61	222.53	-63.96
UGD0107	298.7	222.02	-64.16
UGD0107	304.8	221.85	-64.27
UGD0107	310.9	221.47	-64.39
UGD0107	316.99	221.17	-64.35
UGD0107	323.09	221.03	-64.27
UGD0107	329.18	220.75	-64.27
UGD0107	335.28	220.46	-64.28
UGD0107	341.38	220.26	-64.25
UGD0107	345.95	219.97	-64.17

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0107	347.47	220.28	-64.15
UGD0107	348.73	220.39	-64.17
UGD0108	0	238	-51.5
UGD0108	0	238.4	-52.03
UGD0108	1.52	238.33	-51.86
UGD0108	3.05	238.18	-52.14
UGD0108	4.57	238.25	-51.79
UGD0108	6.1	238.53	-52.09
UGD0108	7.62	238.29	-51.82
UGD0108	9.14	238	-52.15
UGD0108	10.67	238.2	-51.76
UGD0108	12.19	238.33	-52.07
UGD0108	13.72	238.06	-51.77
UGD0108	14.02	238.06	-51.77
UGD0108	15.24	237.93	-52.14
UGD0108	18.29	238.14	-52
UGD0108	21.34	237.64	-52.11
UGD0108	24.38	238.09	-52.05
UGD0108	27.43	237.36	-52.09
UGD0108	30.48	237.84	-51.89
UGD0108	33.53	237.4	-51.83
UGD0108	36.58	237.82	-51.85
UGD0108	39.62	237.16	-51.75
UGD0108	42.67	237.8	-51.84
UGD0108	45.72	236.98	-51.67
UGD0108	48.77	237.56	-51.68
UGD0108	51.82	237.36	-51.47
UGD0108	54.86	237.41	-51.57
UGD0108	57.91	237.67	-51.33
UGD0108	60.96	237.32	-51.61
UGD0108	64.01	237.91	-51.35
UGD0108	67.06	237.39	-51.62
UGD0108	70.1	237.9	-51.32
UGD0108	73.15	237.41	-51.63
UGD0108	76.2	237.89	-51.29
UGD0108	79.25	237.1	-51.53
UGD0108	82.3	237.93	-51.16
UGD0108	85.34	237.11	-51.35
UGD0108	88.39	237.95	-51.14
UGD0108	91.44	237.24	-51.28
UGD0108	94.49	238.02	-51.04
UGD0108	97.54	237.2	-51.32
UGD0108	100.58	237.92	-51.05

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0108	103.63	237.19	-51.27
UGD0108	106.68	238.11	-50.95
UGD0108	109.73	237.21	-51.11
UGD0108	112.78	238.32	-50.77
UGD0108	115.82	237.38	-50.98
UGD0108	118.87	238.38	-50.71
UGD0108	121.92	237.44	-50.85
UGD0108	124.97	238.58	-50.62
UGD0108	128.02	237.41	-50.88
UGD0108	131.06	238.7	-50.77
UGD0108	134.11	237.2	-50.93
UGD0108	137.16	238.6	-50.72
UGD0108	140.21	237.21	-50.83
UGD0108	143.26	238.36	-50.58
UGD0108	146.3	237.23	-50.76
UGD0108	149.35	237.98	-50.62
UGD0108	152.4	237.2	-50.71
UGD0108	152.47	237.9	-50.68
UGD0108	158.5	237.42	-50.67
UGD0108	164.59	237.49	-50.56
UGD0108	170.69	237.62	-50.44
UGD0108	176.78	237.73	-50.37
UGD0108	182.88	237.98	-50.41
UGD0108	188.98	237.92	-50.42
UGD0108	195.07	237.62	-50.4
UGD0108	201.17	237.52	-50.41
UGD0108	207.26	237.44	-50.32
UGD0108	213.36	237.5	-50.25
UGD0108	219.46	237.63	-50.18
UGD0108	225.55	237.62	-50.15
UGD0108	231.65	237.76	-50.15
UGD0108	237.74	237.73	-50.11
UGD0108	243.84	237.73	-50.21
UGD0108	244.75	237.81	-49.92
UGD0108	249.94	237.69	-50.21
UGD0108	256.03	237.59	-50.17
UGD0108	262.13	237.5	-50.28
UGD0108	268.22	237.27	-50.22
UGD0108	274.32	237.5	-50.2
UGD0108	280.42	237.75	-50.07
UGD0108	286.51	237.92	-50.14
UGD0108	292.61	237.68	-50.19
UGD0108	298.7	237.24	-50.13

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0108	304.8	236.96	-50.22
UGD0108	310.9	237.17	-50.38
UGD0108	316.99	236.83	-50.72
UGD0108	323.09	236.45	-51.06
UGD0108	329.18	236.1	-51.33
UGD0108	335.28	236.12	-51.56
UGD0108	341.38	235.88	-51.57
UGD0108	347.47	236.02	-51.61
UGD0108	353.57	236.05	-51.69
UGD0108	359.66	236.01	-51.74
UGD0108	363.63	236.11	-51.75
UGD0110	0	168.8	-81.18
UGD0110	1.52	169.81	-80.92
UGD0110	3.05	170.08	-80.99
UGD0110	4.57	168.98	-80.81
UGD0110	6.1	167.96	-80.7
UGD0110	7.62	168.42	-80.69
UGD0110	9.14	168.78	-80.78
UGD0110	10.67	167.68	-80.49
UGD0110	12.19	165.69	-80.52
UGD0110	13.72	167.03	-80.36
UGD0110	15.24	167.63	-80.57
UGD0110	16.76	167.18	-80.25
UGD0110	18.29	165.3	-80.46
UGD0110	21.34	167.01	-80.38
UGD0110	24.38	163.77	-80.27
UGD0110	27.43	166.87	-80.1
UGD0110	30.48	163.48	-80.11
UGD0110	33.53	166.99	-79.96
UGD0110	36.58	162.58	-80.04
UGD0110	39.62	165.88	-79.73
UGD0110	42.67	161.98	-79.69
UGD0110	45.72	164.95	-79.5
UGD0110	48.77	161.6	-79.37
UGD0110	51.82	163.89	-79.23
UGD0110	54.86	161.47	-79.19
UGD0110	57.91	164.09	-79.03
UGD0110	60.96	160.24	-79.34
UGD0110	64.01	164.28	-78.84
UGD0110	67.06	160.13	-79.01
UGD0110	70.1	165.09	-78.69
UGD0110	71.72	165.22	-78.59
UGD0110	73.15	160.08	-78.77

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0110	79.25	160.08	-78.54
UGD0110	85.34	160.34	-78.12
UGD0110	91.44	160.75	-78.25
UGD0110	97.54	160.28	-78.27
UGD0110	103.63	159.92	-78.1
UGD0110	109.73	160.18	-77.85
UGD0110	115.82	160.44	-77.58
UGD0110	121.92	160.75	-77.31
UGD0110	128.02	160.98	-77.14
UGD0110	134.11	161.22	-77.12
UGD0110	140.21	161.37	-76.78
UGD0110	146.3	161.36	-76.59
UGD0110	152.4	161.03	-76.35
UGD0110	158.5	161.11	-76.09
UGD0110	164.59	161.59	-75.99
UGD0110	170.69	161.67	-75.79
UGD0110	176.78	162.19	-75.66
UGD0110	182.88	162.21	-75.55
UGD0110	188.98	162.24	-75.31
UGD0110	195.07	162.23	-74.96
UGD0110	201.17	162.06	-74.72
UGD0110	207.26	161.84	-74.62
UGD0110	213.36	162.05	-74.39
UGD0110	219.46	162.27	-74.01
UGD0110	225.55	162.65	-73.69
UGD0110	231.65	162.98	-73.4
UGD0110	237.74	163.54	-72.98
UGD0110	243.84	163.52	-72.71
UGD0110	249.94	163.65	-72.52
UGD0110	256.03	164.03	-72.3
UGD0110	262.13	164.52	-72.12
UGD0110	268.22	165.03	-72
UGD0110	274.32	165.26	-71.61
UGD0110	280.42	165.2	-71.3
UGD0110	286.51	165.34	-71.07
UGD0110	292.61	165.42	-70.89
UGD0110	298.7	165.37	-70.65
UGD0110	304.8	165.27	-70.37
UGD0110	310.9	165.08	-70.06
UGD0110	316.99	164.89	-69.82
UGD0110	323.09	164.88	-69.58
UGD0110	329.18	164.56	-69.37
UGD0110	335.28	164.03	-69.01

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0110	335.31	163.03	-70.36
UGD0110	341.38	163.37	-68.75
UGD0110	347.47	162.5	-68.42
UGD0110	353.57	161.78	-68.14
UGD0110	359.66	161.96	-67.8
UGD0110	365.76	162.15	-67.59
UGD0110	371.86	162.74	-67.37
UGD0110	377.95	163.76	-67.25
UGD0110	384.05	164.38	-66.8
UGD0110	390.14	163.7	-66.1
UGD0110	396.24	162.92	-65.77
UGD0110	402.34	162.58	-65.46
UGD0110	408.43	162.72	-65.24
UGD0110	414.53	163.23	-65
UGD0110	420.62	163.52	-64.76
UGD0110	426.72	163.7	-64.56
UGD0110	432.82	163.6	-64.54
UGD0110	438.91	163.49	-64.39
UGD0110	445.01	163.43	-64.28
UGD0110	451.1	163.23	-64.17
UGD0111	0	110.36	-78.84
UGD0111	1.52	110.91	-78.84
UGD0111	3.05	110.64	-78.87
UGD0111	4.57	110.57	-78.77
UGD0111	6.1	111.64	-78.75
UGD0111	7.62	111.15	-78.66
UGD0111	9.14	111.38	-78.6
UGD0111	10.67	111.57	-78.56
UGD0111	12.19	111.95	-78.55
UGD0111	13.72	111.26	-78.5
UGD0111	15.24	111.38	-78.52
UGD0111	16.76	111.54	-78.5
UGD0111	18.29	112.33	-78.37
UGD0111	19.81	112.38	-78.47
UGD0111	20.57	112.39	-78.49
UGD0111	24.38	112.46	-78.17
UGD0111	30.48	113.11	-77.99
UGD0111	36.58	113.92	-77.79
UGD0111	42.67	114.37	-77.57
UGD0111	48.77	114.62	-77.3
UGD0111	54.86	114.43	-77.16
UGD0111	60.96	114.55	-77
UGD0111	67.06	114.04	-76.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0111	73.15	113.99	-76.94
UGD0111	76.28	117.74	-77.99
UGD0111	79.25	114.58	-76.83
UGD0111	85.34	114.66	-76.54
UGD0111	91.44	114.61	-76.55
UGD0111	97.54	114.68	-76.55
UGD0111	103.63	113.74	-76.41
UGD0111	109.73	113.38	-76.08
UGD0111	115.82	114.41	-75.84
UGD0111	121.92	115.44	-75.73
UGD0111	128.02	116.85	-75.69
UGD0111	134.11	118.23	-75.71
UGD0111	140.21	119.27	-75.72
UGD0111	146.3	120.13	-75.5
UGD0111	152.4	120.76	-75.29
UGD0111	152.7	124.23	-76
UGD0111	158.5	120.77	-75.09
UGD0111	164.59	120.87	-75.1
UGD0111	170.69	121.3	-75.12
UGD0111	176.78	121.62	-75.01
UGD0111	182.88	122.06	-74.86
UGD0111	188.98	122	-74.79
UGD0111	195.07	122.1	-74.83
UGD0111	201.17	122.26	-75.16
UGD0111	207.26	122.63	-75.52
UGD0111	213.36	122.37	-75.46
UGD0111	219.46	122.43	-75.49
UGD0111	225.55	122.9	-75.29
UGD0111	231.65	123.52	-75.27
UGD0111	237.74	124.47	-74.92
UGD0111	243.84	124.72	-74.5
UGD0111	249.94	125.11	-74.24
UGD0111	256.03	125.34	-74.11
UGD0111	262.13	125.89	-73.92
UGD0111	268.22	126.77	-73.59
UGD0111	274.32	129.55	-72.95
UGD0111	280.42	129.89	-72.74
UGD0111	286.51	130.28	-72.7
UGD0111	292.61	131.18	-72.47
UGD0111	298.7	132.14	-72.24
UGD0111	304.8	132.49	-72.2
UGD0111	310.9	133.3	-72.12
UGD0111	316.99	134.2	-72.03

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0111	323.09	134.17	-72
UGD0111	329.18	134.55	-71.91
UGD0111	335.28	135.31	-71.79
UGD0111	335.4	133.43	-71.69
UGD0111	341.38	135.4	-71.67
UGD0111	347.47	135.59	-71.5
UGD0111	353.57	136.15	-71.17
UGD0111	359.66	136.7	-70.91
UGD0111	365.76	137.48	-70.57
UGD0111	371.86	138.46	-70.19
UGD0111	377.95	138.82	-70.1
UGD0111	384.05	139.21	-69.99
UGD0111	390.14	139.56	-69.52
UGD0111	396.24	140.69	-69.39
UGD0111	402.34	141.46	-69.16
UGD0111	408.43	141.46	-68.97
UGD0111	411.78	140.24	-68.28
UGD0111	414.53	141.6	-68.78
UGD0111	420.62	141.64	-68.35
UGD0111	426.72	141.66	-68.13
UGD0111	432.82	142.05	-67.86
UGD0111	438.91	142.33	-67.47
UGD0111	445.01	142.43	-67.15
UGD0111	451.1	142.25	-66.81
UGD0111	457.2	141.69	-66.42
UGD0111	463.3	141.09	-65.76
UGD0111	469.39	142.27	-64.58
UGD0111	475.49	144.77	-63.31
UGD0111	481.58	145.51	-63.04
UGD0111	487.68	145.76	-62.7
UGD0111	493.78	145.89	-62.13
UGD0111	494.69	145.89	-62.08
UGD0112	0	319.48	-45.22
UGD0112	6.1	319.78	-45.44
UGD0112	12.19	319.94	-45.64
UGD0112	18.29	320.25	-45.63
UGD0112	24.38	320.56	-45.76
UGD0112	30.48	320.8	-45.75
UGD0112	36.58	320.82	-45.86
UGD0112	42.67	320.78	-45.72
UGD0112	48.77	320.72	-45.83
UGD0112	54.86	320.75	-45.87
UGD0112	60.96	320.95	-45.94

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0112	67.06	321.18	-45.97
UGD0112	73.15	321.5	-46.08
UGD0112	76.5	319.88	-46.2
UGD0112	79.25	321.84	-46.07
UGD0112	85.34	322.19	-46.21
UGD0112	91.44	322.28	-46.29
UGD0112	97.54	322.32	-46.3
UGD0112	103.63	322.19	-46.32
UGD0112	109.73	322.17	-46.35
UGD0112	115.82	322.45	-46.39
UGD0112	121.92	322.45	-46.52
UGD0112	128.02	322.13	-46.56
UGD0112	134.11	322.32	-46.62
UGD0112	140.21	322.58	-46.6
UGD0112	146.3	322.89	-46.62
UGD0112	152.4	322.96	-46.64
UGD0112	158.5	323.09	-46.7
UGD0112	164.59	323.15	-46.7
UGD0112	170.69	323.2	-46.71
UGD0112	176.78	322.65	-46.72
UGD0112	182.88	322.35	-46.62
UGD0112	188.98	321.84	-46.4
UGD0112	195.07	321.56	-46.26
UGD0112	201.17	321.17	-46.04
UGD0112	207.26	320.65	-45.77
UGD0112	213.36	320.31	-45.6
UGD0112	219.46	319.82	-45.49
UGD0112	225.55	319.38	-45.44
UGD0112	231.65	318.96	-45.39
UGD0112	237.74	318.68	-45.35
UGD0112	243.84	318.42	-45.37
UGD0112	249.94	318.26	-45.27
UGD0112	256.03	317.83	-45.28
UGD0112	262.13	317.58	-45.33
UGD0112	268.22	317.2	-45.33
UGD0112	274.4	316.78	-45.31
UGD0113	0	322.32	-58.93
UGD0113	1.52	321.78	-49.91
UGD0113	3.05	321.68	-49.93
UGD0113	4.57	321.48	-49.99
UGD0113	6.1	322.14	-56.96
UGD0113	7.62	321.5	-50.02
UGD0113	9.14	321.51	-50.02

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0113	10.67	321.5	-50.04
UGD0113	12.19	321.8	-54.22
UGD0113	13.72	321.54	-50.05
UGD0113	15.36	321.55	-50.06
UGD0113	18.29	321.58	-51.34
UGD0113	24.38	321.45	-50.45
UGD0113	30.48	321.81	-50.33
UGD0113	36.58	321.3	-50.31
UGD0113	42.67	321.18	-50.51
UGD0113	48.77	321.05	-50.54
UGD0113	54.86	320.7	-50.56
UGD0113	60.96	320.78	-50.66
UGD0113	65.96	321.48	-50.81
UGD0113	67.06	320.65	-50.56
UGD0113	73.15	320.48	-50.56
UGD0113	79.25	320.47	-50.51
UGD0113	85.34	319.96	-50.5
UGD0113	91.44	320.41	-50.43
UGD0113	97.54	320.42	-50.56
UGD0113	103.63	320.65	-50.58
UGD0113	109.73	320.81	-50.46
UGD0113	115.82	320.75	-50.53
UGD0113	121.92	321.17	-50.49
UGD0113	128.02	321.22	-50.39
UGD0113	134.11	321.7	-50.41
UGD0113	140.21	321.98	-50.37
UGD0113	146.3	322.22	-50.38
UGD0113	152.4	322.54	-50.37
UGD0113	158.5	322.89	-50.18
UGD0113	164.59	323	-50.01
UGD0113	166.12	323.37	-50.49
UGD0113	170.69	323.14	-50.1
UGD0113	176.78	323.12	-50.27
UGD0113	182.88	323.44	-50.32
UGD0113	188.98	323.2	-50.43
UGD0113	195.07	323.28	-50.45
UGD0113	201.17	323.34	-50.49
UGD0113	207.26	323.19	-50.72
UGD0113	213.36	323.31	-50.74
UGD0113	213.66	323.31	-50.82
UGD0113	219.46	323.38	-50.73
UGD0113	225.55	323.37	-50.68
UGD0113	231.65	323.33	-50.77

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0113	237.74	323.46	-50.81
UGD0113	243.84	323.58	-50.83
UGD0113	249.94	323.78	-50.96
UGD0113	256.03	323.79	-51.09
UGD0113	260.99	323.97	-51.26
UGD0113	262.13	323.98	-51.17
UGD0113	268.22	323.94	-51.38
UGD0113	274.32	323.74	-51.72
UGD0113	280.42	323.57	-51.9
UGD0113	286.51	323.76	-52.07
UGD0113	292.61	323.59	-52.15
UGD0113	298.7	323.48	-52.19
UGD0113	302.39	323.6	-52.16
UGD0114	0	313.19	-46.46
UGD0114	6.1	313.63	-46.37
UGD0114	12.19	313.78	-46.46
UGD0114	18.29	313.85	-46.45
UGD0114	24.38	314.17	-46.79
UGD0114	30.48	314.29	-46.86
UGD0114	36.58	314.44	-46.86
UGD0114	42.67	314.48	-46.87
UGD0114	48.77	314.48	-46.85
UGD0114	54.86	314.58	-46.96
UGD0114	60.96	314.44	-46.83
UGD0114	67.06	314.42	-46.77
UGD0114	73.15	314.45	-46.61
UGD0114	79.25	314.41	-46.51
UGD0114	85.34	314.36	-46.45
UGD0114	91.44	314.24	-46.3
UGD0114	97.54	314.09	-46.15
UGD0114	103.63	314.07	-46.01
UGD0114	109.73	313.98	-45.98
UGD0114	115.82	314.1	-45.93
UGD0114	121.92	314.15	-45.92
UGD0114	128.02	314.07	-45.8
UGD0114	134.11	314.04	-45.68
UGD0114	140.21	313.92	-45.58
UGD0114	146.3	313.77	-45.49
UGD0114	152.4	313.64	-45.37
UGD0114	156.67	313.49	-45.25
UGD0114	158.5	313.67	-45.29
UGD0114	164.59	313.87	-45.1
UGD0114	170.69	313.95	-44.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0114	176.78	314.17	-44.84
UGD0114	182.88	314.09	-44.66
UGD0114	188.98	314.12	-44.5
UGD0114	195.07	313.95	-44.36
UGD0114	201.17	313.86	-44.24
UGD0114	207.26	313.84	-44.06
UGD0114	213.36	313.84	-43.94
UGD0114	219.46	313.91	-43.82
UGD0114	225.55	313.84	-43.78
UGD0114	231.65	313.87	-43.74
UGD0114	231.72	313.67	-44.08
UGD0114	237.74	313.94	-43.74
UGD0114	243.84	313.96	-43.72
UGD0114	249.94	314.05	-43.66
UGD0114	256.03	314	-43.62
UGD0114	262.13	313.97	-43.53
UGD0114	268.22	313.81	-43.49
UGD0114	274.32	313.7	-43.43
UGD0114	280.42	313.7	-43.5
UGD0114	286.51	313.52	-43.57
UGD0114	292.61	313.37	-43.57
UGD0114	295.66	313.32	-43.51
UGD0115	0	310.55	-36.93
UGD0115	3.05	311.15	-37.17
UGD0115	6.1	310.49	-36.84
UGD0115	9.14	311.21	-37.21
UGD0115	12.19	310.48	-36.87
UGD0115	15.24	311.22	-37.13
UGD0115	18.29	310.37	-36.84
UGD0115	21.34	311.16	-37.05
UGD0115	24.38	310.37	-36.69
UGD0115	27.43	311.17	-37.01
UGD0115	30.48	310.37	-36.6
UGD0115	33.53	311.22	-36.99
UGD0115	36.58	310.37	-36.61
UGD0115	39.62	311.34	-36.95
UGD0115	42.67	310.15	-36.63
UGD0115	45.72	311.28	-36.91
UGD0115	48.77	310.03	-36.56
UGD0115	51.82	311.28	-36.9
UGD0115	54.86	310.18	-36.42
UGD0115	57.91	311.31	-36.74
UGD0115	60.96	310.3	-36.21

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0115	64.01	311.37	-36.62
UGD0115	67.06	310.41	-36.05
UGD0115	70.1	311.28	-36.45
UGD0115	73.15	310.52	-35.91
UGD0115	76.2	311.34	-36.34
UGD0115	76.5	311.34	-36.34
UGD0115	79.25	310.67	-35.78
UGD0115	85.34	310.82	-35.74
UGD0115	91.44	311.02	-35.66
UGD0115	97.54	311.1	-35.74
UGD0115	103.63	311.25	-35.77
UGD0115	109.73	311.39	-35.68
UGD0115	115.82	311.37	-35.65
UGD0115	121.92	311.51	-35.56
UGD0115	128.02	311.7	-35.4
UGD0115	134.11	311.97	-35.29
UGD0115	140.21	312.08	-35.14
UGD0115	146.3	312.32	-35
UGD0115	152.4	312.55	-34.75
UGD0115	158.5	312.84	-34.63
UGD0115	164.59	312.97	-34.55
UGD0115	170.69	313.06	-34.45
UGD0115	176.78	313.25	-34.32
UGD0115	182.88	313.34	-34.22
UGD0115	183.49	313.52	-34.12
UGD0115	188.98	313.47	-34.16
UGD0115	195.07	313.55	-34.14
UGD0115	201.17	313.8	-34.16
UGD0115	207.26	313.75	-34
UGD0115	213.36	313.55	-33.86
UGD0115	219.46	313.37	-33.7
UGD0115	225.55	313.48	-33.46
UGD0115	231.65	313.55	-33.23
UGD0115	237.74	313.31	-33.03
UGD0115	243.84	313.33	-32.82
UGD0115	249.94	313.39	-32.55
UGD0115	256.03	313.44	-32.32
UGD0115	262.13	313.45	-32.02
UGD0115	268.22	313.38	-31.85
UGD0115	274.32	313.26	-31.57
UGD0115	280.42	312.99	-31.35
UGD0115	286.51	312.57	-31.25
UGD0115	292.61	312.33	-31.07

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0115	298.7	312.13	-30.94
UGD0115	304.8	311.95	-30.59
UGD0115	310.9	311.71	-30.39
UGD0115	316.99	311.1	-29.28
UGD0115	323.09	310.04	-27.6
UGD0115	329.18	309.45	-26.25
UGD0115	335.28	309.3	-25.78
UGD0115	341.38	309.28	-25.38
UGD0115	347.47	309.29	-25.03
UGD0115	353.01	309.2	-24.76
UGD0116	0	295.77	-46.74
UGD0116	3.05	294.55	-47.28
UGD0116	6.1	294.18	-47.7
UGD0116	9.14	293.83	-48
UGD0116	12.19	294.37	-47.72
UGD0116	15.24	293.91	-47.92
UGD0116	18.29	294.5	-47.61
UGD0116	21.34	293.91	-47.77
UGD0116	24.38	294.65	-47.58
UGD0116	27.43	294.08	-47.75
UGD0116	29.06	294.07	-47.66
UGD0116	30.48	294.81	-47.63
UGD0116	36.58	295.04	-47.63
UGD0116	42.67	295.19	-47.63
UGD0116	48.77	295.45	-47.63
UGD0116	54.86	295.9	-47.79
UGD0116	60.96	296.34	-48
UGD0116	67.06	296.28	-48.12
UGD0116	73.15	296.25	-48.14
UGD0116	79.25	296.27	-48.21
UGD0116	85.34	296.32	-48.09
UGD0116	91.44	296.3	-48.06
UGD0116	97.54	296.35	-48.09
UGD0116	101.8	295.51	-47.94
UGD0116	103.63	296.26	-48.04
UGD0116	109.73	296.21	-47.93
UGD0116	115.82	296.24	-47.89
UGD0116	121.92	296.32	-47.66
UGD0116	128.02	296.47	-47.54
UGD0116	134.11	296.54	-47.39
UGD0116	140.21	296.64	-47.31
UGD0116	146.3	296.51	-47.16
UGD0116	152.4	296.35	-47.09

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0116	152.5	296.64	-47.08
UGD0116	158.5	295.78	-46.89
UGD0116	164.59	295.34	-46.61
UGD0116	170.69	295.42	-46.69
UGD0116	176.78	295.37	-46.57
UGD0116	182.88	295.48	-46.53
UGD0116	188.98	295.62	-46.34
UGD0116	195.07	295.75	-46.35
UGD0116	201.17	295.92	-46.22
UGD0116	207.26	296.08	-46.06
UGD0116	213.36	296.21	-46.09
UGD0116	219.46	296.35	-45.98
UGD0116	225.55	296.39	-45.72
UGD0116	231.65	296.45	-45.52
UGD0116	237.74	296.49	-45.35
UGD0116	243.84	296.32	-45.22
UGD0116	249.94	295.94	-45.23
UGD0116	256.03	295.8	-45.34
UGD0116	262.13	295.72	-45.17
UGD0116	268.22	295.57	-45.13
UGD0116	274.32	295.68	-45.08
UGD0116	280.42	295.67	-45.01
UGD0116	286.51	295.79	-45.03
UGD0116	292.61	295.57	-45.07
UGD0116	298.7	295.2	-45.06
UGD0116	300.35	295.27	-45.22
UGD0117	0	262	-17.95
UGD0117	10	262.1	-17.93
UGD0117	19.99	262.17	-17.97
UGD0117	20	262.35	-18.02
UGD0117	29.99	262.31	-17.97
UGD0117	30	262.49	-18.03
UGD0117	39.99	262.42	-18.08
UGD0117	40	262.57	-18.14
UGD0117	49.99	262.55	-18.2
UGD0117	50	262.76	-18.22
UGD0117	59.98	262.72	-18.19
UGD0117	60	262.91	-18.2
UGD0117	69.98	262.9	-18.1
UGD0117	70	263.04	-18.13
UGD0117	79.98	263.02	-17.98
UGD0117	80	263.14	-18.04
UGD0117	89.98	263.21	-17.92

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0117	90	263.37	-17.94
UGD0117	99.97	263.34	-17.76
UGD0117	100	263.54	-17.77
UGD0117	109.97	263.49	-17.64
UGD0117	110	263.65	-17.6
UGD0117	119.97	263.5	-17.41
UGD0117	120	263.6	-17.4
UGD0117	129.97	263.56	-17.26
UGD0117	130	263.68	-17.29
UGD0117	139.96	263.67	-17.07
UGD0117	140	263.79	-17.12
UGD0117	149.96	263.62	-16.79
UGD0117	150	263.71	-16.78
UGD0117	159.96	263.7	-16.65
UGD0117	160	263.74	-16.64
UGD0117	169.96	263.71	-16.57
UGD0117	170	263.75	-16.52
UGD0117	179.95	263.68	-16.36
UGD0117	180	263.71	-16.33
UGD0117	189.95	263.49	-16.22
UGD0117	190	263.54	-16.2
UGD0117	199.95	263.51	-16.05
UGD0117	200	263.51	-16.03
UGD0117	209.95	263.61	-15.79
UGD0117	210	263.64	-15.73
UGD0117	219.94	263.71	-15.25
UGD0117	220	263.75	-15.24
UGD0117	229.54	261.65	-13.53
UGD0117	229.94	263.75	-14.9
UGD0117	230	263.82	-14.88
UGD0117	239.94	263.7	-14.73
UGD0117	240	263.77	-14.72
UGD0117	249.94	263.68	-14.65
UGD0117	250	263.68	-14.61
UGD0117	259.93	263.71	-14.5
UGD0117	260	263.71	-14.46
UGD0117	269.93	263.72	-14.36
UGD0117	270	263.73	-14.32
UGD0117	279.93	263.69	-14.2
UGD0117	280	263.75	-14.16
UGD0117	289.93	263.68	-14.11
UGD0117	290	263.7	-14.08
UGD0117	299.92	263.68	-13.96

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0117	300	263.65	-13.96
UGD0117	301.37	263.66	-13.94
UGD0117	309.92	263.66	-13.83
UGD0117	319.92	263.73	-13.78
UGD0117	329.92	263.77	-13.65
UGD0117	339.91	263.9	-13.4
UGD0117	349.91	263.98	-13.11
UGD0117	359.91	264.11	-12.91
UGD0117	369.91	264.25	-12.75
UGD0117	379.9	264.49	-12.61
UGD0117	389.9	264.91	-12.38
UGD0117	390.54	264.97	-12.37
UGD0118	0	283.52	-66.26
UGD0118	10	283.88	-66.09
UGD0118	20	284.09	-66.16
UGD0118	30	284.06	-66.33
UGD0118	40	283.91	-66.34
UGD0118	50	283.56	-66.36
UGD0118	60	283.18	-66.5
UGD0118	70	282.51	-66.69
UGD0118	80	282.1	-66.88
UGD0118	90	281.77	-67.12
UGD0118	100	281.87	-67.19
UGD0118	110	281.63	-67.25
UGD0118	120	281.4	-67.33
UGD0118	130	281.01	-67.49
UGD0118	140	281.13	-67.55
UGD0118	150	280.73	-67.58
UGD0118	160	279.64	-67.85
UGD0118	170	278.89	-68.1
UGD0118	180	277.76	-68.3
UGD0118	190	276.57	-68.56
UGD0118	200	275.32	-68.42
UGD0118	210	274.69	-68.19
UGD0118	220	273.65	-68.46
UGD0118	230	272.53	-68.58
UGD0118	240	271.08	-68.81
UGD0118	250	269.89	-69.06
UGD0118	260	268.76	-69.41
UGD0118	270	267.74	-69.75
UGD0118	280	266.17	-70.03
UGD0118	290	264.84	-70.22
UGD0118	300	263.58	-70.45

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0118	310	262.49	-70.61
UGD0118	310.65	262.46	-70.63
UGD0119	0	281.28	-46.13
UGD0119	10	281.39	-46.03
UGD0119	20	281.31	-46.04
UGD0119	30	281.14	-46
UGD0119	40	281.15	-45.93
UGD0119	50	281.12	-45.91
UGD0119	60	281.16	-45.94
UGD0119	70	281.26	-45.93
UGD0119	80	281.28	-45.84
UGD0119	90	281.39	-45.83
UGD0119	100	281.37	-45.83
UGD0119	110	281.4	-45.79
UGD0119	120	281.46	-45.68
UGD0119	130	281	-45.3
UGD0119	140	281.02	-45.17
UGD0119	150	280.75	-45.06
UGD0119	160	280.74	-44.89
UGD0119	170	280.88	-44.69
UGD0119	180	280.88	-44.51
UGD0119	182.99	281.05	-44.46
UGD0119	190	280.89	-44.38
UGD0119	200	280.29	-44.43
UGD0119	210	279.3	-44.11
UGD0119	220	278.33	-43.79
UGD0119	230	277.78	-43.7
UGD0119	240	276.96	-43.8
UGD0119	244.53	276.6	-43.83
UGD0119	250	276.43	-43.96
UGD0119	260	276.52	-43.94
UGD0119	268.66	276.05	-43.98
UGD0120	0	279.5	-31.6
UGD0120	10	279.5	-31.61
UGD0120	20	279.54	-31.55
UGD0120	30	279.55	-31.42
UGD0120	40	279.54	-31.32
UGD0120	50	279.49	-31.2
UGD0120	60	279.53	-31.19
UGD0120	70	279.55	-31.15
UGD0120	80	279.62	-31.12
UGD0120	90	279.67	-31.02
UGD0120	100	279.72	-30.95

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0120	110	279.71	-30.84
UGD0120	120	279.7	-30.61
UGD0120	130	279.79	-29.96
UGD0120	140	279.97	-29.35
UGD0120	150	279.95	-28.94
UGD0120	160	279.97	-28.65
UGD0120	170	279.99	-28.51
UGD0120	180	280.1	-28.31
UGD0120	190	280.34	-28.12
UGD0120	200	280.23	-28.1
UGD0120	210	280.16	-28.08
UGD0120	220	279.99	-28.09
UGD0120	230	279.66	-28.1
UGD0120	240	279.43	-28.08
UGD0120	250	279.28	-28.12
UGD0120	258.91	279.09	-28.12
UGD0121	0	267.56	-40.58
UGD0121	10	267.8	-40.4
UGD0121	20	267.84	-40.39
UGD0121	30	267.61	-40.32
UGD0121	40	267.5	-40.31
UGD0121	50	267.37	-40.22
UGD0121	60	267.33	-40.19
UGD0121	70	267.2	-40.18
UGD0121	80	267.2	-40.17
UGD0121	90	267.29	-40.07
UGD0121	100	267.36	-40.01
UGD0121	110	267.25	-39.89
UGD0121	120	267.05	-39.79
UGD0121	130	266.99	-39.62
UGD0121	140	267.19	-39.53
UGD0121	150	267.3	-39.42
UGD0121	160	267.42	-39.31
UGD0121	170	267.54	-39.18
UGD0121	180	267.75	-38.94
UGD0121	183.02	267.22	-38.78
UGD0121	190	267.91	-38.67
UGD0121	200	267.98	-38.6
UGD0121	210	268.09	-38.67
UGD0121	220	268.05	-38.73
UGD0121	230	267.79	-38.78
UGD0121	240	267.57	-38.7
UGD0121	250	267.53	-38.91

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0121	254.01	267.42	-38.97
UGD0122	0	262	-30.52
UGD0122	10	262.06	-30.43
UGD0122	20	262	-30.43
UGD0122	30	262.09	-30.35
UGD0122	40	262.06	-30.3
UGD0122	50	261.9	-30.27
UGD0122	60	261.89	-30.32
UGD0122	70	261.85	-30.36
UGD0122	76.29	262.11	-30.31
UGD0122	80	261.8	-30.33
UGD0122	90	261.81	-30.3
UGD0122	100	261.85	-30.29
UGD0122	110	261.89	-30.15
UGD0122	114.28	261.91	-29.96
UGD0122	120	261.9	-30.05
UGD0122	130	262.06	-29.64
UGD0122	140	262.18	-29.55
UGD0122	150	262.32	-29.45
UGD0122	160	262.42	-29.29
UGD0122	170	262.58	-29.15
UGD0122	180	262.78	-29.1
UGD0122	184.04	262.87	-29.01
UGD0122	190	262.86	-28.98
UGD0122	200	262.96	-28.88
UGD0122	210	263.2	-28.8
UGD0122	220	263.35	-28.79
UGD0122	230	263.28	-28.89
UGD0122	240	263.19	-28.96
UGD0122	245.01	263.21	-28.97
UGD0123	0	251.7	-47.03
UGD0123	10	251.72	-47
UGD0123	20	251.6	-47.06
UGD0123	30	251.56	-47.06
UGD0123	40	251.13	-47.05
UGD0123	50	250.96	-47.06
UGD0123	60	250.67	-46.99
UGD0123	70	250.65	-46.98
UGD0123	80	250.56	-47
UGD0123	90	250.52	-47.04
UGD0123	100	250.35	-47.1
UGD0123	110	250.18	-47.13
UGD0123	120	249.96	-47.14

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0123	130	249.78	-47.15
UGD0123	136.36	245.99	-47.19
UGD0123	140	249.09	-46.9
UGD0123	150	248.09	-46.7
UGD0123	160	247.43	-46.85
UGD0123	170	247.23	-46.94
UGD0123	180	247.14	-46.98
UGD0123	190	246.77	-47.09
UGD0123	200	246.61	-47.27
UGD0123	210	246.5	-47.41
UGD0123	220	246.17	-47.06
UGD0123	230	245.77	-46.65
UGD0123	240	244.8	-46.46
UGD0123	244.13	245.27	-46.49
UGD0123	250	244	-46.26
UGD0123	260	243.75	-46.28
UGD0123	270	243.47	-46.24
UGD0123	280	243.31	-46.28
UGD0123	290	243	-46.43
UGD0123	300	242.82	-46.72
UGD0123	310	242.13	-46.87
UGD0123	318.54	241.61	-46.89
UGD0124	0	314.15	-49.07
UGD0124	10	314.28	-48.88
UGD0124	15.91	314.38	-49.14
UGD0124	20	314.13	-48.87
UGD0124	30	314.04	-48.86
UGD0124	40	313.82	-48.77
UGD0124	50	313.63	-48.71
UGD0124	60	313.48	-48.65
UGD0124	70	313.27	-48.72
UGD0124	80	312.69	-48.57
UGD0124	90	312.51	-48.58
UGD0124	100	312.48	-48.54
UGD0124	110	312.37	-48.46
UGD0124	118.66	312.52	-48.6
UGD0124	120	312.35	-48.38
UGD0124	130	311.41	-47.76
UGD0124	140	310.47	-47.14
UGD0124	150	309.93	-46.66
UGD0124	160	309.33	-46.67
UGD0124	170	308.88	-46.72
UGD0124	180	308.39	-46.64

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0124	190	307.75	-46.55
UGD0124	200	307.01	-46.32
UGD0124	210	306.53	-46.24
UGD0124	220	306.03	-46.24
UGD0124	230	305.83	-46.33
UGD0124	240	305.62	-46.43
UGD0124	244.25	305.55	-46.46
UGD0125	0	313.61	-64.78
UGD0125	10	314.07	-64.54
UGD0125	15.53	314.37	-64.79
UGD0125	20	313.65	-64.53
UGD0125	30	312.27	-64.81
UGD0125	40	311.55	-65.04
UGD0125	50	311.35	-65.24
UGD0125	60	311.17	-65.34
UGD0125	70	311.02	-65.3
UGD0125	80	310.72	-65.32
UGD0125	90	310.22	-65.32
UGD0125	100	309.24	-65.46
UGD0125	110	308.78	-65.54
UGD0125	114.69	309.06	-65.68
UGD0125	120	308.52	-65.69
UGD0125	130	308.88	-65.79
UGD0125	140	308.9	-65.94
UGD0125	150	308.96	-66.11
UGD0125	160	308.69	-66.28
UGD0125	170	304.76	-66.93
UGD0125	180	299.39	-68.09
UGD0125	190	295.15	-68.59
UGD0125	200	293.69	-68.58
UGD0125	210	292.57	-68.66
UGD0125	220	291.69	-68.71
UGD0125	230	290.84	-68.93
UGD0125	240	289.26	-69.27
UGD0125	244.01	288.41	-69.4
UGD0126	0	196.57	-78.95
UGD0126	10	197.53	-78.82
UGD0126	20	196.44	-78.66
UGD0126	30	195.84	-78.28
UGD0126	40	196.53	-78.11
UGD0126	50	196.46	-78.08
UGD0126	60	196.32	-78.07
UGD0126	70	195.95	-77.94

HOLEID	DEPTH (m)	AZIMUTH	DIP
UGD0126	76.35	194.08	-77.67
UGD0126	80	194.6	-77.73
UGD0126	90	193.55	-77.6
UGD0126	100	192.99	-77.22
UGD0126	110	192.78	-76.94
UGD0126	120	192.73	-76.8
UGD0126	130	192.74	-76.66
UGD0126	140	192.4	-76.43
UGD0126	149.15	191.44	-76.22
UGD0126	150	191.83	-76.13
UGD0126	160	190.84	-75.86
UGD0126	170	189.81	-75.57
UGD0126	180	188.61	-75.31
UGD0126	190	186.07	-74.73
UGD0126	200	184.8	-74.41
UGD0126	210	183.96	-74.23
UGD0126	220	182.95	-74.03
UGD0126	230	182.19	-73.69
UGD0126	240	181.66	-73.43
UGD0126	250	180.71	-73.15
UGD0126	260	179.24	-72.85
UGD0126	270	177.73	-72.4
UGD0126	275.2	176.89	-72.06
UGD0126	280	176.76	-71.91
UGD0126	290	176.36	-71.59
UGD0126	300	175.95	-71.2
UGD0126	310	175.2	-70.83
UGD0126	320	174.92	-70.54
UGD0126	330	174.93	-70.29
UGD0126	340	174.9	-70.15
UGD0126	350	174.65	-70.21
UGD0126	360	174.48	-70.32
UGD0126	370	174.02	-70.41
UGD0126	380	173.4	-70.38
UGD0126	390	172.44	-70.29
UGD0126	394.04	172.49	-70.14