

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP40	0	161.9	-35
WKP40	30	163.0	-35.1
WKP40	60	162.7	-36.1
WKP40	90	162.9	-36.1
WKP40	120	162.7	-35.4
WKP40	150	161.7	-34.7
WKP40	180	161.7	-33.7
WKP40	210	161.5	-32.9
WKP40	240	161.5	-32.2
WKP40	268	161.7	-32.1
WKP40	300	161.7	-32.7
WKP40	330	161.9	-33.1
WKP40	364	161.6	-32.7
WKP40	391	161.3	-31.9
WKP40	420	161.3	-30.5
WKP40	450	161.1	-29.6
WKP40	480	160.8	-28.6
WKP40	481	160.8	-28.6
WKP40	517	160.5	-28.3
WKP40	540	160.8	-27.4
WKP40	571	160.6	-26.8
WKP40	630	161.4	-25.1
WKP40	660	161.2	-23
WKP40	691	160.8	-23.6
WKP40	709	160.6	-23.7
WKP41	0	161.9	-60
WKP41	20	164.5	-60.2
WKP41	30	164.8	-60.2
WKP41	60	163.9	-59.8
WKP41	90	164.1	-60
WKP41	120	164.7	-60.5
WKP41	150	163.7	-61.2
WKP41	190	163.0	-60.7
WKP41	210	162.3	-59.5
WKP41	240	163.6	-59.2
WKP41	270	163.9	-57.9
WKP41	273	163.7	-57.8
WKP41	300	164.8	-57.4
WKP41	330	163.4	-57.2
WKP41	358	163.1	-57.7
WKP41	390	163.5	-57.7
WKP41	420	164.6	-57.5
WKP41	450	165.1	-57.8
WKP41	480	164.3	-57.9
WKP41	510	166.5	-57.4
WKP41	540	165.8	-55.9
WKP41	570	165.8	-54.8
WKP41	600	165.4	-54.2

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP41	613	166.6	-53.8
WKP42	0	141.9	-30
WKP42	30	147.0	-31.7
WKP42	60	146.7	-32.8
WKP42	90	146.8	-33.1
WKP42	120	147.6	-31
WKP42	150	148.6	-29
WKP42	180	147.3	-27.7
WKP42	210	146.9	-26.9
WKP42	240	146.9	-27.9
WKP42	270	147.1	-27.8
WKP42	300	145.7	-27.1
WKP42	330	147.1	-27.7
WKP42	360	147.9	-27.4
WKP42	387	148.6	-26.7
WKP42	429	149.0	-25.2
WKP42	450	148.8	-24
WKP42	480	148.8	-22.5
WKP42	510	148.6	-20.7
WKP42	540	148.7	-19.8
WKP42	570	149.1	-19.2
WKP42	600	149.1	-20.6
WKP43	0	116.9	-40
WKP43	30	116.1	-40.5
WKP43	60	117.7	-41.4
WKP43	90	116.8	-41.7
WKP43	120	116.2	-42
WKP43	150	115.6	-41.5
WKP43	180	115.8	-40.6
WKP43	210	115.2	-39.8
WKP43	240	114.5	-38.6
WKP43	270	114.1	-38.6
WKP43	300	114.4	-38.5
WKP43	330	114.5	-38.5
WKP43	360	113.9	-38.5
WKP43	390	114.1	-38.2
WKP43	420	114.4	-38.5
WKP43	450	114.8	-38
WKP43	480	114.8	-37.7
WKP43	498.6	115.2	-37.7
WKP43A	0	116.9	-40
WKP43A	30	117.3	-41.3
WKP43A	60	117.3	-42.3
WKP43A	90	115.2	-42.1
WKP44	0	129.9	-30
WKP44	30	130.3	-31.7
WKP44	60	130.4	-31.9
WKP44	90	130.8	-31.3

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP44	120	130.6	-30.1
WKP44	150	127.2	-31.1
WKP44	180	131.0	-29.2
WKP44	210	131.3	-28.6
WKP44	244	122.3	-28.1
WKP44	247	131.5	-28.4
WKP44	271	131.6	-28.5
WKP44	300	131.6	-27.7
WKP44	330	131.3	-27.7
WKP44	360	131.2	-28.1
WKP44	390	131.7	-28.3
WKP44	420	131.7	-27.9
WKP44	450	132.7	-26.8
WKP44	480	132.4	-26.6
WKP44	510	132.0	-24.8
WKP44	544	132.3	-25.4
WKP44	570	131.5	-26.8
WKP44	600	131.9	-27.9
WKP44	630	131.3	-28.5
WKP44	660	130.9	-28.9
WKP44	690	130.9	-29.5
WKP44	721	130.4	-30.2
WKP46	0	131.9	-47
WKP46	30	134.0	-46.6
WKP46	60	134.3	-47.2
WKP46	90	133.8	-48
WKP46	120	133.8	-48.2
WKP46	150	132.4	-48.4
WKP46	180	133.0	-48.5
WKP46	210	133.0	-48.5
WKP46	240	132.8	-48.3
WKP46	270	132.5	-47.7
WKP46	300	132.7	-47.5
WKP46	330	133.3	-47.6
WKP46	360	132.5	-47.5
WKP46	390	132.9	-47.4
WKP46	420	133.8	-46.9
WKP46	450	132.9	-46.4
WKP47	0	99.9	-40
WKP47	30	100.1	-40.8
WKP47	60	100.3	-41.5
WKP47	90	100.7	-41.5
WKP47	120	100.9	-39.9
WKP47	150	100.7	-37.9
WKP47	180	100.8	-37.6
WKP47	210	100.9	-37.4
WKP47	240	100.7	-37.5
WKP47	270	100.8	-36.7

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP47	300	101.0	-36.2
WKP47	330	101.6	-36
WKP47	360	101.8	-35.3
WKP47	390	101.9	-35.1
WKP47	420	102.0	-34.6
WKP47	450	102.4	-34.4
WKP47	490	102.8	-34.4
WKP48	0	131.9	-30
WKP48	30	134.2	-31.1
WKP48	60	135.7	-31.8
WKP48	90	134.2	-32.3
WKP48	120	134.9	-33.3
WKP48	150	133.8	-34.1
WKP48	160	133.1	-35.2
WKP48A	0	131.9	-30
WKP48A	30	134.2	-31.1
WKP48A	60	135.7	-31.8
WKP48A	90	134.2	-32.3
WKP48A	120	134.9	-33.3
WKP48A	150	133.8	-34.1
WKP48A	160	133.1	-35.2
WKP48B	0	131.9	-30
WKP48B	30	134.2	-31.1
WKP48B	60	135.7	-31.8
WKP48B	90	134.2	-32.3
WKP48B	120	134.9	-33.3
WKP48B	150	133.8	-34.1
WKP48B	160	133.1	-35.2
WKP48B	190	133.3	-34.5
WKP48B	210	133.7	-35.2
WKP48B	240	133.0	-33.5
WKP48B	270	134.6	-33.2
WKP48B	300	135.7	-32.6
WKP48B	330	135.5	-33.2
WKP48B	358	134.4	-33.8
WKP48B	390	134.7	-34.4
WKP48B	420	135.1	-34.5
WKP48B	443	134.9	-34.2
WKP49	0	114.9	-30
WKP49	30	120.0	-32.7
WKP49	60	120.3	-33
WKP49	90	120.0	-32.8
WKP49	120	119.9	-32.7
WKP49	150	118.9	-34.1
WKP49	180	118.4	-35.1
WKP49	210	118.6	-35.4
WKP49	240	118.2	-36.3
WKP49	270	117.2	-36.7

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP49	300	116.8	-37.1
WKP49	330	118.7	-37.7
WKP49	360	118.6	-37.1
WKP50	30	112.0	-29.1
WKP50	60	112.1	-29.8
WKP50	90	111.6	-29
WKP50	120	112.0	-27.7
WKP50	150	112.0	-27.6
WKP50	180	112.4	-27.1
WKP50	210	113.8	-27
WKP50	240	113.8	-26.7
WKP50	270	113.7	-26.7
WKP50	300	112.9	-26.3
WKP50	330	113.2	-25.9
WKP50	360	113.0	-25.8
WKP50	400	112.7	-25.8
WKP50	420	112.6	-25.1
WKP50	450	113.0	-25.2
WKP50	480	112.5	-25.6
WKP50	540	113.20	-26.9
WKP50	550	113.40	-26.3
WKP51	0	269.90	-40
WKP51	30	266.20	-40.4
WKP51	60	265.40	-41.2
WKP51	90	265.40	-42.6
WKP51	120	265.10	-43.5
WKP51	150	265.20	-44.3
WKP51	190	264.90	-45.1
WKP51	210	264.90	-45.6
WKP51	240	263.00	-46.5
WKP51	270	265.10	-46.4
WKP51	300	264.90	-46
WKP51	330	265.40	-46.6
WKP51	360	265.70	-46.3
WKP51	390	265.70	-46.6
WKP51	408	265.80	-46.8
WKP52	0	77.90	-30
WKP52	30	76.90	-29.8
WKP52	60	76.30	-29.1
WKP52	90	76.80	-28.5
WKP52	120	77.40	-27.8
WKP52	150	77.70	-27.4
WKP52	180	78.20	-26.8
WKP52	210	78.70	-26.3
WKP52	240	79.20	-25.4
WKP52	270	79.20	-25
WKP52	300	79.40	-24.5
WKP52	330	79.80	-24.2

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP52	360	80.70	-24.1
WKP52	390	81.30	-23.7
WKP52	420	81.90	-23.2
WKP52	450	81.70	-22.7
WKP52	480	82.80	-22.1
WKP52	510	79.30	-22.2
WKP52	540	82.80	-22.2
WKP52	570	82.10	-23.3
WKP52	600	82.80	-23.3
WKP52	660	82.40	-20.9
WKP52	660.7	82.60	-20.7
WKP53	30	171.6	-27.4
WKP53	60	171.4	-28.6
WKP53	90	169.8	-28.9
WKP53	120	169.9	-28.3
WKP53	150	170.4	-26.5
WKP53	180	170.3	-26.6
WKP53	210	170.6	-26.7
WKP53	240	171	-27.1
WKP53	270	170.2	-27.3
WKP53	300	171.6	-28
WKP53	330	171.6	-28
WKP53	360	171.1	-29.5
WKP53	390	170.1	-29.6
WKP53	420	170.1	-29.5
WKP53	450	170.3	-29.5
WKP53	480	171.8	-30.4
WKP53	510	170.4	-29.7
WKP53	540	170.7	-29.8
WKP53	576	170.4	-29.4
WKP53	600	170	-29.3
WKP53	630	169.8	-29
WKP53	656.8	170	-28.7
WKP53	690	170.3	-29.1
WKP53	708	171.2	-29.6
WKP54	30	159.5	-25.1
WKP54	60	160.1	-26.1
WKP54	90	159.8	-25.9
WKP54	120	160.1	-24.5
WKP54	150	160.8	-22.9
WKP54	180	159.4	-21.8
WKP54	210	159.4	-22.6
WKP54	240	160.3	-22.9
WKP54	270	160.3	-23.3
WKP54	300	159.3	-24
WKP54	330	159.9	-24.8
WKP54	360	159.4	-24.5
WKP54	390	159.5	-24.2

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP54	420	159.3	-24.2
WKP54	450	161.1	-23.7
WKP54	480	162.8	-23
WKP54	510	160.4	-24.9
WKP54	550	164.1	-23.3
WKP54	570	162	-23.1
WKP54	600	162.4	-22.7
WKP54	638	163.2	-22.2
WKP55	30	120.7	-46.9
WKP55	60	121.1	-47.5
WKP55	90	121.1	-47.3
WKP55	120	121.6	-47.8
WKP55	150	123.3	-48.1
WKP55	191	120.7	-46.8
WKP55	215	120.3	-46.6
WKP55	240	120.3	-46.5
WKP55	270	121.1	-46.9
WKP55	270	113.9	-46.8
WKP55	300	121.4	-46.4
WKP55	320	119.9	-46.6
WKP55	330	120.9	-46.6
WKP55	360	119.3	-46.4
WKP55	390	120.8	-46.8
WKP55	411	121.2	-47
WKP56	20	84.3	-42
WKP56	30	84.5	-42.2
WKP56	60	84.5	-43
WKP56	90	84.2	-43.5
WKP56	120	84	-44.1
WKP56	147	82.9	-44.5
WKP56	180	84.6	-44.1
WKP56	210	84.6	-44
WKP56	240	84.5	-43.7
WKP56	270	84.9	-43.4
WKP56	300	87.3	-42.8
WKP56	343.7	84.4	-42.6
WKP56	360	85.2	-42.5
WKP56	390	85.2	-42.4
WKP56	420	84.7	-42.6
WKP56	450	84.2	-44.1
WKP56	480	82.1	-44.9
WKP57	15	151.2	-32
WKP57	30	151	-32.5
WKP57	60	149.96	-33
WKP57	90	150.9	-33.4
WKP57	120	150.6	-32.1
WKP57	150	151	-30.2
WKP57	180	149.3	-29.7

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP57	210	149.8	-28.8
WKP57	240	150.4	-28.1
WKP57	274	149.2	-27.9
WKP57	300	150.1	-27.8
WKP57	330	149.4	-27.2
WKP57	360	150	-27.1
WKP57	390	149.8	-27.3
WKP57	415	150.3	-27
WKP58	30	154	-37.5
WKP58	60	153.3	-38.2
WKP58	90	153.4	-38.3
WKP58	120	153.4	-37
WKP58	150	153.3	-35.9
WKP58	180	153.2	-35.8
WKP58	210	153.2	-35.6
WKP58	240	153.6	-35.1
WKP58	270	154.2	-34.9
WKP58	300	154.6	-34.6
WKP58	330	154.1	-34.6
WKP58	360	154.8	-34.2
WKP58	390	155.2	-34.3
WKP58	420	155.4	-33.3
WKP58	450	154.8	-33.5
WKP58	484	155.6	-33.6
WKP58	510	155.3	-33.4
WKP58	540	155.2	-33.2
WKP58	570	155.3	-33.2
WKP58	580	155.2	-33.4
WKP59	15	163.4	-51.9
WKP59	30	163.3	-52.2
WKP59	60	163.5	-51.1
WKP59	90	163.9	-50
WKP59	120	164.6	-49.2
WKP59	153	165	-47.8
WKP59	180	165.1	-47.5
WKP59	210	165.3	-47.2
WKP59	240	165.1	-47.2
WKP59	270	166.6	-46.4
WKP59	300	166.1	-47.1
WKP59	330	166.1	-46.8
WKP60	30	153.36	-30
WKP60	60	153.60	-30.7
WKP60	150	153.20	-29.4