

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
807ER0927	0.00	1.20	<0.01	0.3
807ER0927	2.00	2.80	<0.01	0.7
807ER0927	2.80	4.00	0.01	0.2
807ER0927	4.00	4.60	<0.01	0.2
807ER0927	4.60	4.90	<0.01	0.3
807ER0927	7.20	8.00	<0.01	0.3
807ER0927	8.00	8.90	<0.01	0.2
807ER0927	8.90	9.70	<0.01	0.4
807ER0927	10.40	11.40	0.01	0.5
807ER0927	11.40	12.00	<0.01	0.7
807ER0927	13.60	14.40	<0.01	0.4
807ER0927	14.40	14.70	<0.01	0.2
807ER0927	14.70	15.90	<0.01	0.4
807ER0927	15.90	17.00	<0.01	0.3
807ER0927	20.00	21.00	0.01	1.1
807ER0927	22.60	23.60	0.02	0.4
807ER0927	25.80	26.60	<0.01	0.3
807ER0927	26.60	27.70	0.01	0.2
807ER0927	27.70	28.90	<0.01	0.2
807ER0927	28.90	29.80	<0.01	0.2
807ER0927	29.80	31.70	<0.01	0.2
807ER0927	31.70	32.60	0.03	0.3
807ER0927	36.90	37.20	0.03	0.3
807ER0927	38.90	39.40	0.02	0.2
807ER0927	40.40	41.30	0.01	0.7
807ER0927	41.30	42.30	0.01	0.3
807ER0927	42.30	43.40	<0.01	0.5
807ER0927	45.20	46.30	0.26	0.8
807ER0927	47.80	48.60	0.01	1.2
807ER0927	50.30	51.10	<0.01	0.3
807ER0927	51.10	52.30	<0.01	0.3
807ER0927	53.00	53.30	0.16	1.8
807ER0927	53.30	54.00	<0.01	0.6
807ER0927	55.70	56.70	<0.01	1.0
807ER0927	58.80	59.40	<0.01	0.3
807ER0927	59.90	60.90	<0.01	1.0
807ER0927	60.90	61.20	0.01	1.8
807ER0927	64.60	65.80	0.09	0.6
807ER0927	67.00	68.10	<0.01	0.7
807ER0927	68.10	68.50	0.06	0.3
807ER0927	68.50	69.10	0.05	0.8
807ER0927	70.10	71.20	0.01	1.2
807ER0927	71.20	72.10	0.23	2.7
807ER0927	73.40	73.70	0.02	1.2
807ER0927	73.70	74.50	0.02	2.2
807ER0927	74.50	75.60	<0.01	1.0
807ER0927	75.60	76.40	0.01	0.7
807ER0927	78.30	79.20	<0.01	0.5
807ER0927	79.20	80.00	0.06	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
807ER0927	80.00	81.00	0.04	1.3
807ER0927	81.00	81.80	0.02	0.9
807ER0927	81.80	82.10	0.10	0.6
807ER0927	82.10	83.30	0.02	0.5
807ER0927	83.30	84.20	0.02	0.6
807ER0927	84.20	84.90	0.01	0.4
807ER0927	84.90	85.90	0.19	0.3
807ER0927	85.90	86.80	0.10	0.3
807ER0927	86.80	87.40	<0.01	1.0
807ER0927	87.40	88.50	0.68	2.9
807ER0927	88.50	88.90	0.48	1.6
807ER0927	88.90	89.40	0.01	0.8
807ER0927	89.40	90.60	0.04	0.8
807ER0927	90.60	91.00	<0.01	0.6
807ER0927	91.00	91.70	0.02	0.7
807ER0927	91.70	93.00	0.25	4.4
807ER0927	93.00	94.30	3.62	7.7
807ER0927	94.30	94.80	0.04	1.9
807ER0927	94.80	95.50	8.00	8.6
807ER0927	95.50	96.00	0.04	2.1
807ER0927	96.00	97.00	39.90	46.7
807ER0927	97.00	97.40	2.27	1.9
807ER0927	97.40	98.60	0.04	1.4
807ER0927	98.60	99.20	0.01	1.0
807ER0927	99.20	100.10	0.02	0.8
807ER0927	100.10	101.00	16.80	19.2
807ER0927	101.00	101.90	10.80	12.2
807ER0927	101.90	102.40	4.98	4.6
807ER0927	102.40	102.80	0.03	1.8
807ER0927	102.80	104.00	0.02	1.7
807ER0927	104.00	105.20	0.01	1.2
807ER0927	105.20	106.40	<0.01	1.5
807ER0927	106.40	107.60	<0.01	1.4
807ER0927	107.60	108.80	<0.01	1.2
807ER0927	108.80	109.90	0.01	1.1
807ER0927	109.90	110.20	5.75	6.8
807ER0927	110.20	111.00	0.12	1.2
807ER0927	111.00	111.70	0.02	1.1
807ER0927	111.70	112.00	0.28	3.5
807ER0927	112.00	113.20	0.94	1.7
807ER0927	113.20	114.20	19.00	22.6
807ER0927	114.20	114.70	5.71	15.3
807ER0927	114.70	115.50	0.09	9.0
807ER0927	115.50	115.80	1.59	8.7
807ER0927	115.80	117.00	0.05	6.1
807ER0927	117.00	118.00	0.06	4.6
807ER0927	118.00	119.20	0.07	4.1
807ER0927	119.20	120.20	0.04	5.4
807ER0927	120.20	121.20	0.03	3.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
807ER0927	121.20	122.40	<0.01	2.0
807ER0927	122.40	123.10	<0.01	1.5
807ER0927	123.10	123.70	1.23	2.3
807ER0927	123.70	124.90	0.02	2.3
807ER0927	124.90	126.00	0.03	1.9
807ER0927	126.00	127.20	0.06	2.9
807ER0927	127.20	128.40	0.04	2.2
807ER0927	128.40	129.30	0.03	1.2
807ER0927	129.30	129.60	0.01	1.1
807ER0927	129.60	130.60	0.05	1.0
807ER0927	130.60	131.10	0.01	0.6
807ER0927	131.10	131.50	0.04	1.8
807ER0927	132.60	132.90	<0.01	0.7
807ER0927	134.40	135.40	<0.01	2.1
807ER0927	138.00	138.30	<0.01	0.5
807ER0927	139.40	139.70	0.03	1.0
807ER0927	139.70	140.20	<0.01	0.6
807ER0927	142.10	142.60	0.02	2.6
807ER0927	142.60	143.20	0.02	1.9
807ER0927	144.50	145.50	<0.01	0.5
807ER0927	145.50	146.00	0.10	2.5
807ER0927	146.00	147.00	<0.01	1.0
807ER0927	147.00	147.50	0.17	1.0
807ER0927	147.50	148.50	1.74	20.4
807ER0927	148.50	149.00	3.54	5.9
807ER0927	149.00	150.00	0.46	4.2
807ER0927	150.00	151.20	0.06	1.6
807ER0927	151.20	151.50	0.14	1.5
807ER0927	151.50	152.10	<0.01	1.1
807ER0927	155.00	155.80	0.02	1.0
807ER0927	155.80	156.10	0.07	1.5
807ER0927	156.10	157.20	0.06	2.9
807ER0927	157.20	157.50	0.04	3.7
807ER0927	157.50	158.20	0.03	4.8
807ER0927	160.60	161.80	0.02	3.2
807ER0927	161.80	162.30	<0.01	1.3
807ER0927	162.30	163.20	<0.01	0.9
807ER0927	164.20	164.50	<0.01	0.3
807ER0927	166.10	166.40	<0.01	1.5
807ER0927	166.40	167.70	0.04	7.7
807ER0927	167.70	168.30	<0.01	1.3
807ER0927	168.30	168.80	<0.01	1.9
807ER0927	171.60	172.10	0.03	2.7
807ER0927	173.00	173.70	0.02	3.2
807ER0927	173.70	174.20	0.69	3.2
807ER0927	174.20	175.50	0.08	3.2
807ER0927	175.50	176.70	0.03	2.8
807ER0927	176.70	177.70	<0.01	0.5
807ER0927	177.70	178.30	<0.01	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
807ER0927	184.00	185.30	0.01	1.8
807ER0927	185.30	185.60	0.04	0.9
807ER0927	185.60	186.60	0.02	0.8
807ER0927	188.00	189.00	0.06	7.2
807ER0927	189.00	189.30	0.01	1.7
807ER0927	191.70	192.30	<0.01	0.7
807ER0927	192.30	193.00	0.01	0.8
807ER0927	193.70	194.80	<0.01	1.7
807ER0927	196.40	196.90	0.02	4.4
807ER0927	196.90	198.10	0.02	2.8
807ER0927	198.10	198.60	0.05	4.0
807ER0927	199.50	200.50	0.02	2.1
807ER0927	201.00	201.90	0.03	1.0
807ER0927	204.60	204.90	0.01	0.9
807ER0927	204.90	206.10	0.03	0.9
807ER0927	206.10	207.00	0.02	1.3
807ER0927	208.00	208.30	0.02	0.9
807ER0927	208.30	209.50	0.05	0.5
807ER0927	209.50	210.70	0.06	0.7
807ER0927	210.70	211.60	0.20	1.2
807ER0927	211.60	212.80	0.11	2.3
807ER0927	212.80	214.00	0.07	1.0
807ER0927	214.00	215.10	0.07	1.5
807ER0930	0.00	0.70	<0.01	0.1
807ER0930	0.70	1.60	<0.01	0.2
807ER0930	1.60	2.50	<0.01	0.2
807ER0930	2.50	3.25	<0.01	1.0
807ER0930	3.25	4.25	<0.01	0.4
807ER0930	4.25	4.75	<0.01	0.4
807ER0930	4.75	5.60	<0.01	0.2
807ER0930	5.60	6.50	<0.01	0.4
807ER0930	6.50	7.30	<0.01	0.4
807ER0930	7.30	8.20	<0.01	0.2
807ER0930	8.20	9.20	<0.01	0.2
807ER0930	9.20	10.00	<0.01	0.1
807ER0930	10.00	11.00	<0.01	0.1
807ER0930	11.00	12.00	<0.01	0.2
807ER0930	12.00	13.00	<0.01	0.2
807ER0930	13.00	14.00	<0.01	0.2
807ER0930	14.00	15.00	<0.01	0.1
807ER0930	15.00	16.00	<0.01	0.4
807ER0930	16.00	17.10	0.01	1.8
807ER0930	17.10	18.00	<0.01	0.3
807ER0930	18.00	19.00	<0.01	0.2
807ER0930	19.00	20.00	<0.01	0.3
807ER0930	20.00	21.00	<0.01	0.2
807ER0930	21.00	22.00	<0.01	0.3
807ER0930	22.00	23.00	0.02	0.3
807ER0930	23.00	24.00	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
807ER0930	24.00	25.00	<0.01	0.1
807ER0930	25.00	26.00	<0.01	0.2
807ER0930	26.00	27.00	<0.01	0.3
807ER0930	27.00	27.75	<0.01	0.2
807ER0930	27.75	28.50	0.01	0.2
807ER0930	28.50	29.00	0.01	0.9
807ER0930	29.00	30.00	<0.01	0.5
807ER0930	30.00	31.00	0.01	0.3
807ER0930	31.00	32.00	<0.01	0.1
807ER0930	32.00	33.00	<0.01	0.1
807ER0930	33.00	33.85	0.04	0.6
807ER0930	33.85	34.85	0.03	0.4
807ER0930	34.85	36.00	0.28	1.3
807ER0930	36.00	37.00	0.01	0.4
807ER0930	37.00	38.00	0.03	0.4
807ER0930	38.00	38.80	<0.01	0.2
807ER0930	38.80	39.80	0.02	0.6
807ER0930	39.80	40.80	0.02	0.6
807ER0930	40.80	41.80	0.01	0.3
807ER0930	41.80	42.40	0.01	0.2
807ER0930	42.40	43.50	<0.01	0.6
807ER0930	46.50	47.25	0.02	11.5
807ER0930	49.20	50.30	0.01	1.7
807ER0930	50.30	51.00	0.03	0.6
807ER0930	51.00	51.95	0.03	1.2
807ER0930	51.95	53.00	0.07	0.8
807ER0930	53.00	54.00	0.01	1.0
807ER0930	54.00	55.00	0.03	1.3
807ER0930	55.70	56.25	0.10	3.2
807ER0930	57.20	58.00	0.08	1.3
807ER0930	59.00	60.00	0.01	0.7
807ER0930	63.00	64.00	<0.01	0.6
807ER0930	66.00	67.00	<0.01	0.6
807ER0930	67.00	68.00	<0.01	0.9
807ER0930	68.00	69.00	0.04	1.0
807ER0930	69.00	70.00	0.02	1.3
807ER0930	70.00	70.85	0.02	0.7
807ER0930	70.85	71.70	0.24	1.1
807ER0930	71.70	72.50	<0.01	1.1
807ER0930	72.50	73.10	0.02	1.3
807ER0930	73.10	74.00	0.02	0.8
807ER0930	74.00	75.00	<0.01	0.8
807ER0930	76.00	77.00	<0.01	0.6
807ER0930	77.00	78.00	0.02	0.7
807ER0930	78.00	79.00	<0.01	0.4
807ER0930	79.00	80.00	<0.01	0.7
807ER0930	83.00	83.90	<0.01	0.4
807ER0930	83.90	84.40	<0.01	0.1
807ER0930	84.40	85.50	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
807ER0930	85.50	86.50	<0.01	0.4
807ER0930	86.50	87.50	<0.01	0.6
807ER0930	92.50	93.00	0.02	2.3
807ER0930	93.00	93.50	0.02	2.1
807ER0930	93.50	94.00	0.05	2.5
807ER0930	94.00	94.50	0.56	6.3
807ER0930	94.50	95.00	0.02	2.2
807ER0930	95.00	95.50	0.03	0.9
807ER0930	95.50	96.50	0.03	0.7
807ER0930	98.50	99.50	0.08	2.8
807ER0930	99.50	100.50	<0.01	1.5
807ER0930	100.50	101.50	<0.01	0.8
807ER0930	101.50	102.50	<0.01	0.6
807ER0930	109.50	110.50	<0.01	0.5
807ER0930	110.50	111.50	<0.01	1.0
807ER0930	111.50	112.50	0.01	2.3
807ER0930	112.50	113.50	0.02	2.0
807ER0930	113.50	114.40	<0.01	1.7
807ER0930	114.40	115.00	<0.01	1.1
807ER0930	115.00	115.90	<0.01	1.3
807ER0930	117.40	118.40	<0.01	1.1
807ER0930	118.40	119.05	<0.01	0.5
807ER0930	119.05	119.65	0.03	0.7
807ER0930	119.65	120.50	<0.01	1.4
807ER0930	120.50	121.50	<0.01	1.3
807ER0930	121.50	122.50	<0.01	0.6
807ER0930	122.50	123.50	<0.01	0.3
807ER0930	123.50	124.50	<0.01	0.2
807ER0930	124.50	125.50	<0.01	0.3
807ER0930	125.50	126.50	0.01	0.4
807ER0930	126.50	127.50	0.01	0.3
807ER0930	127.50	128.00	<0.01	0.3
807ER0930	128.00	129.00	<0.01	0.4
807ER0930	129.00	129.75	<0.01	0.5
807ER0930	129.75	130.25	0.01	0.6
807ER0930	130.25	131.40	0.27	0.7
807ER0930	131.40	132.20	<0.01	0.5
807ER0930	132.20	133.35	<0.01	0.5
807ER0930	133.35	134.35	0.85	1.9
807ER0930	134.35	135.10	0.31	1.1
807ER0930	135.10	136.00	0.04	0.5
807ER0930	136.00	136.50	0.04	0.6
807ER0930	136.50	136.90	0.03	0.5
807ER0930	136.90	138.00	0.02	0.5
807ER0930	138.00	139.00	0.04	0.6
807ER0930	139.00	140.00	0.02	1.1
807ER0930	140.00	141.00	0.02	0.9
807ER0930	141.00	141.75	<0.01	0.7
807ER0930	141.75	142.35	0.05	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
807ER0930	142.35	143.30	0.01	0.6
807ER0930	143.30	144.40	<0.01	0.5
807ER0930	144.40	145.00	<0.01	1.0
807ER0930	145.00	146.00	0.02	0.9
807ER0930	146.00	147.00	0.01	0.5
807ER0930	147.00	148.00	<0.01	0.4
807ER0930	148.00	149.00	0.01	1.1
807ER0930	149.00	150.00	<0.01	0.6
807ER0930	150.00	151.00	0.01	0.6
807ER0930	151.00	151.80	<0.01	0.3
807ER0930	151.80	152.30	0.86	1.9
807ER0930	152.30	153.10	<0.01	1.0
807ER0930	153.10	154.00	<0.01	0.8
807ER0930	154.00	155.00	<0.01	0.4
807ER0930	155.00	156.00	0.02	0.4
807ER0930	156.00	157.00	<0.01	0.6
807ER0930	157.00	158.00	<0.01	0.4
807ER0930	158.00	159.00	<0.01	0.3
807ER0930	159.00	160.00	<0.01	0.3
807ER0930	160.00	160.50	0.35	0.3
807ER0930	160.50	161.20	<0.01	2.0
807ER0930	161.20	161.75	0.33	2.8
807ER0930	161.75	162.90	1.06	3.3
807ER0930	162.90	163.50	0.03	0.7
807ER0930	163.50	164.00	0.03	0.6
807ER0930	164.00	165.00	0.02	0.6
807ER0930	165.00	166.00	0.01	1.1
807ER0930	166.00	166.70	0.28	1.2
807ER0930	166.70	167.60	<0.01	0.6
807ER0930	167.60	168.20	<0.01	0.3
807ER0930	168.20	169.05	<0.01	0.4
807ER0930	169.05	169.70	0.03	0.3
807ER0930	169.70	170.50	0.02	0.3
807ER0930	170.50	171.20	0.03	0.4
807ER0930	171.20	172.30	0.25	0.9
807ER0930	172.30	172.90	0.82	2.7
807ER0930	172.90	173.50	0.45	1.9
807ER0930	173.50	174.20	0.20	0.9
807ER0930	174.20	175.00	0.02	0.4
807ER0930	175.00	176.00	0.02	0.4
807ER0930	176.00	177.00	0.01	0.3
807ER0930	177.00	178.00	<0.01	0.3
807ER0930	178.00	179.15	0.29	0.5
807ER0930	179.15	180.05	1.37	2.9
807ER0930	182.00	182.45	0.01	0.3
807ER0930	182.45	183.25	0.33	1.9
807ER0930	183.25	183.90	0.21	0.4
807ER0930	183.90	184.55	<0.01	0.3
807ER0930	184.55	185.15	6.96	7.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
807ER0930	185.15	186.10	2.87	12.2
807ER0930	186.10	186.60	6.51	5.1
807ER0930	186.60	187.50	0.34	1.2
807ER0930	187.50	188.30	<0.01	0.5
807ER0930	188.30	189.05	0.08	0.7
807ER0930	189.05	189.65	<0.01	0.7
807ER0930	189.65	190.35	<0.01	0.3
807ER0930	190.35	191.20	<0.01	0.7
807ER0930	191.20	192.20	<0.01	0.6
807ER0930	192.20	192.80	<0.01	1.6
807ER0930	192.80	193.60	<0.01	3.4
807ER0930	193.60	194.40	0.03	1.4
807ER0930	194.40	195.30	0.37	0.5
807ER0930	195.30	196.15	<0.01	0.5
807ER0930	196.15	196.60	0.33	1.2
807ER0930	196.60	197.25	0.02	0.5
807ER0930	197.25	197.90	<0.01	0.3
807ER0930	197.90	198.75	0.04	1.0
807ER0930	198.75	199.40	0.05	0.7
807ER0930	199.40	200.20	<0.01	0.3
807ER0930	200.20	201.20	0.02	0.3
807ER0930	201.20	201.70	<0.01	0.4
807ER0930	201.70	202.15	2.40	2.6
807ER0930	202.15	203.10	0.01	0.3
807ER0930	203.10	203.80	<0.01	0.2
807ER0930	203.80	204.55	0.01	0.5
807ER0930	204.55	205.50	<0.01	0.4
807ER0930	205.50	206.50	0.02	0.7
807ER0930	206.50	207.50	<0.01	0.2
807ER0930	207.50	208.25	<0.01	0.3
807ER0930	208.25	209.00	<0.01	0.2
807ER0930	209.00	210.00	0.03	0.5
807ER0930	210.00	211.00	0.04	0.5
807ER0930	211.00	212.00	<0.01	0.5
807ER0930	212.00	212.70	<0.01	0.4
844SP0DN0887	2.40	3.40	0.01	0.4
844SP0DN0887	3.40	3.70	0.02	2.4
844SP0DN0887	3.70	4.30	0.01	0.3
844SP0DN0887	5.90	6.30	0.01	1.0
844SP0DN0887	9.60	10.60	0.01	0.3
844SP0DN0887	10.60	11.60	0.01	0.2
844SP0DN0887	11.60	12.20	0.01	0.2
844SP0DN0887	12.20	12.70	<0.01	0.1
844SP0DN0887	12.70	13.55	<0.01	0.2
844SP0DN0887	13.55	14.50	0.02	0.5
844SP0DN0887	14.50	15.50	0.03	0.2
844SP0DN0887	15.50	16.40	0.02	0.2
844SP0DN0887	16.40	16.70	0.05	0.3
844SP0DN0887	16.70	17.50	0.02	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0887	17.50	18.50	0.01	0.3
844SP0DN0887	18.50	19.00	0.03	3.9
844SP0DN0887	19.00	20.10	0.01	0.5
844SP0DN0887	20.10	20.90	0.02	0.2
844SP0DN0887	36.80	37.30	0.02	0.7
844SP0DN0887	42.00	43.10	0.01	0.2
844SP0DN0887	46.60	47.90	0.01	0.7
844SP0DN0887	47.90	48.50	0.01	1.2
844SP0DN0887	48.50	49.30	<0.01	0.1
844SP0DN0887	49.30	50.00	<0.01	0.8
844SP0DN0887	50.00	50.35	<0.01	0.2
844SP0DN0887	78.50	79.30	0.04	0.4
844SP0DN0887	79.30	80.00	0.01	0.4
844SP0DN0887	88.15	88.60	0.07	0.8
844SP0DN0887	88.60	89.50	0.04	1.4
844SP0DN0887	97.70	98.90	0.03	0.8
844SP0DN0887	98.90	99.50	0.01	0.6
844SP0DN0887	99.50	101.80	0.04	1.9
844SP0DN0887	101.80	102.10	0.05	1.1
844SP0DN0887	102.10	103.20	0.07	10.9
844SP0DN0887	103.20	103.70	0.04	2.5
844SP0DN0887	103.70	104.00	0.63	1.5
844SP0DN0887	104.00	104.90	<0.01	0.4
844SP0DN0887	107.90	108.60	0.14	0.7
844SP0DN0887	117.00	118.00	0.02	0.5
844SP0DN0887	127.30	127.60	0.07	0.3
844SP0DN0887	147.30	148.00	0.07	0.5
844SP0DN0887	161.30	162.30	<0.01	0.7
844SP0DN0887	162.30	163.30	0.02	0.8
844SP0DN0887	163.30	164.30	<0.01	0.8
844SP0DN0887	170.30	171.00	<0.01	0.4
844SP0DN0887	173.50	174.50	0.16	0.5
844SP0DN0887	174.50	175.10	<0.01	0.6
844SP0DN0887	175.10	175.50	0.06	0.7
844SP0DN0887	178.40	179.20	0.01	0.2
844SP0DN0887	179.20	180.00	<0.01	0.5
844SP0DN0887	180.00	181.20	<0.01	0.4
844SP0DN0887	181.20	181.60	0.45	1.0
844SP0DN0887	181.60	181.90	1.12	2.7
844SP0DN0887	181.90	183.00	0.04	0.7
844SP0DN0887	183.00	183.90	0.40	2.3
844SP0DN0887	183.90	185.00	0.06	0.7
844SP0DN0887	185.00	185.70	0.18	0.8
844SP0DN0887	185.70	186.70	0.04	1.0
844SP0DN0887	186.70	187.50	<0.01	0.5
844SP0DN0887	187.50	188.50	<0.01	0.4
844SP0DN0887	188.50	188.90	4.69	4.9
844SP0DN0887	188.90	189.70	2.81	3.9
844SP0DN0887	189.70	190.40	0.45	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0887	190.40	190.70	1.06	1.4
844SP0DN0887	190.70	191.90	0.01	0.4
844SP0DN0887	191.90	192.40	0.40	0.3
844SP0DN0887	192.40	193.30	0.02	0.4
844SP0DN0887	197.90	198.50	<0.01	0.5
844SP0DN0887	198.50	198.80	0.24	1.5
844SP0DN0887	198.80	199.80	0.02	0.8
844SP0DN0887	202.70	203.00	0.03	0.5
844SP0DN0887	203.00	203.90	0.04	0.6
844SP0DN0887	203.90	204.30	0.80	3.8
844SP0DN0887	204.30	204.90	0.03	0.6
844SP0DN0887	204.90	205.30	0.51	2.8
844SP0DN0887	205.30	206.00	<0.01	0.4
844SP0DN0887	206.00	206.90	<0.01	0.4
844SP0DN0887	206.90	207.20	0.06	1.1
844SP0DN0887	207.20	208.30	0.01	0.8
844SP0DN0887	208.30	209.30	0.10	0.7
844SP0DN0887	209.30	210.20	0.02	0.7
844SP0DN0887	214.40	215.40	0.07	0.5
844SP0DN0887	215.40	216.30	0.02	0.5
844SP0DN0887	216.30	217.20	0.15	0.7
844SP0DN0887	217.20	217.80	0.01	0.9
844SP0DN0887	217.80	219.00	0.02	0.8
844SP0DN0887	224.50	224.90	0.04	0.8
844SP0DN0887	231.10	232.00	0.01	1.6
844SP0DN0887	232.00	233.00	0.02	1.1
844SP0DN0887	233.00	234.00	0.01	1.3
844SP0DN0887	234.00	234.80	0.02	1.3
844SP0DN0887	234.80	235.20	0.04	1.0
844SP0DN0887	235.20	236.20	0.01	1.3
844SP0DN0887	236.20	237.20	0.01	1.1
844SP0DN0887	237.20	238.20	0.04	0.8
844SP0DN0887	238.20	239.30	0.04	0.8
844SP0DN0887	239.30	240.40	0.17	1.2
844SP0DN0887	240.40	240.90	7.11	7.3
844SP0DN0887	240.90	241.65	4.84	5.1
844SP0DN0887	241.65	242.40	3.88	6.0
844SP0DN0887	242.40	243.30	6.10	8.4
844SP0DN0887	243.30	244.40	0.59	2.9
844SP0DN0887	244.40	245.20	0.03	1.5
844SP0DN0887	245.20	246.00	0.02	0.4
844SP0DN0887	246.00	246.90	<0.01	0.5
844SP0DN0887	246.90	248.00	0.01	0.7
844SP0DN0887	248.00	249.10	0.05	0.5
844SP0DN0887	249.10	250.00	0.06	1.1
844SP0DN0887	250.00	251.00	0.02	0.3
844SP0DN0887	251.00	252.00	0.02	0.3
844SP0DN0887	252.00	253.00	0.01	0.2
844SP0DN0887	253.00	253.80	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0887	253.80	254.10	0.01	0.3
844SP0DN0887	254.10	254.90	0.01	0.5
844SP0DN0887	254.90	255.70	0.04	0.9
844SP0DN0887	255.70	256.10	0.15	2.5
844SP0DN0887	256.10	257.10	0.01	0.4
844SP0DN0887	257.10	258.00	<0.01	0.3
844SP0DN0887	258.00	259.20	<0.01	0.4
844SP0DN0887	259.20	259.70	0.03	0.9
844SP0DN0887	259.70	260.10	14.20	12.9
844SP0DN0887	260.10	260.70	0.67	0.8
844SP0DN0887	260.70	261.50	0.03	1.0
844SP0DN0887	261.50	261.80	0.21	1.7
844SP0DN0887	261.80	262.80	<0.01	0.8
844SP0DN0887	267.70	268.60	0.02	0.7
844SP0DN0887	268.60	269.20	2.27	1.9
844SP0DN0887	269.20	269.90	0.03	0.8
844SP0DN0887	269.90	270.40	0.01	0.8
844SP0DN0887	270.40	270.80	0.08	1.0
844SP0DN0887	270.80	272.00	0.02	1.2
844SP0DN0887	272.00	272.70	0.02	0.8
844SP0DN0887	274.20	275.40	0.99	1.6
844SP0DN0887	279.30	280.45	<0.01	0.9
844SP0DN0887	280.45	281.00	0.01	0.5
844SP0DN0887	281.00	281.70	0.08	0.9
844SP0DN0887	281.70	283.10	3.89	6.1
844SP0DN0887	288.50	290.10	0.01	0.2
844SP0DN0887	290.10	291.40	0.02	1.1
844SP0DN0887	291.40	292.30	<0.01	1.3
844SP0DN0887	292.30	293.00	<0.01	1.4
844SP0DN0887	293.00	294.20	0.02	4.5
844SP0DN0887	294.20	295.00	0.05	6.3
844SP0DN0887	295.00	295.90	<0.01	2.4
844SP0DN0887	295.90	296.90	8.51	5.1
844SP0DN0887	296.90	298.20	0.93	1.6
844SP0DN0887	304.30	305.30	0.02	0.9
844SP0DN0887	307.20	307.80	0.01	0.7
844SP0DN0887	311.00	311.60	<0.01	1.4
844SP0DN0887	316.40	317.10	0.02	0.5
844SP0DN0887	319.40	320.60	0.02	0.6
844SP0DN0887	320.60	321.10	<0.01	0.6
844SP0DN0887	331.50	332.50	0.03	0.4
844SP0DN0891	2.30	3.30	0.02	1.8
844SP0DN0891	3.30	4.40	0.03	0.8
844SP0DN0891	5.50	5.80	<0.01	0.2
844SP0DN0891	7.20	7.90	<0.01	0.5
844SP0DN0891	8.90	9.50	0.01	0.2
844SP0DN0891	10.60	11.70	0.01	0.3
844SP0DN0891	11.70	12.60	<0.01	0.2
844SP0DN0891	12.60	13.60	0.02	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0891	13.60	14.30	0.02	0.3
844SP0DN0891	14.30	15.60	0.01	0.5
844SP0DN0891	15.60	16.30	<0.01	0.8
844SP0DN0891	16.30	17.00	0.17	0.5
844SP0DN0891	20.40	21.00	<0.01	0.8
844SP0DN0891	21.00	22.20	<0.01	0.7
844SP0DN0891	23.10	23.70	0.01	0.2
844SP0DN0891	27.00	27.40	0.02	0.2
844SP0DN0891	35.90	37.10	0.05	0.5
844SP0DN0891	40.60	41.20	<0.01	0.3
844SP0DN0891	41.20	42.20	<0.01	0.7
844SP0DN0891	43.50	44.00	0.01	0.3
844SP0DN0891	47.10	47.90	0.01	0.7
844SP0DN0891	47.90	48.40	<0.01	0.3
844SP0DN0891	50.70	51.10	<0.01	0.8
844SP0DN0891	53.70	54.10	0.02	0.5
844SP0DN0891	57.00	58.20	<0.01	1.1
844SP0DN0891	65.70	66.30	<0.01	0.4
844SP0DN0891	69.00	69.60	<0.01	0.7
844SP0DN0891	74.80	76.00	0.06	2.4
844SP0DN0891	77.00	78.20	<0.01	0.5
844SP0DN0891	78.20	79.40	<0.01	0.5
844SP0DN0891	79.40	80.50	0.08	0.6
844SP0DN0891	81.30	82.20	0.03	0.6
844SP0DN0891	82.20	83.40	<0.01	0.4
844SP0DN0891	84.00	84.50	<0.01	0.3
844SP0DN0891	85.20	85.90	<0.01	0.8
844SP0DN0891	87.40	88.30	0.01	0.4
844SP0DN0891	91.00	92.00	0.01	0.4
844SP0DN0891	93.00	93.30	0.05	0.4
844SP0DN0891	97.40	97.80	0.01	0.4
844SP0DN0891	97.80	99.00	<0.01	0.3
844SP0DN0891	99.00	100.00	<0.01	0.5
844SP0DN0891	100.00	100.90	0.01	5.6
844SP0DN0891	100.90	101.70	0.35	1.0
844SP0DN0891	101.70	102.70	0.02	1.8
844SP0DN0891	102.70	103.50	0.01	2.3
844SP0DN0891	103.50	104.20	0.02	2.4
844SP0DN0891	104.20	104.60	0.21	2.3
844SP0DN0891	104.60	105.20	0.05	0.6
844SP0DN0891	106.20	106.80	0.21	0.5
844SP0DN0891	107.60	108.20	1.03	0.8
844SP0DN0891	108.20	108.90	0.59	0.9
844SP0DN0891	110.20	111.10	0.04	0.2
844SP0DN0891	113.50	114.60	0.02	0.2
844SP0DN0891	114.60	115.30	0.07	0.3
844SP0DN0891	117.40	117.90	0.02	0.3
844SP0DN0891	118.40	119.00	<0.01	0.3
844SP0DN0891	119.60	120.50	0.07	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0891	124.30	125.00	0.03	0.6
844SP0DN0891	126.10	126.80	<0.01	0.3
844SP0DN0891	127.10	127.40	0.81	0.9
844SP0DN0891	129.30	129.80	0.03	0.6
844SP0DN0891	136.90	137.20	0.10	0.5
844SP0DN0891	138.30	138.60	2.88	1.6
844SP0DN0891	140.40	140.80	0.02	0.6
844SP0DN0891	146.60	147.80	0.03	2.6
844SP0DN0891	147.80	149.10	0.05	0.6
844SP0DN0891	149.10	150.10	0.02	2.1
844SP0DN0891	150.10	150.70	0.02	0.5
844SP0DN0891	150.70	151.30	0.10	0.5
844SP0DN0891	151.30	152.50	0.02	0.4
844SP0DN0891	155.50	156.40	0.01	0.2
844SP0DN0891	157.20	158.60	0.11	0.4
844SP0DN0891	159.30	160.10	0.02	0.4
844SP0DN0891	160.10	160.80	0.03	0.4
844SP0DN0891	162.50	163.10	0.07	0.7
844SP0DN0891	164.10	164.70	0.07	0.6
844SP0DN0891	166.00	166.60	<0.01	0.5
844SP0DN0891	169.00	169.40	0.02	0.4
844SP0DN0891	170.40	171.50	0.02	0.3
844SP0DN0891	171.50	172.40	0.02	0.5
844SP0DN0891	172.40	173.60	0.06	0.6
844SP0DN0891	174.30	174.70	0.02	0.4
844SP0DN0891	177.70	178.80	0.15	0.5
844SP0DN0891	179.40	180.20	0.04	0.5
844SP0DN0891	181.70	182.40	2.14	2.4
844SP0DN0891	182.90	184.10	1.11	1.1
844SP0DN0891	185.20	185.60	0.01	0.4
844SP0DN0891	186.20	186.80	<0.01	0.2
844SP0DN0891	187.40	187.90	<0.01	0.2
844SP0DN0891	189.20	190.10	0.67	3.3
844SP0DN0891	190.10	191.00	<0.01	0.6
844SP0DN0891	192.00	193.00	0.07	1.6
844SP0DN0891	193.80	194.20	<0.01	0.4
844SP0DN0891	195.80	196.50	0.24	0.5
844SP0DN0891	197.00	198.20	0.02	0.3
844SP0DN0891	200.40	201.30	0.32	0.9
844SP0DN0891	206.20	207.40	0.02	0.6
844SP0DN0891	209.50	210.30	0.02	0.5
844SP0DN0891	211.80	212.40	<0.01	0.6
844SP0DN0891	212.40	213.00	0.09	0.8
844SP0DN0891	213.00	214.20	0.02	0.5
844SP0DN0891	214.20	215.40	<0.01	0.5
844SP0DN0891	215.40	216.60	0.02	0.4
844SP0DN0891	216.60	217.50	0.01	0.6
844SP0DN0891	217.50	218.20	0.14	1.5
844SP0DN0891	218.20	219.00	13.30	11.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0891	219.00	220.00	10.10	11.9
844SP0DN0891	220.00	221.00	47.50	26.2
844SP0DN0891	221.00	221.60	6.99	5.6
844SP0DN0891	221.60	223.00	0.04	0.8
844SP0DN0891	223.00	224.20	0.02	0.5
844SP0DN0891	224.20	225.40	0.03	0.4
844SP0DN0891	225.40	226.60	0.01	0.2
844SP0DN0891	226.60	227.80	0.05	0.3
844SP0DN0891	233.00	233.40	0.18	1.1
844SP0DN0891	233.40	234.50	0.01	1.2
844SP0DN0895	2.40	3.50	0.01	0.6
844SP0DN0895	3.50	4.10	0.07	3.0
844SP0DN0895	4.10	5.10	<0.01	0.4
844SP0DN0895	11.00	12.20	<0.01	0.2
844SP0DN0895	12.20	13.40	0.03	0.2
844SP0DN0895	13.40	14.00	<0.01	<0.1
844SP0DN0895	14.00	15.10	<0.01	1.2
844SP0DN0895	16.90	17.70	<0.01	2.1
844SP0DN0895	17.70	19.00	<0.01	0.2
844SP0DN0895	19.00	19.90	<0.01	0.5
844SP0DN0895	33.60	33.90	0.01	0.3
844SP0DN0895	33.90	34.40	<0.01	0.6
844SP0DN0895	34.40	34.70	0.08	0.5
844SP0DN0895	43.20	43.60	<0.01	0.3
844SP0DN0895	46.00	46.90	<0.01	0.3
844SP0DN0895	46.90	48.00	<0.01	0.4
844SP0DN0895	48.00	49.10	<0.01	0.8
844SP0DN0895	49.10	49.80	0.01	0.4
844SP0DN0895	52.00	52.80	0.02	<0.1
844SP0DN0895	52.80	54.00	<0.01	0.3
844SP0DN0895	54.00	55.00	0.08	0.6
844SP0DN0895	59.90	60.70	0.01	0.2
844SP0DN0895	60.70	61.10	0.04	0.2
844SP0DN0895	61.10	61.90	<0.01	0.7
844SP0DN0895	72.10	72.90	0.01	0.5
844SP0DN0895	76.00	76.80	<0.01	0.3
844SP0DN0895	76.80	78.20	<0.01	0.2
844SP0DN0895	78.20	79.20	<0.01	0.9
844SP0DN0895	79.20	80.10	<0.01	0.3
844SP0DN0895	87.30	88.00	0.03	2.2
844SP0DN0895	90.90	91.40	0.04	0.8
844SP0DN0895	91.40	92.10	0.01	0.3
844SP0DN0895	97.60	98.60	0.18	1.4
844SP0DN0895	98.60	99.10	0.03	0.5
844SP0DN0895	99.10	100.00	0.04	0.7
844SP0DN0895	100.00	101.00	0.12	0.9
844SP0DN0895	101.00	102.00	0.10	0.7
844SP0DN0895	102.00	103.10	<0.01	0.4
844SP0DN0895	103.10	104.20	0.01	2.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0895	104.20	105.00	0.12	1.9
844SP0DN0895	105.00	106.00	<0.01	0.3
844SP0DN0895	106.00	106.50	0.07	0.3
844SP0DN0895	108.40	108.90	0.23	0.3
844SP0DN0895	108.90	109.50	0.02	0.2
844SP0DN0895	114.00	115.00	<0.01	0.1
844SP0DN0895	116.10	116.80	<0.01	0.2
844SP0DN0895	122.50	122.90	<0.01	0.1
844SP0DN0895	130.90	131.20	<0.01	<0.1
844SP0DN0895	144.10	145.00	0.06	0.4
844SP0DN0895	145.00	145.50	0.05	0.3
844SP0DN0895	148.70	149.20	<0.01	0.4
844SP0DN0895	154.20	154.60	0.03	0.3
844SP0DN0895	166.10	166.70	<0.01	0.5
844SP0DN0895	166.70	167.80	0.01	0.3
844SP0DN0895	167.80	169.00	0.06	0.5
844SP0DN0895	169.00	169.40	0.02	0.3
844SP0DN0895	169.40	170.10	0.10	0.8
844SP0DN0895	170.10	170.50	0.59	2.3
844SP0DN0895	170.50	171.50	0.02	0.9
844SP0DN0895	171.50	172.30	0.08	1.1
844SP0DN0895	172.30	173.50	0.01	0.8
844SP0DN0895	173.50	173.90	0.36	0.9
844SP0DN0895	173.90	175.00	0.25	1.2
844SP0DN0895	177.00	177.30	0.04	4.1
844SP0DN0895	177.30	178.20	<0.01	0.6
844SP0DN0895	178.20	179.10	0.01	0.7
844SP0DN0895	182.90	183.30	0.05	0.9
844SP0DN0895	184.80	185.60	0.90	1.5
844SP0DN0895	185.60	186.70	0.01	0.6
844SP0DN0895	186.70	187.50	0.82	1.4
844SP0DN0895	187.50	188.10	0.09	0.6
844SP0DN0895	188.10	189.00	3.09	3.4
844SP0DN0895	189.00	189.40	1.32	2.1
844SP0DN0895	189.40	190.30	0.02	0.8
844SP0DN0895	191.60	191.90	0.09	0.5
844SP0DN0895	197.10	198.30	0.14	1.0
844SP0DN0895	198.30	198.60	0.37	0.9
844SP0DN0895	198.60	199.80	<0.01	0.8
844SP0DN0895	205.00	205.60	0.08	0.7
844SP0DN0895	205.60	206.30	<0.01	0.7
844SP0DN0895	213.20	214.00	<0.01	0.4
844SP0DN0895	214.00	214.60	<0.01	0.4
844SP0DN0895	214.60	215.40	<0.01	0.6
844SP0DN0895	215.40	216.00	<0.01	0.3
844SP0DN0895	219.30	220.00	0.01	0.5
844SP0DN0895	220.00	221.00	<0.01	0.5
844SP0DN0895	222.80	223.80	0.01	0.3
844SP0DN0895	230.50	230.80	0.01	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0895	230.80	232.00	<0.01	1.0
844SP0DN0895	232.00	232.60	0.01	0.8
844SP0DN0895	232.60	233.30	0.02	1.0
844SP0DN0895	233.30	234.50	0.01	0.6
844SP0DN0895	234.50	235.50	0.01	0.5
844SP0DN0895	235.50	236.20	0.05	0.5
844SP0DN0895	236.20	237.00	<0.01	1.5
844SP0DN0895	237.00	237.80	<0.01	0.6
844SP0DN0895	242.30	243.00	0.02	0.5
844SP0DN0895	246.90	247.60	0.02	0.9
844SP0DN0895	249.00	249.80	0.07	1.0
844SP0DN0895	253.80	254.20	0.10	0.8
844SP0DN0895	254.20	255.30	0.01	0.8
844SP0DN0895	255.30	256.40	0.04	0.5
844SP0DN0895	256.40	257.70	0.03	1.5
844SP0DN0895	257.70	258.70	<0.01	0.9
844SP0DN0895	258.70	259.40	0.52	1.5
844SP0DN0895	259.40	260.30	1.18	2.5
844SP0DN0895	260.30	261.00	0.02	1.3
844SP0DN0895	261.00	262.10	<0.01	1.4
844SP0DN0895	262.10	263.00	<0.01	0.9
844SP0DN0895	263.00	264.00	0.02	0.6
844SP0DN0895	264.00	265.00	0.01	0.8
844SP0DN0895	265.00	266.00	0.01	1.2
844SP0DN0895	266.00	267.00	1.21	3.1
844SP0DN0895	267.00	268.10	1.66	3.1
844SP0DN0895	268.10	269.00	0.02	1.3
844SP0DN0895	269.00	270.00	0.02	1.4
844SP0DN0895	270.00	271.10	0.03	1.1
844SP0DN0895	271.10	271.90	1.17	2.2
844SP0DN0895	271.90	273.00	0.07	1.2
844SP0DN0895	273.00	273.70	16.80	18.9
844SP0DN0895	273.70	274.60	15.20	16.8
844SP0DN0895	274.60	274.90	0.24	10.7
844SP0DN0895	274.90	275.90	2.14	5.4
844SP0DN0895	275.90	276.40	12.30	15.4
844SP0DN0895	276.40	276.90	1.43	2.4
844SP0DN0895	276.90	277.80	14.40	13.5
844SP0DN0895	277.80	279.00	0.10	1.0
844SP0DN0895	279.00	280.30	0.03	0.6
844SP0DN0895	280.30	281.00	0.04	0.8
844SP0DN0895	281.00	281.65	0.03	1.0
844SP0DN0895	281.65	282.00	0.46	1.4
844SP0DN0895	282.00	282.70	0.02	1.5
844SP0DN0895	282.70	283.10	<0.01	0.5
844SP0DN0895	283.10	284.30	0.04	0.5
844SP0DN0895	284.30	285.30	0.04	0.4
844SP0DN0895	285.30	286.30	0.02	0.8
844SP0DN0895	286.30	287.10	0.04	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0895	287.10	288.30	0.03	1.2
844SP0DN0895	288.30	289.40	0.10	0.8
844SP0DN0899	2.60	3.70	<0.01	0.8
844SP0DN0899	3.70	4.00	0.03	4.8
844SP0DN0899	4.00	4.45	<0.01	0.4
844SP0DN0899	4.45	5.00	<0.01	1.7
844SP0DN0899	5.00	6.00	<0.01	0.2
844SP0DN0899	6.60	7.40	<0.01	0.3
844SP0DN0899	7.40	8.40	0.01	0.5
844SP0DN0899	13.50	13.80	<0.01	0.5
844SP0DN0899	19.80	20.10	<0.01	2.3
844SP0DN0899	20.10	20.60	<0.01	0.3
844SP0DN0899	20.60	21.80	<0.01	0.4
844SP0DN0899	43.00	43.30	0.01	0.4
844SP0DN0899	73.10	74.30	0.01	0.6
844SP0DN0899	74.30	75.00	0.01	0.6
844SP0DN0899	88.70	89.70	<0.01	0.4
844SP0DN0899	98.10	98.50	<0.01	0.6
844SP0DN0899	98.50	99.15	<0.01	0.5
844SP0DN0899	99.15	99.60	0.01	0.4
844SP0DN0899	104.10	104.40	<0.01	1.1
844SP0DN0899	109.40	109.70	<0.01	0.4
844SP0DN0899	113.50	113.80	0.14	0.2
844SP0DN0899	126.70	127.90	<0.01	0.2
844SP0DN0899	134.10	135.00	<0.01	<0.1
844SP0DN0899	135.00	136.00	<0.01	<0.1
844SP0DN0899	136.00	137.20	<0.01	<0.1
844SP0DN0899	137.20	138.20	<0.01	0.3
844SP0DN0899	138.20	139.60	<0.01	0.3
844SP0DN0899	139.60	140.70	<0.01	0.1
844SP0DN0899	140.70	142.20	<0.01	0.3
844SP0DN0899	146.70	147.50	0.04	0.5
844SP0DN0899	153.80	155.00	0.01	0.3
844SP0DN0899	155.00	156.00	<0.01	0.4
844SP0DN0899	156.00	156.90	<0.01	0.3
844SP0DN0899	156.90	157.50	0.02	0.6
844SP0DN0899	157.50	158.30	0.02	0.8
844SP0DN0899	158.30	159.10	0.01	0.8
844SP0DN0899	159.10	160.00	<0.01	0.7
844SP0DN0899	160.00	161.10	<0.01	0.9
844SP0DN0899	161.10	161.70	<0.01	0.9
844SP0DN0899	161.70	162.50	2.03	1.5
844SP0DN0899	162.50	163.15	0.45	2.3
844SP0DN0899	163.15	164.30	0.01	1.7
844SP0DN0899	164.30	165.20	0.24	0.9
844SP0DN0899	165.20	166.10	0.25	3.2
844SP0DN0899	166.10	167.00	0.02	4.9
844SP0DN0899	167.00	167.50	3.64	5.8
844SP0DN0899	167.50	168.20	3.19	7.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	168.20	169.20	3.61	5.8
844SP0DN0899	169.20	169.70	6.08	6.5
844SP0DN0899	169.70	170.25	1.91	4.7
844SP0DN0899	170.25	170.90	0.46	7.9
844SP0DN0899	170.90	171.60	0.20	8.3
844SP0DN0899	171.60	172.60	0.87	8.4
844SP0DN0899	172.60	173.50	0.68	5.4
844SP0DN0899	173.50	174.00	0.01	1.8
844SP0DN0899	174.00	174.60	1.33	7.5
844SP0DN0899	174.60	175.80	0.02	0.7
844SP0DN0899	175.80	177.00	<0.01	1.0
844SP0DN0899	177.00	178.20	<0.01	0.7
844SP0DN0899	178.20	179.40	0.01	3.0
844SP0DN0899	179.40	180.00	0.21	2.0
844SP0DN0899	180.00	180.80	<0.01	1.2
844SP0DN0899	180.80	182.00	0.01	0.8
844SP0DN0899	182.00	183.20	0.02	0.9
844SP0DN0899	183.20	184.40	<0.01	0.8
844SP0DN0899	184.40	185.00	0.16	1.7
844SP0DN0899	185.00	186.00	0.08	2.1
844SP0DN0899	186.00	187.20	0.11	2.3
844SP0DN0899	187.20	188.40	0.08	1.3
844SP0DN0899	188.40	189.60	0.11	0.9
844SP0DN0899	189.60	190.80	0.03	1.1
844SP0DN0899	190.80	191.70	0.31	1.6
844SP0DN0899	191.70	192.45	0.52	4.8
844SP0DN0899	192.45	193.60	0.19	3.0
844SP0DN0899	193.60	194.30	0.05	0.8
844SP0DN0899	194.30	195.45	0.49	2.9
844SP0DN0899	195.45	196.20	0.17	2.6
844SP0DN0899	196.20	196.65	0.55	2.7
844SP0DN0899	196.65	197.30	6.19	12.9
844SP0DN0899	197.30	198.00	4.49	8.2
844SP0DN0899	198.00	198.80	0.04	0.6
844SP0DN0899	198.80	199.30	0.75	7.0
844SP0DN0899	199.30	199.80	0.03	2.0
844SP0DN0899	199.80	200.20	0.10	4.2
844SP0DN0899	200.20	201.40	0.02	2.3
844SP0DN0899	201.40	202.50	0.01	0.8
844SP0DN0899	202.50	203.70	<0.01	0.4
844SP0DN0899	203.70	204.50	0.04	1.3
844SP0DN0899	204.50	205.50	0.04	0.7
844SP0DN0899	205.50	206.70	0.02	0.6
844SP0DN0899	206.70	207.85	0.03	0.8
844SP0DN0899	207.85	209.00	0.01	0.6
844SP0DN0899	209.00	210.00	<0.01	0.4
844SP0DN0899	210.00	210.85	<0.01	0.4
844SP0DN0899	210.85	211.90	<0.01	0.4
844SP0DN0899	211.90	213.00	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	213.00	214.20	0.01	0.6
844SP0DN0899	214.20	215.50	<0.01	0.6
844SP0DN0899	215.50	216.70	<0.01	0.3
844SP0DN0899	216.70	217.80	0.04	0.8
844SP0DN0899	217.80	218.40	<0.01	0.5
844SP0DN0899	218.40	219.35	0.02	0.9
844SP0DN0899	219.35	219.80	0.01	0.4
844SP0DN0899	219.80	221.00	<0.01	0.8
844SP0DN0899	221.00	222.00	0.01	0.3
844SP0DN0899	222.00	222.95	0.01	0.5
844SP0DN0899	222.95	223.30	0.02	3.0
844SP0DN0899	223.30	223.80	1.30	3.9
844SP0DN0899	223.80	224.10	<0.01	0.5
844SP0DN0899	224.10	225.05	0.20	3.4
844SP0DN0899	225.05	225.60	0.35	5.5
844SP0DN0899	225.60	226.40	1.46	6.6
844SP0DN0899	226.40	227.40	1.24	9.4
844SP0DN0899	227.40	228.10	1.43	6.4
844SP0DN0899	228.10	229.20	1.91	3.6
844SP0DN0899	229.20	230.40	1.28	3.1
844SP0DN0899	230.40	231.20	2.09	3.6
844SP0DN0899	231.20	231.80	40.00	19.7
844SP0DN0899	231.80	232.35	0.11	0.8
844SP0DN0899	232.35	233.00	4.15	6.5
844SP0DN0899	233.00	233.90	1.05	3.9
844SP0DN0899	233.90	235.10	0.02	0.9
844SP0DN0899	235.10	236.30	0.01	0.6
844SP0DN0899	236.30	237.50	<0.01	0.5
844SP0DN0899	237.50	238.70	0.01	0.4
844SP0DN0899	238.70	239.90	0.01	0.3
844SP0DN0899	239.90	241.00	0.01	0.2
844SP0DN0899	241.00	241.40	<0.01	0.5
844SP0DN0899	244.40	245.10	<0.01	1.0
844SP0DN0899	248.90	249.50	0.01	0.5
844SP0DN0899	249.50	250.65	<0.01	0.3
844SP0DN0899	250.65	251.70	<0.01	0.6
844SP0DN0899	251.70	252.40	<0.01	0.5
844SP0DN0899	252.40	253.00	<0.01	0.4
844SP0DN0899	261.00	261.40	<0.01	1.9
844SP0DN0899	265.10	265.80	<0.01	0.7
844SP0DN0899	265.80	266.30	0.01	0.5
844SP0DN0899	266.30	267.20	<0.01	0.4
844SP0DN0899	267.20	268.30	<0.01	0.4
844SP0DN0899	268.30	269.60	<0.01	0.3
844SP0DN0899	275.30	275.70	<0.01	0.1
844SP0DN0899	275.70	276.40	<0.01	0.4
844SP0DN0899	276.40	277.00	<0.01	0.3
844SP0DN0899	281.00	281.50	<0.01	0.1
844SP0DN0899	286.00	287.00	<0.01	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	287.00	288.20	<0.01	0.2
844SP0DN0899	289.50	290.30	0.02	0.2
844SP0DN0899	293.70	294.00	0.08	0.5
844SP0DN0899	294.00	295.00	0.02	0.6
844SP0DN0899	295.00	295.60	<0.01	0.6
844SP0DN0899	295.60	295.90	0.02	0.6
844SP0DN0899	295.90	297.00	<0.01	0.4
844SP0DN0899	297.00	297.40	0.01	1.4
844SP0DN0899	297.40	298.00	<0.01	0.3
844SP0DN0899	298.00	298.90	0.02	0.3
844SP0DN0899	298.90	299.20	0.08	0.7
844SP0DN0899	299.20	300.00	<0.01	0.2
844SP0DN0899	300.00	300.95	<0.01	0.3
844SP0DN0899	300.95	301.25	0.07	1.6
844SP0DN0899	301.25	302.30	7.55	9.8
844SP0DN0899	302.30	302.90	6.05	13.1
844SP0DN0899	302.90	304.00	3.86	4.2
844SP0DN0899	304.00	304.60	0.53	2.0
844SP0DN0899	304.60	305.70	0.06	0.6
844SP0DN0899	305.70	306.10	0.59	1.6
844SP0DN0899	306.10	306.80	0.02	1.1
844SP0DN0899	306.80	308.00	0.77	1.5
844SP0DN0899	308.00	308.50	0.01	0.8
844SP0DN0899	308.50	309.50	0.04	0.6
844SP0DN0899	309.50	310.10	0.10	0.9
844SP0DN0899	310.10	311.10	0.01	0.3
844SP0DN0899	311.10	311.70	<0.01	0.5
844SP0DN0899	311.70	312.90	0.05	0.8
844SP0DN0899	312.90	313.90	0.03	0.8
844SP0DN0899	313.90	315.00	0.11	1.1
844SP0DN0899	315.00	316.20	0.02	1.0
844SP0DN0899	316.20	317.00	0.03	1.0
844SP0DN0899	317.00	317.90	0.02	1.2
844SP0DN0899	317.90	318.35	0.53	2.2
844SP0DN0899	318.35	319.10	0.15	1.7
844SP0DN0899	319.10	319.70	0.02	0.4
844SP0DN0899	319.70	320.70	0.01	0.3
844SP0DN0899	323.40	324.20	<0.01	0.4
844SP0DN0899	327.20	327.75	0.02	0.4
844SP0DN0899	330.00	330.40	0.04	1.4
844SP0DN0899	330.40	331.70	0.01	1.3
844SP0DN0899	333.20	333.60	0.01	0.5
844SP0DN0899	338.30	339.00	0.14	0.4
844SP0DN0899	339.00	340.20	0.04	0.4
844SP0DN0899	340.20	341.40	0.03	0.6
844SP0DN0899	341.40	342.30	0.03	0.4
844SP0DN0899	342.30	343.40	0.17	0.5
844SP0DN0899	343.40	344.70	0.02	0.4
844SP0DN0899	344.70	345.30	0.04	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	345.30	346.30	0.02	0.3
844SP0DN0899	346.30	347.40	0.01	0.3
844SP0DN0899	347.40	348.30	<0.01	0.6
844SP0DN0899	348.30	348.80	<0.01	0.4
844SP0DN0899	348.80	350.00	0.14	0.4
844SP0DN0899	350.00	351.00	0.04	0.7
844SP0DN0899	351.00	352.20	0.01	0.6
844SP0DN0899	352.20	353.30	<0.01	0.4
844SP0DN0899	353.30	353.90	<0.01	0.5
844SP0DN0899	353.90	354.70	<0.01	0.3
844SP0DN0899	354.70	355.90	<0.01	0.2
844SP0DN0899	355.90	356.40	<0.01	0.2
844SP0DN0899	356.40	356.70	<0.01	0.3
844SP0DN0899	356.70	357.40	0.07	0.5
844SP0DN0899	357.40	358.60	0.01	0.3
844SP0DN0899	358.60	359.70	<0.01	0.5
844SP0DN0899	359.70	360.90	0.02	0.7
844SP0DN0899	360.90	362.10	0.02	0.8
844SP0DN0899	362.10	362.70	3.49	24.2
844SP0DN0899	362.70	365.10	1.38	5.5
844SP0DN0899	365.10	366.10	0.55	2.5
844SP0DN0899	366.10	366.70	1.26	2.4
844SP0DN0899	366.70	367.40	0.04	0.7
844SP0DN0899	367.40	368.20	0.09	0.7
844SP0DN0899	368.20	369.30	0.02	0.6
844SP0DN0899	369.30	370.30	<0.01	0.4
844SP0DN0899	370.30	371.20	<0.01	0.2
844SP0DN0899	371.20	371.60	0.04	0.4
844SP0DN0899	371.60	372.80	0.01	0.3
844SP0DN0899	372.80	373.90	<0.01	0.3
844SP0DN0899	373.90	374.70	<0.01	0.3
844SP0DN0899	374.70	375.30	0.02	0.7
844SP0DN0899	375.30	376.45	0.01	0.5
844SP0DN0899	376.45	377.50	0.01	0.4
844SP0DN0899	377.50	378.80	0.02	0.4
844SP0DN0899	378.80	380.00	0.05	0.3
844SP0DN0899	380.00	380.90	0.05	0.8
844SP0DN0899	380.90	381.90	0.06	0.7
844SP0DN0899	381.90	383.10	0.09	0.4
844SP0DN0899	383.10	383.50	0.06	0.4
844SP0DN0899	383.50	384.10	0.11	0.5
844SP0DN0899	384.10	384.70	0.06	0.5
844SP0DN0899	384.70	385.50	0.01	0.3
844SP0DN0899	385.50	386.70	0.01	0.2
844SP0DN0899	386.70	387.00	0.05	0.3
844SP0DN0899	387.00	387.80	0.01	0.2
844SP0DN0899	387.80	388.60	0.01	0.2
844SP0DN0899	388.60	389.70	0.01	0.3
844SP0DN0899	389.70	390.80	0.05	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	390.80	392.00	0.05	0.6
844SP0DN0899	392.00	392.70	0.21	0.6
844SP0DN0899	392.70	393.80	0.15	0.7
844SP0DN0899	393.80	394.20	0.05	0.7
844SP0DN0899	394.20	395.50	0.03	0.5
844SP0DN0899	397.40	398.50	0.02	0.7
844SP0DN0899	398.50	399.20	0.02	0.5
844SP0DN0899	402.80	403.20	0.02	0.4
844SP0DN0899	408.30	409.50	0.03	0.6
844SP0DN0899	409.50	409.80	8.71	5.6
844SP0DN0899	409.80	410.60	0.01	1.3
844SP0DN0899	410.60	410.90	0.02	0.2
844SP0DN0899	412.00	412.80	0.02	0.3
844SP0DN0899	415.90	417.10	0.11	0.8
844SP0DN0899	417.10	417.70	0.03	3.6
844SP0DN0899	417.70	418.40	0.04	0.7
844SP0DN0899	418.40	419.70	0.04	1.0
844SP0DN0899	419.70	421.00	0.02	1.9
844SP0DN0899	421.00	421.90	0.03	0.6
844SP0DN0899	421.90	422.50	0.08	0.7
844SP0DN0899	422.50	423.60	0.07	0.7
844SP0DN0899	423.60	424.50	0.03	1.8
844SP0DN0899	424.50	425.10	0.05	1.3
844SP0DN0899	425.10	425.90	0.04	0.4
844SP0DN0899	425.90	427.10	0.11	0.6
844SP0DN0899	427.10	428.40	0.03	0.8
844SP0DN0899	428.40	428.80	0.08	0.7
844SP0DN0899	428.80	430.00	0.02	0.5
844SP0DN0899	430.00	431.00	<0.01	0.2
844SP0DN0899	431.00	432.10	0.33	0.4
844SP0DN0899	432.10	432.80	1.22	4.8
844SP0DN0899	432.80	433.45	0.15	0.9
844SP0DN0899	433.45	434.10	0.33	2.7
844SP0DN0899	434.10	435.20	0.31	0.9
844SP0DN0899	435.20	436.20	0.03	1.5
844SP0DN0899	436.20	436.90	0.03	2.3
844SP0DN0899	436.90	437.30	0.04	1.2
844SP0DN0899	437.30	438.35	0.04	0.8
844SP0DN0899	438.35	438.70	0.08	0.6
844SP0DN0899	438.70	439.90	0.02	1.2
844SP0DN0899	439.90	440.80	<0.01	<0.1
844SP0DN0899	440.80	441.10	0.12	1.5
844SP0DN0899	441.10	442.30	0.02	0.8
844SP0DN0899	442.30	442.80	0.03	1.0
844SP0DN0899	442.80	444.00	0.01	0.5
844SP0DN0899	444.00	444.80	0.02	0.4
844SP0DN0899	444.80	445.40	0.27	1.3
844SP0DN0899	445.40	446.30	0.99	2.8
844SP0DN0899	446.30	447.20	0.21	9.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	447.20	448.30	0.19	0.7
844SP0DN0899	448.30	448.70	0.63	2.9
844SP0DN0899	448.70	449.80	0.01	0.4
844SP0DN0899	449.80	451.00	<0.01	0.2
844SP0DN0899	451.00	451.70	0.06	0.5
844SP0DN0899	451.70	452.50	0.03	0.5
844SP0DN0899	452.50	453.70	0.03	0.7
844SP0DN0899	453.70	454.90	<0.01	0.2
844SP0DN0899	454.90	455.60	0.02	0.2
844SP0DN0899	455.60	456.80	0.03	0.3
844SP0DN0899	456.80	458.00	0.03	0.4
844SP0DN0899	458.00	458.50	0.02	0.3
844SP0DN0899	458.50	459.40	<0.01	0.2
844SP0DN0899	459.40	460.50	0.04	0.2
844SP0DN0899	460.50	461.70	0.04	0.7
844SP0DN0899	461.70	462.95	0.08	1.0
844SP0DN0899	462.95	464.20	0.05	0.6
844SP0DN0899	464.20	464.70	2.36	12.4
844SP0DN0899	464.70	465.90	4.49	7.8
844SP0DN0899	465.90	466.30	0.14	2.6
844SP0DN0899	466.30	467.00	0.11	2.2
844SP0DN0899	467.00	467.70	0.07	1.1
844SP0DN0899	467.70	469.00	0.03	1.2
844SP0DN0899	469.00	470.20	0.12	2.7
844SP0DN0899	470.20	471.00	0.02	0.8
844SP0DN0899	471.00	471.50	0.03	0.9
844SP0DN0899	471.50	472.70	0.02	1.1
844SP0DN0899	472.70	473.00	0.04	1.6
844SP0DN0899	473.00	474.20	0.05	0.7
844SP0DN0899	474.20	475.00	0.11	0.7
844SP0DN0899	475.00	475.90	0.07	0.6
844SP0DN0899	475.90	476.20	0.25	3.8
844SP0DN0899	476.20	477.00	0.13	4.3
844SP0DN0899	477.00	477.40	0.07	1.2
844SP0DN0899	477.40	478.60	0.07	1.1
844SP0DN0899	478.60	479.40	0.09	0.6
844SP0DN0899	479.40	480.15	0.21	1.3
844SP0DN0899	480.15	481.20	0.37	1.2
844SP0DN0899	481.20	482.00	2.28	2.8
844SP0DN0899	482.00	482.90	0.18	0.7
844SP0DN0899	482.90	484.10	0.08	0.9
844SP0DN0899	484.10	485.20	0.09	0.9
844SP0DN0899	485.20	485.60	0.34	1.4
844SP0DN0899	485.60	486.80	0.13	0.8
844SP0DN0899	486.80	487.50	0.11	1.9
844SP0DN0899	487.50	488.20	1.61	2.7
844SP0DN0899	488.20	488.80	0.14	2.1
844SP0DN0899	488.80	489.40	0.09	1.4
844SP0DN0899	489.40	489.80	0.14	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	489.80	490.45	3.04	7.0
844SP0DN0899	490.45	490.70	0.05	0.8
844SP0DN0899	490.70	491.10	0.09	3.0
844SP0DN0899	491.10	491.90	0.16	1.3
844SP0DN0899	491.90	492.80	0.03	0.7
844SP0DN0899	492.80	493.30	0.01	0.6
844SP0DN0899	493.30	494.00	0.21	2.7
844SP0DN0899	494.00	494.80	0.04	4.6
844SP0DN0899	494.80	495.20	0.02	0.9
844SP0DN0899	495.20	496.00	0.05	1.1
844SP0DN0899	496.00	497.20	0.03	0.7
844SP0DN0899	497.20	498.10	0.02	0.6
844SP0DN0899	498.10	498.70	0.02	0.3
844SP0DN0899	498.70	499.90	0.02	0.7
844SP0DN0899	499.90	501.10	0.02	0.6
844SP0DN0899	501.10	501.70	0.01	0.6
844SP0DN0899	501.70	502.60	0.02	0.5
844SP0DN0899	502.60	503.80	0.02	0.7
844SP0DN0899	503.80	504.90	0.02	0.7
844SP0DN0899	504.90	505.20	0.04	0.8
844SP0DN0899	505.20	505.50	0.04	0.8
844SP0DN0899	509.00	510.10	0.02	0.6
844SP0DN0899	510.10	511.10	0.02	0.6
844SP0DN0899	511.10	512.20	0.03	2.5
844SP0DN0899	512.20	513.40	0.04	1.0
844SP0DN0899	513.40	514.60	0.02	0.9
844SP0DN0899	514.60	515.70	0.02	1.7
844SP1CG0920	0.00	1.00	<0.01	0.5
844SP1CG0920	3.00	3.50	<0.01	0.5
844SP1CG0920	4.30	4.95	0.02	0.5
844SP1CG0920	4.95	5.35	<0.01	0.5
844SP1CG0920	7.20	8.00	0.02	0.5
844SP1CG0920	11.60	12.00	0.09	2.0
844SP1CG0920	12.00	12.90	<0.01	0.5
844SP1CG0920	12.90	13.30	<0.01	0.5
844SP1CG0920	19.00	19.00	<0.01	0.5
844SP1CG0920	21.00	22.00	<0.01	0.5
844SP1CG0920	22.00	23.00	0.01	0.5
844SP1CG0920	23.00	24.00	0.02	0.5
844SP1CG0920	24.00	25.00	0.01	0.5
844SP1CG0920	25.00	26.00	0.02	0.5
844SP1CG0920	26.00	27.00	0.01	0.5
844SP1CG0920	27.00	27.55	0.01	0.5
844SP1CG0920	27.55	28.00	0.01	0.5
844SP1CG0920	35.20	36.10	0.03	0.5
844SP1CG0920	36.10	36.50	<0.01	0.5
844SP1CG0920	38.50	39.50	0.01	0.5
844SP1CG0920	39.50	40.50	<0.01	0.5
844SP1CG0920	40.50	41.50	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP1CG0920	43.50	44.30	<0.01	0.5
844SP1CG0920	44.30	44.70	0.01	0.5
844SP1CG0920	44.70	45.70	<0.01	0.5
844SP1CG0920	45.70	46.70	0.02	0.5
844SP1CG0920	46.70	47.70	<0.01	0.5
844SP1CG0920	47.70	48.70	<0.01	0.5
844SP1CG0920	48.70	49.70	0.03	0.5
844SP1CG0920	49.70	50.70	0.01	0.5
844SP1CG0920	50.70	51.45	0.37	3.0
844SP1CG0920	51.45	52.25	0.01	0.5
844SP1CG0920	52.25	53.00	<0.01	0.5
844SP1CG0920	53.00	53.70	<0.01	0.5
844SP1CG0920	59.00	59.95	0.01	0.5
844SP1CG0920	59.95	60.40	0.06	0.5
844SP1CG0920	64.50	65.50	<0.01	0.5
844SP1CG0920	66.10	66.50	<0.01	0.5
844SP1CG0920	66.50	67.20	<0.01	0.5
844SP1CG0920	67.20	67.60	<0.01	0.5
844SP1CG0920	68.60	69.60	<0.01	0.5
844SP1CG0920	69.60	70.60	<0.01	0.5
844SP1CG0920	70.60	71.60	<0.01	0.5
844SP1CG0920	71.60	72.00	<0.01	0.5
844SP1CG0920	72.00	72.90	4.22	4.0
844SP1CG0920	72.90	73.70	0.05	0.5
844SP1CG0920	73.70	74.60	0.04	0.5
844SP1CG0920	74.60	75.20	<0.01	0.5
844SP1CG0920	75.20	76.00	0.05	0.5
844SP1CG0920	76.00	77.00	0.01	0.5
844SP1CG0920	77.00	78.00	0.01	0.5
844SP1CG0920	78.00	79.00	0.02	0.5
844SP1CG0920	79.00	79.90	<0.01	0.5
844SP1CG0920	79.90	80.80	0.02	0.5
844SP1CG0920	80.80	81.70	0.02	0.5
844SP1CG0920	81.70	82.60	<0.01	0.5
844SP1CG0920	82.60	83.50	<0.01	0.5
844SP1CG0920	83.50	84.50	<0.01	0.5
844SP1CG0920	84.50	85.50	<0.01	0.5
844SP1CG0920	85.50	86.50	<0.01	0.5
844SP1CG0920	86.50	87.50	<0.01	0.5
844SP1CG0920	87.50	88.50	<0.01	0.5
844SP1CG0920	88.50	89.50	0.01	0.5
844SP1CG0920	89.50	90.50	<0.01	0.5
844SP1CG0920	90.50	91.50	<0.01	0.5
844SP1CG0920	91.50	92.50	0.02	0.5
844SP1CG0920	92.50	93.50	<0.01	0.5
844SP1CG0920	93.50	94.50	<0.01	0.5
844SP1CG0920	94.50	95.50	<0.01	0.5
844SP1CG0920	95.50	96.50	<0.01	0.5
844SP1CG0920	96.50	97.50	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP1CG0920	97.50	98.50	<0.01	0.5
844SP1CG0920	98.50	99.50	<0.01	0.5
844SP1CG0920	99.50	100.50	<0.01	0.5
844SP1CG0920	100.50	101.00	<0.01	0.5
844SP1CG0920	101.00	101.65	<0.01	0.5
844SP1CG0920	101.65	102.45	0.09	0.5
844SP1CG0920	102.45	103.30	0.04	0.5
844SP1CG0920	103.30	103.90	0.06	0.5
844SP1CG0920	103.90	104.50	0.04	0.5
844SP1CG0920	104.50	105.50	<0.01	0.5
844SP1CG0920	105.50	106.50	<0.01	0.5
844SP1CG0920	106.50	107.50	<0.01	0.5
844SP1CG0920	107.50	108.50	<0.01	0.5
844SP1CG0920	108.50	109.50	<0.01	0.5
844SP1CG0920	109.50	110.45	<0.01	0.5
844SP1CG0920	110.45	110.75	0.01	0.5
844SP1CG0920	116.00	117.00	<0.01	0.5
844SP1CG0920	118.00	119.00	0.01	0.5
844SP1CG0920	119.00	120.00	0.01	0.5
844SP1CG0920	120.00	121.10	0.01	0.5
844SP1CG0920	121.10	121.50	0.32	1.0
844SP1CG0920	121.50	122.50	0.01	0.5
844SP1CG0920	122.50	123.50	<0.01	0.5
844SP1CG0920	123.50	124.50	<0.01	0.5
844SP1CG0920	124.50	125.50	<0.01	0.5
844SP1CG0920	125.50	126.50	0.01	0.5
844SP1CG0920	126.50	127.50	<0.01	0.5
844SP1CG0920	127.50	128.50	<0.01	0.5
844SP1CG0920	128.50	129.50	<0.01	0.5
844SP1CG0920	129.50	130.50	<0.01	0.5
844SP1CG0920	130.50	131.50	<0.01	0.5
844SP1CG0920	131.50	132.50	<0.01	0.5
844SP1CG0920	132.50	133.50	0.01	0.5
844SP1CG0920	133.50	134.50	0.02	0.5
844SP1CG0920	134.50	135.50	0.01	0.5
844SP1CG0920	135.50	136.50	0.03	0.5
844SP1CG0920	136.50	137.50	<0.01	0.5
844SP1CG0920	137.50	138.50	<0.01	0.5
844SP1CG0920	138.50	139.00	0.05	0.5
844SP1CG0920	139.00	139.50	0.14	0.5
844SP1CG0920	139.50	140.50	0.02	0.5
844SP1CG0920	140.50	141.50	0.01	0.5
844SP1CG0920	141.50	142.40	0.01	0.5
844SP1CG0920	142.40	143.30	<0.01	0.5
844SP1CG0920	143.30	143.70	0.01	0.5
844SP1CG0920	143.70	144.15	0.14	0.5
844SP1CG0920	144.15	144.75	0.65	2.0
844SP1CG0920	144.75	145.50	0.01	0.5
844SP1CG0920	145.50	146.30	0.09	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP1CG0920	146.30	147.20	1.03	4.0
844SP1CG0920	147.20	148.20	0.14	1.0
844SP1CG0920	148.20	148.90	0.90	3.0
844SP1CG0920	148.90	149.85	0.04	0.5
844SP1CG0920	149.85	150.60	0.43	0.5
844SP1CG0920	150.60	151.50	0.05	0.5
844SP1CG0920	151.50	152.50	<0.01	0.5
844SP1CG0920	152.50	153.50	<0.01	0.5
844SP1CG0920	153.50	154.50	<0.01	0.5
844SP1CG0920	154.50	155.50	0.74	2.0
844SP1CG0920	155.50	156.50	0.10	2.0
844SP1CG0920	156.50	157.50	0.02	2.0
844SP1CG0920	157.50	158.50	<0.01	0.5
844SP1CG0920	158.50	159.50	0.02	2.0
844SP1CG0920	159.50	160.50	0.01	1.0
844SP1CG0920	160.50	161.50	<0.01	0.5
844SP1CG0920	161.50	162.50	0.11	1.0
844SP1CG0920	162.50	163.05	0.27	3.0
844SP1CG0920	163.05	163.70	16.70	17.0
844SP1CG0920	163.70	164.50	0.77	8.0
844SP1CG0920	164.50	165.20	8.21	15.0
844SP1CG0920	165.20	166.40	9.97	6.0
844SP1CG0920	166.40	167.10	6.00	9.0
844SP1CG0920	167.10	168.20	5.36	7.0
844SP1CG0920	168.20	168.60	0.71	2.0
844SP1CG0920	168.60	169.60	0.42	2.0
844SP1CG0920	169.60	170.50	0.14	4.0
844SP1CG0920	170.50	171.20	20.40	13.0
844SP1CG0920	171.20	172.05	0.90	2.0
844SP1CG0920	172.05	172.70	0.06	1.0
844SP1CG0920	172.70	173.35	0.02	1.0
844SP1CG0920	173.35	174.00	0.02	0.5
844SP1CG0920	174.00	175.00	0.10	1.0
844SP1CG0920	175.00	176.00	0.11	0.5
844SP1CG0920	176.00	177.00	2.22	4.0
844SP1CG0920	177.00	178.00	0.55	0.5
844SP1CG0920	178.00	179.00	0.06	0.5
844SP1CG0920	179.00	180.00	0.02	0.5
844SP1CG0920	181.00	182.00	0.01	0.5
844SP1CG0920	187.20	187.70	0.01	0.5
844SP1CG0920	189.90	190.40	0.02	1.0
844SP1CG0920	195.00	196.00	0.01	0.5
844SP1CG0920	200.20	201.20	0.02	1.0
844SP1CR0924	5.80	6.80	0.04	0.2
844SP1CR0924	6.80	7.50	0.69	1.1
844SP1CR0924	7.50	8.50	0.05	0.4
844SP1CR0924	13.30	14.30	0.02	1.2
844SP1CR0924	14.30	15.00	1.47	4.7
844SP1CR0924	15.00	16.00	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP1CR0924	38.00	38.70	0.02	0.2
844SP1CR0924	58.20	58.75	0.03	0.5
844SP1CR0924	58.75	59.40	0.74	0.8
844SP1CR0924	59.40	60.60	0.17	2.5
844SP1CR0924	60.60	61.10	0.02	0.6
844SP1CR0924	61.10	62.30	0.05	0.5
844SP1CR0924	62.30	62.90	0.10	0.8
844SP1CR0924	62.90	64.00	0.01	0.4
844SP1CR0924	65.00	66.20	0.02	0.5
844SP1CR0924	66.20	67.30	<0.01	0.5
844SP1CR0924	67.30	68.20	<0.01	0.3
844SP1CR0924	68.20	69.40	<0.01	0.3
844SP1CR0924	69.40	70.60	<0.01	0.3
844SP1CR0924	70.60	71.30	0.03	0.3
844SP1CR0924	71.30	72.30	<0.01	0.3
844SP1CR0924	72.30	73.70	<0.01	0.3
844SP1CR0924	73.70	74.90	<0.01	0.5
844SP1CR0924	74.90	76.10	0.06	0.6
844SP1CR0924	76.10	77.30	<0.01	0.6
844SP1CR0924	77.30	78.40	<0.01	1.2
844SP1CR0924	78.40	79.30	<0.01	0.9
844SP1CR0924	79.30	80.80	<0.01	0.7
844SP1CR0924	80.80	82.00	<0.01	1.2
844SP1CR0924	82.00	82.60	4.24	6.0
844SP1CR0924	82.60	84.10	0.02	0.7
844SP1CR0924	84.10	84.80	0.10	1.0
844SP1CR0924	84.80	85.40	<0.01	0.4
844SP1CR0924	85.40	86.70	0.03	1.0
844SP1CR0924	86.70	88.10	0.05	0.6
844SP1CR0924	88.10	89.10	<0.01	0.9
844SP1CR0924	89.10	89.90	3.69	4.4
844SP1CR0924	89.90	90.80	1.19	2.9
844SP1CR0924	90.80	92.20	0.02	0.9
844SP1CR0924	92.20	92.80	0.08	0.8
844SP1CR0924	92.80	94.30	0.01	0.7
844SP1CR0924	94.30	95.60	<0.01	0.7
844SP1CR0924	95.60	97.00	<0.01	0.4
844SP1CR0924	97.00	97.50	0.09	0.7
844SP1CR0924	106.30	106.70	<0.01	0.5
844SP1CR0924	110.70	111.80	<0.01	0.4
844SP1CR0924	117.40	117.90	0.02	2.8
844SP1CR0924	119.90	120.30	0.01	0.6
844SP1CR0924	124.30	125.70	0.03	1.9
844SP1CR0924	128.70	129.00	0.02	3.9
844SP1CR0924	131.00	131.70	0.01	0.5
844SP1CR0924	134.10	134.50	1.30	3.3
844SP1CR0924	138.30	138.60	0.18	0.6
844SP1CR0924	150.50	150.90	<0.01	0.3
844SP1CR0924	151.80	152.20	0.01	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP1CR0924	153.30	153.80	<0.01	0.4
844SP1CR0924	171.60	172.90	<0.01	0.2
844SP1CR0924	172.90	174.20	<0.01	0.1
844SP1CR0924	174.20	175.20	<0.01	0.1
844SP1CR0924	175.20	175.60	3.24	4.2
844SP1CR0924	175.60	176.90	<0.01	0.5
844SP1CR0924	176.90	178.40	<0.01	0.2
844SP1CR0924	178.40	179.90	<0.01	0.2
844SP1CR0924	187.20	187.70	0.95	30.8
844SP1CR0924	194.60	195.40	<0.01	1.2
844SP1CR0924	195.40	196.40	<0.01	0.5
844SP1CR0924	196.40	197.20	<0.01	0.6
844SP1CR0924	199.60	200.10	0.02	0.8
844SP1CR0924	204.80	206.20	0.03	2.6
844SP1CR0924	210.10	211.40	0.01	2.4
844SP1CR0924	211.40	212.20	0.01	0.5
844SP2CN0892	1.00	2.00	0.01	0.4
844SP2CN0892	10.00	11.00	0.32	0.3
844SP2CN0892	13.10	13.70	1.03	1.7
844SP2CN0892	13.70	14.30	0.72	1.0
844SP2CN0892	14.30	15.00	0.36	0.8
844SP2CN0892	15.00	16.10	0.01	0.3
844SP2CN0892	16.10	17.00	<0.01	0.4
844SP2CN0892	17.00	18.00	<0.01	0.2
844SP2CN0892	18.00	19.00	<0.01	0.2
844SP2CN0892	21.40	22.20	<0.01	1.6
844SP2CN0892	22.20	23.40	0.01	0.3
844SP2CN0892	23.40	23.90	0.02	3.0
844SP2CN0892	23.90	25.00	<0.01	0.5
844SP2CN0892	30.00	31.00	0.01	1.6
844SP2CN0892	37.00	38.00	<0.01	0.2
844SP2CN0892	39.00	40.10	<0.01	0.2
844SP2CN0892	40.10	41.10	0.01	0.2
844SP2CN0892	47.00	48.00	<0.01	0.3
844SP2CN0892	50.00	50.70	<0.01	0.2
844SP2CN0892	50.70	51.50	<0.01	0.4
844SP2CN0892	65.70	66.20	0.04	0.4
844SP2CN0892	66.20	67.00	<0.01	0.3
844SP2CN0892	70.00	71.00	0.02	0.6
844SP2CN0892	72.00	73.00	<0.01	1.0
844SP2CN0892	75.00	76.00	<0.01	0.7
844SP2CN0892	76.00	77.00	<0.01	0.4
844SP2CN0892	82.00	82.80	<0.01	0.5
844SP2CN0892	82.80	83.60	<0.01	0.7
844SP2CN0892	83.60	84.50	<0.01	0.9
844SP2CN0892	85.00	86.00	<0.01	0.5
844SP2CN0892	86.00	87.00	<0.01	0.4
844SP2CN0892	89.00	90.00	0.06	0.3
844SP2CN0892	90.00	91.00	0.37	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0892	91.00	92.00	0.04	0.7
844SP2CN0892	92.00	93.00	<0.01	0.5
844SP2CN0892	93.00	94.00	0.27	1.1
844SP2CN0892	94.00	95.00	0.08	0.2
844SP2CN0892	95.00	96.00	0.02	0.4
844SP2CN0892	96.00	96.80	0.03	0.3
844SP2CN0892	96.80	97.30	0.01	0.3
844SP2CN0892	97.30	98.40	0.31	2.1
844SP2CN0892	98.40	98.70	0.38	0.7
844SP2CN0892	98.70	99.90	2.53	7.6
844SP2CN0892	99.90	100.85	0.30	2.1
844SP2CN0892	100.85	101.40	0.06	1.6
844SP2CN0892	101.40	102.00	0.32	1.8
844SP2CN0892	102.00	103.00	0.02	1.7
844SP2CN0892	103.00	104.00	0.01	0.9
844SP2CN0892	105.00	106.00	0.02	0.8
844SP2CN0892	106.00	107.00	0.02	0.7
844SP2CN0892	107.00	107.80	<0.01	0.7
844SP2CN0892	107.80	109.00	0.01	0.4
844SP2CN0892	116.00	117.00	0.02	0.9
844SP2CN0892	123.00	123.70	0.01	0.5
844SP2CN0892	123.70	124.30	0.25	1.1
844SP2CN0892	124.30	125.00	0.01	0.7
844SP2CN0892	125.00	126.00	<0.01	0.8
844SP2CN0892	128.00	129.00	0.02	0.6
844SP2CN0892	133.00	133.90	0.01	0.7
844SP2CN0892	133.90	135.00	0.04	0.9
844SP2CN0892	135.00	136.00	0.03	1.0
844SP2CN0892	137.00	138.00	0.16	4.1
844SP2CN0892	138.00	139.00	0.01	0.9
844SP2CN0892	139.00	140.00	0.02	1.0
844SP2CN0892	140.00	141.00	<0.01	0.6
844SP2CN0892	141.00	142.00	0.03	0.7
844SP2CN0892	142.00	143.00	0.05	1.4
844SP2CN0892	143.00	144.00	0.03	1.3
844SP2CN0892	144.00	144.50	0.01	1.6
844SP2CN0892	144.50	145.10	0.10	3.2
844SP2CN0892	145.10	146.20	0.09	2.9
844SP2CN0892	146.20	146.90	<0.01	0.5
844SP2CN0892	146.90	148.00	0.02	2.2
844SP2CN0892	150.00	151.00	0.04	1.6
844SP2CN0892	151.00	151.70	0.14	0.9
844SP2CN0892	151.70	152.00	1.24	3.4
844SP2CN0892	152.00	153.00	<0.01	0.5
844SP2CN0892	153.00	154.00	0.08	3.3
844SP2CN0892	154.00	155.00	<0.01	0.9
844SP2CN0892	155.00	156.00	<0.01	0.5
844SP2CN0892	156.00	157.10	0.03	1.5
844SP2CN0892	157.10	157.80	0.23	1.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0892	157.80	158.50	0.24	1.0
844SP2CN0892	158.50	159.30	0.96	17.3
844SP2CN0892	159.30	160.10	0.33	27.4
844SP2CN0892	160.10	161.00	0.08	1.6
844SP2CN0892	161.00	161.50	0.85	21.8
844SP2CN0892	161.50	162.70	0.15	3.0
844SP2CN0892	162.70	163.70	2.31	2.8
844SP2CN0892	163.70	164.90	0.07	1.0
844SP2CN0892	164.90	165.60	1.26	1.9
844SP2CN0892	165.60	166.30	0.94	2.0
844SP2CN0892	166.30	166.80	0.22	1.4
844SP2CN0892	166.80	167.70	0.17	1.3
844SP2CN0892	167.70	168.60	0.49	3.2
844SP2CN0892	168.60	169.50	0.13	2.7
844SP2CN0892	169.50	170.00	0.01	1.5
844SP2CN0892	170.00	171.00	0.07	2.3
844SP2CN0892	171.00	172.00	0.05	2.1
844SP2CN0892	172.00	173.00	0.04	2.1
844SP2CN0892	173.00	174.00	0.07	1.7
844SP2CN0892	174.00	175.00	0.12	3.3
844SP2CN0892	175.00	176.10	4.23	10.1
844SP2CN0892	176.10	177.10	0.07	2.9
844SP2CN0892	177.10	178.10	0.40	3.9
844SP2CN0892	178.10	179.30	1.00	11.3
844SP2CN0892	179.30	180.10	0.20	6.0
844SP2CN0892	180.10	181.10	0.05	6.2
844SP2CN0892	181.10	182.10	0.06	5.3
844SP2CN0892	182.10	183.30	0.71	9.6
844SP2CN0892	183.30	184.30	0.63	1.5
844SP2CN0892	184.30	185.10	0.69	4.7
844SP2CN0892	185.10	185.60	0.07	4.2
844SP2CN0892	185.60	186.20	31.00	12.1
844SP2CN0892	186.20	187.00	0.15	5.1
844SP2CN0892	187.00	188.20	0.34	10.6
844SP2CN0892	188.20	189.00	66.90	33.5
844SP2CN0892	189.00	189.70	5.51	14.4
844SP2CN0892	189.70	190.30	1.11	2.9
844SP2CN0892	190.30	191.00	0.04	0.7
844SP2CN0892	191.00	192.00	0.01	0.5
844SP2CN0892	192.00	193.00	0.02	0.3
844SP2CN0892	201.10	202.00	0.01	0.1
844SP2CN0893	1.00	2.00	0.01	0.2
844SP2CN0893	2.00	2.30	0.02	2.3
844SP2CN0893	2.30	3.00	<0.01	0.5
844SP2CN0893	6.00	6.30	<0.01	0.2
844SP2CN0893	8.70	9.00	0.01	0.2
844SP2CN0893	15.00	15.30	<0.01	0.2
844SP2CN0893	15.30	15.70	0.17	1.1
844SP2CN0893	15.70	16.10	0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0893	16.10	17.00	<0.01	0.2
844SP2CN0893	17.00	17.70	<0.01	0.2
844SP2CN0893	17.70	18.40	0.02	1.4
844SP2CN0893	18.40	19.10	<0.01	0.8
844SP2CN0893	19.10	19.80	<0.01	0.4
844SP2CN0893	19.80	20.10	0.02	0.2
844SP2CN0893	20.10	21.00	0.02	0.2
844SP2CN0893	21.00	22.00	0.02	0.8
844SP2CN0893	22.00	22.60	0.01	0.2
844SP2CN0893	22.60	23.00	<0.01	0.1
844SP2CN0893	23.00	24.00	<0.01	0.3
844SP2CN0893	32.00	32.50	0.01	0.2
844SP2CN0893	32.50	33.00	<0.01	0.5
844SP2CN0893	33.00	34.10	0.01	1.3
844SP2CN0893	34.10	35.00	<0.01	0.3
844SP2CN0893	40.00	41.00	0.01	0.5
844SP2CN0893	44.00	45.00	<0.01	0.3
844SP2CN0893	47.00	48.00	0.01	0.3
844SP2CN0893	48.00	48.40	<0.01	0.4
844SP2CN0893	48.40	49.00	<0.01	0.3
844SP2CN0893	50.00	50.70	<0.01	0.2
844SP2CN0893	50.70	51.80	<0.01	0.8
844SP2CN0893	51.80	53.00	<0.01	0.2
844SP2CN0893	64.00	64.50	<0.01	0.4
844SP2CN0893	64.50	65.60	<0.01	1.8
844SP2CN0893	65.60	66.00	<0.01	0.3
844SP2CN0893	71.00	72.00	<0.01	0.2
844SP2CN0893	72.00	72.70	0.05	2.3
844SP2CN0893	72.70	73.00	<0.01	0.7
844SP2CN0893	73.00	73.60	<0.01	0.6
844SP2CN0893	73.60	74.00	<0.01	0.9
844SP2CN0893	74.00	75.00	<0.01	0.5
844SP2CN0893	82.00	83.00	<0.01	0.2
844SP2CN0893	87.00	88.00	<0.01	0.4
844SP2CN0893	99.00	100.00	<0.01	0.3
844SP2CN0893	100.00	101.00	<0.01	0.6
844SP2CN0893	101.00	102.00	<0.01	0.2
844SP2CN0893	102.00	103.00	<0.01	1.4
844SP2CN0893	103.00	104.10	0.11	1.1
844SP2CN0893	104.10	105.00	0.02	2.4
844SP2CN0893	105.00	105.90	0.08	9.9
844SP2CN0893	105.90	107.00	0.01	1.5
844SP2CN0893	107.00	108.00	<0.01	0.8
844SP2CN0893	108.00	108.30	<0.01	1.7
844SP2CN0893	108.30	109.20	0.19	21.8
844SP2CN0893	109.20	110.00	<0.01	1.6
844SP2CN0893	110.00	111.00	0.03	0.5
844SP2CN0893	111.00	111.70	<0.01	0.9
844SP2CN0893	111.70	112.00	<0.01	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0893	112.00	113.00	<0.01	0.8
844SP2CN0893	113.00	113.30	0.02	1.2
844SP2CN0893	113.30	114.00	<0.01	0.8
844SP2CN0893	114.00	114.70	0.01	0.6
844SP2CN0893	114.70	115.00	0.03	0.5
844SP2CN0893	115.00	116.00	0.09	5.9
844SP2CN0893	116.00	117.00	0.04	1.1
844SP2CN0893	119.00	120.00	0.01	1.5
844SP2CN0893	120.00	120.80	0.24	32.5
844SP2CN0893	120.80	122.00	<0.01	0.9
844SP2CN0893	122.00	123.00	0.02	0.7
844SP2CN0893	123.00	124.00	<0.01	1.0
844SP2CN0893	124.00	125.00	<0.01	1.4
844SP2CN0893	125.00	126.00	0.47	30.7
844SP2CN0893	126.00	127.00	0.38	25.0
844SP2CN0893	127.00	128.00	0.03	2.5
844SP2CN0893	128.00	129.00	0.53	20.3
844SP2CN0893	129.00	130.00	0.03	2.0
844SP2CN0893	130.00	130.50	0.17	16.5
844SP2CN0893	130.50	131.00	<0.01	0.9
844SP2CN0893	131.00	132.00	0.02	1.2
844SP2CN0893	132.00	133.00	0.11	7.4
844SP2CN0893	133.00	134.00	0.02	1.2
844SP2CN0893	134.00	135.00	0.03	1.4
844SP2CN0893	135.00	135.50	0.02	0.7
844SP2CN0893	135.50	136.60	0.83	3.0
844SP2CN0893	136.60	137.40	0.39	3.3
844SP2CN0893	137.40	138.00	0.04	2.9
844SP2CN0893	138.00	139.00	0.02	0.6
844SP2CN0893	139.00	140.00	0.04	0.7
844SP2CN0893	140.00	141.00	0.02	0.8
844SP2CN0893	141.00	141.40	0.02	0.7
844SP2CN0893	141.40	142.00	0.02	2.9
844SP2CN0893	142.00	143.00	0.01	0.9
844SP2CN0893	143.00	144.00	0.01	1.1
844SP2CN0893	144.00	145.00	0.10	1.4
844SP2CN0893	145.00	145.80	0.12	6.9
844SP2CN0893	145.80	146.40	0.17	19.1
844SP2CN0893	146.40	147.00	0.36	15.0
844SP2CN0893	147.00	148.00	0.19	16.8
844SP2CN0893	148.00	149.00	0.29	35.6
844SP2CN0893	149.00	150.00	0.23	10.8
844SP2CN0893	150.00	150.30	0.19	5.7
844SP2CN0893	150.30	151.00	0.23	17.1
844SP2CN0893	151.00	151.70	0.27	16.3
844SP2CN0893	151.70	152.00	0.17	11.8
844SP2CN0893	153.40	154.00	0.31	26.9
844SP2CN0893	154.00	155.00	0.02	1.9
844SP2CN0893	156.30	157.00	0.16	19.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0893	157.00	158.00	0.53	3.8
844SP2CN0893	158.00	159.00	0.36	1.9
844SP2CN0893	159.00	159.30	0.21	1.5
844SP2CN0893	159.30	160.00	0.12	1.4
844SP2CN0893	160.00	160.70	0.02	1.2
844SP2CN0893	160.70	161.10	0.16	3.2
844SP2CN0893	161.10	162.00	0.04	1.4
844SP2CN0893	162.00	163.00	0.06	2.2
844SP2CN0893	163.00	164.00	0.04	3.1
844SP2CN0893	164.00	164.80	0.01	3.8
844SP2CN0893	164.80	165.70	0.09	1.4
844SP2CN0893	165.70	166.30	0.05	3.7
844SP2CN0893	166.30	166.80	0.02	1.0
844SP2CN0893	166.80	167.10	0.22	1.0
844SP2CN0893	167.10	168.00	0.03	0.6
844SP2CN0893	168.00	168.40	0.01	3.3
844SP2CN0893	168.40	169.40	0.04	5.2
844SP2CN0893	169.40	170.40	0.07	5.2
844SP2CN0893	170.40	171.00	0.95	5.0
844SP2CN0893	171.00	171.90	0.06	1.1
844SP2CN0893	171.90	172.60	1.25	3.8
844SP2CN0893	172.60	173.50	0.05	0.9
844SP2CN0893	173.50	174.00	0.03	0.8
844SP2CN0893	174.00	175.00	0.03	0.4
844SP2CN0893	175.00	176.00	0.02	0.6
844SP2CN0893	176.00	176.40	<0.01	0.6
844SP2CN0893	176.40	177.30	<0.01	0.4
844SP2CN0893	177.30	178.20	0.04	3.1
844SP2CN0893	178.20	179.00	0.01	0.5
844SP2CN0893	179.00	180.00	<0.01	0.4
844SP2CN0893	180.00	181.20	0.02	0.5
844SP2CN0893	181.20	181.70	0.02	0.8
844SP2CN0893	181.70	182.00	0.01	0.4
844SP2CN0893	182.00	183.20	0.06	0.8
844SP2CN0893	183.20	183.90	0.20	1.7
844SP2CN0893	183.90	184.50	0.24	6.9
844SP2CN0893	184.50	185.50	1.09	10.3
844SP2CN0893	185.50	186.00	0.45	3.7
844SP2CN0893	186.00	186.80	0.59	3.7
844SP2CN0893	186.80	187.60	0.29	3.0
844SP2CN0893	187.60	188.30	0.24	1.8
844SP2CN0893	188.30	189.10	1.06	4.9
844SP2CN0893	189.10	189.90	0.09	2.6
844SP2CN0893	189.90	190.80	0.56	6.3
844SP2CN0893	190.80	192.10	0.41	10.7
844SP2CN0893	192.10	192.80	0.64	12.7
844SP2CN0893	192.80	193.60	1.23	7.4
844SP2CN0893	193.60	194.50	0.03	0.9
844SP2CN0893	194.50	194.80	1.70	33.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0893	194.80	195.40	0.19	11.2
844SP2CN0893	195.40	196.20	0.12	9.7
844SP2CN0893	196.20	196.80	0.56	7.4
844SP2CN0893	196.80	197.20	0.04	2.7
844SP2CN0893	197.20	197.50	0.58	2.9
844SP2CN0893	197.50	198.00	0.25	10.9
844SP2CN0893	198.00	199.10	0.19	5.0
844SP2CN0893	199.10	199.90	0.32	3.3
844SP2CN0893	199.90	200.40	0.40	1.3
844SP2CN0893	200.40	201.00	0.10	1.8
844SP2CN0893	201.00	202.10	0.05	3.4
844SP2CN0893	202.10	202.50	0.69	6.9
844SP2CN0893	202.50	203.10	0.14	1.4
844SP2CN0893	203.10	203.60	1.45	6.6
844SP2CN0893	203.60	204.50	0.16	2.6
844SP2CN0893	204.50	205.30	0.08	2.1
844SP2CN0893	205.30	205.80	0.05	5.0
844SP2CN0893	205.80	206.60	0.69	3.8
844SP2CN0893	206.60	207.30	0.35	2.1
844SP2CN0893	207.30	208.50	3.58	21.9
844SP2CN0893	208.50	209.50	2.47	22.2
844SP2CN0893	209.50	210.20	0.52	2.4
844SP2CN0893	210.20	211.00	0.03	2.7
844SP2CN0893	211.00	212.00	0.05	6.5
844SP2CN0893	212.00	213.00	0.08	7.6
844SP2CN0893	227.00	228.00	0.01	2.1
844SP2CN0893	228.00	229.00	<0.01	1.5
844SP2CN0896	10.10	11.30	0.08	0.5
844SP2CN0896	11.30	12.00	0.01	0.7
844SP2CN0896	12.00	12.60	<0.01	0.9
844SP2CN0896	12.60	13.00	0.14	0.5
844SP2CN0896	13.00	14.20	2.55	3.7
844SP2CN0896	14.20	14.80	0.02	1.9
844SP2CN0896	14.80	16.00	<0.01	0.5
844SP2CN0896	16.00	17.20	0.14	2.5
844SP2CN0896	17.20	18.20	<0.01	0.5
844SP2CN0896	18.20	18.60	0.04	3.1
844SP2CN0896	18.60	19.40	0.04	3.0
844SP2CN0896	19.40	20.00	<0.01	0.5
844SP2CN0896	20.00	21.10	0.01	2.9
844SP2CN0896	21.10	21.90	0.46	0.9
844SP2CN0896	25.80	26.80	0.01	0.3
844SP2CN0896	40.00	41.10	<0.01	0.2
844SP2CN0896	55.00	56.00	0.02	0.6
844SP2CN0896	67.50	67.80	<0.01	0.7
844SP2CN0896	71.00	71.50	0.01	1.3
844SP2CN0896	71.50	72.40	<0.01	1.1
844SP2CN0896	72.40	73.30	0.01	0.7
844SP2CN0896	73.30	74.20	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0896	77.00	77.80	<0.01	0.7
844SP2CN0896	77.80	79.00	<0.01	0.3
844SP2CN0896	79.00	79.70	<0.01	0.5
844SP2CN0896	79.70	80.00	0.03	0.7
844SP2CN0896	80.00	81.00	<0.01	0.6
844SP2CN0896	87.10	87.50	<0.01	0.2
844SP2CN0896	92.50	93.40	<0.01	0.5
844SP2CN0896	93.40	94.00	0.03	0.5
844SP2CN0896	94.00	94.80	<0.01	2.0
844SP2CN0896	94.80	95.20	0.10	0.8
844SP2CN0896	95.20	95.70	0.03	0.7
844SP2CN0896	95.70	96.20	4.66	3.3
844SP2CN0896	96.20	97.40	<0.01	0.3
844SP2CN0896	97.40	98.60	0.09	0.5
844SP2CN0896	98.60	99.70	0.02	0.6
844SP2CN0896	99.70	100.90	0.22	0.8
844SP2CN0896	100.90	102.10	0.16	1.3
844SP2CN0896	102.10	102.60	1.42	2.0
844SP2CN0896	102.60	104.10	0.02	1.0
844SP2CN0896	104.10	105.30	0.01	0.8
844SP2CN0896	105.30	106.20	0.02	0.6
844SP2CN0896	106.20	107.40	<0.01	0.5
844SP2CN0896	107.40	108.60	<0.01	0.4
844SP2CN0896	108.60	109.00	0.84	3.4
844SP2CN0896	109.00	110.00	0.10	0.9
844SP2CN0896	110.00	110.40	0.55	2.0
844SP2CN0896	110.40	111.00	0.02	0.8
844SP2CN0896	111.00	111.90	0.02	0.8
844SP2CN0896	111.90	112.70	0.13	2.0
844SP2CN0896	112.70	113.40	0.25	0.8
844SP2CN0896	113.40	114.30	<0.01	0.7
844SP2CN0896	114.30	115.30	0.05	0.7
844SP2CN0896	117.00	117.80	0.01	0.3
844SP2CN0896	117.80	118.30	0.08	0.9
844SP2CN0896	118.30	119.50	<0.01	0.4
844SP2CN0896	124.00	125.50	0.02	0.2
844SP2CN0896	125.50	126.10	1.59	3.6
844SP2CN0896	126.10	127.10	0.28	1.7
844SP2CN0896	127.10	128.00	<0.01	0.9
844SP2CN0896	128.00	128.60	<0.01	0.8
844SP2CN0896	128.60	128.90	0.19	1.7
844SP2CN0896	128.90	129.70	<0.01	0.7
844SP2CN0896	129.70	130.10	0.12	1.4
844SP2CN0896	130.10	131.20	0.03	0.9
844SP2CN0896	133.80	134.10	0.21	0.5
844SP2CN0896	134.10	134.80	<0.01	0.4
844SP2CN0896	137.00	138.00	<0.01	0.2
844SP2CN0896	138.00	139.10	0.08	1.1
844SP2CN0896	139.10	140.20	<0.01	1.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0896	140.20	140.90	<0.01	1.6
844SP2CN0896	140.90	141.40	0.03	1.1
844SP2CN0896	144.15	144.50	0.53	0.8
844SP2CN0896	144.50	145.40	<0.01	0.5
844SP2CN0896	145.40	145.80	2.12	3.5
844SP2CN0896	145.80	147.00	0.02	1.0
844SP2CN0896	147.00	148.10	<0.01	1.1
844SP2CN0896	148.10	148.50	0.39	1.7
844SP2CN0896	148.50	149.70	0.03	1.1
844SP2CN0896	149.70	150.50	0.02	1.2
844SP2CN0896	150.50	151.60	<0.01	0.9
844SP2CN0896	151.60	152.30	0.04	0.8
844SP2CN0896	152.30	153.00	<0.01	0.5
844SP2CN0896	153.00	154.20	<0.01	0.5
844SP2CN0896	154.20	155.30	0.05	0.9
844SP2CN0896	155.30	156.10	0.02	0.4
844SP2CN0896	156.10	156.90	0.01	0.5
844SP2CN0896	156.90	158.10	0.62	2.1
844SP2CN0896	158.10	159.00	0.11	1.8
844SP2CN0896	159.00	159.60	0.04	1.4
844SP2CN0896	159.60	160.20	0.51	2.6
844SP2CN0896	160.20	161.20	0.04	1.2
844SP2CN0896	161.20	162.30	0.02	2.0
844SP2CN0896	162.30	163.30	0.05	2.5
844SP2CN0896	163.30	164.40	0.12	2.1
844SP2CN0896	164.40	164.80	0.03	5.8
844SP2CN0896	164.80	165.80	0.53	5.0
844SP2CN0896	165.80	166.30	0.03	1.1
844SP2CN0896	166.30	166.90	0.05	1.4
844SP2CN0896	166.90	168.00	0.11	1.8
844SP2CN0896	168.00	168.90	0.38	2.2
844SP2CN0896	168.90	169.60	0.77	3.9
844SP2CN0896	169.60	170.10	1.17	5.7
844SP2CN0896	170.10	171.30	0.11	6.9
844SP2CN0896	171.30	172.20	0.15	1.2
844SP2CN0896	172.20	173.30	0.06	2.5
844SP2CN0896	173.30	174.30	0.14	2.5
844SP2CN0896	174.30	175.00	1.31	7.2
844SP2CN0896	175.00	175.50	0.59	3.7
844SP2CN0896	175.50	176.40	4.31	14.0
844SP2CN0896	176.40	177.30	3.19	10.0
844SP2CN0896	177.30	177.60	15.20	13.4
844SP2CN0896	177.60	178.80	1.04	1.4
844SP2CN0896	178.80	179.20	0.04	1.0
844SP2CN0896	179.20	179.70	2.14	4.1
844SP2CN0896	179.70	180.30	0.03	0.7
844SP2CN0896	180.30	181.20	0.06	1.4
844SP2CN0896	181.20	182.00	1.83	11.5
844SP2CN0896	182.00	182.70	0.97	6.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0896	182.70	183.90	0.02	0.6
844SP2CN0896	183.90	184.90	0.03	0.7
844SP2CN0896	184.90	186.00	<0.01	0.2
844SP2CN0896	186.00	187.00	<0.01	0.2
844SP2CN0896	187.00	188.00	<0.01	0.2
844SP2CN0896	188.00	189.00	<0.01	0.2
844SP2CN0896	189.00	190.00	<0.01	0.3
844SP2CN0896	190.00	191.00	<0.01	0.3
844SP2CN0896	191.00	192.00	0.02	1.8
844SP2CN0896	192.00	192.90	0.02	0.5
844SP2CN0896	192.90	193.60	<0.01	0.4
844SP2CN0896	193.60	194.80	0.07	7.2
844SP2CN0896	194.80	196.00	0.04	1.7
844SP2CN0896	196.00	197.20	0.05	3.9
844SP2CN0896	197.20	198.40	<0.01	0.8
844SP2CN0896	198.40	199.60	<0.01	0.4
844SP2CN0898	1.60	2.20	0.01	0.6
844SP2CN0898	10.20	11.30	0.09	0.4
844SP2CN0898	11.30	12.20	0.02	0.4
844SP2CN0898	13.20	14.30	0.16	0.7
844SP2CN0898	14.30	15.00	1.67	2.4
844SP2CN0898	15.00	16.00	0.01	0.5
844SP2CN0898	16.00	17.00	0.03	0.2
844SP2CN0898	18.50	19.10	<0.01	0.2
844SP2CN0898	19.70	20.30	0.14	1.2
844SP2CN0898	23.10	24.10	<0.01	0.4
844SP2CN0898	25.90	26.30	<0.01	2.2
844SP2CN0898	38.20	39.10	<0.01	0.2
844SP2CN0898	45.60	46.60	<0.01	0.6
844SP2CN0898	46.60	47.80	<0.01	0.4
844SP2CN0898	47.80	48.90	0.01	0.4
844SP2CN0898	48.90	50.10	<0.01	0.2
844SP2CN0898	55.00	56.00	0.01	1.1
844SP2CN0898	56.00	57.00	0.02	1.4
844SP2CN0898	57.00	58.00	<0.01	1.3
844SP2CN0898	58.00	59.00	0.01	1.0
844SP2CN0898	60.60	61.70	<0.01	1.9
844SP2CN0898	61.70	62.90	<0.01	1.3
844SP2CN0898	62.90	63.90	<0.01	1.0
844SP2CN0898	63.90	64.50	<0.01	2.3
844SP2CN0898	67.10	67.80	<0.01	1.2
844SP2CN0898	67.80	68.60	0.01	0.9
844SP2CN0898	75.70	76.30	0.02	1.1
844SP2CN0898	76.30	77.30	0.02	1.7
844SP2CN0898	81.20	81.70	0.10	0.6
844SP2CN0898	82.20	82.70	0.14	1.1
844SP2CN0898	82.70	83.90	<0.01	1.0
844SP2CN0898	83.90	85.10	0.01	0.3
844SP2CN0898	85.10	86.10	0.01	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0898	86.10	87.20	<0.01	0.6
844SP2CN0898	87.20	88.00	0.05	0.4
844SP2CN0898	88.00	89.00	0.01	0.3
844SP2CN0898	89.00	90.00	0.44	2.1
844SP2CN0898	90.00	90.80	19.60	19.4
844SP2CN0898	90.80	91.60	12.20	12.5
844SP2CN0898	91.60	92.50	0.13	0.6
844SP2CN0898	92.50	93.70	0.02	0.3
844SP2CN0898	93.70	94.90	0.02	0.3
844SP2CN0898	94.90	95.90	0.07	0.4
844SP2CN0898	95.90	97.10	0.01	0.2
844SP2CN0898	101.70	102.90	0.01	0.4
844SP2CN0898	102.90	104.10	0.30	2.9
844SP2CN0898	104.10	105.10	0.14	2.1
844SP2CN0898	105.10	105.80	0.01	1.6
844SP2CN0898	107.10	108.20	0.01	0.4
844SP2CN0898	108.90	109.20	0.10	0.5
844SP2CN0898	110.30	110.70	0.10	1.4
844SP2CN0898	112.10	113.10	<0.01	1.1
844SP2CN0898	113.10	113.80	<0.01	1.2
844SP2CN0898	114.30	114.60	<0.01	0.9
844SP2CN0898	115.40	115.70	0.02	0.9
844SP2CN0898	117.40	118.40	0.01	0.6
844SP2CN0898	120.40	121.20	0.02	1.2
844SP2CN0898	121.20	121.60	0.87	10.3
844SP2CN0898	121.60	122.20	1.42	1.5
844SP2CN0898	124.00	125.20	0.08	1.1
844SP2CN0898	125.20	126.40	1.16	2.6
844SP2CN0898	126.40	127.30	0.12	0.4
844SP2CN0898	127.30	128.30	0.25	0.9
844SP2CN0898	129.00	129.70	0.01	0.9
844SP2CN0898	129.70	130.90	0.05	0.7
844SP2CN0898	130.90	131.90	0.35	3.0
844SP2CN0898	131.90	133.10	0.02	2.5
844SP2CN0898	133.10	134.00	4.98	4.1
844SP2CN0898	134.00	135.20	0.02	0.6
844SP2CN0898	135.20	135.60	0.05	0.8
844SP2CN0898	138.00	139.20	0.01	0.4
844SP2CN0898	139.20	140.40	0.01	0.5
844SP2CN0898	140.40	140.80	0.07	0.5
844SP2CN0898	140.80	141.90	0.03	0.9
844SP2CN0898	141.90	142.90	0.01	1.2
844SP2CN0898	142.90	143.50	0.06	1.4
844SP2CN0898	143.50	144.70	0.02	2.3
844SP2CN0898	144.70	145.50	0.09	3.5
844SP2CN0898	145.50	146.60	0.81	4.2
844SP2CN0898	146.60	147.60	0.06	3.5
844SP2CN0898	147.60	148.60	0.02	0.9
844SP2CN0898	148.60	149.40	0.02	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CN0898	149.40	150.60	0.02	1.2
844SP2CN0898	150.60	151.80	0.01	1.3
844SP2CN0898	151.80	153.00	0.04	2.5
844SP2CN0898	153.00	154.20	0.16	10.6
844SP2CN0898	154.20	155.40	0.03	2.4
844SP2CN0898	155.40	156.50	0.52	2.1
844SP2CN0898	156.50	157.70	3.72	6.7
844SP2CN0898	157.70	158.90	0.14	4.9
844SP2CN0898	158.90	160.00	0.11	4.9
844SP2CN0898	160.00	161.10	4.52	10.6
844SP2CN0898	161.10	162.10	9.41	24.3
844SP2CN0898	162.10	163.50	28.70	29.4
844SP2CN0898	163.50	164.50	15.60	15.2
844SP2CN0898	164.50	165.50	26.00	18.3
844SP2CN0898	165.50	166.50	0.10	1.1
844SP2CN0898	166.50	167.70	0.04	0.8
844SP2CN0898	167.70	168.90	0.01	0.2
844SP2CN0898	168.90	170.10	0.05	0.3
844SP2CN0898	170.10	171.30	0.02	0.5
844SP2CN0898	182.80	183.10	<0.01	0.8
844SP2CR0907	1.90	2.20	0.02	3.2
844SP2CR0907	8.90	9.20	0.01	0.3
844SP2CR0907	11.00	12.30	<0.01	0.4
844SP2CR0907	12.30	12.60	0.15	0.5
844SP2CR0907	14.00	14.40	<0.01	0.3
844SP2CR0907	15.50	16.00	1.91	3.5
844SP2CR0907	16.00	16.50	0.06	0.3
844SP2CR0907	18.00	18.50	0.03	0.5
844SP2CR0907	18.50	19.50	0.02	1.3
844SP2CR0907	19.50	20.70	0.01	0.2
844SP2CR0907	20.70	21.00	0.02	1.0
844SP2CR0907	21.00	22.10	<0.01	0.2
844SP2CR0907	22.10	22.50	0.03	0.3
844SP2CR0907	30.00	30.60	<0.01	0.2
844SP2CR0907	31.90	32.70	<0.01	0.3
844SP2CR0907	33.90	34.50	<0.01	1.1
844SP2CR0907	42.90	43.30	<0.01	0.2
844SP2CR0907	46.70	47.30	<0.01	0.5
844SP2CR0907	52.30	52.50	<0.01	0.2
844SP2CR0907	61.10	61.60	<0.01	0.6
844SP2CR0907	64.00	64.30	<0.01	0.2
844SP2CR0907	65.10	66.20	<0.01	0.2
844SP2CR0907	73.20	74.50	0.01	0.9
844SP2CR0907	101.10	101.70	<0.01	0.5
844SP2CR0907	104.40	105.10	<0.01	0.9
844SP2CR0907	105.10	106.10	<0.01	1.3
844SP2CR0907	106.10	107.10	0.14	1.0
844SP2CR0907	107.10	108.10	<0.01	0.5
844SP2CR0907	110.90	111.20	0.01	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0907	112.10	112.60	0.04	3.4
844SP2CR0907	114.50	114.90	<0.01	1.4
844SP2CR0907	115.70	116.30	0.04	1.3
844SP2CR0907	121.10	122.30	0.08	2.0
844SP2CR0907	122.30	123.50	0.04	3.3
844SP2CR0907	123.50	124.70	0.12	5.9
844SP2CR0907	124.70	125.90	0.03	1.9
844SP2CR0907	125.90	127.10	0.05	4.8
844SP2CR0907	127.10	128.00	0.02	1.8
844SP2CR0907	128.00	129.00	0.03	5.4
844SP2CR0907	129.00	129.90	0.08	5.0
844SP2CR0907	129.90	130.70	8.95	12.7
844SP2CR0907	130.70	131.40	0.12	4.4
844SP2CR0907	131.40	132.80	0.07	3.5
844SP2CR0907	132.80	133.80	0.10	6.6
844SP2CR0907	133.80	134.50	0.02	1.3
844SP2CR0907	134.50	135.20	0.07	4.7
844SP2CR0907	135.20	136.30	0.18	1.2
844SP2CR0907	136.30	136.90	0.08	7.6
844SP2CR0907	136.90	138.10	2.54	8.6
844SP2CR0907	138.10	139.30	0.04	1.5
844SP2CR0907	139.30	140.40	0.03	0.7
844SP2CR0907	140.40	141.20	0.04	0.8
844SP2CR0907	141.20	142.20	<0.01	1.6
844SP2CR0907	142.20	143.20	0.14	1.0
844SP2CR0907	143.20	144.40	4.67	5.6
844SP2CR0907	144.40	144.80	0.24	1.9
844SP2CR0907	144.80	145.90	0.30	1.3
844SP2CR0907	145.90	146.50	0.48	1.6
844SP2CR0907	146.50	147.30	0.10	0.8
844SP2CR0907	147.30	148.10	0.01	1.3
844SP2CR0907	148.10	149.20	0.20	1.4
844SP2CR0907	149.50	149.90	0.06	7.0
844SP2CR0907	150.60	151.60	0.25	2.0
844SP2CR0907	151.60	152.50	0.49	18.8
844SP2CR0907	154.30	154.60	0.02	0.6
844SP2CR0907	156.00	156.40	0.14	15.6
844SP2CR0907	156.40	156.80	0.06	1.3
844SP2CR0907	156.80	157.60	0.05	0.7
844SP2CR0907	157.60	158.20	0.16	2.6
844SP2CR0907	158.20	159.20	0.24	23.4
844SP2CR0907	159.20	160.20	0.16	18.5
844SP2CR0907	160.20	161.00	1.02	7.9
844SP2CR0907	161.00	161.70	0.45	34.8
844SP2CR0907	161.70	162.60	0.14	12.1
844SP2CR0907	162.60	163.70	0.06	1.5
844SP2CR0907	163.70	164.80	0.05	0.6
844SP2CR0907	164.80	165.20	0.16	0.8
844SP2CR0907	165.20	166.20	0.03	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0907	166.20	167.10	0.02	0.8
844SP2CR0907	167.10	168.20	0.04	3.8
844SP2CR0907	168.20	169.40	0.04	2.4
844SP2CR0907	169.40	170.40	0.37	25.5
844SP2CR0907	170.40	171.40	0.95	35.2
844SP2CR0907	171.40	172.40	0.12	10.1
844SP2CR0907	172.40	173.40	0.10	15.8
844SP2CR0907	173.40	174.40	0.17	18.6
844SP2CR0907	174.40	175.40	0.14	5.0
844SP2CR0907	175.40	176.40	0.31	2.4
844SP2CR0907	176.40	177.00	0.33	17.2
844SP2CR0907	177.00	177.70	0.35	18.4
844SP2CR0907	177.70	178.60	0.15	20.1
844SP2CR0907	178.60	179.40	0.12	15.8
844SP2CR0907	179.40	180.10	0.10	3.2
844SP2CR0907	180.10	180.80	0.07	1.6
844SP2CR0907	180.80	181.20	0.83	2.4
844SP2CR0907	181.20	182.30	0.11	1.4
844SP2CR0907	182.30	183.20	0.12	1.5
844SP2CR0907	183.20	184.10	<0.01	1.7
844SP2CR0907	184.10	185.00	0.31	1.9
844SP2CR0907	185.00	185.80	0.74	1.5
844SP2CR0907	185.80	186.40	3.41	7.5
844SP2CR0907	186.40	186.90	0.02	1.4
844SP2CR0907	186.90	187.80	0.59	3.8
844SP2CR0907	187.80	188.50	0.07	1.0
844SP2CR0907	188.50	189.30	0.07	1.0
844SP2CR0907	189.30	190.50	0.06	0.6
844SP2CR0907	190.50	191.40	1.17	3.0
844SP2CR0907	191.40	192.20	0.59	5.3
844SP2CR0907	192.20	193.50	0.65	11.4
844SP2CR0907	193.50	194.70	0.50	3.4
844SP2CR0907	194.70	195.50	0.33	2.1
844SP2CR0907	195.50	196.50	0.50	3.1
844SP2CR0907	196.50	197.60	0.43	5.0
844SP2CR0907	197.60	198.60	0.51	4.0
844SP2CR0907	198.60	199.70	1.81	5.6
844SP2CR0907	199.70	200.20	0.09	1.4
844SP2CR0907	200.20	200.70	0.91	3.0
844SP2CR0907	200.70	201.80	0.87	1.9
844SP2CR0907	201.80	202.70	1.17	1.6
844SP2CR0907	202.70	203.30	0.98	5.0
844SP2CR0907	203.30	204.10	3.14	7.9
844SP2CR0907	204.10	204.80	2.78	7.0
844SP2CR0907	204.80	205.80	0.15	2.1
844SP2CR0907	205.80	206.20	0.77	4.1
844SP2CR0907	206.20	206.70	0.24	2.8
844SP2CR0907	206.70	207.60	0.75	3.2
844SP2CR0907	207.60	208.10	0.77	3.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0907	208.10	209.00	1.10	7.9
844SP2CR0907	209.00	209.30	0.33	4.7
844SP2CR0907	209.30	210.50	0.05	0.9
844SP2CR0907	210.50	211.70	<0.01	0.2
844SP2CR0907	211.70	212.90	0.02	0.3
844SP2CR0907	212.90	214.10	0.02	1.6
844SP2CR0907	214.10	215.10	0.03	2.1
844SP2CR0907	215.10	216.10	0.03	0.9
844SP2CR0909	0.00	1.00	<0.01	0.2
844SP2CR0909	1.00	2.00	<0.01	0.5
844SP2CR0909	6.70	7.10	0.01	0.2
844SP2CR0909	9.40	9.70	<0.01	0.2
844SP2CR0909	12.10	12.50	0.64	0.6
844SP2CR0909	14.80	15.80	0.37	1.3
844SP2CR0909	15.80	17.00	<0.01	0.8
844SP2CR0909	18.40	19.30	<0.01	0.4
844SP2CR0909	22.40	22.90	<0.01	0.2
844SP2CR0909	28.50	29.40	<0.01	0.2
844SP2CR0909	29.90	30.80	<0.01	0.4
844SP2CR0909	30.80	31.70	<0.01	0.4
844SP2CR0909	35.30	35.60	<0.01	0.3
844SP2CR0909	36.20	37.00	<0.01	0.4
844SP2CR0909	38.80	39.10	0.01	0.2
844SP2CR0909	46.70	47.00	<0.01	0.3
844SP2CR0909	56.30	56.60	<0.01	0.3
844SP2CR0909	71.50	72.10	0.10	0.8
844SP2CR0909	78.20	78.70	<0.01	0.3
844SP2CR0909	78.70	79.20	<0.01	0.6
844SP2CR0909	81.10	81.40	<0.01	0.4
844SP2CR0909	92.20	92.60	0.04	0.8
844SP2CR0909	93.50	94.50	<0.01	0.6
844SP2CR0909	94.50	95.40	<0.01	1.0
844SP2CR0909	97.20	98.58	<0.01	0.8
844SP2CR0909	100.10	101.20	0.03	1.3
844SP2CR0909	101.20	102.20	<0.01	1.9
844SP2CR0909	109.00	110.20	<0.01	0.3
844SP2CR0909	110.20	111.40	<0.01	0.4
844SP2CR0909	111.40	112.60	<0.01	0.6
844SP2CR0909	112.60	113.80	<0.01	0.6
844SP2CR0909	113.80	115.00	<0.01	0.7
844SP2CR0909	115.00	116.00	<0.01	0.9
844SP2CR0909	116.00	117.00	0.11	9.8
844SP2CR0909	117.00	118.10	2.66	6.2
844SP2CR0909	118.10	119.10	0.14	1.6
844SP2CR0909	119.10	120.10	0.08	1.4
844SP2CR0909	120.10	121.00	0.34	1.6
844SP2CR0909	121.00	122.20	0.54	1.9
844SP2CR0909	122.20	123.40	0.20	1.3
844SP2CR0909	123.40	124.30	2.71	3.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0909	124.30	125.50	0.04	0.9
844SP2CR0909	125.50	126.60	0.01	0.9
844SP2CR0909	126.60	127.60	0.10	4.7
844SP2CR0909	127.60	128.80	<0.01	0.5
844SP2CR0909	130.50	131.50	0.02	0.8
844SP2CR0909	131.50	132.60	0.02	1.6
844SP2CR0909	132.60	133.30	0.01	0.9
844SP2CR0909	133.30	134.40	0.02	3.4
844SP2CR0909	134.40	135.50	0.02	2.0
844SP2CR0909	135.50	136.50	0.29	2.9
844SP2CR0909	136.50	137.60	0.41	4.0
844SP2CR0909	137.60	138.40	0.04	4.3
844SP2CR0909	138.40	139.60	0.01	1.6
844SP2CR0909	139.60	140.70	0.01	1.5
844SP2CR0909	140.70	141.60	0.04	4.1
844SP2CR0909	141.60	142.50	0.06	5.8
844SP2CR0909	142.50	143.40	0.26	13.0
844SP2CR0909	143.70	144.60	0.03	1.1
844SP2CR0909	144.60	145.10	0.02	0.8
844SP2CR0909	146.10	146.60	0.13	5.7
844SP2CR0909	146.60	147.50	0.03	1.0
844SP2CR0909	147.50	148.20	0.55	2.1
844SP2CR0909	148.20	149.00	0.34	32.4
844SP2CR0909	149.00	150.00	0.03	1.4
844SP2CR0909	150.00	151.00	0.03	1.1
844SP2CR0909	151.00	152.00	0.32	13.5
844SP2CR0909	152.00	152.80	0.77	27.1
844SP2CR0909	152.80	154.00	0.05	10.0
844SP2CR0909	154.00	154.90	0.74	31.9
844SP2CR0909	154.90	155.30	0.29	14.6
844SP2CR0909	155.30	156.30	0.06	0.9
844SP2CR0909	156.30	157.30	0.23	17.5
844SP2CR0909	157.30	158.30	0.07	1.2
844SP2CR0909	158.30	159.10	0.06	1.3
844SP2CR0909	159.10	160.00	0.07	4.1
844SP2CR0909	160.00	160.50	0.29	4.2
844SP2CR0909	161.10	162.00	0.18	49.5
844SP2CR0909	162.70	163.20	0.06	4.0
844SP2CR0909	163.60	164.90	0.19	9.2
844SP2CR0909	164.90	165.70	0.09	5.9
844SP2CR0909	165.70	166.70	0.09	16.9
844SP2CR0909	166.70	167.50	0.05	1.7
844SP2CR0909	167.50	167.80	0.08	0.9
844SP2CR0909	167.80	168.60	0.28	3.3
844SP2CR0909	168.60	169.00	0.07	1.0
844SP2CR0909	169.00	169.90	0.04	0.8
844SP2CR0909	169.90	171.10	0.05	0.7
844SP2CR0909	171.10	171.80	0.22	1.1
844SP2CR0909	171.80	172.60	0.59	2.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0909	172.60	173.40	0.56	2.4
844SP2CR0909	173.40	174.20	0.90	3.7
844SP2CR0909	174.20	174.90	1.18	3.8
844SP2CR0909	174.90	175.20	0.83	2.7
844SP2CR0909	175.20	175.70	1.85	3.8
844SP2CR0909	175.70	176.50	0.05	0.5
844SP2CR0909	176.50	177.60	0.41	26.0
844SP2CR0909	177.60	178.70	0.02	1.6
844SP2CR0909	178.70	179.90	0.17	17.4
844SP2CR0909	179.90	180.70	0.46	88.2
844SP2CR0909	180.70	181.70	1.13	29.0
844SP2CR0909	181.70	182.80	0.08	6.7
844SP2CR0909	182.80	183.90	0.02	2.8
844SP2CR0909	183.90	184.90	0.35	25.1
844SP2CR0909	184.90	185.20	0.50	27.8
844SP2CR0909	185.20	185.80	0.11	10.3
844SP2CR0909	185.80	186.80	0.43	32.7
844SP2CR0909	186.80	187.60	0.57	46.6
844SP2CR0909	188.70	189.20	1.24	4.5
844SP2CR0909	190.20	190.90	0.27	11.6
844SP2CR0909	191.70	192.00	0.06	7.7
844SP2CR0909	193.80	195.00	0.30	15.0
844SP2CR0909	195.00	195.70	0.28	60.3
844SP2CR0909	195.70	196.90	0.19	4.6
844SP2CR0909	196.90	197.80	0.04	2.1
844SP2CR0909	197.80	198.50	0.14	2.4
844SP2CR0909	198.50	199.40	0.51	13.8
844SP2CR0909	199.40	200.50	3.93	21.7
844SP2CR0909	200.50	201.60	8.62	21.4
844SP2CR0909	201.60	202.70	4.31	9.7
844SP2CR0909	202.70	203.80	0.23	11.5
844SP2CR0909	203.80	205.00	0.73	4.1
844SP2CR0909	205.00	205.70	0.73	13.1
844SP2CR0909	205.70	206.90	0.08	6.4
844SP2CR0909	206.90	208.10	0.13	6.0
844SP2CR0909	216.70	217.90	0.02	1.4
844SP2CR0909	217.90	219.10	0.02	0.4
844SP2CR0913	3.50	3.70	0.07	0.4
844SP2CR0913	5.70	6.00	0.03	0.2
844SP2CR0913	10.00	10.45	0.05	0.2
844SP2CR0913	10.45	11.50	0.17	0.5
844SP2CR0913	11.50	12.00	0.21	0.4
844SP2CR0913	12.00	12.50	0.03	3.0
844SP2CR0913	13.00	14.00	0.18	1.0
844SP2CR0913	14.00	14.40	0.84	2.6
844SP2CR0913	15.00	15.90	0.01	0.5
844SP2CR0913	18.00	19.00	0.02	2.6
844SP2CR0913	19.00	20.00	0.02	3.5
844SP2CR0913	21.80	22.50	0.02	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0913	23.50	24.00	0.01	2.9
844SP2CR0913	26.00	26.40	0.06	13.8
844SP2CR0913	31.00	32.00	0.03	0.4
844SP2CR0913	80.50	81.50	0.06	1.2
844SP2CR0913	82.00	82.50	0.39	0.9
844SP2CR0913	85.00	86.00	<0.01	1.2
844SP2CR0913	88.00	89.00	0.02	0.7
844SP2CR0913	93.30	93.70	0.03	1.3
844SP2CR0913	110.00	111.00	0.43	1.0
844SP2CR0913	112.80	113.50	0.13	0.7
844SP2CR0913	117.00	118.00	0.03	0.9
844SP2CR0913	118.00	119.00	4.19	1.5
844SP2CR0913	119.00	120.00	<0.01	0.9
844SP2CR0913	120.00	121.00	<0.01	0.4
844SP2CR0913	121.00	122.00	<0.01	0.4
844SP2CR0913	122.00	123.00	<0.01	0.7
844SP2CR0913	123.00	123.60	2.14	3.5
844SP2CR0913	123.60	124.60	0.38	3.2
844SP2CR0913	124.60	125.60	0.05	3.9
844SP2CR0913	125.60	126.16	0.05	3.3
844SP2CR0913	127.40	127.80	0.12	1.7
844SP2CR0913	131.10	131.50	0.10	1.4
844SP2CR0913	131.50	132.30	0.03	2.1
844SP2CR0913	142.00	142.50	0.02	1.2
844SP2CR0913	142.50	143.40	0.04	1.3
844SP2CR0913	143.40	144.50	0.02	1.4
844SP2CR0913	144.50	145.50	0.16	2.9
844SP2CR0913	147.30	147.80	0.04	2.1
844SP2CR0913	151.00	152.00	0.05	2.6
844SP2CR0913	153.30	154.00	0.13	4.3
844SP2CR0913	154.00	154.60	0.12	8.2
844SP2CR0913	155.10	155.60	0.07	3.6
844SP2CR0913	155.60	156.30	0.05	3.4
844SP2CR0913	159.00	159.30	0.02	1.7
844SP2CR0913	159.30	160.00	0.06	2.3
844SP2CR0913	160.00	161.00	0.09	6.9
844SP2CR0913	161.00	161.60	0.21	2.7
844SP2CR0913	161.60	161.90	0.04	2.6
844SP2CR0913	161.90	163.20	0.04	2.5
844SP2CR0913	163.20	164.00	0.26	20.6
844SP2CR0913	164.00	165.30	0.05	4.3
844SP2CR0913	165.30	166.30	0.06	4.6
844SP2CR0913	166.30	166.80	0.18	6.0
844SP2CR0913	166.80	167.60	0.10	7.2
844SP2CR0913	167.60	168.30	0.15	14.0
844SP2CR0913	168.30	169.50	0.05	4.0
844SP2CR0913	169.50	170.50	0.04	5.6
844SP2CR0913	170.50	171.00	1.92	2.3
844SP2CR0913	171.00	171.30	0.23	1.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0913	171.30	172.20	0.17	9.4
844SP2CR0913	172.20	173.20	0.10	1.6
844SP2CR0913	173.20	174.30	0.03	1.0
844SP2CR0913	174.30	175.60	0.18	2.0
844SP2CR0913	175.60	176.90	0.07	0.9
844SP2CR0913	176.90	178.20	0.02	0.5
844SP2CR0913	178.20	179.00	0.02	0.4
844SP2CR0913	179.00	180.10	1.91	2.4
844SP2CR0913	180.10	181.20	7.21	3.0
844SP2CR0913	181.20	182.30	0.10	1.7
844SP2CR0913	182.30	183.00	2.38	3.4
844SP2CR0913	183.00	184.00	0.35	2.5
844SP2CR0913	184.00	185.30	14.20	8.0
844SP2CR0913	185.30	186.60	2.85	10.4
844SP2CR0913	186.60	187.90	0.21	4.3
844SP2CR0913	187.90	189.20	0.07	2.7
844SP2CR0913	189.20	189.90	0.17	3.8
844SP2CR0913	189.90	191.10	2.10	10.0
844SP2CR0913	191.10	192.00	0.42	3.3
844SP2CR0913	192.00	192.70	3.17	4.2
844SP2CR0913	192.70	193.00	7.17	5.7
844SP2CR0913	193.00	194.30	0.12	0.5
844SP2CR0913	194.30	195.60	0.01	0.4
844SP2CR0913	195.60	196.80	0.02	0.3
844SP2CR0913	196.80	198.10	0.01	0.4
844SP2CR0913	198.10	199.40	0.01	0.2
844SP2CR0913	199.40	200.70	0.01	0.2
844SP2CR0913	200.70	202.00	0.03	0.4
844SP2CR0913	205.30	206.60	0.04	0.7
844SP2CR0913	206.60	207.00	0.27	2.1
844SP2CR0913	209.30	210.00	0.61	2.1
844SP2CR0916	1.70	2.00	<0.01	0.6
844SP2CR0916	5.30	5.60	0.02	1.4
844SP2CR0916	7.50	7.80	0.01	0.4
844SP2CR0916	10.80	11.10	0.13	0.5
844SP2CR0916	13.10	13.60	3.09	5.4
844SP2CR0916	13.90	14.90	0.83	2.2
844SP2CR0916	14.90	15.60	0.05	0.6
844SP2CR0916	15.60	16.70	0.02	1.1
844SP2CR0916	17.90	18.10	<0.01	1.3
844SP2CR0916	19.30	20.00	0.03	0.7
844SP2CR0916	24.10	25.00	<0.01	0.5
844SP2CR0916	25.00	25.60	0.02	0.8
844SP2CR0916	26.30	26.80	<0.01	0.7
844SP2CR0916	27.20	27.90	0.01	1.0
844SP2CR0916	30.10	30.40	<0.01	0.3
844SP2CR0916	32.60	33.00	0.02	0.5
844SP2CR0916	33.90	34.60	<0.01	0.4
844SP2CR0916	36.50	36.80	0.01	1.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0916	37.80	38.10	<0.01	0.4
844SP2CR0916	40.00	40.80	<0.01	0.6
844SP2CR0916	40.80	41.70	<0.01	1.2
844SP2CR0916	53.40	54.60	<0.01	0.7
844SP2CR0916	54.60	55.20	<0.01	0.3
844SP2CR0916	59.20	60.10	<0.01	0.5
844SP2CR0916	61.70	62.30	<0.01	0.2
844SP2CR0916	73.60	74.00	0.24	0.6
844SP2CR0916	77.60	78.70	<0.01	0.7
844SP2CR0916	82.90	84.10	<0.01	1.1
844SP2CR0916	84.10	85.30	0.02	1.7
844SP2CR0916	85.30	86.50	<0.01	1.1
844SP2CR0916	86.50	87.80	0.31	1.2
844SP2CR0916	89.80	90.10	0.07	0.7
844SP2CR0916	92.40	93.00	0.10	0.5
844SP2CR0916	93.50	94.50	0.35	27.9
844SP2CR0916	96.30	97.30	0.02	1.3
844SP2CR0916	98.00	98.60	0.03	1.0
844SP2CR0916	101.40	101.70	0.11	0.8
844SP2CR0916	102.90	104.10	0.01	0.6
844SP2CR0916	104.10	105.30	0.04	0.5
844SP2CR0916	105.30	106.50	0.02	0.4
844SP2CR0916	106.50	107.00	<0.01	0.2
844SP2CR0916	107.00	107.60	0.10	1.8
844SP2CR0916	107.60	108.80	0.02	1.4
844SP2CR0916	108.80	109.70	0.12	15.4
844SP2CR0916	109.70	110.50	2.40	4.3
844SP2CR0916	110.50	111.40	0.03	0.8
844SP2CR0916	111.40	111.80	0.66	1.3
844SP2CR0916	111.80	112.60	0.02	1.2
844SP2CR0916	112.60	113.20	0.31	2.6
844SP2CR0916	113.20	113.90	0.01	2.4
844SP2CR0916	113.90	114.30	0.02	2.1
844SP2CR0916	118.30	119.50	0.01	0.2
844SP2CR0916	119.50	120.30	<0.01	1.1
844SP2CR0916	120.30	121.40	0.01	1.0
844SP2CR0916	121.40	122.10	0.01	1.9
844SP2CR0916	122.10	122.80	0.02	2.3
844SP2CR0916	122.80	124.10	0.30	1.8
844SP2CR0916	124.10	125.10	0.97	2.1
844SP2CR0916	125.10	125.70	0.03	1.1
844SP2CR0916	125.70	126.80	0.02	0.8
844SP2CR0916	133.50	134.70	0.03	1.7
844SP2CR0916	134.70	135.80	0.08	1.6
844SP2CR0916	135.80	136.90	0.02	0.8
844SP2CR0916	136.90	138.10	0.13	1.5
844SP2CR0916	138.10	139.40	0.02	1.0
844SP2CR0916	139.40	140.60	0.01	1.1
844SP2CR0916	141.70	142.00	0.01	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0916	151.80	152.50	1.56	91.1
844SP2CR0916	152.50	153.00	0.10	1.0
844SP2CR0916	153.00	153.90	0.02	1.7
844SP2CR0916	153.90	155.00	0.16	3.4
844SP2CR0916	155.00	156.00	0.46	39.0
844SP2CR0916	156.00	157.00	0.43	40.1
844SP2CR0916	157.00	157.70	0.37	3.5
844SP2CR0916	157.70	158.50	1.36	4.8
844SP2CR0916	158.50	159.50	0.05	0.9
844SP2CR0916	159.50	160.50	0.02	0.7
844SP2CR0916	161.10	162.20	0.02	1.6
844SP2CR0916	162.90	163.40	0.03	1.7
844SP2CR0916	165.60	166.40	0.03	1.1
844SP2CR0916	166.40	167.20	0.09	1.4
844SP2CR0916	167.90	168.90	0.02	0.9
844SP2CR0916	168.90	169.90	0.03	1.0
844SP2CR0916	169.90	170.80	0.04	0.7
844SP2CR0916	171.10	171.60	0.03	1.4
844SP2CR0916	173.50	174.60	0.03	0.8
844SP2CR0916	174.60	175.80	0.03	0.8
844SP2CR0916	175.80	176.60	0.12	1.1
844SP2CR0916	176.60	177.80	0.73	2.7
844SP2CR0916	177.80	179.00	0.85	4.1
844SP2CR0916	179.00	180.30	0.04	1.2
844SP2CR0916	180.30	181.60	0.07	0.5
844SP2CR0916	182.30	182.80	0.04	3.5
844SP2CR0916	185.50	185.80	0.07	1.0
844SP2CR0916	187.00	187.30	0.10	0.8
844SP2CR0916	189.30	189.90	0.11	1.5
844SP2CR0916	190.70	191.70	0.10	3.4
844SP2CR0916	192.90	193.80	0.05	1.2
844SP2CR0916	193.80	194.70	0.04	2.0
844SP2CR0916	194.70	195.70	0.08	4.3
844SP2CR0916	195.70	196.10	0.25	1.8
844SP2CR0916	196.10	197.10	0.04	1.4
844SP2CR0916	197.10	198.10	0.21	8.7
844SP2CR0916	198.10	199.10	0.13	1.5
844SP2CR0916	199.10	200.00	2.04	4.4
844SP2CR0916	200.00	200.50	0.85	4.4
844SP2CR0916	200.50	201.10	0.07	3.7
844SP2CR0916	201.10	201.70	0.89	6.8
844SP2CR0916	201.70	202.60	0.15	1.5
844SP2CR0916	202.60	203.40	1.87	4.9
844SP2CR0916	203.40	204.10	0.83	4.5
844SP2CR0916	204.10	204.90	0.65	2.9
844SP2CR0916	204.90	205.20	1.40	5.9
844SP2CR0916	205.20	205.90	0.12	11.2
844SP2CR0916	205.90	206.80	0.09	9.7
844SP2CR0916	206.80	207.60	0.09	10.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2CR0916	207.60	208.40	0.09	10.5
844SP2CR0916	208.40	209.40	0.57	11.4
844SP2CR0916	209.40	210.40	0.22	4.9
844SP2CR0916	210.40	211.40	1.58	10.8
844SP2CR0916	211.40	212.40	0.62	23.2
844SP2CR0916	212.40	213.60	0.02	3.5
844SP2CR0916	213.60	214.80	0.01	1.0
844SP2CR0916	214.80	216.00	0.01	0.4
844SP2CR0916	216.00	217.00	<0.01	0.2
844SP2CR0916	217.00	218.00	<0.01	0.2
844SP2CR0916	218.00	219.20	<0.01	0.5
844SP2DR0884	1.10	1.50	0.01	1.9
844SP2DR0884	2.70	3.80	0.01	0.4
844SP2DR0884	7.00	8.20	<0.01	0.2
844SP2DR0884	8.20	9.20	<0.01	0.2
844SP2DR0884	9.20	9.60	<0.01	0.3
844SP2DR0884	15.00	15.90	0.01	0.1
844SP2DR0884	34.80	35.10	<0.01	0.2
844SP2DR0884	35.60	36.00	<0.01	0.3
844SP2DR0884	36.40	37.00	<0.01	0.1
844SP2DR0884	37.90	38.30	<0.01	1.4
844SP2DR0884	43.10	43.40	0.02	0.2
844SP2DR0884	44.50	45.30	0.01	0.3
844SP2DR0884	46.00	46.50	0.02	0.5
844SP2DR0884	48.40	49.20	<0.01	0.2
844SP2DR0884	49.20	49.80	0.01	0.2
844SP2DR0884	52.30	53.50	0.01	0.5
844SP2DR0884	60.50	60.90	0.02	0.4
844SP2DR0884	63.10	63.50	<0.01	0.3
844SP2DR0884	63.50	64.20	<0.01	0.3
844SP2DR0884	64.20	65.40	0.02	0.5
844SP2DR0884	65.40	66.30	<0.01	0.4
844SP2DR0884	66.30	67.00	0.02	0.4
844SP2DR0884	67.00	68.10	0.05	0.3
844SP2DR0884	68.10	69.10	<0.01	0.2
844SP2DR0884	69.10	69.70	0.38	0.8
844SP2DR0884	69.70	70.55	0.02	0.2
844SP2DR0884	70.55	71.50	0.01	0.2
844SP2DR0884	71.50	72.25	0.01	0.2
844SP2DR0884	72.25	73.30	0.01	0.3
844SP2DR0884	73.30	74.50	<0.01	0.6
844SP2DR0884	74.50	75.30	<0.01	0.2
844SP2DR0884	75.30	76.40	0.01	0.3
844SP2DR0884	76.40	77.45	<0.01	0.2
844SP2DR0884	77.45	78.60	<0.01	0.2
844SP2DR0884	78.60	79.60	<0.01	0.2
844SP2DR0884	79.60	80.60	0.01	1.1
844SP2DR0884	80.60	81.60	<0.01	0.4
844SP2DR0884	81.60	82.70	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2DR0884	82.70	83.50	0.01	0.6
844SP2DR0884	83.50	84.30	<0.01	0.5
844SP2DR0884	84.30	85.00	<0.01	0.8
844SP2DR0884	85.00	85.50	<0.01	0.9
844SP2DR0884	85.50	86.10	<0.01	2.6
844SP2DR0884	86.10	87.00	0.01	2.0
844SP2DR0884	87.00	88.00	<0.01	0.3
844SP2DR0884	88.00	89.00	<0.01	0.5
844SP2DR0884	89.00	90.00	<0.01	0.5
844SP2DR0884	90.00	91.00	<0.01	0.5
844SP2DR0884	91.00	92.00	0.05	0.5
844SP2DR0884	92.00	93.00	<0.01	0.8
844SP2DR0884	93.00	94.00	0.01	3.6
844SP2DR0884	94.00	94.90	0.02	5.4
844SP2DR0884	94.90	95.30	0.02	2.5
844SP2DR0884	95.30	96.40	0.02	2.9
844SP2DR0884	96.40	97.40	0.02	2.0
844SP2DR0884	97.40	98.20	0.02	1.2
844SP2DR0884	99.40	100.20	0.01	1.6
844SP2DR0884	100.20	100.90	0.02	2.1
844SP2DR0884	100.90	102.00	<0.01	0.8
844SP2DR0884	122.20	123.30	<0.01	0.2
844SP2DR0884	123.30	123.90	<0.01	0.4
844SP2DR0884	132.40	132.70	<0.01	1.2
844SP2DR0884	132.70	133.50	0.05	5.7
844SP2DR0884	133.50	133.90	0.05	6.1
844SP2DR0884	133.90	135.00	0.01	3.2
844SP2DR0884	137.40	137.70	0.07	6.0
844SP2DR0884	140.10	141.20	0.02	1.6
844SP2DR0884	141.20	141.80	0.04	2.9
844SP2DR0884	141.80	142.70	0.03	3.4
844SP2DR0884	142.70	143.80	0.01	2.1
844SP2DR0884	148.30	148.80	0.02	0.7
844SP2DR0884	148.80	150.00	0.03	2.6
844SP2DR0884	150.00	150.40	0.09	6.3
844SP2DR0884	150.40	151.20	0.01	1.2
844SP2DR0884	155.20	156.40	0.02	2.1
844SP2DR0884	156.40	156.70	0.04	5.4
844SP2DR0884	156.70	157.70	<0.01	0.7
844SP2DR0884	161.60	162.40	0.08	24.0
844SP2DR0884	169.60	170.80	<0.01	0.6
844SP2DR0884	170.80	171.70	0.03	2.5
844SP2DR0884	171.70	172.70	0.02	2.3
844SP2DR0884	172.70	173.70	0.02	1.7
844SP2DR0884	173.70	174.50	0.02	1.6
844SP2DR0884	174.50	175.50	0.02	1.3
844SP2DR0884	175.50	176.30	0.02	1.7
844SP2DR0884	176.30	177.30	0.02	2.2
844SP2DR0884	177.30	177.70	0.15	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2DR0884	177.70	178.30	0.02	3.3
844SP2DR0884	178.30	179.20	<0.01	1.5
844SP2DR0884	179.20	179.60	<0.01	0.9
844SP2DR0884	179.60	180.65	0.02	2.6
844SP2DR0884	180.65	181.80	0.02	2.3
844SP2DR0884	181.80	183.00	0.02	2.2
844SP2DR0884	183.00	183.40	0.02	0.9
844SP2DR0884	183.40	184.00	<0.01	0.6
844SP2DR0884	184.00	184.80	0.02	2.2
844SP2DR0884	184.80	185.40	0.02	1.1
844SP2DR0884	185.40	186.50	0.07	1.0
844SP2DR0884	186.50	186.90	0.04	1.6
844SP2DR0884	186.90	187.60	0.37	1.1
844SP2DR0884	187.60	188.00	0.02	0.5
844SP2DR0884	188.00	189.20	0.05	0.6
844SP2DR0884	189.20	190.00	0.05	0.8
844SP2DR0884	190.00	191.30	0.06	0.8
844SP2DR0884	191.30	192.40	0.02	0.6
844SP2DR0884	192.40	193.80	0.01	0.7
844SP2DR0884	193.80	195.30	0.02	0.7
844SP2DR0884	195.30	196.60	<0.01	0.3
844SP2DR0884	196.60	197.10	<0.01	0.6
844SP2DR0884	197.10	198.00	<0.01	1.0
844SP2DR0884	198.00	199.00	<0.01	0.8
844SP2DR0884	199.00	200.10	<0.01	0.6
844SP5CR0879	1.80	3.00	<0.01	0.4
844SP5CR0879	3.00	3.70	0.05	1.7
844SP5CR0879	3.70	4.90	0.18	1.2
844SP5CR0879	4.90	6.00	0.04	0.6
844SP5CR0879	6.00	7.40	0.03	0.9
844SP5CR0879	7.40	8.40	0.03	0.5
844SP5CR0879	8.40	9.00	0.10	1.7
844SP5CR0879	12.00	12.90	0.03	0.8
844SP5CR0879	17.50	17.80	0.01	0.2
844SP5CR0879	17.80	18.10	0.20	0.5
844SP5CR0879	18.10	18.90	0.01	0.1
844SP5CR0879	18.90	19.60	<0.01	0.2
844SP5CR0879	21.90	23.00	0.02	1.2
844SP5CR0879	25.20	25.80	<0.01	0.7
844SP5CR0879	25.80	27.00	0.01	0.5
844SP5CR0879	27.00	28.10	0.02	1.0
844SP5CR0879	28.10	29.30	0.01	0.5
844SP5CR0879	29.30	30.20	0.02	1.2
844SP5CR0879	30.20	31.20	0.01	0.8
844SP5CR0879	31.20	32.30	<0.01	0.9
844SP5CR0879	32.30	33.00	0.01	1.1
844SP5CR0879	33.00	33.90	0.02	1.2
844SP5CR0879	33.90	34.80	<0.01	0.9
844SP5CR0879	34.80	35.80	<0.01	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0879	35.80	36.30	<0.01	1.4
844SP5CR0879	36.30	37.00	<0.01	0.6
844SP5CR0879	37.00	37.80	0.03	0.9
844SP5CR0879	37.80	39.00	<0.01	0.5
844SP5CR0879	39.00	39.80	<0.01	1.7
844SP5CR0879	39.80	40.20	0.02	1.2
844SP5CR0879	40.20	40.70	0.05	0.9
844SP5CR0879	40.70	41.30	0.08	2.4
844SP5CR0879	41.30	42.20	<0.01	1.0
844SP5CR0879	42.20	43.50	<0.01	0.6
844SP5CR0879	43.50	44.50	<0.01	1.0
844SP5CR0879	44.50	45.50	0.03	0.9
844SP5CR0879	45.50	46.70	0.05	1.7
844SP5CR0879	46.70	47.75	0.07	1.8
844SP5CR0879	47.75	48.30	0.06	2.1
844SP5CR0879	48.30	49.00	0.01	1.4
844SP5CR0879	49.00	49.40	0.03	7.3
844SP5CR0879	49.40	49.70	0.03	1.4
844SP5CR0879	49.70	50.30	<0.01	0.3
844SP5CR0879	50.30	51.10	<0.01	0.3
844SP5CR0879	51.10	52.20	0.01	1.2
844SP5CR0879	52.20	52.60	<0.01	0.3
844SP5CR0879	52.60	53.70	<0.01	0.3
844SP5CR0879	53.70	54.20	<0.01	0.3
844SP5CR0879	54.20	54.60	<0.01	0.4
844SP5CR0879	57.50	58.10	<0.01	0.8
844SP5CR0879	59.20	59.90	0.01	0.6
844SP5CR0879	61.90	62.40	<0.01	0.1
844SP5CR0879	66.80	67.80	<0.01	0.1
844SP5CR0879	67.80	68.85	<0.01	0.1
844SP5CR0879	70.60	71.50	<0.01	0.2
844SP5CR0879	71.50	71.90	<0.01	0.2
844SP5CR0879	71.90	73.00	0.02	0.3
844SP5CR0879	73.00	73.60	0.02	0.4
844SP5CR0879	73.60	74.00	<0.01	0.3
844SP5CR0879	74.00	74.40	0.19	0.5
844SP5CR0879	74.40	75.40	<0.01	0.3
844SP5CR0879	81.00	81.70	<0.01	0.4
844SP5CR0879	81.70	82.10	<0.01	0.2
844SP5CR0879	82.10	82.60	0.01	0.5
844SP5CR0879	85.30	86.00	<0.01	0.2
844SP5CR0879	86.00	86.80	<0.01	0.2
844SP5CR0879	93.90	95.00	0.03	0.6
844SP5CR0879	95.00	95.45	<0.01	0.8
844SP5CR0879	95.45	95.80	0.86	3.2
844SP5CR0879	95.80	96.80	<0.01	0.3
844SP5CR0879	96.80	97.20	1.76	3.8
844SP5CR0879	97.20	98.10	<0.01	0.4
844SP5CR0879	98.10	98.85	1.64	1.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0879	98.85	99.50	0.20	1.3
844SP5CR0879	99.50	100.70	0.18	1.0
844SP5CR0879	100.70	101.20	0.96	2.9
844SP5CR0879	101.20	102.20	0.05	0.7
844SP5CR0879	102.20	103.20	0.01	0.6
844SP5CR0879	103.20	104.00	0.05	0.6
844SP5CR0879	104.00	104.80	0.01	1.1
844SP5CR0879	104.80	105.60	0.58	3.6
844SP5CR0879	105.60	106.60	0.04	1.5
844SP5CR0879	106.60	107.60	<0.01	1.0
844SP5CR0879	107.60	108.80	0.01	0.5
844SP5CR0879	108.80	109.70	0.03	1.2
844SP5CR0879	109.70	110.90	0.01	0.8
844SP5CR0879	110.90	112.00	0.03	1.4
844SP5CR0879	116.55	117.20	0.02	0.5
844SP5CR0879	117.80	118.10	0.01	0.5
844SP5CR0879	119.40	120.50	<0.01	0.3
844SP5CR0879	120.50	121.20	<0.01	0.3
844SP5CR0879	121.20	121.90	<0.01	0.3
844SP5CR0879	121.90	122.80	<0.01	0.4
844SP5CR0879	122.80	123.80	<0.01	0.3
844SP5CR0879	123.80	124.80	<0.01	0.2
844SP5CR0879	124.80	125.90	<0.01	0.2
844SP5CR0879	125.90	127.00	<0.01	0.4
844SP5CR0879	127.00	127.50	0.02	0.5
844SP5CR0879	127.50	128.00	0.01	0.5
844SP5CR0879	128.00	129.00	<0.01	0.4
844SP5CR0879	129.00	129.70	<0.01	0.4
844SP5CR0879	131.60	132.20	<0.01	0.3
844SP5CR0879	132.20	133.20	<0.01	0.2
844SP5CR0879	136.70	137.40	0.12	0.5
844SP5CR0879	137.40	138.20	0.02	0.2
844SP5CR0879	140.00	140.80	0.03	0.3
844SP5CR0879	142.50	143.30	<0.01	0.6
844SP5CR0879	143.30	144.00	<0.01	2.1
844SP5CR0879	144.00	144.70	0.02	3.0
844SP5CR0879	145.50	146.20	<0.01	1.0
844SP5CR0879	146.20	147.20	<0.01	0.7
844SP5CR0879	147.20	148.40	<0.01	0.6
844SP5CR0879	148.40	149.30	0.02	0.9
844SP5CR0879	149.30	150.20	0.05	0.5
844SP5CR0879	150.20	151.30	0.07	0.9
844SP5CR0879	151.30	151.70	0.21	1.7
844SP5CR0879	151.70	152.30	0.08	0.9
844SP5CR0879	152.30	153.20	0.12	1.2
844SP5CR0879	153.20	153.90	0.61	5.3
844SP5CR0879	153.90	154.80	0.04	1.1
844SP5CR0879	154.80	155.90	0.02	0.7
844SP5CR0879	155.90	156.60	<0.01	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0879	156.60	157.80	0.01	3.4
844SP5CR0879	157.80	158.60	0.03	3.5
844SP5CR0879	158.60	159.60	<0.01	1.0
844SP5CR0879	159.60	160.10	0.11	2.5
844SP5CR0879	160.10	161.10	0.03	2.9
844SP5CR0879	161.10	162.20	<0.01	1.2
844SP5CR0879	162.20	162.80	<0.01	1.5
844SP5CR0879	162.80	163.90	0.07	11.0
844SP5CR0879	163.90	165.20	0.10	1.8
844SP5CR0879	165.20	166.00	0.07	1.5
844SP5CR0879	166.00	166.90	0.24	3.0
844SP5CR0879	166.90	167.80	0.82	3.9
844SP5CR0879	167.80	168.60	0.20	2.1
844SP5CR0879	168.60	169.50	0.41	3.2
844SP5CR0879	169.70	170.90	0.13	2.1
844SP5CR0879	170.90	171.50	0.09	3.3
844SP5CR0879	171.50	172.60	0.38	2.3
844SP5CR0879	172.60	173.70	0.22	1.6
844SP5CR0879	173.70	174.60	0.01	0.7
844SP5CR0879	174.60	175.70	0.01	0.5
844SP5CR0879	175.70	176.50	0.02	0.7
844SP5CR0879	176.50	177.20	0.04	1.0
844SP5CR0879	177.20	178.20	0.03	0.9
844SP5CR0879	178.20	179.40	<0.01	0.9
844SP5CR0879	179.40	179.80	0.07	2.1
844SP5CR0879	179.80	180.20	<0.01	1.2
844SP5CR0880	1.00	1.40	0.07	0.9
844SP5CR0880	1.40	2.60	0.03	0.5
844SP5CR0880	3.00	3.90	0.03	1.2
844SP5CR0880	3.90	4.30	0.01	0.6
844SP5CR0880	4.30	5.20	0.04	1.1
844SP5CR0880	5.20	6.00	0.03	0.9
844SP5CR0880	6.00	6.50	0.04	1.6
844SP5CR0880	6.50	7.00	0.02	0.7
844SP5CR0880	9.00	10.00	0.03	1.0
844SP5CR0880	10.00	12.00	0.04	2.7
844SP5CR0880	12.00	13.00	0.06	1.9
844SP5CR0880	13.00	13.80	0.05	1.5
844SP5CR0880	13.80	15.00	0.03	0.9
844SP5CR0880	15.00	15.70	0.03	1.3
844SP5CR0880	15.70	16.40	0.14	1.5
844SP5CR0880	16.40	16.70	0.01	1.3
844SP5CR0880	16.70	17.20	0.02	0.7
844SP5CR0880	17.20	18.00	<0.01	0.8
844SP5CR0880	18.40	19.60	<0.01	0.6
844SP5CR0880	20.00	21.00	<0.01	1.9
844SP5CR0880	21.00	22.00	<0.01	2.6
844SP5CR0880	22.50	23.00	<0.01	0.7
844SP5CR0880	23.00	24.00	<0.01	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0880	24.00	25.00	<0.01	1.6
844SP5CR0880	25.00	25.40	<0.01	0.9
844SP5CR0880	25.40	26.00	<0.01	1.5
844SP5CR0880	26.00	27.00	0.01	2.1
844SP5CR0880	27.00	27.70	0.03	2.5
844SP5CR0880	30.50	31.00	0.01	0.8
844SP5CR0880	35.00	36.00	<0.01	1.2
844SP5CR0880	38.00	39.00	0.01	1.0
844SP5CR0880	39.00	40.00	0.01	0.7
844SP5CR0880	41.00	42.00	0.01	0.3
844SP5CR0880	43.00	44.00	<0.01	0.4
844SP5CR0880	44.00	45.00	<0.01	0.6
844SP5CR0880	45.00	46.00	<0.01	0.3
844SP5CR0880	56.00	56.90	<0.01	0.2
844SP5CR0880	56.90	58.00	0.02	0.9
844SP5CR0880	58.60	59.00	<0.01	0.4
844SP5CR0880	59.00	60.00	0.02	0.4
844SP5CR0880	60.00	61.00	0.01	0.3
844SP5CR0880	65.00	66.00	<0.01	0.6
844SP5CR0880	66.00	67.00	0.05	0.7
844SP5CR0880	67.00	67.30	0.02	0.6
844SP5CR0880	67.30	68.00	<0.01	0.3
844SP5CR0880	68.00	69.00	<0.01	0.2
844SP5CR0880	71.00	71.40	<0.01	0.8
844SP5CR0880	71.40	72.00	<0.01	0.5
844SP5CR0880	74.00	74.50	<0.01	0.3
844SP5CR0880	74.50	75.60	0.02	0.3
844SP5CR0880	75.60	76.00	<0.01	0.2
844SP5CR0880	76.00	77.00	0.02	0.2
844SP5CR0880	77.00	78.00	<0.01	0.2
844SP5CR0880	78.00	78.80	0.01	0.3
844SP5CR0880	78.80	79.40	0.01	0.3
844SP5CR0880	82.80	83.40	0.01	0.3
844SP5CR0880	83.40	84.00	0.02	0.4
844SP5CR0880	85.00	85.70	0.03	6.7
844SP5CR0880	85.70	86.80	0.02	3.0
844SP5CR0880	86.80	87.20	0.02	3.0
844SP5CR0880	87.20	88.00	<0.01	0.5
844SP5CR0880	90.00	91.00	<0.01	0.2
844SP5CR0880	91.00	92.00	0.01	0.3
844SP5CR0880	93.20	94.40	<0.01	0.4
844SP5CR0880	94.40	95.00	<0.01	0.2
844SP5CR0880	101.00	102.00	0.05	0.5
844SP5CR0880	103.00	103.70	0.02	0.6
844SP5CR0880	103.70	104.00	0.02	0.3
844SP5CR0880	104.00	105.00	0.01	0.5
844SP5CR0880	108.00	108.70	0.03	0.3
844SP5CR0880	108.70	109.50	0.02	0.2
844SP5CR0880	110.00	111.00	0.02	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0880	113.00	113.80	<0.01	0.2
844SP5CR0880	113.80	114.30	0.02	0.2
844SP5CR0880	114.30	115.00	0.01	0.1
844SP5CR0880	116.00	117.00	0.05	0.2
844SP5CR0880	123.00	124.00	0.02	0.6
844SP5CR0880	124.00	124.30	0.03	0.7
844SP5CR0880	124.30	125.40	0.29	7.5
844SP5CR0880	125.40	125.80	<0.01	0.3
844SP5CR0880	125.80	126.60	0.24	5.4
844SP5CR0880	126.60	127.70	0.46	8.2
844SP5CR0880	127.70	128.20	0.22	8.8
844SP5CR0880	128.20	129.00	0.13	2.6
844SP5CR0880	129.00	130.00	0.07	0.4
844SP5CR0880	130.00	131.00	0.01	0.1
844SP5CR0880	131.00	132.00	<0.01	0.1
844SP5CR0880	133.50	134.10	<0.01	0.1
844SP5CR0880	135.00	136.00	0.01	0.4
844SP5CR0880	136.00	137.00	0.03	0.1
844SP5CR0880	137.00	138.00	<0.01	0.3
844SP5CR0880	138.00	139.00	0.01	0.5
844SP5CR0880	139.00	140.10	0.03	1.3
844SP5CR0880	140.10	141.00	<0.01	2.2
844SP5CR0880	141.00	142.00	1.55	1.4
844SP5CR0880	142.00	142.90	<0.01	0.4
844SP5CR0880	142.90	143.80	0.38	1.8
844SP5CR0880	143.80	144.50	11.10	8.8
844SP5CR0880	144.50	145.20	3.14	9.6
844SP5CR0880	145.20	145.70	1.84	4.7
844SP5CR0880	145.70	146.20	0.11	27.8
844SP5CR0880	146.20	147.00	0.03	0.9
844SP5CR0880	147.00	148.00	0.02	0.4
844SP5CR0880	148.00	149.00	<0.01	0.8
844SP5CR0880	149.00	150.00	<0.01	0.5
844SP5CR0880	150.00	151.00	0.03	1.2
844SP5CR0880	151.00	152.00	<0.01	0.4
844SP5CR0880	152.00	153.00	0.04	4.2
844SP5CR0880	153.00	154.00	<0.01	0.6
844SP5CR0880	154.00	154.70	0.06	3.2
844SP5CR0880	154.70	155.40	0.90	8.6
844SP5CR0880	155.40	156.00	0.10	20.7
844SP5CR0880	156.00	157.00	0.03	3.3
844SP5CR0880	157.00	158.10	0.05	9.7
844SP5CR0880	158.10	159.30	0.41	40.4
844SP5CR0880	159.30	160.30	0.04	2.9
844SP5CR0880	160.30	161.00	0.31	4.0
844SP5CR0880	161.00	162.00	2.86	18.4
844SP5CR0880	162.00	163.10	1.85	10.8
844SP5CR0880	163.10	164.30	2.54	18.4
844SP5CR0880	164.30	165.00	0.11	2.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0880	165.00	166.00	0.10	0.3
844SP5CR0880	166.00	166.90	0.10	0.5
844SP5CR0880	166.90	167.90	7.83	10.2
844SP5CR0880	167.90	169.00	4.31	8.4
844SP5CR0880	169.00	170.00	0.11	2.5
844SP5CR0880	170.00	171.00	0.12	2.6
844SP5CR0880	171.00	171.60	4.96	5.5
844SP5CR0880	171.60	172.30	<0.01	0.6
844SP5CR0880	172.30	173.10	<0.01	0.7
844SP5CR0880	173.10	174.00	0.06	0.8
844SP5CR0880	174.00	175.00	0.05	0.8
844SP5CR0880	175.00	176.00	<0.01	0.4
844SP5CR0880	176.00	177.00	0.02	0.3
844SP5CR0885	157.50	158.20	0.05	6.3
844SP5CR0885	158.20	158.90	0.26	18.2
844SP5CR0885	158.90	159.70	0.27	6.0
844SP5CR0885	159.70	160.80	3.18	10.3
844SP5CR0885	160.80	161.80	0.21	2.5
844SP5CR0885	161.80	163.00	3.94	10.7
844SP5CR0885	163.00	164.00	8.12	14.7
844SP5CR0885	164.00	164.70	1.47	10.4
844SP5CR0885	164.70	165.30	1.71	7.7
844SP5CR0885	165.30	166.40	2.20	11.7
844SP5CR0885	166.40	167.40	3.29	16.2
844SP5CR0885	167.40	168.20	3.17	13.4
844SP5CR0885	168.20	169.00	0.02	0.5
844SP5CR0885	169.00	170.20	0.01	0.1
844SP5CR0886	147.30	148.30	0.05	0.4
844SP5CR0886	148.30	149.25	0.18	2.5
844SP5CR0894	0.00	0.80	0.30	1.2
844SP5CR0894	2.80	3.30	0.03	0.6
844SP5CR0894	3.70	4.70	0.02	0.6
844SP5CR0894	5.20	5.90	0.36	1.3
844SP5CR0894	7.00	8.00	0.05	0.8
844SP5CR0894	8.00	9.00	0.08	2.7
844SP5CR0894	18.20	19.20	<0.01	0.5
844SP5CR0894	20.10	20.70	<0.01	1.0
844SP5CR0894	23.30	24.30	<0.01	0.7
844SP5CR0894	26.20	27.30	0.01	2.1
844SP5CR0894	27.90	28.30	0.03	4.0
844SP5CR0894	29.60	29.90	0.04	0.6
844SP5CR0894	32.20	33.30	<0.01	1.1
844SP5CR0894	33.30	34.30	<0.01	1.1
844SP5CR0894	34.30	35.40	0.01	1.1
844SP5CR0894	35.40	36.50	0.01	0.8
844SP5CR0894	36.50	37.60	<0.01	1.6
844SP5CR0894	37.60	38.80	0.04	1.3
844SP5CR0894	38.80	39.80	0.06	2.3
844SP5CR0894	39.80	41.00	0.03	5.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0894	41.00	42.00	0.43	3.0
844SP5CR0894	42.00	43.00	0.09	4.0
844SP5CR0894	43.00	44.00	0.11	9.0
844SP5CR0894	44.00	45.10	0.04	5.3
844SP5CR0894	45.10	45.70	0.02	2.9
844SP5CR0894	45.70	46.60	0.03	5.1
844SP5CR0894	46.60	47.80	0.02	4.6
844SP5CR0894	47.80	48.80	<0.01	1.6
844SP5CR0894	48.80	49.50	0.21	53.6
844SP5CR0894	49.50	50.20	0.01	1.7
844SP5CR0894	50.20	51.00	0.01	0.8
844SP5CR0894	51.00	52.20	<0.01	0.4
844SP5CR0894	52.20	53.10	0.02	1.3
844SP5CR0894	53.10	54.20	0.02	0.3
844SP5CR0894	54.20	55.30	0.02	0.3
844SP5CR0894	55.60	56.50	<0.01	0.2
844SP5CR0894	56.50	57.20	<0.01	0.2
844SP5CR0894	57.90	58.30	<0.01	0.8
844SP5CR0894	61.40	62.00	<0.01	8.2
844SP5CR0894	67.10	67.50	<0.01	0.9
844SP5CR0894	68.90	69.70	<0.01	0.8
844SP5CR0894	72.20	73.00	0.01	1.1
844SP5CR0894	73.80	74.70	<0.01	0.7
844SP5CR0894	75.70	76.10	<0.01	0.3
844SP5CR0894	79.10	79.70	<0.01	0.4
844SP5CR0894	84.30	84.80	<0.01	0.8
844SP5CR0894	85.20	85.60	<0.01	0.8
844SP5CR0894	92.00	93.20	<0.01	0.6
844SP5CR0894	93.20	94.40	<0.01	0.4
844SP5CR0894	94.40	95.60	<0.01	0.3
844SP5CR0894	102.00	103.20	<0.01	0.4
844SP5CR0894	107.00	108.20	0.01	0.2
844SP5CR0894	108.20	109.40	<0.01	0.2
844SP5CR0894	109.40	110.60	<0.01	0.2
844SP5CR0894	110.60	111.80	<0.01	0.3
844SP5CR0894	111.80	113.00	0.08	0.5
844SP5CR0894	113.00	113.80	0.06	0.4
844SP5CR0894	113.80	114.30	0.20	0.9
844SP5CR0894	114.30	115.30	3.15	10.8
844SP5CR0894	115.30	116.30	1.16	6.1
844SP5CR0894	116.30	117.10	1.42	3.0
844SP5CR0894	117.10	117.80	1.61	5.6
844SP5CR0894	117.80	118.40	0.05	0.4
844SP5CR0894	118.40	119.10	0.60	10.2
844SP5CR0894	119.10	120.30	0.02	0.7
844SP5CR0894	120.30	121.50	0.02	0.7
844SP5CR0894	121.50	122.50	0.08	0.4
844SP5CR0894	122.50	123.40	0.03	0.4
844SP5CR0894	123.40	124.40	0.43	5.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0894	124.40	125.50	0.02	0.5
844SP5CR0894	125.50	126.30	0.02	0.3
844SP5CR0894	126.30	127.30	0.02	0.6
844SP5CR0894	128.30	128.70	0.01	0.6
844SP5CR0894	132.60	133.80	0.02	0.5
844SP5CR0894	134.40	135.50	0.09	0.3
844SP5CR0894	135.50	136.10	0.46	0.7
844SP5CR0894	136.70	137.30	0.02	0.2
844SP5CR0894	137.30	138.20	<0.01	0.4
844SP5CR0894	138.80	139.90	0.06	0.5
844SP5CR0894	152.90	153.20	0.03	0.7
844SP5CR0894	154.80	155.10	<0.01	0.6
844SP5CR0894	156.70	157.40	0.04	0.8
844SP5CR0894	157.40	158.20	0.05	1.2
844SP5CR0894	158.20	159.40	0.03	0.5
844SP5CR0894	159.40	160.00	0.33	8.5
844SP5CR0894	160.00	161.20	0.05	1.2
844SP5CR0894	163.00	164.00	0.13	5.0
844SP5CR0894	164.00	164.80	0.02	3.5
844SP5CR0894	164.80	165.60	0.45	1.9
844SP5CR0894	165.60	166.40	0.64	3.2
844SP5CR0894	166.40	167.50	0.34	3.7
844SP5CR0894	167.50	168.10	0.02	1.1
844SP5CR0894	168.10	169.00	0.38	2.2
844SP5CR0894	169.00	170.00	0.15	4.4
844SP5CR0894	170.00	171.10	0.55	4.0
844SP5CR0894	171.10	172.20	0.84	3.8
844SP5CR0894	172.20	173.20	0.32	3.0
844SP5CR0894	173.20	174.30	1.15	4.6
844SP5CR0894	174.30	174.80	0.04	1.4
844SP5CR0894	174.80	175.70	0.21	2.8
844SP5CR0894	175.70	176.80	0.02	1.0
844SP5CR0894	176.80	178.00	0.06	2.3
844SP5CR0894	178.00	178.80	0.01	1.1
844SP5CR0894	178.80	179.80	0.09	24.0
844SP5CR0894	179.80	180.90	0.06	3.8
844SP5CR0894	180.90	181.90	0.03	2.0
844SP5CR0894	181.90	182.50	0.03	1.8
844SP5CR0894	182.50	183.60	0.12	4.3
844SP5CR0894	183.60	184.60	0.09	3.0
844SP5CR0894	184.60	185.60	0.01	1.5
844SP5CR0894	185.60	186.80	0.04	1.3
844SP5CR0894	186.80	187.90	0.12	1.9
844SP5CR0894	187.90	189.10	0.19	2.4
844SP5CR0894	189.10	190.40	0.02	3.2
844SP5CR0894	190.40	191.10	0.68	2.7
844SP5CR0894	191.10	191.70	0.05	1.2
844SP5CR0894	191.70	192.40	0.26	2.0
844SP5CR0894	192.40	193.40	1.43	2.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0894	193.40	194.30	0.19	1.6
844SP5CR0894	194.30	195.40	0.39	1.9
844SP5CR0894	195.40	196.10	0.19	1.9
844SP5CR0894	196.10	197.30	<0.01	1.5
844SP5CR0894	197.30	198.30	<0.01	0.7
844SP5CR0894	198.30	199.80	0.08	0.8
844SP5CR0894	199.80	200.20	<0.01	0.7
844SP5CR0894	200.20	201.40	0.09	11.5
844SP5CR0894	201.40	202.30	0.28	9.7
844SP5CR0894	202.30	203.30	0.03	9.6
844SP5CR0894	203.30	204.00	0.21	8.0
844SP5CR0894	204.00	204.80	0.21	6.5
844SP5CR0894	204.80	206.00	0.13	20.0
844SP5CR0894	206.00	207.00	5.01	10.8
844SP5CR0894	207.00	207.80	0.08	7.4
844SP5CR0894	207.80	209.00	3.33	16.2
844SP5CR0894	209.00	209.70	3.22	22.5
844SP5CR0894	209.70	210.30	4.60	14.9
844SP5CR0894	210.30	210.90	3.39	23.5
844SP5CR0894	210.90	211.60	12.80	53.4
844SP5CR0894	211.60	212.40	7.37	30.4
844SP5CR0894	212.40	213.10	2.28	16.8
844SP5CR0894	213.10	213.90	1.49	7.6
844SP5CR0894	213.90	214.70	1.45	9.9
844SP5CR0894	214.70	215.40	1.78	6.9
844SP5CR0894	215.40	216.30	2.18	14.0
844SP5CR0894	216.30	217.00	1.30	6.4
844SP5CR0894	217.00	218.00	0.27	2.6
844SP5CR0894	218.00	219.20	0.02	1.6
844SP5CR0894	219.20	220.40	0.01	0.7
844SP5CR0894	220.40	221.60	<0.01	0.9
844SP5CR0894	221.60	222.50	<0.01	0.7
844SP5CR0894	222.50	223.50	0.03	1.0
844SP5CR0894	223.50	224.40	0.06	2.2
844SP5CR0894	224.40	224.90	0.03	1.3
844SP5CR0894	225.80	226.20	<0.01	3.3
844SP5CR0894	227.80	228.80	0.01	2.3
844SP5CR0894	230.40	231.40	<0.01	1.6
844SP5CR0894	231.40	232.60	<0.01	1.2
844SP5CR0894	233.60	234.20	<0.01	1.7
844SP5CR0897	0.00	1.20	0.03	1.0
844SP5CR0897	1.20	3.00	0.06	1.1
844SP5CR0897	3.00	4.00	0.04	0.5
844SP5CR0897	4.00	5.00	0.03	0.4
844SP5CR0897	5.00	6.00	0.02	0.6
844SP5CR0897	6.00	6.30	0.01	0.6
844SP5CR0897	6.30	7.50	0.02	0.5
844SP5CR0897	7.50	8.00	0.04	2.2
844SP5CR0897	8.00	9.00	0.26	2.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0897	9.00	9.50	0.01	0.6
844SP5CR0897	9.50	10.50	0.01	0.5
844SP5CR0897	10.50	11.10	0.03	0.5
844SP5CR0897	11.10	12.00	0.10	1.1
844SP5CR0897	12.00	12.50	0.08	0.6
844SP5CR0897	12.50	13.30	0.02	0.5
844SP5CR0897	13.30	13.90	<0.01	0.4
844SP5CR0897	13.90	15.10	0.02	1.1
844SP5CR0897	15.10	16.20	<0.01	0.3
844SP5CR0897	16.20	17.30	0.02	0.8
844SP5CR0897	17.30	18.20	0.01	1.1
844SP5CR0897	18.20	19.40	0.01	0.7
844SP5CR0897	19.40	20.60	0.02	3.4
844SP5CR0897	25.00	26.00	0.02	4.7
844SP5CR0897	26.00	26.60	0.26	1.6
844SP5CR0897	26.60	27.40	0.08	1.7
844SP5CR0897	27.40	28.00	1.56	5.5
844SP5CR0897	31.30	32.00	0.01	1.3
844SP5CR0897	32.00	32.90	0.02	0.7
844SP5CR0897	32.90	33.90	0.01	0.5
844SP5CR0897	33.90	35.10	<0.01	0.6
844SP5CR0897	35.10	36.00	0.01	0.6
844SP5CR0897	36.00	36.70	<0.01	0.2
844SP5CR0897	36.70	37.80	<0.01	0.2
844SP5CR0897	37.80	39.00	<0.01	<0.1
844SP5CR0897	39.00	40.10	0.02	0.9
844SP5CR0897	40.10	40.70	0.02	0.6
844SP5CR0897	40.70	42.00	0.01	1.1
844SP5CR0897	61.10	62.30	0.02	0.3
844SP5CR0897	62.30	63.50	0.01	0.2
844SP5CR0897	63.50	64.70	<0.01	0.1
844SP5CR0897	67.25	67.70	<0.01	<0.1
844SP5CR0897	67.70	68.40	0.01	<0.1
844SP5CR0897	68.40	69.20	<0.01	<0.1
844SP5CR0897	69.20	70.40	<0.01	0.3
844SP5CR0897	70.40	71.00	<0.01	<0.1
844SP5CR0897	71.00	72.00	<0.01	<0.1
844SP5CR0897	72.00	73.20	0.01	0.4
844SP5CR0897	73.20	74.20	<0.01	<0.1
844SP5CR0897	77.70	78.30	0.02	0.8
844SP5CR0897	78.30	79.80	<0.01	0.2
844SP5CR0897	79.80	80.40	<0.01	<0.1
844SP5CR0897	88.80	90.00	0.04	0.3
844SP5CR0897	94.00	95.20	0.02	0.2
844SP5CR0897	99.60	100.40	0.01	<0.1
844SP5CR0897	100.40	101.40	0.01	<0.1
844SP5CR0897	116.00	116.50	<0.01	0.4
844SP5CR0897	116.50	117.30	0.01	0.3
844SP5CR0897	117.30	117.90	0.02	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0897	117.90	118.30	0.02	1.1
844SP5CR0897	118.30	119.00	0.07	0.7
844SP5CR0897	119.00	119.80	0.03	0.5
844SP5CR0897	126.10	126.70	0.02	0.5
844SP5CR0897	130.20	131.40	<0.01	0.2
844SP5CR0897	131.40	132.60	0.02	0.4
844SP5CR0897	132.60	133.60	0.02	1.0
844SP5CR0897	133.60	134.10	0.30	3.4
844SP5CR0897	142.00	142.50	0.02	0.8
844SP5CR0897	142.50	142.90	0.06	0.2
844SP5CR0897	144.00	144.40	0.02	0.4
844SP5CR0897	144.40	145.30	0.01	0.4
844SP5CR0897	145.30	145.90	0.01	0.6
844SP5CR0897	145.90	147.00	0.09	1.3
844SP5CR0897	147.00	147.90	0.02	0.4
844SP5CR0897	147.90	148.30	0.02	2.4
844SP5CR0897	148.30	149.50	0.02	2.3
844SP5CR0897	149.50	150.70	0.03	0.8
844SP5CR0897	150.70	151.35	3.38	10.3
844SP5CR0897	151.35	152.50	0.09	1.6
844SP5CR0897	154.40	155.50	0.02	1.5
844SP5CR0897	155.50	156.00	0.04	1.8
844SP5CR0897	156.00	156.80	0.02	1.3
844SP5CR0897	156.80	158.00	0.20	1.9
844SP5CR0897	167.00	168.20	0.07	1.7
844SP5CR0897	168.20	168.90	0.10	1.3
844SP5CR0897	168.90	170.10	0.07	2.9
844SP5CR0897	170.10	170.80	0.05	4.1
844SP5CR0897	170.80	172.00	0.04	4.8
844SP5CR0897	172.00	173.20	0.10	5.4
844SP5CR0897	173.20	174.40	0.06	4.8
844SP5CR0897	174.40	175.10	0.09	3.4
844SP5CR0897	175.10	175.90	0.15	13.2
844SP5CR0897	179.20	180.00	0.07	8.0
844SP5CR0897	180.00	180.60	0.07	1.2
844SP5CR0897	182.70	183.30	0.03	2.7
844SP5CR0897	183.30	184.40	0.06	2.1
844SP5CR0897	184.40	185.00	0.09	1.3
844SP5CR0897	185.00	186.00	0.09	1.3
844SP5CR0897	186.00	187.20	0.05	3.2
844SP5CR0897	187.20	188.00	0.04	8.1
844SP5CR0897	188.00	189.00	0.03	5.5
844SP5CR0897	189.00	189.40	0.02	1.0
844SP5CR0897	189.40	190.20	0.04	3.1
844SP5CR0897	190.20	191.40	0.07	0.5
844SP5CR0897	191.40	192.10	0.02	7.4
844SP5CR0897	192.10	193.20	0.02	5.4
844SP5CR0897	193.20	194.40	0.02	1.4
844SP5CR0897	194.40	195.00	0.05	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP5CR0897	195.00	196.00	0.03	0.8
844SP5CR0897	196.00	196.80	0.06	1.3
844SP5CR0897	198.00	198.60	0.18	1.4
844SP5CR0897	198.60	199.50	0.06	2.5
844SP5CR0897	199.50	200.50	0.03	6.6
844SP5CR0897	200.50	201.40	0.03	4.6
844SP5CR0897	201.40	202.50	0.25	2.8
844SP5CR0897	202.50	203.50	0.26	1.7
844SP5CR0897	203.50	204.40	0.77	2.4
844SP5CR0897	204.40	205.50	1.25	5.9
844SP5CR0897	205.50	206.60	0.46	4.6
844SP5CR0897	206.60	207.50	0.58	5.1
844SP5CR0897	207.50	208.00	5.15	7.1
844SP5CR0897	208.00	208.50	0.75	4.2
844SP5CR0897	208.50	209.40	1.44	6.6
844SP5CR0897	209.40	210.00	0.12	1.8
844SP5CR0897	210.00	211.10	<0.01	0.3
844SP5CR0897	211.10	212.00	<0.01	0.1
844SP5CR0897	212.00	213.00	<0.01	<0.1
844SP5CR0897	213.00	213.90	1.96	21.6
844SP5CR0897	213.90	214.50	4.07	38.1
844SP5CR0897	214.50	215.20	0.33	11.1
844SP5CR0897	215.20	216.20	0.09	1.2
844SP5CR0897	216.20	217.30	0.69	4.5
844SP5CR0897	217.30	218.40	0.02	1.2
844SP5CR0897	218.40	219.50	<0.01	0.4
844SP5CR0897	219.50	220.70	<0.01	0.3
844SP5CR0897	220.70	221.90	0.01	0.2
844SP5CR0897	221.90	223.10	0.02	0.4
844SP7CR0889	3.30	3.70	14.90	6.2
844SP7CR0889	7.50	7.90	0.06	0.7
844SP7CR0889	42.20	43.30	0.04	1.7
844SP7CR0889	43.30	44.50	0.02	0.4
844SP7CR0889	44.50	45.50	0.02	0.3
844SP7CR0889	53.70	54.40	0.17	0.6
844SP7CR0889	54.40	55.40	0.02	0.2
844SP7CR0889	55.40	55.80	0.02	0.7
844SP7CR0889	55.80	57.10	<0.01	0.2
844SP7CR0889	60.20	61.20	<0.01	0.5
844SP7CR0889	61.20	61.65	<0.01	0.3
844SP7CR0889	61.65	62.50	<0.01	0.4
844SP7CR0889	81.10	82.20	0.02	0.4
844SP7CR0889	82.20	83.20	<0.01	0.3
844SP7CR0889	83.20	84.20	0.05	0.3
844SP7CR0889	84.20	85.40	0.09	0.8
844SP7CR0889	99.20	99.60	0.03	0.4
844SP7CR0889	103.20	104.20	<0.01	0.2
844SP7CR0889	104.20	105.20	0.10	0.4
844SP7CR0889	108.70	109.20	<0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP7CR0889	109.20	110.10	<0.01	0.1
844SP7CR0889	110.10	111.00	0.01	0.2
844SP7CR0889	111.00	111.50	<0.01	0.8
844SP7CR0889	112.70	113.40	<0.01	0.3
844SP7CR0889	127.70	128.90	<0.01	<0.1
844SP7CR0889	128.90	129.80	<0.01	0.1
844SP7CR0889	129.80	130.70	<0.01	<0.1
844SP7CR0889	130.70	131.40	<0.01	0.2
844SP7CR0889	131.40	132.00	<0.01	0.5
844SP7CR0889	132.00	132.80	<0.01	0.3
844SP7CR0889	132.80	133.90	<0.01	0.8
844SP7CR0889	133.90	134.70	0.01	1.1
844SP7CR0889	134.70	135.50	0.03	2.2
844SP7CR0889	135.50	136.00	2.04	3.2
844SP7CR0889	136.00	136.50	0.16	1.0
844SP7CR0889	136.50	137.30	0.34	10.9
844SP7CR0889	137.30	138.40	22.90	55.0
844SP7CR0889	138.40	139.50	13.80	58.2
844SP7CR0889	139.50	140.00	20.60	55.3
844SP7CR0889	140.00	140.90	9.29	52.9
844SP7CR0889	140.90	141.20	6.62	22.8
844SP7CR0889	141.20	142.20	8.89	16.5
844SP7CR0889	142.20	142.80	9.78	38.8
844SP7CR0889	142.80	143.40	1.81	13.9
844SP7CR0889	143.40	144.20	0.02	0.3
844SP7CR0889	144.20	145.10	0.04	0.6
844SP7CR0889	145.10	145.70	5.91	7.1
844SP7CR0889	145.70	146.90	1.77	11.5
844SP7CR0889	146.90	147.80	4.05	10.2
844SP7CR0889	147.80	149.00	0.04	0.6
844SP7CR0889	149.00	150.20	1.37	2.5
844SP7CR0889	150.20	151.40	0.04	<0.1
844SP7CR0889	151.40	152.30	<0.01	0.2
844SP7CR0889	152.30	153.20	0.07	0.6
844SP7CR0889	153.20	153.90	0.16	1.4
844SP7CR0889	153.90	154.50	1.29	5.2
844SP7CR0889	154.50	154.90	0.73	1.4
844SP7CR0889	154.90	155.90	0.03	0.4
844SP7CR0889	155.90	157.00	0.01	0.5
844SP7CR0889	157.00	157.80	0.02	0.6
844SP7CR0889	157.80	158.70	0.02	0.4
844SP7CR0889	158.70	159.40	0.04	0.4
844SP7CR0889	159.40	160.00	0.15	0.6
844SP7CR0889	160.00	161.00	0.08	0.5
844SP7CR0889	161.00	161.90	0.04	0.3
844SP7CR0889	161.90	162.80	0.04	0.3
844SP7CR0889	162.80	163.90	0.05	0.3
844SP7CR0889	163.90	164.90	0.04	0.2
844SP7CR0889	164.90	166.00	0.03	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP7CR0889	166.00	167.00	0.05	0.8
844SP7CR0889	167.00	168.00	0.02	0.3
844SP7CR0889	168.00	168.90	<0.01	<0.1
844SP7CR0889	168.90	170.00	0.01	0.1
844SP7CR0889	170.00	171.00	<0.01	0.2
844SP7CR0890	0.00	1.00	0.63	2.7
844SP7CR0890	1.00	2.00	0.79	1.9
844SP7CR0890	2.00	3.00	1.91	2.6
844SP7CR0890	3.00	4.00	1.30	1.9
844SP7CR0890	14.30	15.00	3.84	4.4
844SP7CR0890	15.00	16.00	0.16	1.7
844SP7CR0890	48.60	49.00	0.02	0.5
844SP7CR0890	51.00	51.50	0.03	0.2
844SP7CR0890	66.50	67.50	0.02	0.2
844SP7CR0890	94.00	94.50	0.04	1.0
844SP7CR0890	94.50	95.40	0.03	0.2
844SP7CR0890	136.50	137.00	0.02	0.4
844SP7CR0890	140.40	141.00	0.08	1.7
844SP7CR0890	141.00	141.50	0.05	0.9
844SP7CR0890	141.50	143.00	0.02	0.4
844SP7CR0890	143.80	144.90	0.02	0.4
844SP7CR0890	144.90	145.60	0.06	4.0
844SP7CR0890	145.60	146.30	0.06	0.2
844SP7CR0890	146.30	147.00	0.07	0.5
844SP7CR0890	147.00	148.00	0.03	0.4
844SP7CR0890	148.00	149.00	0.16	0.9
844SP7CR0890	149.00	149.90	0.06	1.1
844SP7CR0890	149.90	151.00	0.32	2.9
844SP7CR0890	151.00	152.00	0.03	0.6
844SP7CR0890	152.00	153.00	0.06	0.7
844SP7CR0890	153.00	153.50	0.63	1.7
844SP7CR0890	153.50	154.30	0.47	2.7
844SP7CR0890	154.30	155.00	7.77	9.6
844SP7CR0890	155.00	156.10	1.42	5.4
844SP7CR0890	156.10	157.00	0.16	3.7
844SP7CR0890	157.00	158.00	0.11	1.5
844SP7CR0890	158.00	158.90	0.02	0.4
844SP7CR0890	158.90	160.00	0.14	3.2
844SP7CR0890	160.00	161.00	0.04	0.4
844SP7CR0890	161.00	162.00	0.02	0.2
844SP7CR0890	162.00	163.10	0.09	0.4
844SP7CR0890	163.10	164.00	0.09	0.7
844SP7CR0890	164.00	165.00	0.19	1.8
844SP7CR0890	165.00	166.00	0.08	2.8
844SP7CR0890	166.00	167.00	0.08	1.3
844SP7CR0890	167.00	168.00	0.10	1.8
844SP7CR0890	168.00	169.00	0.24	1.3
844SP7CR0890	169.00	169.90	0.54	3.7
844SP7CR0890	169.90	171.00	0.14	12.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP7CR0890	171.00	172.00	0.97	8.0
844SP7CR0890	172.00	173.00	0.49	9.0
844SP7CR0890	173.00	174.00	4.39	12.2
844SP7CR0890	174.00	175.00	0.11	6.9
844SP7CR0890	175.00	176.00	2.20	14.0
844SP7CR0890	176.00	177.00	29.20	41.9
844SP7CR0890	177.00	178.00	22.40	36.4
844SP7CR0890	178.00	179.00	4.24	22.8
844SP7CR0890	179.00	180.40	2.14	18.9
844SP7CR0890	180.40	181.60	0.50	2.8
844SP7CR0890	181.60	182.60	0.13	2.0
844SP7CR0890	182.60	183.60	0.30	2.2
844SP7CR0890	183.60	184.40	0.02	0.3
844SP7CR0890	184.40	185.00	0.01	0.2
844SP7CR0890	185.00	186.00	0.01	0.5
844SP7CR0890	186.00	187.00	0.04	0.3
844SP7CR0890	187.00	188.00	0.01	0.5
844SP7CR0890	188.00	189.00	<0.01	0.6
844SP7CR0890	189.00	190.00	0.01	0.4
844SP7CR0890	190.00	191.00	0.02	0.3
844SP7CR0890	191.00	192.00	0.04	0.4
844SP7CR0890	192.00	193.00	0.01	0.2
908SP5QP0837	2.80	3.30	0.01	0.6
908SP5QP0837	3.30	3.90	0.01	0.4
908SP5QP0837	3.90	4.55	0.03	4.0
908SP5QP0837	5.50	6.50	0.01	0.6
908SP5QP0837	14.00	14.50	0.02	1.8
908SP5QP0837	16.25	16.65	0.02	2.5
908SP5QP0837	19.50	20.50	0.01	1.1
908SP5QP0837	20.50	21.30	0.01	1.3
908SP5QP0837	21.30	22.60	0.02	1.3
908SP5QP0837	27.15	28.30	0.01	1.0
908SP5QP0837	28.30	29.10	0.01	0.6
908SP5QP0837	29.10	30.00	0.03	0.7
908SP5QP0837	32.00	32.70	0.02	2.2
908SP5QP0837	34.55	35.05	0.01	1.1
908SP5QP0837	37.00	38.00	0.01	0.7
908SP5QP0837	38.00	39.00	0.01	1.1
908SP5QP0837	39.00	39.90	0.01	0.7
908SP5QP0837	39.90	40.30	0.04	0.8
908SP5QP0837	44.00	45.00	0.01	0.6
908SP5QP0837	45.00	46.10	0.01	0.9
908SP5QP0837	46.10	46.60	0.01	0.6
908SP5QP0837	46.60	47.00	0.01	0.3
908SP5QP0837	50.00	50.70	0.03	2.3
908SP5QP0837	50.70	51.15	0.03	1.7
908SP5QP0837	51.15	52.35	0.01	0.7
908SP5QP0837	52.35	53.55	0.01	0.7
908SP5QP0837	53.55	54.00	0.02	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0837	54.00	55.00	0.01	0.4
908SP5QP0837	57.00	57.60	0.01	0.6
908SP5QP0837	57.60	58.45	0.02	0.7
908SP5QP0837	58.45	59.10	0.01	0.6
908SP5QP0837	62.00	63.00	0.01	0.9
908SP5QP0837	67.00	68.00	0.01	0.6
908SP5QP0837	68.00	69.00	0.01	0.5
908SP5QP0837	70.00	71.00	0.01	0.4
908SP5QP0837	71.00	72.00	0.01	0.4
908SP5QP0837	72.00	72.40	0.02	0.6
908SP5QP0837	74.30	74.85	0.02	1.5
908SP5QP0837	76.00	77.00	0.01	1.8
908SP5QP0837	77.00	78.00	0.02	1.2
908SP5QP0837	81.00	82.00	0.01	0.7
908SP5QP0837	86.00	87.00	0.01	0.9
908SP5QP0837	87.00	88.00	0.01	0.9
908SP5QP0837	88.00	89.10	0.05	1.1
908SP5QP0837	89.10	90.00	0.04	5.8
908SP5QP0837	90.00	90.50	0.01	1.0
908SP5QP0837	90.50	92.00	0.02	3.4
908SP5QP0837	92.00	92.60	0.03	4.7
908SP5QP0837	92.60	93.05	0.01	1.3
908SP5QP0837	106.00	107.00	0.01	0.7
908SP5QP0837	119.00	120.00	0.01	1.4
908SP5QP0837	123.00	124.00	0.02	1.5
908SP5QP0837	124.00	125.00	1.40	3.1
908SP5QP0837	125.00	126.00	0.02	1.3
908SP5QP0837	126.00	127.00	0.01	1.0
908SP5QP0837	134.00	135.00	0.01	0.7
908SP5QP0837	136.00	137.00	0.01	0.9
908SP5QP0837	147.00	148.00	0.01	0.6
908SP5QP0837	149.00	150.00	0.01	1.3
908SP5QP0837	150.00	151.00	0.01	1.6
908SP5QP0837	153.00	154.00	0.02	1.9
908SP5QP0837	154.00	155.00	0.01	2.0
908SP5QP0837	156.00	157.00	0.01	0.8
908SP5QP0837	157.00	158.00	0.01	1.3
908SP5QP0837	158.00	159.00	0.01	1.4
908SP5QP0837	159.00	160.00	0.01	1.4
908SP5QP0837	164.00	165.00	0.01	1.0
908SP5QP0837	165.00	166.00	0.01	1.1
908SP5QP0837	172.00	173.00	0.01	0.5
908SP5QP0837	173.90	174.35	0.02	0.6
908SP5QP0837	174.35	175.35	0.01	0.6
908SP5QP0837	175.35	176.35	0.01	0.5
908SP5QP0837	176.35	177.35	0.01	0.5
908SP5QP0837	177.35	178.05	0.01	0.4
908SP5QP0837	178.05	178.50	0.01	0.7
908SP5QP0837	178.50	179.50	0.01	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0837	183.35	184.15	0.01	0.6
908SP5QP0837	184.15	185.00	0.01	0.2
908SP5QP0837	185.00	186.00	0.02	0.6
908SP5QP0837	186.00	187.00	0.01	0.6
908SP5QP0837	187.00	187.95	0.01	1.0
908SP5QP0837	187.95	188.45	0.01	0.5
908SP5QP0837	188.45	189.00	0.01	0.4
908SP5QP0837	189.00	189.40	0.01	0.5
908SP5QP0837	189.40	189.85	0.02	1.3
908SP5QP0837	189.85	190.50	0.32	2.9
908SP5QP0837	190.50	191.60	0.01	0.6
908SP5QP0837	191.60	192.40	0.01	0.4
908SP5QP0837	192.40	193.15	6.36	12.9
908SP5QP0837	193.15	193.70	0.03	1.8
908SP5QP0837	193.70	194.50	0.01	0.5
908SP5QP0837	194.50	195.45	0.01	1.0
908SP5QP0837	195.45	195.95	0.09	1.3
908SP5QP0837	198.00	198.50	0.01	1.7
908SP5QP0837	202.50	203.50	0.04	1.7
908SP5QP0837	205.50	206.50	0.01	1.4
908SP5QP0837	208.50	209.50	0.01	0.4
908SP5QP0837	211.30	212.20	0.02	1.0
908SP5QP0837	212.20	213.35	0.02	1.7
908SP5QP0837	213.35	214.45	0.01	0.3
908SP5QP0837	214.45	215.30	0.01	0.6
908SP5QP0837	215.30	216.40	0.01	0.5
908SP5QP0837	216.40	217.05	0.05	5.6
908SP5QP0837	218.15	219.10	0.03	1.0
908SP5QP0837	219.10	220.00	0.02	0.5
908SP5QP0837	220.00	221.00	0.01	0.4
908SP5QP0837	221.00	222.00	0.01	0.6
908SP5QP0837	222.00	223.00	0.01	0.4
908SP5QP0837	223.00	224.00	0.02	0.4
908SP5QP0837	224.00	225.00	0.01	0.5
908SP5QP0837	225.00	226.00	0.02	0.5
908SP5QP0837	226.00	227.00	0.01	0.3
908SP5QP0837	227.00	228.00	0.01	0.7
908SP5QP0837	228.00	229.00	0.01	0.3
908SP5QP0837	230.00	231.00	0.01	1.8
908SP5QP0837	233.00	234.00	0.02	1.1
908SP5QP0837	234.00	235.00	0.01	0.5
908SP5QP0837	235.00	236.00	0.01	0.8
908SP5QP0837	236.00	237.00	0.01	0.5
908SP5QP0837	238.00	239.00	0.01	0.1
908SP5QP0837	239.00	240.00	0.01	0.1
908SP5QP0837	240.00	241.00	0.01	0.3
908SP5QP0837	242.00	243.00	0.01	0.6
908SP5QP0837	243.00	244.00	0.01	0.7
908SP5QP0837	245.00	245.90	0.01	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0837	245.90	247.00	0.01	0.7
908SP5QP0837	247.00	248.00	0.01	0.8
908SP5QP0837	248.00	249.10	0.14	0.9
908SP5QP0837	249.10	250.20	0.01	1.5
908SP5QP0837	250.20	251.20	0.01	0.7
908SP5QP0837	251.20	251.95	0.01	1.0
908SP5QP0837	251.95	253.00	0.04	1.0
908SP5QP0837	253.00	253.55	0.02	1.3
908SP5QP0837	253.55	254.45	0.01	1.0
908SP5QP0837	254.45	255.50	0.01	1.9
908SP5QP0837	255.50	256.10	0.01	1.4
908SP5QP0837	256.10	256.85	0.01	0.3
908SP5QP0837	256.85	257.50	0.02	0.6
908SP5QP0837	257.50	258.15	0.04	1.1
908SP5QP0837	258.15	259.00	0.07	1.0
908SP5QP0837	259.00	260.00	0.03	0.7
908SP5QP0837	260.00	261.00	0.04	0.7
908SP5QP0837	261.00	262.00	0.03	0.9
908SP5QP0837	262.00	263.00	0.04	1.3
908SP5QP0837	263.00	264.00	0.04	1.3
908SP5QP0837	264.00	264.80	0.02	0.6
908SP5QP0837	264.80	265.60	0.03	0.8
908SP5QP0837	265.60	266.30	0.03	1.3
908SP5QP0837	266.30	267.30	0.02	1.1
908SP5QP0837	267.30	268.30	0.02	0.9
908SP5QP0837	268.30	269.30	0.03	1.0
908SP5QP0837	269.30	269.80	4.51	3.8
908SP5QP0837	272.80	273.20	0.03	0.9
908SP5QP0837	275.30	276.40	0.04	0.9
908SP5QP0837	276.40	277.50	0.05	0.4
908SP5QP0837	277.50	278.10	4.54	4.1
908SP5QP0837	278.10	279.00	0.03	0.9
908SP5QP0837	279.00	280.00	0.02	0.7
908SP5QP0837	280.00	281.00	0.01	1.1
908SP5QP0837	281.00	282.00	0.02	1.6
908SP5QP0837	282.00	283.00	0.02	0.7
908SP5QP0837	283.00	284.00	0.02	0.5
908SP5QP0837	284.00	284.80	0.01	1.1
908SP5QP0837	284.80	285.50	0.04	0.6
908SP5QP0837	285.50	286.60	0.02	1.5
908SP5QP0837	286.60	287.00	0.15	1.6
908SP5QP0837	287.00	288.00	0.02	1.7
908SP5QP0837	288.00	288.70	0.02	1.6
908SP5QP0837	288.70	289.50	2.68	4.3
908SP5QP0837	289.50	290.35	3.31	5.3
908SP5QP0837	290.35	291.40	0.01	0.5
908SP5QP0837	291.40	292.10	0.05	1.0
908SP5QP0837	292.10	292.80	0.04	1.1
908SP5QP0837	292.80	293.60	0.02	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0837	293.60	294.70	0.01	0.6
908SP5QP0837	294.70	295.30	0.01	0.8
908SP5QP0837	295.30	296.10	0.77	1.5
908SP5QP0837	296.10	296.80	0.01	0.7
908SP5QP0837	296.80	297.50	0.02	0.6
908SP5QP0837	297.50	298.50	0.01	0.9
908SP5QP0837	298.50	299.30	0.02	0.5
908SP5QP0837	299.30	300.00	0.02	0.4
908SP5QP0837	301.00	302.00	0.04	1.0
908SP5QP0837	305.00	306.00	0.01	0.4
908SP5QP0837	318.00	319.00	0.01	0.7
908SP5QP0837	319.00	320.00	0.01	0.5
908SP5QP0837	329.00	330.00	0.02	1.2
908SP5QP0837	331.00	331.90	0.03	2.3
908SP5QP0837	331.90	332.40	0.02	1.2
908SP5QP0837	332.40	333.60	0.06	0.3
908SP5QP0837	333.60	334.10	0.04	0.5
908SP5QP0837	334.10	334.60	0.03	1.3
908SP5QP0837	334.60	335.60	0.01	0.8
908SP5QP0837	338.00	339.00	0.15	0.6
908SP5QP0837	341.00	342.00	0.01	0.6
908SP5QP0837	342.00	343.00	0.01	0.5
908SP5QP0837	343.00	344.00	0.01	0.5
908SP5QP0837	344.00	345.00	0.05	1.2
908SP5QP0837	345.00	346.00	0.05	1.8
908SP5QP0837	347.00	348.00	0.02	1.2
908SP5QP0837	348.00	349.00	0.07	1.2
908SP5QP0837	349.00	350.00	0.01	1.2
908SP5QP0837	352.00	353.00	0.02	1.0
908SP5QP0837	356.00	357.00	0.01	0.9
908SP5QP0837	357.00	358.00	0.01	0.9
908SP5QP0837	358.00	359.00	0.02	1.0
908SP5QP0837	359.00	360.00	0.02	1.7
908SP5QP0837	362.00	363.00	0.06	1.7
908SP5QP0837	363.00	364.00	0.13	2.3
908SP5QP0837	364.00	365.00	0.09	1.8
908SP5QP0837	365.00	366.00	0.04	1.3
908SP5QP0837	366.00	367.00	0.10	1.3
908SP5QP0837	367.00	368.00	0.02	0.9
908SP5QP0837	368.00	369.00	0.01	0.8
908SP5QP0837	369.00	370.00	0.01	0.9
908SP5QP0837	370.00	371.00	0.01	1.2
908SP5QP0837	371.00	371.40	0.01	1.9
908SP5QP0837	371.40	372.30	0.05	1.4
908SP5QP0837	372.30	373.00	0.02	1.2
908SP5QP0837	374.00	375.00	0.02	3.8
908SP5QP0837	375.00	376.00	0.01	0.8
908SP5QP0837	376.00	377.00	0.04	1.4
908SP5QP0837	377.00	378.00	0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0837	378.00	379.00	0.01	0.4
908SP5QP0837	379.00	380.00	0.01	0.5
908SP5QP0837	380.00	381.00	0.01	1.0
908SP5QP0837	381.00	382.00	0.01	1.1
908SP5QP0837	382.00	383.00	0.04	1.6
908SP5QP0837	383.00	384.00	0.11	2.4
908SP5QP0837	384.00	385.00	0.03	1.4
908SP5QP0837	385.00	386.00	0.06	3.8
908SP5QP0837	386.00	387.00	0.01	0.6
908SP5QP0837	387.00	388.00	0.02	0.8
908SP5QP0837	388.00	389.00	0.02	1.1
908SP5QP0837	389.00	390.00	0.01	1.0
908SP5QP0837	390.00	391.00	0.01	0.7
908SP5QP0837	391.00	392.00	0.01	0.7
908SP5QP0837	392.00	393.00	0.01	0.6
908SP5QP0837	393.00	394.00	0.10	0.4
908SP5QP0837	394.00	395.00	0.02	0.5
908SP5QP0837	397.00	398.00	0.07	1.1
908SP5QP0837	398.00	399.00	0.06	0.5
908SP5QP0837	399.00	399.60	0.02	1.3
908SP5QP0837	399.60	400.30	0.01	0.8
908SP5QP0837	400.30	401.00	0.01	0.9
908SP5QP0837	401.00	402.00	0.02	0.5
908SP5QP0837	404.00	405.00	0.01	0.9
908SP5QP0837	405.00	406.00	0.01	0.3
908SP5QP0837	407.00	408.00	0.01	0.1
908SP5QP0837	416.00	417.00	0.02	0.7
908SP5QP0837	417.00	418.00	0.01	0.3
908SP5QP0837	419.00	420.00	0.02	0.6
908SP5QP0837	421.00	422.00	0.01	1.0
908SP5QP0837	422.00	423.00	0.03	1.1
908SP5QP0837	430.00	431.00	0.04	0.8
908SP5QP0837	431.00	432.00	0.18	1.3
908SP5QP0837	432.00	433.20	0.02	0.8
908SP5QP0837	433.20	434.10	0.04	1.0
908SP5QP0837	434.10	435.00	0.01	0.2
908SP5QP0837	437.00	438.00	0.05	1.2
908SP5QP0837	438.00	439.00	0.10	1.0
908SP5QP0837	439.00	439.50	0.06	0.5
908SP5QP0837	439.50	440.00	0.13	0.8
908SP5QP0837	440.00	441.00	0.07	0.3
908SP5QP0837	441.00	442.00	0.09	1.6
908SP5QP0837	442.00	443.00	0.02	0.8
908SP5QP0837	443.00	444.00	0.02	0.8
908SP5QP0837	444.00	445.00	0.03	1.2
908SP5QP0837	445.00	446.00	0.02	0.9
908SP5QP0837	446.00	447.00	0.02	1.1
908SP5QP0837	447.00	447.60	0.01	0.6
908SP5QP0837	447.60	448.00	0.03	1.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0837	448.00	449.00	0.04	0.8
908SP5QP0837	449.00	450.00	0.04	1.0
908SP5QP0837	450.00	450.70	0.09	2.1
908SP5QP0837	450.70	451.70	0.05	1.8
908SP5QP0837	451.70	452.10	0.03	1.3
908SP5QP0837	452.10	452.80	0.03	0.6
908SP5QP0837	452.80	453.40	0.02	0.7
908SP5QP0837	453.40	454.50	0.02	0.6
908SP5QP0837	454.50	455.60	0.02	1.3
908SP5QP0837	455.60	456.40	0.06	2.5
908SP5QP0837	456.40	457.00	0.10	3.8
908SP5QP0837	457.00	457.70	0.03	1.1
908SP5QP0837	457.70	458.20	0.02	0.5
908SP5QP0837	458.20	459.00	0.06	1.1
908SP5QP0837	459.00	460.00	0.04	1.1
908SP5QP0837	462.00	463.00	0.03	0.4
908SP5QP0837	463.00	463.40	0.04	0.3
908SP5QP0837	463.40	464.00	0.11	0.3
908SP5QP0837	464.00	465.00	0.01	0.3
908SP5QP0837	465.00	465.70	0.02	0.5
908SP5QP0837	465.70	466.30	0.02	0.5
908SP5QP0837	466.30	467.00	0.01	0.4
908SP5QP0837	467.00	468.00	0.02	0.5
908SP5QP0837	468.00	469.00	0.01	0.3
908SP5QP0837	469.00	469.40	0.03	0.6
908SP5QP0837	469.40	470.50	0.01	0.5
908SP5QP0837	470.50	470.90	0.01	0.2
908SP5QP0837	470.90	472.00	0.02	0.9
908SP5QP0837	474.00	475.00	0.05	2.1
908SP5QP0837	476.00	477.00	0.02	2.0
908SP5QP0837	477.00	478.00	0.02	1.9
908SP5QP0837	478.00	479.00	0.02	2.5
908SP5QP0837	479.00	480.00	0.01	1.2
908SP5QP0877	1.35	2.35	0.04	1.0
908SP5QP0877	12.05	13.00	0.01	1.6
908SP5QP0877	18.85	19.70	0.01	1.2
908SP5QP0877	22.45	22.90	0.03	2.0
908SP5QP0877	25.00	25.85	0.02	3.1
908SP5QP0877	25.85	26.15	0.01	0.8
908SP5QP0877	26.15	26.50	0.02	4.8
908SP5QP0877	37.30	37.70	0.03	1.6
908SP5QP0877	46.10	47.10	0.03	0.6
908SP5QP0877	49.50	49.90	0.03	1.4
908SP5QP0877	54.00	55.00	0.01	0.4
908SP5QP0877	62.80	63.50	0.01	1.0
908SP5QP0877	63.50	64.30	0.01	1.1
908SP5QP0877	69.00	70.10	0.01	0.7
908SP5QP0877	70.10	71.50	0.02	3.7
908SP5QP0877	71.50	72.00	0.01	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0877	72.00	73.00	0.01	0.6
908SP5QP0877	73.00	74.00	0.01	0.8
908SP5QP0877	74.00	75.00	0.01	0.5
908SP5QP0877	81.00	82.00	0.01	0.4
908SP5QP0877	87.95	88.50	0.01	0.4
908SP5QP0877	102.50	103.50	0.01	0.6
908SP5QP0877	104.50	105.50	0.01	0.8
908SP5QP0877	105.50	106.50	0.01	0.8
908SP5QP0877	106.50	107.50	0.01	0.9
908SP5QP0877	111.50	112.50	0.01	1.1
908SP5QP0877	114.50	115.50	0.03	1.5
908SP5QP0877	115.50	116.65	0.61	1.8
908SP5QP0877	122.70	123.50	0.01	0.7
908SP5QP0877	125.50	126.50	0.01	1.2
908SP5QP0877	126.50	127.60	0.05	1.0
908SP5QP0877	133.60	134.10	0.01	0.9
908SP5QP0877	134.10	135.00	0.01	1.0
908SP5QP0877	135.00	136.00	0.01	1.1
908SP5QP0877	149.00	149.50	0.01	0.8
908SP5QP0877	154.50	154.90	0.01	0.9
908SP5QP0877	154.90	155.85	0.01	1.3
908SP5QP0877	155.85	156.75	0.02	1.0
908SP5QP0877	156.75	157.40	0.01	1.0
908SP5QP0877	160.20	161.00	0.01	1.2
908SP5QP0877	161.55	161.95	0.04	1.5
908SP5QP0877	161.95	162.50	0.02	1.3
908SP5QP0877	166.60	167.80	0.09	2.0
908SP5QP0877	167.80	168.85	0.02	1.7
908SP5QP0877	168.85	169.50	0.03	1.7
908SP5QP0877	169.50	170.20	0.05	1.8
908SP5QP0877	170.20	171.15	0.02	1.3
908SP5QP0877	171.15	172.35	0.03	1.5
908SP5QP0877	172.35	173.20	0.03	1.8
908SP5QP0877	173.20	174.15	0.04	1.7
908SP5QP0877	174.15	175.00	0.01	1.0
908SP5QP0877	177.00	178.00	0.03	2.0
908SP5QP0877	179.00	180.00	0.02	1.6
908SP5QP0877	180.00	180.50	0.01	1.4
908SP5QP0877	181.50	182.50	0.03	2.5
908SP5QP0877	182.50	183.50	0.02	3.0
908SP5QP0877	183.50	184.15	0.01	1.5
908SP5QP0877	184.15	184.75	0.01	1.0
908SP5QP0877	184.75	185.05	0.03	1.0
908SP5QP0877	185.05	186.00	2.05	38.8
908SP5QP0877	186.00	187.00	0.02	1.5
908SP5QP0877	187.00	188.00	0.02	1.0
908SP5QP0877	188.00	188.55	0.01	1.2
908SP5QP0877	188.55	189.00	0.01	1.3
908SP5QP0877	189.00	189.50	0.01	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0877	189.50	189.95	0.05	1.3
908SP5QP0877	189.95	191.00	0.01	1.1
908SP5QP0877	191.00	192.00	0.02	1.4
908SP5QP0877	192.00	193.00	0.03	1.7
908SP5QP0877	193.00	193.80	0.01	1.0
908SP5QP0877	193.80	195.00	0.01	1.0
908SP5QP0877	201.00	202.00	0.01	0.7
908SP5QP0877	202.00	203.00	0.01	0.8
908SP5QP0877	203.00	204.00	0.01	0.9
908SP5QP0877	204.00	205.10	0.01	0.9
908SP5QP0877	205.10	206.00	0.01	0.5
908SP5QP0877	209.00	210.00	0.01	0.6
908SP5QP0877	210.00	211.00	0.01	0.7
908SP5QP0877	211.00	212.00	0.03	0.9
908SP5QP0877	212.00	212.90	0.02	0.6
908SP5QP0877	212.90	213.65	0.01	0.8
908SP5QP0877	213.65	214.30	0.01	0.9
908SP5QP0877	214.30	214.90	0.01	1.5
908SP5QP0877	214.90	216.00	0.01	1.0
908SP5QP0877	217.80	218.50	0.01	1.0
908SP5QP0877	218.50	219.40	0.01	1.1
908SP5QP0877	219.40	219.80	0.01	1.1
908SP5QP0877	219.80	220.80	0.01	0.9
908SP5QP0877	220.80	221.80	0.01	1.2
908SP5QP0877	221.80	222.30	0.02	1.3
908SP5QP0877	225.30	226.30	0.01	1.7
908SP5QP0877	228.30	229.30	0.01	1.9
908SP5QP0877	231.30	232.20	0.03	1.8
908SP5QP0877	234.95	235.70	0.04	1.8
908SP5QP0877	235.70	236.45	0.04	1.8
908SP5QP0877	239.50	240.50	0.06	1.9
908SP5QP0877	240.50	241.50	0.05	1.5
908SP5QP0877	241.50	242.50	0.02	0.6
908SP5QP0877	242.50	243.50	0.03	0.2
908SP5QP0877	243.50	244.50	0.01	0.3
908SP5QP0877	244.50	245.50	0.02	0.5
908SP5QP0877	245.50	246.50	0.01	0.1
908SP5QP0877	249.50	250.50	0.01	0.4
908SP5QP0877	250.50	251.50	0.01	0.4
908SP5QP0877	251.50	252.50	0.01	0.7
908SP5QP0877	252.50	253.50	0.01	0.4
908SP5QP0877	253.50	254.50	0.01	0.8
908SP5QP0877	254.50	255.50	0.01	1.8
908SP5QP0877	255.50	256.50	0.01	1.3
908SP5QP0877	256.50	257.40	0.01	1.0
908SP5QP0877	257.40	258.45	0.01	1.7
908SP5QP0877	258.45	259.10	0.01	1.1
908SP5QP0877	259.10	259.90	0.04	3.4
908SP5QP0877	259.90	260.80	0.02	2.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
908SP5QP0877	260.80	261.65	0.01	1.3
908SP5QP0877	261.65	262.40	0.91	6.5
908SP5QP0877	262.40	263.30	0.73	23.9
908SP5QP0877	263.30	263.80	0.04	1.7
908SP5QP0877	263.80	264.50	0.01	1.1
908SP5QP0877	264.50	265.50	0.01	0.8
908SP5QP0877	265.50	266.20	0.01	0.9
908SP5QP0877	266.20	266.80	0.01	1.3
908SP5QP0877	266.80	268.00	0.01	0.4
908SP5QP0877	268.00	268.45	0.15	0.9
908SP5QP0877	268.45	269.00	0.02	2.3
908SP5QP0877	269.00	270.00	0.01	0.8
908SP5QP0877	270.00	270.75	0.01	1.4
908SP5QP0877	270.75	271.40	0.02	3.9
908SP5QP0877	274.10	274.95	0.02	2.1
908SP5QP0877	274.95	275.90	0.01	0.9
908SP5QP0877	275.90	276.80	0.01	0.9
908SP5QP0877	276.80	277.80	0.01	1.7
908SP5QP0877	277.80	278.80	0.02	2.2
908SP5QP0877	278.80	279.80	0.01	0.7
908SP5QP0877	279.80	280.80	0.01	0.8
908SP5QP0877	280.80	281.80	0.03	1.0
908SP5QP0877	281.80	282.80	0.33	3.0
908SP5QP0877	282.80	283.70	0.11	1.5
908SP5QP0877	283.70	284.20	0.02	1.0
908SP5QP0877	284.20	285.05	0.03	1.3
908SP5QP0877	285.05	285.65	1.02	5.4
908SP5QP0877	285.65	286.30	0.28	3.4
908SP5QP0877	286.30	286.80	0.03	2.0
908SP5QP0877	286.80	287.25	0.64	13.0
908SP5QP0877	287.25	288.15	0.63	6.1
908SP5QP0877	288.15	289.25	2.46	19.3
908SP5QP0877	289.25	290.00	0.02	0.4
908SP5QP0877	290.00	290.60	0.01	0.3
908SP5QP0877	290.60	291.40	0.02	1.4
908SP5QP0877	291.40	292.40	0.01	0.4
908SP5QP0877	292.40	293.40	0.01	0.5
908SP5QP0877	293.40	294.10	0.01	0.6
908SP5QP0877	294.10	294.85	0.01	1.5
908SP5QP0877	294.85	295.50	0.01	0.1
908SP5QP0877	299.50	300.50	0.01	0.1
908SP5QP0877	303.50	304.50	0.01	0.2
908SP5QP0877	306.60	307.70	0.01	0.1
908SP5QP0877	307.70	308.80	0.01	0.1
953SP2DG0914	32.10	33.00	0.59	0.5
953SP2DG0914	33.00	34.20	0.76	11.0
953SP2DG0914	34.20	34.90	0.02	0.5
953SP2DG0914	37.30	38.50	0.02	0.5
953SP2DG0914	38.50	39.40	0.09	10.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DG0914	39.40	40.10	0.01	0.5
953SP2DG0914	43.90	44.20	0.01	0.5
953SP2DG0914	57.70	58.10	0.04	1.0
953SP2DG0914	66.20	67.30	0.28	12.0
953SP2DG0914	67.30	67.60	0.24	2.0
953SP2DG0914	76.80	77.30	0.60	0.5
953SP2DG0914	82.10	83.00	0.05	0.5
953SP2DG0914	89.80	90.20	0.64	0.5
953SP2DG0914	90.20	90.80	0.03	0.5
953SP2DG0914	90.80	91.70	0.08	11.0
953SP2DG0914	93.00	94.00	0.02	3.0
953SP2DG0914	98.60	98.90	0.03	0.5
953SP2DG0914	101.00	102.00	0.03	2.0
953SP2DG0914	108.00	109.00	0.02	0.5
953SP2DG0914	109.00	110.00	<0.01	0.5
953SP2DG0914	110.00	111.00	0.02	0.5
953SP2DG0914	111.00	112.00	0.02	0.5
953SP2DG0914	112.00	113.00	<0.01	0.5
953SP2DG0914	113.00	114.00	0.01	0.5
953SP2DG0914	114.00	114.50	0.05	2.0
953SP2DG0914	114.50	114.90	2.22	4.0
953SP2DG0914	114.90	115.30	0.05	1.0
953SP2DG0914	115.30	116.40	2.42	6.0
953SP2DG0914	116.40	117.60	8.16	16.0
953SP2DG0914	117.60	118.70	6.42	10.0
953SP2DG0914	118.70	119.00	2.86	7.0
953SP2DG0914	119.00	119.30	10.20	15.0
953SP2DG0914	119.30	120.50	0.05	1.0
953SP2DG0914	120.50	121.10	0.03	4.0
953SP2DG0914	121.10	122.30	0.04	0.5
953SP2DG0914	122.30	123.50	0.03	0.5
953SP2DG0914	123.50	124.50	0.02	1.0
953SP2DG0914	124.50	125.70	0.03	2.0
953SP2DG0914	125.70	126.10	0.03	3.0
953SP2DG0914	126.10	127.10	0.02	0.5
953SP2DG0914	127.10	128.30	0.02	0.5
953SP2DG0914	128.30	129.00	0.02	0.5
953SP2DG0914	129.00	129.70	0.02	0.5
953SP2DG0914	129.70	130.50	0.02	0.5
953SP2DG0914	130.50	131.40	14.80	14.0
953SP2DG0914	131.40	132.00	25.40	21.0
953SP2DG0914	132.00	133.10	37.40	33.0
953SP2DG0914	133.10	133.90	10.20	14.0
953SP2DG0914	133.90	134.40	4.95	5.0
953SP2DG0914	134.40	135.00	1.31	2.0
953SP2DG0914	135.00	136.00	0.21	4.0
953SP2DG0914	136.00	136.80	0.04	1.0
953SP2DG0914	136.80	137.70	0.02	0.5
953SP2DG0914	137.70	138.30	0.02	4.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DG0914	138.30	139.20	0.03	4.0
953SP2DG0914	139.20	140.30	14.00	9.0
953SP2DG0914	140.30	140.90	0.06	6.0
953SP2DG0914	140.90	141.70	1.54	5.0
953SP2DG0914	141.70	142.10	0.38	5.0
953SP2DG0914	142.10	143.00	18.60	16.0
953SP2DG0914	143.00	143.80	8.67	11.0
953SP2DG0914	143.80	144.70	0.13	3.0
953SP2DG0914	144.70	145.50	0.04	1.0
953SP2DG0914	145.50	146.10	0.05	0.5
953SP2DG0914	146.10	147.00	0.02	2.0
953SP2DG0914	147.00	147.80	0.03	3.0
953SP2DG0914	147.80	148.60	0.02	0.5
953SP2DG0914	148.60	149.50	0.04	0.5
953SP2DG0914	149.50	150.00	0.03	1.0
953SP2DG0914	150.00	150.80	0.01	2.0
953SP2DG0914	150.80	152.10	0.01	1.0
953SP2DG0914	152.10	153.00	<0.01	0.5
953SP2DG0914	153.00	154.00	0.02	1.0
953SP2DG0914	154.00	154.50	0.03	1.0
953SP2DG0914	154.50	155.30	0.07	2.0
953SP2DG0914	155.30	156.00	<0.01	1.0
953SP2DG0914	156.00	157.00	0.05	4.0
953SP2DG0914	157.00	157.90	0.02	2.0
953SP2DG0914	157.90	159.00	0.04	3.0
953SP2DG0914	160.20	160.50	0.02	12.0
953SP2DG0914	160.50	161.70	<0.01	2.0
953SP2DG0914	161.70	162.90	0.01	3.0
953SP2DG0914	162.90	164.10	0.03	3.0
953SP2DG0914	164.10	165.30	0.02	2.0
953SP2DG0914	165.30	166.60	<0.01	2.0
953SP2DN0905A	16.20	16.60	0.14	5.1
953SP2DN0905A	34.00	34.30	0.12	1.1
953SP2DN0905A	42.50	43.50	0.39	1.9
953SP2DN0905A	43.50	44.50	3.07	24.7
953SP2DN0905A	44.50	45.40	2.75	10.0
953SP2DN0905A	45.40	46.40	0.05	0.9
953SP2DN0905A	52.20	53.40	0.02	0.4
953SP2DN0905A	53.40	54.00	0.33	20.2
953SP2DN0905A	54.00	55.00	0.04	1.6
953SP2DN0905A	55.00	55.65	0.51	12.8
953SP2DN0905A	55.65	56.80	0.06	4.5
953SP2DN0905A	59.30	59.70	0.88	1.1
953SP2DN0905A	66.50	66.80	0.06	0.5
953SP2DN0905A	80.30	80.60	0.03	0.5
953SP2DN0905A	85.90	87.00	0.04	0.4
953SP2DN0905A	87.00	88.00	0.04	0.4
953SP2DN0905A	88.00	89.20	0.05	0.5
953SP2DN0905A	89.20	90.20	0.03	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0905A	90.20	91.20	0.06	1.2
953SP2DN0905A	91.20	92.30	0.04	1.0
953SP2DN0905A	92.30	92.60	1.34	2.6
953SP2DN0905A	92.60	93.60	0.05	0.8
953SP2DN0905A	93.60	93.90	0.10	0.8
953SP2DN0905A	93.90	95.00	0.05	0.7
953SP2DN0905A	95.00	96.00	0.04	0.8
953SP2DN0905A	96.00	96.90	0.04	0.9
953SP2DN0905A	96.90	98.10	11.50	50.1
953SP2DN0905A	98.10	99.00	0.03	0.8
953SP2DN0905A	99.00	100.00	0.02	1.0
953SP2DN0905A	100.00	101.00	0.01	0.4
953SP2DN0905A	101.00	102.00	0.02	0.3
953SP2DN0905A	102.00	103.00	0.01	0.2
953SP2DN0905A	103.00	104.00	0.02	0.4
953SP2DN0905A	104.00	105.00	0.02	0.3
953SP2DN0905A	105.00	106.00	0.03	0.3
953SP2DN0905A	106.00	107.00	0.03	0.5
953SP2DN0905A	107.00	108.20	0.04	0.4
953SP2DN0905A	108.20	109.00	0.05	3.2
953SP2DN0905A	109.00	110.00	0.03	0.8
953SP2DN0905A	110.00	111.00	0.02	0.3
953SP2DN0906	0.90	1.20	0.02	2.2
953SP2DN0906	6.10	6.50	0.05	1.7
953SP2DN0906	12.20	13.00	0.02	0.6
953SP2DN0906	13.00	14.00	0.02	1.5
953SP2DN0906	21.50	22.10	0.03	0.7
953SP2DN0906	29.10	30.00	0.04	1.7
953SP2DN0906	38.20	38.80	3.64	6.7
953SP2DN0906	38.80	39.20	0.40	3.6
953SP2DN0906	45.00	45.80	0.23	14.1
953SP2DN0906	45.80	46.60	0.26	18.9
953SP2DN0906	46.60	47.80	0.03	0.4
953SP2DN0906	51.80	52.10	0.03	3.2
953SP2DN0906	55.90	56.20	0.20	1.1
953SP2DN0906	64.90	65.40	0.10	1.3
953SP2DN0906	65.40	66.30	0.02	0.7
953SP2DN0906	72.20	73.10	<0.01	0.7
953SP2DN0906	75.90	76.60	0.01	0.3
953SP2DN0906	82.80	84.00	0.01	0.7
953SP2DN0906	84.00	84.50	0.27	7.4
953SP2DN0906	84.50	85.50	0.01	0.7
953SP2DN0906	85.50	86.50	0.02	1.0
953SP2DN0906	86.50	87.50	<0.01	0.9
953SP2DN0906	87.50	88.50	0.01	0.9
953SP2DN0906	88.50	89.50	0.01	0.9
953SP2DN0906	89.50	90.30	0.21	11.4
953SP2DN0906	90.30	91.00	0.08	2.1
953SP2DN0906	91.00	91.50	0.04	7.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0906	91.50	92.30	0.53	44.7
953SP2DN0906	92.30	93.40	0.10	2.6
953SP2DN0906	93.40	94.60	0.03	1.2
953SP2DN0906	94.60	95.50	0.01	1.2
953SP2DN0906	95.50	96.70	0.14	2.8
953SP2DN0906	96.70	97.90	<0.01	1.5
953SP2DN0906	97.90	98.50	0.03	1.3
953SP2DN0906	98.50	99.50	0.03	1.3
953SP2DN0906	99.50	100.70	0.01	1.2
953SP2DN0906	100.70	101.90	0.01	1.0
953SP2DN0906	101.90	102.80	11.40	13.2
953SP2DN0906	102.80	103.50	1.04	3.4
953SP2DN0906	103.50	104.50	0.13	1.9
953SP2DN0906	104.50	105.30	29.80	42.6
953SP2DN0906	105.30	106.00	2.71	22.3
953SP2DN0906	106.00	106.60	0.03	0.9
953SP2DN0906	106.60	107.80	0.40	1.2
953SP2DN0906	107.80	109.00	0.04	2.5
953SP2DN0906	109.00	110.20	0.03	1.5
953SP2DN0906	110.20	111.40	0.04	1.7
953SP2DN0906	111.40	112.40	0.03	3.6
953SP2DN0906	112.40	112.90	0.05	3.4
953SP2DN0906	112.90	114.10	0.04	1.1
953SP2DN0906	114.10	114.70	0.07	6.9
953SP2DN0906	114.70	115.90	0.02	0.5
953SP2DN0906	115.90	117.10	0.01	0.3
953SP2DN0906	117.10	118.10	0.08	13.9
953SP2DN0906	118.10	119.10	0.04	5.6
953SP2DN0906	119.10	120.10	0.06	10.8
953SP2DN0906	120.10	121.40	0.03	1.6
953SP2DN0906	121.40	122.30	0.05	1.1
953SP2DN0906	122.30	123.20	0.02	0.9
953SP2DN0906	123.20	124.00	0.03	0.9
953SP2DN0906	124.00	125.20	0.02	0.8
953SP2DN0906	125.20	125.70	0.12	1.2
953SP2DN0906	127.20	128.20	0.07	1.5
953SP2DN0906	130.00	131.00	0.04	0.9
953SP2DN0911	33.40	34.50	0.09	0.3
953SP2DN0911	34.50	35.20	0.36	15.0
953SP2DN0911	35.20	36.20	0.02	0.7
953SP2DN0911	39.40	40.60	<0.01	0.3
953SP2DN0911	40.60	41.80	0.13	11.6
953SP2DN0911	41.80	43.00	0.01	0.4
953SP2DN0911	55.10	56.00	0.02	1.1
953SP2DN0911	56.00	57.00	0.04	0.5
953SP2DN0911	59.40	59.70	0.01	0.8
953SP2DN0911	62.00	62.40	0.04	1.0
953SP2DN0911	73.00	74.00	<0.01	0.3
953SP2DN0911	74.00	75.20	0.45	10.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0911	75.20	76.40	<0.01	0.7
953SP2DN0911	76.40	77.20	0.27	1.8
953SP2DN0911	77.20	78.20	0.04	1.1
953SP2DN0911	78.20	78.60	0.24	0.7
953SP2DN0911	80.90	81.70	<0.01	1.4
953SP2DN0911	81.70	82.00	0.56	5.7
953SP2DN0911	84.00	84.30	2.69	2.9
953SP2DN0911	91.20	91.50	5.60	3.8
953SP2DN0911	94.20	95.20	<0.01	0.3
953SP2DN0911	95.20	96.00	0.02	1.2
953SP2DN0911	96.00	97.20	0.03	0.5
953SP2DN0911	97.20	98.40	<0.01	0.7
953SP2DN0911	98.40	99.20	0.02	3.9
953SP2DN0911	99.20	99.80	0.14	5.6
953SP2DN0911	99.80	100.70	0.10	2.4
953SP2DN0911	100.70	101.90	0.02	0.6
953SP2DN0911	101.90	102.50	1.59	3.1
953SP2DN0911	102.50	103.50	<0.01	0.7
953SP2DN0911	103.50	104.60	<0.01	0.7
953SP2DN0911	104.60	105.10	0.02	0.6
953SP2DN0911	105.10	106.30	0.01	1.7
953SP2DN0911	106.30	107.00	9.38	13.1
953SP2DN0911	107.00	107.80	2.30	26.5
953SP2DN0911	107.80	108.35	31.80	84.3
953SP2DN0911	108.35	109.00	6.21	8.8
953SP2DN0911	109.00	109.90	5.60	6.4
953SP2DN0911	109.90	110.50	24.20	20.6
953SP2DN0911	110.50	111.00	0.03	2.0
953SP2DN0911	111.00	111.90	7.97	8.0
953SP2DN0911	111.90	113.00	0.04	1.5
953SP2DN0911	113.00	114.20	0.13	1.1
953SP2DN0911	114.20	115.40	0.10	1.2
953SP2DN0911	115.40	116.60	0.06	1.2
953SP2DN0911	116.60	117.80	0.03	1.3
953SP2DN0911	117.80	119.00	0.02	1.2
953SP2DN0911	120.40	121.40	0.02	0.9
953SP2DN0911	121.40	122.10	0.39	2.8
953SP2DN0911	122.10	123.10	<0.01	0.8
953SP2DN0911	129.30	130.20	0.02	0.8
953SP2DN0911	130.20	131.30	0.02	0.8
953SP2DN0911	131.30	132.20	0.15	1.6
953SP2DN0911	132.20	133.20	0.07	1.2
953SP2DN0911	133.20	134.20	0.02	1.0
953SP2DN0911	134.20	135.20	0.04	0.7
953SP2DN0911	135.20	135.90	0.02	1.3
953SP2DN0911	135.90	137.40	0.03	5.8
953SP2DN0911	140.60	141.00	0.76	2.1
953SP2DN0911	141.00	141.80	<0.01	1.8
953SP2DN0911	142.80	143.20	0.02	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0911	143.20	144.20	0.02	1.0
953SP2DN0911	144.20	145.70	<0.01	0.9
953SP2DN0911	145.70	146.80	<0.01	0.6
953SP2DN0911	146.80	148.00	<0.01	0.8
953SP2DN0911	148.00	148.90	<0.01	0.5
953SP2DN0911	148.90	150.20	<0.01	1.3
953SP2DN0911	150.20	152.00	0.01	419.0
953SP2DN0912	7.90	8.20	0.25	0.5
953SP2DN0912	9.10	10.00	0.01	0.3
953SP2DN0912	10.00	10.30	0.11	4.3
953SP2DN0912	10.30	11.30	0.06	5.9
953SP2DN0912	14.30	14.60	0.02	0.3
953SP2DN0912	22.00	22.40	0.05	1.6
953SP2DN0912	30.80	32.00	0.02	0.4
953SP2DN0912	32.00	33.00	0.03	0.4
953SP2DN0912	33.00	33.80	2.05	18.1
953SP2DN0912	33.80	34.20	0.02	0.7
953SP2DN0912	34.20	35.40	<0.01	0.3
953SP2DN0912	35.40	36.60	<0.01	0.3
953SP2DN0912	36.60	37.80	0.02	0.2
953SP2DN0912	37.80	39.00	<0.01	0.2
953SP2DN0912	39.00	40.00	<0.01	0.1
953SP2DN0912	40.00	40.80	0.69	10.4
953SP2DN0912	40.80	42.00	<0.01	0.3
953SP2DN0912	51.50	51.80	0.03	0.5
953SP2DN0912	61.40	61.70	0.28	1.9
953SP2DN0912	61.70	62.10	0.04	2.8
953SP2DN0912	62.10	62.50	0.06	2.4
953SP2DN0912	64.80	65.20	0.02	0.8
953SP2DN0912	69.00	70.50	0.01	1.5
953SP2DN0912	70.50	71.20	3.63	10.6
953SP2DN0912	71.20	72.20	0.02	1.0
953SP2DN0912	82.90	84.10	0.01	1.1
953SP2DN0912	84.10	84.70	0.92	2.9
953SP2DN0912	84.70	85.80	0.02	1.2
953SP2DN0912	87.40	87.70	0.05	0.6
953SP2DN0912	93.00	93.30	0.01	0.5
953SP2DN0912	95.50	96.00	<0.01	0.4
953SP2DN0912	104.70	105.00	<0.01	0.3
953SP2DN0912	109.50	110.70	<0.01	0.6
953SP2DN0912	110.70	111.00	0.66	4.1
953SP2DN0912	111.00	111.70	0.02	0.8
953SP2DN0912	111.70	112.70	<0.01	0.9
953SP2DN0912	112.70	113.70	<0.01	1.0
953SP2DN0912	113.70	114.70	<0.01	0.9
953SP2DN0912	114.70	115.00	<0.01	1.1
953SP2DN0912	115.00	116.00	<0.01	1.0
953SP2DN0912	116.00	116.30	0.15	27.2
953SP2DN0912	116.30	117.20	0.02	2.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0912	117.20	117.60	0.12	9.5
953SP2DN0912	117.60	118.00	0.03	1.5
953SP2DN0912	118.00	119.20	0.04	7.4
953SP2DN0912	119.20	119.70	0.03	6.5
953SP2DN0912	119.70	120.00	0.33	44.0
953SP2DN0912	120.00	121.20	0.04	5.5
953SP2DN0912	121.20	121.50	0.15	17.6
953SP2DN0912	121.50	121.90	0.17	20.0
953SP2DN0912	121.90	122.30	0.05	5.6
953SP2DN0912	122.30	123.50	0.02	0.7
953SP2DN0912	123.50	124.70	0.31	0.7
953SP2DN0912	124.70	126.00	0.07	4.0
953SP2DN0912	126.00	126.60	0.11	8.0
953SP2DN0912	126.60	127.30	0.01	1.7
953SP2DN0912	127.30	128.50	0.04	2.1
953SP2DN0912	128.50	129.00	0.04	6.0
953SP2DN0912	129.00	130.20	0.08	1.8
953SP2DN0912	130.20	131.40	0.02	1.2
953SP2DN0912	131.40	132.60	<0.01	1.2
953SP2DN0912	132.60	133.80	0.02	1.0
953SP2DN0912	133.80	135.00	0.01	0.5
953SP2DN0912	135.00	136.20	<0.01	0.3
953SP2DN0912	136.20	137.40	<0.01	0.3
953SP2DN0912	137.40	138.60	<0.01	0.4
953SP2DN0912	138.60	139.20	0.02	0.4
953SP2DN0912	139.20	140.40	<0.01	0.4
953SP2DN0912	140.40	141.60	0.03	1.0
953SP2DN0912	141.60	143.00	0.04	1.0
953SP2DN0912	143.00	144.10	0.02	2.3
953SP2DN0912	144.10	144.50	0.02	2.1
953SP2DN0912	144.50	145.10	0.05	25.0
953SP2DN0912	145.10	148.00	0.02	2.3
953SP2DN0912	148.00	148.90	0.04	3.1
953SP2DN0912	148.90	149.40	0.02	1.9
953SP2DN0912	149.40	150.50	0.02	2.3
953SP2DN0912	150.50	152.20	0.05	1.4
953SP2DN0912	152.20	153.50	0.01	1.4
953SP2DN0912	153.50	154.70	0.01	1.4
953SP2DN0912	154.70	156.00	0.02	1.9
953SP2DN0912	156.00	156.70	0.02	1.6
953SP2DN0912	156.70	157.60	0.03	1.6
953SP2DN0919	8.70	9.40	3.32	4.8
953SP2DN0919	19.60	20.10	0.02	1.2
953SP2DN0919	21.60	22.10	0.02	0.9
953SP2DN0919	27.90	28.60	0.03	5.4
953SP2DN0919	32.10	33.10	0.03	0.4
953SP2DN0919	33.10	34.00	2.02	17.6
953SP2DN0919	34.00	35.10	0.04	2.1
953SP2DN0919	40.90	41.30	0.17	19.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0919	43.00	44.20	0.13	8.9
953SP2DN0919	44.20	44.70	0.04	1.8
953SP2DN0919	51.40	51.70	0.02	0.8
953SP2DN0919	57.80	58.20	0.02	1.2
953SP2DN0919	66.50	67.10	0.10	1.9
953SP2DN0919	69.00	69.50	0.01	0.7
953SP2DN0919	72.50	73.00	0.03	3.4
953SP2DN0919	73.00	73.90	0.02	1.6
953SP2DN0919	73.90	74.80	6.30	19.8
953SP2DN0919	74.80	76.10	0.28	8.0
953SP2DN0919	76.10	76.80	1.20	17.4
953SP2DN0919	76.80	77.80	0.13	0.9
953SP2DN0919	78.20	78.70	0.03	1.6
953SP2DN0919	79.90	80.70	0.02	1.6
953SP2DN0919	81.20	81.50	0.01	0.5
953SP2DN0919	90.70	91.90	0.02	0.6
953SP2DN0919	96.60	97.30	<0.01	0.4
953SP2DN0919	98.10	98.50	0.02	0.5
953SP2DN0919	107.90	108.20	0.37	0.9
953SP2DN0919	108.20	108.60	0.02	0.5
953SP2DN0919	113.60	114.00	0.10	7.9
953SP2DN0919	116.20	117.40	0.03	2.1
953SP2DN0919	117.40	118.60	0.02	1.2
953SP2DN0919	118.60	119.70	<0.01	1.2
953SP2DN0919	119.70	120.10	0.10	3.9
953SP2DN0919	120.10	121.10	0.02	0.8
953SP2DN0919	121.10	121.90	0.01	0.3
953SP2DN0919	121.90	122.80	<0.01	0.1
953SP2DN0919	122.80	123.50	0.08	1.4
953SP2DN0919	123.50	124.50	0.04	1.6
953SP2DN0919	124.50	125.60	0.01	1.0
953SP2DN0919	125.60	126.50	0.02	1.6
953SP2DN0919	126.50	127.30	<0.01	1.4
953SP2DN0919	127.30	128.40	0.02	2.9
953SP2DN0919	128.40	129.60	0.01	0.6
953SP2DN0919	129.60	130.50	0.02	0.8
953SP2DN0919	130.50	131.40	<0.01	0.3
953SP2DN0919	131.40	132.30	0.02	0.5
953SP2DN0919	132.30	133.30	<0.01	0.9
953SP2DN0919	133.30	134.30	0.02	1.1
953SP2DN0919	134.30	135.40	0.03	1.9
953SP2DN0919	135.40	136.40	0.04	2.1
953SP2DN0919	136.40	137.40	0.01	1.7
953SP2DN0919	137.40	138.30	0.06	1.6
953SP2DN0919	138.30	138.90	0.71	1.7
953SP2DN0919	138.90	139.90	0.07	1.1
953SP2DN0919	139.90	140.80	0.04	1.2
953SP2DN0919	140.80	141.90	0.04	7.1
953SP2DN0919	141.90	142.90	0.01	1.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0919	142.90	143.80	0.10	5.7
953SP2DN0919	143.80	144.80	2.67	7.4
953SP2DN0919	144.80	145.80	0.03	1.3
953SP2DN0919	145.80	146.70	0.02	0.7
953SP2DN0919	146.70	147.60	0.03	0.8
953SP2DN0919	147.60	149.00	0.04	3.6
953SP2DN0919	149.00	149.90	0.01	1.0
953SP2DN0919	149.90	151.00	0.08	1.2
953SP2DN0919	151.00	152.10	0.02	2.0
953SP2DN0919	152.10	152.80	0.04	1.3
953SP2DN0919	152.80	154.00	0.03	2.7
953SP2DN0919	154.00	155.20	0.05	2.1
953SP2DN0919	155.20	156.30	0.03	1.2
953SP2DN0919	156.30	156.90	<0.01	0.8
953SP2DN0919	157.50	158.40	0.01	0.9
953SP2DN0919	158.40	159.00	<0.01	0.6
953SP2DN0919	159.00	160.30	0.01	1.2
953SP2DN0919	161.00	161.50	0.03	0.9
953SP2DN0919	167.30	167.90	0.01	0.6
953SP2DN0919	167.90	168.90	0.02	0.8
953SP2DN0919	168.90	170.20	0.01	0.9
953SP2DN0919	170.20	171.40	0.01	0.9
953SP2DN0919	171.40	172.40	<0.01	0.6
953SP2DN0919	172.40	173.30	<0.01	0.8
953SP2DN0919	173.30	174.30	0.03	5.4
953SP2DN0919	174.30	175.20	0.03	5.8
953SP2DN0919	175.20	175.60	0.01	2.3
953SP2DN0919	175.60	176.40	0.02	2.1
953SP2DN0919	176.40	176.90	0.02	1.4
953SP2DN0919	176.90	178.10	0.02	1.9
953SP2DN0919	179.30	180.30	0.02	1.7
953SP2DN0919	189.50	190.50	0.12	10.7
953SP2DN0919	190.50	191.70	0.06	3.4
953SP2DN0919	195.00	195.70	0.05	3.6
953SP2DN0919	197.10	198.30	0.16	8.9
953SP2DN0919	198.30	198.60	0.01	1.6
953SP2DN0919	200.80	201.20	0.04	3.6
953SP2DN0919	206.40	207.00	0.01	1.3
953SP2DN0919	207.20	208.00	<0.01	0.9
953SP2DR0917	8.00	8.30	0.47	2.8
953SP2DR0917	11.00	11.30	0.23	5.9
953SP2DR0917	13.00	13.40	1.98	1.7
953SP2DR0917	14.50	14.80	0.02	0.8
953SP2DR0917	22.90	23.90	0.02	0.5
953SP2DR0917	23.90	24.20	0.02	2.1
953SP2DR0917	35.50	36.10	1.42	9.6
953SP2DR0917	36.10	37.00	0.11	2.1
953SP2DR0917	42.00	43.30	<0.01	0.5
953SP2DR0917	43.30	44.10	0.45	25.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0917	44.10	45.00	0.01	0.3
953SP2DR0917	45.00	45.60	0.02	1.4
953SP2DR0917	45.60	46.30	0.09	0.6
953SP2DR0917	46.30	46.90	0.47	7.8
953SP2DR0917	46.90	48.10	0.04	2.8
953SP2DR0917	48.10	48.90	0.39	1.9
953SP2DR0917	48.90	50.10	<0.01	0.6
953SP2DR0917	53.90	54.30	0.02	0.2
953SP2DR0917	57.90	58.20	0.07	0.6
953SP2DR0917	64.80	65.80	0.01	1.8
953SP2DR0917	65.80	66.20	0.01	2.1
953SP2DR0917	68.30	68.60	0.05	1.5
953SP2DR0917	70.90	71.30	<0.01	1.3
953SP2DR0917	72.70	73.00	<0.01	0.8
953SP2DR0917	78.00	79.00	<0.01	0.5
953SP2DR0917	79.00	79.40	0.03	1.6
953SP2DR0917	79.40	79.90	3.54	24.0
953SP2DR0917	79.90	80.40	0.06	2.9
953SP2DR0917	80.40	81.00	0.02	0.7
953SP2DR0917	81.00	81.30	0.60	1.1
953SP2DR0917	81.30	82.00	<0.01	0.5
953SP2DR0917	82.00	83.00	<0.01	1.1
953SP2DR0917	83.00	84.10	<0.01	0.9
953SP2DR0917	84.10	84.90	<0.01	1.6
953SP2DR0917	84.90	85.90	0.02	3.0
953SP2DR0917	85.90	87.00	<0.01	0.5
953SP2DR0917	87.00	88.00	<0.01	0.8
953SP2DR0917	88.00	89.00	<0.01	1.3
953SP2DR0917	89.00	90.00	<0.01	0.3
953SP2DR0917	90.00	91.00	<0.01	0.5
953SP2DR0917	91.00	92.30	<0.01	0.6
953SP2DR0917	92.30	92.60	<0.01	1.0
953SP2DR0917	92.60	93.50	<0.01	0.7
953SP2DR0917	93.50	94.40	<0.01	0.9
953SP2DR0917	94.40	95.50	4.53	6.7
953SP2DR0917	95.50	96.10	7.92	9.3
953SP2DR0917	96.10	97.20	0.50	1.3
953SP2DR0917	97.20	97.80	0.04	0.9
953SP2DR0917	97.80	98.30	<0.01	0.5
953SP2DR0917	98.30	98.90	<0.01	1.0
953SP2DR0917	98.90	99.40	0.48	2.0
953SP2DR0917	99.40	99.90	<0.01	0.8
953SP2DR0917	99.90	100.60	0.02	1.2
953SP2DR0917	100.60	101.30	0.01	1.6
953SP2DR0917	101.30	102.00	0.01	1.2
953SP2DR0917	102.00	102.80	0.08	2.4
953SP2DR0917	102.80	103.90	0.45	3.4
953SP2DR0917	103.90	104.70	0.03	0.5
953SP2DR0917	104.70	105.00	0.01	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0917	105.00	106.00	<0.01	0.3
953SP2DR0917	106.00	107.00	<0.01	0.3
953SP2DR0917	107.00	108.00	<0.01	0.4
953SP2DR0917	108.00	108.50	<0.01	0.4
953SP2DR0917	108.50	109.30	0.01	1.4
953SP2DR0917	109.30	109.90	<0.01	1.3
953SP2DR0917	109.90	111.10	0.01	1.5
953SP2DR0917	111.10	111.60	0.48	2.5
953SP2DR0917	111.60	112.40	6.79	12.8
953SP2DR0917	112.40	113.10	18.90	22.1
953SP2DR0917	113.10	113.70	0.14	1.7
953SP2DR0917	113.70	114.30	15.00	100.0
953SP2DR0917	114.30	115.30	9.95	54.6
953SP2DR0917	115.30	116.40	5.88	12.3
953SP2DR0917	116.40	116.80	2.63	5.8
953SP2DR0917	116.80	117.80	0.03	1.6
953SP2DR0917	117.80	118.40	0.04	2.3
953SP2DR0917	118.40	119.00	3.21	4.0
953SP2DR0917	119.00	119.40	0.05	1.8
953SP2DR0917	119.40	119.90	0.23	1.1
953SP2DR0917	119.90	120.60	0.10	2.5
953SP2DR0917	120.60	121.00	0.05	0.8
953SP2DR0917	121.00	122.00	0.03	0.7
953SP2DR0917	122.00	123.00	<0.01	1.1
953SP2DR0917	123.00	124.00	<0.01	1.6
953SP2DR0917	124.00	125.00	0.01	1.4
953SP2DR0917	125.00	126.00	<0.01	0.9
953SP2DR0917	126.00	127.00	0.01	0.7
953SP2DR0917	127.00	128.00	<0.01	1.3
953SP2DR0917	128.00	128.40	<0.01	0.7
953SP2DR0917	128.40	128.80	0.01	1.4
953SP2DR0917	128.80	129.50	0.01	2.5
953SP2DR0917	129.50	130.00	<0.01	0.8
953SP2DR0917	130.00	131.00	<0.01	0.6
953SP2DR0917	131.00	132.00	0.02	3.7
953SP2DR0917	132.00	133.00	0.03	3.7
953SP2DR0917	135.00	135.40	0.03	4.2
953SP2DR0917	135.40	135.70	0.06	5.2
953SP2DR0917	135.70	137.00	0.04	2.5
953SP2DR0917	137.00	137.80	0.01	1.5
953SP2DR0917	137.80	138.90	0.07	11.0
953SP2DR0917	138.90	140.00	0.07	2.9
953SP2DR0917	145.10	145.60	0.03	1.3
953SP2DR0923	6.70	7.00	0.20	0.4
953SP2DR0923	12.50	12.80	0.16	2.2
953SP2DR0923	13.90	14.20	0.03	1.0
953SP2DR0923	15.80	16.10	0.78	0.9
953SP2DR0923	27.00	27.30	0.01	0.4
953SP2DR0923	27.30	27.60	0.09	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0923	38.40	39.00	3.58	9.2
953SP2DR0923	45.20	46.40	0.03	0.4
953SP2DR0923	46.40	46.80	0.60	47.5
953SP2DR0923	46.80	48.00	0.01	0.5
953SP2DR0923	51.00	51.50	0.05	3.1
953SP2DR0923	51.50	51.80	0.21	7.5
953SP2DR0923	59.00	59.30	0.07	2.4
953SP2DR0923	62.40	63.00	0.37	1.8
953SP2DR0923	63.70	64.00	0.03	1.3
953SP2DR0923	64.00	65.20	0.05	1.7
953SP2DR0923	67.40	67.70	0.07	2.1
953SP2DR0923	68.00	68.30	0.04	0.8
953SP2DR0923	69.00	69.30	0.04	1.0
953SP2DR0923	75.90	76.20	0.01	1.2
953SP2DR0923	77.40	78.60	0.03	2.0
953SP2DR0923	80.00	81.20	<0.01	1.0
953SP2DR0923	81.20	82.40	0.01	2.5
953SP2DR0923	82.40	83.60	0.02	2.0
953SP2DR0923	83.60	84.30	0.01	1.8
953SP2DR0923	84.30	84.70	0.85	23.9
953SP2DR0923	84.70	85.00	3.86	17.1
953SP2DR0923	85.00	85.80	0.02	1.6
953SP2DR0923	85.80	86.20	0.21	16.6
953SP2DR0923	86.20	86.70	0.01	2.6
953SP2DR0923	86.70	87.00	0.09	2.3
953SP2DR0923	87.00	88.00	0.03	1.4
953SP2DR0923	88.00	89.40	0.04	3.1
953SP2DR0923	89.40	90.00	0.07	1.3
953SP2DR0923	90.00	91.30	0.02	2.4
953SP2DR0923	91.30	92.50	0.01	1.6
953SP2DR0923	92.50	93.50	0.03	0.9
953SP2DR0923	93.50	93.80	0.02	0.7
953SP2DR0923	93.80	94.40	<0.01	0.7
953SP2DR0923	94.40	94.70	0.07	1.0
953SP2DR0923	94.70	95.40	0.03	1.5
953SP2DR0923	95.40	96.00	0.24	1.8
953SP2DR0923	96.00	96.40	0.91	5.6
953SP2DR0923	96.40	96.90	0.43	5.7
953SP2DR0923	96.90	97.40	0.36	8.9
953SP2DR0923	97.40	97.80	0.59	3.9
953SP2DR0923	97.80	99.10	31.70	139.0
953SP2DR0923	99.10	100.30	11.90	33.1
953SP2DR0923	100.30	101.00	3.83	18.9
953SP2DR0923	101.00	102.00	0.11	15.5
953SP2DR0923	102.00	102.60	0.04	2.5
953SP2DR0923	102.60	102.90	0.91	2.5
953SP2DR0923	102.90	104.10	0.04	0.8
953SP2DR0923	104.10	105.30	0.08	0.8
953SP2DR0923	105.30	105.90	0.66	1.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0923	105.90	106.40	0.24	1.3
953SP2DR0923	106.40	107.40	0.23	30.6
953SP2DR0923	107.40	107.70	6.39	20.2
953SP2DR0923	107.70	108.10	8.23	21.7
953SP2DR0923	108.10	109.20	0.05	3.6
953SP2DR0923	109.20	110.40	<0.01	1.2
953SP2DR0923	110.40	111.60	0.02	0.7
953SP2DR0923	111.60	113.00	0.15	20.0
953SP2DR0923	113.00	114.20	0.03	3.1
953SP2DR0923	114.20	115.40	0.01	1.7
953SP2DR0923	115.40	116.60	<0.01	0.5
953SP2DR0923	116.60	117.80	<0.01	0.4
953SP2DR0923	117.80	118.40	0.04	0.6
953SP2DR0923	118.40	119.20	4.72	6.7
953SP2DR0923	119.20	120.20	0.08	1.6
953SP2DR0923	120.20	121.00	0.03	0.7
953SP2DR0923	121.00	122.20	0.02	0.6
953SP2DR0925	5.60	6.00	0.01	1.0
953SP2DR0925	10.40	11.00	0.02	0.5
953SP2DR0925	27.30	27.70	0.04	0.9
953SP2DR0925	30.90	32.30	0.17	7.4
953SP2DR0925	32.30	32.80	0.06	1.0
953SP2DR0925	37.10	37.50	1.65	2.3
953SP2DR0925	38.60	39.40	0.03	0.9
953SP2DR0925	39.40	40.90	0.04	0.7
953SP2DR0925	42.00	42.50	0.03	0.4
953SP2DR0925	46.30	47.30	<0.01	0.5
953SP2DR0925	50.10	50.90	0.04	0.8
953SP2DR0925	52.40	53.90	0.10	6.9
953SP2DR0925	62.90	63.90	0.05	2.5
953SP2DR0925	63.90	64.30	0.06	1.6
953SP2DR0925	66.20	67.20	0.03	0.5
953SP2DR0925	78.10	78.80	16.00	108.0
953SP2DR0925	82.20	83.00	0.94	4.6
953SP2DR0925	83.00	84.50	0.03	0.9
953SP2DR0925	84.50	86.20	0.27	1.2
953SP2DR0925	86.20	87.80	0.12	1.3
953SP2DR0925	87.80	88.60	0.59	2.9
953SP2DR0925	88.60	89.70	14.20	65.9
953SP2DR0925	89.70	91.20	12.60	72.8
953SP2DR0925	91.20	92.80	19.40	30.7
953SP2DR0925	92.80	94.10	0.05	1.5
953SP2DR0925	94.10	95.50	0.05	1.0
953SP2DR0925	95.50	97.30	1.73	26.8
953SP2DR0925	97.30	98.40	0.11	3.7
953SP2DR0925	98.40	99.90	9.73	56.7
953SP2DR0925	99.90	101.60	0.01	0.9
953SP2DR0925	101.60	103.20	0.01	0.6
953SP2DR0925	103.20	104.90	0.03	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0925	104.90	105.70	1.40	9.6
953SP2DR0925	109.80	110.20	0.03	0.5
997EX0908	4.20	5.00	0.01	0.5
997EX0908	5.00	5.40	0.01	0.5
997EX0908	5.40	6.50	0.01	0.5
997EX0908	6.50	7.40	0.01	0.8
997EX0908	7.40	8.00	0.02	0.9
997EX0908	8.00	8.80	0.01	0.6
997EX0908	8.80	9.20	0.02	0.7
997EX0908	9.20	10.40	0.01	0.7
997EX0908	10.40	11.00	0.01	0.8
997EX0908	11.00	12.30	0.01	0.8
997EX0908	12.30	13.00	0.01	1.0
997EX0908	13.00	13.90	0.01	0.9
997EX0908	13.90	14.40	0.02	1.4
997EX0908	14.40	15.20	0.02	1.1
997EX0908	15.20	15.70	0.02	2.2
997EX0908	15.70	16.30	0.16	3.3
997EX0908	16.30	17.10	0.09	0.6
997EX0908	17.10	18.00	0.10	1.7
997EX0908	18.00	19.10	0.33	1.2
997EX0908	19.10	19.90	0.07	0.8
997EX0908	19.90	21.20	0.04	1.3
997EX0908	21.20	22.10	0.02	1.6
997EX0908	22.10	23.40	0.01	1.1
997EX0908	30.00	31.20	0.01	1.4
997EX0908	31.20	32.50	0.02	3.8
997EX0908	32.50	33.00	0.01	6.4
997EX0908	33.00	34.00	0.01	2.5
997EX0908	37.70	38.10	0.01	0.5
997EX0908	55.70	56.00	0.01	0.5
997EX0908	56.50	57.70	0.01	0.7
997EX0908	62.00	63.00	0.01	0.4
997EX0908	66.00	67.00	0.01	0.3
997EX0908	75.00	75.50	0.01	0.3
997EX0908	84.00	85.30	0.01	0.2
997EX0908	88.60	89.90	0.01	1.4
997EX0908	89.90	91.20	0.01	0.8
997EX0908	91.20	92.50	0.01	0.8
997EX0908	92.50	93.20	0.01	1.5
997EX0908	93.20	93.60	0.16	2.0
997EX0908	93.60	94.10	2.63	18.2
997EX0908	94.10	95.30	0.78	4.1
997EX0908	95.30	96.60	0.01	1.0
997EX0908	96.60	97.50	0.03	0.7
997EX0908	97.50	98.80	0.03	1.2
997EX0908	98.80	100.10	0.04	1.1
997EX0908	100.10	101.40	0.14	2.6
997EX0908	101.40	102.70	0.01	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
997EX0908	102.70	103.50	0.03	0.8
997EX0908	103.50	104.30	0.17	5.0
997EX0908	104.30	105.60	0.05	4.0
997EX0908	105.60	106.90	0.07	5.5
997EX0908	118.00	119.30	0.03	0.1
997EX0908	119.30	120.60	0.02	0.1
997EX0908	120.60	121.90	0.02	0.1
997EX0908	121.90	123.20	0.01	0.5
997EX0908	123.20	124.50	0.01	1.3
997EX0908	124.50	125.00	0.02	3.3
997EX0908	125.00	126.00	0.09	3.4
997EX0908	126.00	126.50	0.14	2.9
997EX0908	126.50	127.80	0.02	1.4
997EX0908	127.80	129.10	0.01	0.9
997EX0908	129.10	130.40	0.01	0.8
997EX0908	130.40	131.70	0.03	1.0
997EX0908	137.30	138.10	0.01	0.9
997EX0908	142.00	142.50	0.02	0.8
997EX0908	145.00	145.40	0.05	1.4
997EX0908	149.40	150.00	0.01	0.8
997EX0908	160.60	161.20	0.01	0.9
997EX0908	170.00	170.40	0.04	1.8
997EX0908	176.70	177.20	0.03	0.9
997EX0908	182.30	182.80	0.03	1.2
997EX0908	187.40	188.00	0.02	1.5
997EX0908	189.20	189.60	0.02	1.3
997EX0908	201.00	202.00	0.02	0.3
997EX0908	202.00	202.40	0.03	1.6
997EX0908	206.00	206.90	0.02	0.9
997EX0908	206.90	208.20	0.02	0.7
997EX0908	210.60	211.00	0.03	0.8
997EX0908	214.90	216.00	0.02	0.8
997EX0908	221.00	222.00	0.01	0.2
997EX0908	225.00	226.30	0.02	0.7
997EX0908	226.30	227.60	0.11	0.6
997EX0908	232.70	233.50	0.07	0.7
997EX0908	233.50	234.80	0.03	0.7
997EX0908	234.80	236.10	0.04	1.0
997EX0908	236.10	237.40	0.02	0.9
997EX0908	242.30	243.60	0.01	0.3
997EX0908	243.60	244.90	0.01	1.0
997EX0908	244.90	246.20	0.01	1.2
997EX0908	249.60	250.50	0.02	1.0
997EX0908	250.50	251.80	0.02	0.7
997EX0908	251.80	253.10	0.01	0.4
997EX0908	253.10	253.80	0.03	0.5
997EX0908	256.70	257.00	0.02	0.4
997EX0908	268.00	268.40	0.02	1.1
997EX0908	281.00	282.00	0.02	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
997EX0908	300.20	300.70	0.02	1.0
997EX0908	306.00	307.00	0.02	1.7
997EX0908	314.60	315.90	0.02	1.3
997EX0908	315.90	317.00	0.02	0.9
997EX0908	317.00	318.30	0.01	2.0
997EX0908	320.40	321.70	0.01	1.7
997EX0908	321.70	323.00	0.02	3.3
997EX0908	323.00	323.60	0.03	3.5
997EX0908	323.60	324.90	0.08	3.0
997EX0908	324.90	326.20	0.08	8.7
997EX0908	326.20	327.50	0.05	7.1
997EX0908	327.50	328.50	0.02	4.2
997EX0908	328.50	329.80	0.02	1.2
997EX0908	329.80	331.10	0.03	6.6
997EX0908	331.10	332.40	0.04	1.3
997EX0908	332.40	333.70	0.03	2.4
997EX0908	333.70	335.00	0.03	3.4
997EX0908	336.30	337.00	0.03	3.5
997EX0908	348.50	349.00	0.01	1.0
997EX0908	354.90	356.20	0.01	1.9
997EX0908	357.30	358.60	0.02	1.1
997EX0908	359.80	361.00	0.01	1.4
997EX0908	361.00	362.00	0.01	1.1
997EX0908	362.00	363.00	0.01	1.6
997EX0908	365.30	366.60	0.04	10.3
997EX0908	374.40	375.70	0.01	0.6
997EX0908	375.70	377.00	0.02	0.6
997EX0908	377.00	378.20	0.01	0.5
997EX0908	378.20	378.70	0.01	0.7
997EX0908	380.90	382.00	0.01	0.3
997EX0908	382.00	382.40	0.01	0.5
997EX0908	388.00	388.50	0.01	1.6
997EX0908	390.40	391.40	0.01	1.1
997EX0908	393.20	394.50	0.01	0.5
997EX0908	394.50	395.80	0.01	0.5
997EX0908	399.50	400.00	0.01	0.3
997EX0908	400.00	401.20	0.01	0.5
997EX0908	401.20	402.50	0.01	0.5
997EX0908	403.30	404.00	0.02	0.5
997EX0908	409.80	411.10	0.02	1.0
997EX0908	411.10	412.40	0.03	1.6
997EX0908	412.40	413.70	0.17	3.7
997EX0908	415.40	416.70	0.08	9.0
997EX0908	416.70	417.40	0.01	1.5
997EX0908	419.30	420.40	0.02	2.6
997EX0908	420.40	421.20	0.01	1.9
997EX0908	421.20	422.50	0.01	1.8
997EX0908	424.00	425.00	0.01	1.2
997EX0908	425.00	426.00	0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
997EX0908	432.70	433.70	0.01	0.3
997EX0908	441.70	443.00	0.01	1.0
997EX0908	447.00	448.00	0.03	0.4
997EX0908	460.70	462.00	0.03	0.9
997EX0908	462.00	463.30	0.01	0.8
997EX0908	463.30	464.60	0.01	0.9
997EX0908	464.60	465.90	0.01	1.5
997EX0908	465.90	467.20	0.01	1.5
997EX0908	467.20	468.20	0.02	2.2
997EX0908	468.20	468.80	0.01	1.6
997EX0908	468.80	469.50	0.02	1.5
997EX0908	469.50	469.90	0.02	2.9
997EX0908	469.90	471.20	0.05	8.5
997EX0908	471.20	472.00	0.02	4.0
997EX0908	472.00	472.70	0.03	4.3
997EX0908	472.70	473.30	0.01	0.8
997EX0908	473.30	474.20	0.01	0.6
997EX0908	474.20	475.40	0.01	0.9
997EX0908	475.40	476.30	0.01	0.6
997EX0908	476.30	476.90	0.01	0.7
997EX0908	476.90	478.20	0.01	0.9
997EX0908	478.20	478.70	0.02	0.4
997EX0908	478.70	479.80	0.01	0.5
997EX0908	479.80	480.20	0.01	0.9
997EX0908	480.20	481.50	0.01	0.3
997EX0908	481.50	482.00	0.01	0.2
997EX0908	482.00	483.30	0.01	0.4
997EX0908	483.30	484.60	0.01	0.3
997EX0908	484.60	485.90	0.01	0.2
997EX0908	485.90	487.30	0.01	0.3
997EX0908	487.30	487.70	0.01	0.5
997EX0908	487.70	488.60	0.01	0.3
997EX0908	488.60	489.30	0.01	0.3
997EX0908	489.30	490.20	0.01	0.2
997EX0908	490.20	490.90	0.01	0.7
997EX0908	490.90	491.60	0.01	0.3
997EX0908	491.60	492.30	0.01	0.3
997EX0908	492.30	493.00	0.01	0.7
997EX0908	493.00	494.30	0.01	0.2
997EX0908	494.30	494.70	0.01	0.2
997EX0908	494.70	495.10	0.02	0.7
997EX0908	495.10	495.50	0.01	0.4
997EX0908	496.00	496.90	0.01	0.1
997EX0908	496.90	497.60	0.01	0.7
997EX0908	497.60	498.00	0.01	0.4
997EX0908	498.00	498.80	0.01	0.2
997EX0908	498.80	499.60	0.01	0.7
997EX0908	499.60	500.40	0.02	0.3
997EX0908	500.40	501.20	0.01	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
997EX0908	501.20	502.00	0.01	0.7
997EX0908	502.00	503.20	0.01	0.6
997EX0908	503.20	504.00	0.01	0.2
997EX0908	504.80	505.10	0.01	0.3
997EX0908	507.00	508.30	0.01	19.8
997EX0908	508.30	509.00	0.01	0.6
997EX0908	509.00	510.30	0.01	0.2
997EX0908	510.30	511.60	0.01	0.2
997EX0908	511.60	512.40	0.01	0.3
997EX0908	512.40	513.70	0.01	0.2
997EX0908	513.70	514.70	0.01	0.1
997EX0908	514.70	515.10	0.01	0.3
997EX0908	515.10	516.20	0.01	0.1
997EX0908	516.20	517.00	0.01	0.1
997EX0908	517.00	518.10	0.01	1.2
997EX0908	518.10	519.40	0.01	0.2
997EX0908	519.40	520.00	0.01	0.7
997EX0908	520.00	521.30	0.01	0.2
997EX0908	521.30	522.30	0.01	0.2
997EX0908	522.30	523.10	0.01	0.2
997EX0908	523.10	523.80	0.01	0.2
997EX0908	523.80	525.10	0.01	0.2
997EX0908	525.10	525.80	0.01	0.7
997EX0908	529.10	530.00	0.01	0.2
997EX0908	530.70	531.20	0.01	0.5
997EX0908	532.00	532.80	0.01	0.2
997EX0908	534.90	536.10	0.01	0.4
997EX0908	537.90	539.20	0.01	0.3
997EX0908	540.50	541.00	0.01	0.2
997EX0908	544.00	545.00	0.01	0.6
997EX0908	545.80	546.70	0.01	0.2
997EX0908	547.10	547.60	0.01	0.4
997EX0908	548.00	548.50	0.01	0.5
997EX0908	548.50	549.10	0.01	0.2
997EX0908	549.70	550.80	0.01	0.6
997EX0908	551.60	552.20	0.01	0.3
997EX0908	552.70	553.10	0.01	0.2
997EX0908	554.60	555.90	0.05	0.6
997EX0908	556.50	557.30	0.01	0.2
997EX0908	559.00	560.00	0.01	0.3
997EX0908	561.00	562.00	0.01	0.3
997EX0908	564.00	564.40	0.01	0.1
997EX0908	565.60	566.00	0.01	0.1
997EX0908	570.60	571.00	0.01	0.3
997EX0908	571.30	571.80	0.01	0.3
997EX0908	572.10	573.00	0.01	0.2
997EX0908	573.00	573.30	0.04	0.2
997EX0915	3.50	4.70	0.01	0.6
997EX0915	4.70	5.50	0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
997EX0915	6.10	6.40	0.01	0.7
997EX0915	7.30	8.00	0.01	0.4
997EX0915	10.10	10.40	0.04	0.5
997EX0915	13.20	15.00	0.01	0.6
997EX0915	15.00	16.00	0.01	0.6
997EX0915	16.00	17.20	0.01	0.7
997EX0915	17.20	18.00	0.14	2.6
997EX0915	18.00	18.70	0.26	12.4
997EX0915	18.70	19.30	0.11	2.2
997EX0915	19.30	20.10	0.08	7.6
997EX0915	20.10	21.00	0.04	5.7
997EX0915	21.00	22.00	0.03	1.4
997EX0915	24.00	25.10	0.04	1.4
997EX0915	25.10	25.50	0.03	1.4
997EX0915	25.50	26.70	0.01	1.2
997EX0915	26.70	27.60	0.01	0.5
997EX0915	27.60	27.90	0.01	0.6
997EX0915	30.10	31.10	0.02	2.1
997EX0915	34.60	35.10	0.01	1.2
997EX0915	35.10	35.75	0.01	1.2
997EX0915	35.75	36.40	0.01	0.9
997EX0915	38.00	39.00	0.01	0.7
997EX0915	41.00	41.30	0.03	3.3
997EX0915	43.90	44.80	0.01	1.2
997EX0915	47.50	48.70	0.01	1.0
997EX0915	49.00	49.30	0.01	0.7
997EX0915	54.00	55.00	0.01	0.7
997EX0915	67.40	67.80	0.01	0.7
997EX0915	70.70	71.00	0.01	0.8
997EX0915	71.90	73.00	0.02	2.6
997EX0915	78.70	79.30	0.01	1.4
997EX0915	79.30	80.20	0.15	2.6
997EX0915	80.20	81.20	0.01	1.1
997EX0915	81.20	81.60	0.06	5.7
997EX0915	81.60	82.60	0.01	1.6
997EX0915	82.60	83.80	0.01	2.2
997EX0915	83.80	84.50	0.38	3.7
997EX0915	84.50	85.50	0.02	1.3
997EX0915	85.50	86.30	0.18	10.4
997EX0915	86.30	86.65	3.50	116.0
997EX0915	86.65	87.30	0.40	4.4
997EX0915	87.30	88.00	0.47	1.0
997EX0915	88.00	88.40	0.35	2.5
997EX0915	88.40	89.90	0.85	2.0
997EX0915	89.90	91.70	0.15	3.1
997EX0915	91.70	92.20	0.37	4.7
997EX0915	92.20	92.50	1.43	4.4
997EX0915	92.50	93.50	0.51	4.0
997EX0915	93.50	94.00	0.04	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
997EX0915	94.00	94.80	0.09	1.9
997EX0915	94.80	96.00	0.11	4.4
997EX0915	96.00	96.50	0.07	4.4
997EX0915	96.50	97.00	0.02	0.6
997EX0915	97.00	98.00	0.03	0.7
997EX0915	98.00	98.40	0.01	0.7
997EX0915	98.40	98.70	0.22	3.0
997EX0915	98.70	99.70	0.05	1.3
997EX0915	103.30	103.90	0.01	0.5
997EX0915	108.00	108.40	0.01	0.7
997EX0915	117.60	118.60	0.12	2.6
997EX0915	118.60	119.70	0.01	1.1
997EX0915	121.20	122.40	0.03	1.8
997EX0915	124.15	124.70	0.01	0.6
997EX0915	128.40	128.80	0.01	1.0
997EX0915	132.20	133.30	0.02	1.5
997EX0915	134.70	135.20	0.06	1.3
997EX0915	141.90	142.60	0.04	0.9
997EX0915	146.50	147.10	0.02	0.9
997EX0915	147.10	148.10	0.35	2.2
997EX0915	148.10	149.30	0.05	2.1
997EX0915	152.60	152.90	0.09	10.5
997EX0915	161.40	162.60	0.05	1.7
997EX0915	168.25	168.60	0.03	1.0
997EX0915	173.50	173.80	0.02	1.1
997EX0915	180.10	181.20	0.02	2.1
997EX0915	195.80	196.40	0.01	0.8
997EX0915	197.50	198.30	0.01	0.6
997EX0915	205.20	206.40	0.01	0.2
997EX0915	214.10	214.90	0.01	0.4
997EX0915	217.80	218.80	0.01	0.4
997EX0915	218.80	220.00	0.02	0.3
997EX0915	223.30	224.50	0.01	0.5
997EX0915	227.90	228.30	0.01	1.0
997EX0915	230.70	231.50	0.01	0.5
997EX0915	237.50	237.80	0.01	0.1
997EX0915	247.70	248.90	0.01	0.3
997EX0915	248.90	250.00	0.01	0.5
997EX0915	250.00	251.00	0.01	0.6
997EX0915	258.30	259.30	0.02	0.5
997EX0915	259.30	260.30	0.02	0.7
997EX0915	264.70	265.90	0.02	0.5
997EX0915	266.60	267.40	0.01	0.6
997EX0915	268.00	269.20	0.01	0.6
997EX0915	286.40	286.80	0.02	0.9
997EX0915	296.30	296.60	0.09	7.7
997EX0915	305.00	306.00	0.01	1.2
997EX0915	313.40	314.00	0.02	0.5
997EX0915	314.00	314.60	0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
997EX0915	318.00	318.30	0.01	0.4
997EX0915	323.00	323.50	0.01	0.3
997EX0915	325.00	326.10	0.02	0.4
997EX0915	327.70	328.00	0.02	0.3
997EX0915	332.30	332.60	0.02	1.8
997EX0915	341.70	342.20	0.04	4.4
997EX0915	342.20	343.20	0.02	2.2
997EX0915	343.20	343.70	0.02	1.5
997EX0915	343.70	344.50	0.02	2.1
997EX0915	346.90	347.70	0.01	0.5
997EX0915	348.55	349.40	0.01	3.0
997EX0915	351.60	352.10	0.08	8.8
997EX0915	367.00	367.30	0.01	0.3
997EX0915	372.50	372.80	0.01	0.4
997EX0915	377.70	378.00	0.01	0.3
997EX0915	408.00	409.00	0.01	0.7
997EX0915	409.00	410.00	0.01	1.0
997EX0915	410.00	411.00	0.01	0.7
997EX0915	411.00	412.00	0.01	0.5
997EX0915	412.00	413.00	0.01	0.3
997EX0915	413.00	414.00	0.01	0.4
997EX0915	414.00	414.80	0.02	1.3
997EX0915	414.80	415.60	0.82	1.7
997EX0915	415.60	416.00	3.02	3.5
997EX0915	416.00	416.50	10.00	12.4
997EX0915	416.50	417.20	0.23	3.7
997EX0915	417.20	418.00	0.02	1.0
997EX0915	418.00	419.00	0.02	3.0
997EX0915	419.00	420.00	0.01	0.9
997EX0915	420.00	420.40	0.30	0.8
997EX0915	420.40	421.10	3.17	6.4
997EX0915	421.10	421.80	0.67	3.8
997EX0915	421.80	422.20	0.01	1.0
997EX0915	422.20	423.00	0.01	1.5
997EX0915	423.00	424.00	0.01	0.8
997EX0915	424.00	425.00	0.01	0.6
997EX0915	425.00	426.00	0.01	0.7
997EX0915	426.00	427.00	0.01	0.4
997EX0915	427.00	428.00	0.01	0.6
997EX0915	428.00	429.00	0.01	0.4
997EX0915	429.00	430.00	0.01	0.4
997EX0915	441.40	442.60	0.01	0.4
997EX0915	442.60	442.90	0.01	0.5
997EX0915	442.90	444.00	0.01	0.5
997EX0915	447.00	447.70	0.01	0.5
997EX0915	449.20	450.30	0.01	0.4
997EX0915	450.30	451.00	0.01	0.2
997EX0915	451.00	451.70	0.01	0.1
997EX0915	451.70	452.70	0.01	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
997EX0915	452.70	453.20	0.01	0.4
997EX0915	453.20	454.00	0.01	0.2
997EX0915	454.00	455.00	0.01	0.3
997EX0915	455.00	455.40	0.02	0.4
997EX0915	464.80	465.70	0.02	0.5
997EX0915	465.70	466.40	0.01	0.3
997EX0915	466.40	467.00	0.01	0.6
997EX0915	467.00	468.00	0.01	0.3
997EX0915	468.00	469.00	0.01	0.4
997EX0915	469.00	470.00	0.01	0.2
997EX0915	470.00	471.00	0.01	0.1
997EX0915	471.00	471.40	0.01	0.2
997EX0915	471.40	472.00	0.01	0.2
997EX0915	472.00	473.00	0.01	0.1
997EX0915	473.00	474.00	0.01	0.2
997EX0915	474.00	475.00	0.01	0.2
997EX0915	475.00	476.30	0.01	0.2
997EX0915	476.30	476.70	0.02	0.6
997EX0915	476.70	478.00	0.01	0.6
997EX0915	478.00	479.00	0.02	0.3
997EX0915	479.00	480.00	0.03	0.3
997EX0915	480.00	481.00	0.03	0.4
997EX0915	481.00	482.00	0.02	0.2
997EX0915	482.00	483.00	0.01	0.5
997EX0915	483.00	484.00	0.02	0.7
997EX0915	487.50	488.00	0.01	0.3
997EX0915	488.00	489.10	0.01	0.4
997EX0915	490.80	491.20	0.01	0.6
997EX0915	491.20	492.00	0.01	0.4
997EX0915	492.00	493.00	0.01	0.4
997EX0915	493.00	494.00	0.01	0.3
UW467	9.00	10.00	<0.01	<0.1
UW467	33.00	34.00	0.01	<0.1
UW467	35.00	35.50	<0.01	<0.1
UW467	35.50	36.30	0.01	<0.1
UW467	36.30	37.10	<0.01	<0.1
UW467	37.10	38.00	<0.01	<0.1
UW467	39.00	40.00	<0.01	<0.1
UW467	40.00	41.00	<0.01	<0.1
UW467	41.00	42.00	<0.01	<0.1
UW467	42.00	43.00	<0.01	<0.1
UW467	43.00	44.10	<0.01	<0.1
UW467	44.10	45.00	0.01	<0.1
UW467	45.00	46.00	0.01	0.2
UW467	46.00	47.00	<0.01	0.1
UW467	47.00	48.00	<0.01	<0.1
UW467	55.00	56.00	<0.01	<0.1
UW467	56.00	57.00	<0.01	<0.1
UW467	59.00	60.00	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW467	60.00	61.00	<0.01	<0.1
UW467	61.00	62.00	<0.01	<0.1
UW467	62.00	63.10	<0.01	<0.1
UW467	63.10	64.00	<0.01	<0.1
UW467	64.00	65.00	<0.01	<0.1
UW467	65.00	66.00	<0.01	<0.1
UW467	66.00	67.00	<0.01	<0.1
UW467	67.00	68.00	<0.01	<0.1
UW467	68.00	69.00	<0.01	<0.1
UW467	69.90	71.00	<0.01	<0.1
UW467	74.00	75.00	<0.01	<0.1
UW467	75.00	76.00	<0.01	0.2
UW467	76.00	77.00	<0.01	<0.1
UW467	77.00	78.00	<0.01	<0.1
UW467	78.00	79.00	<0.01	<0.1
UW467	79.00	80.00	<0.01	<0.1
UW467	96.00	97.00	<0.01	<0.1
UW467	112.00	113.00	<0.01	<0.1
UW467	113.00	114.00	<0.01	<0.1
UW467	114.00	114.70	<0.01	<0.1
UW467	114.70	115.30	0.02	<0.1
UW467	115.30	116.00	<0.01	<0.1
UW467	120.00	121.00	<0.01	<0.1
UW467	123.00	124.00	<0.01	<0.1
UW467	124.00	125.00	<0.01	<0.1
UW467	125.00	126.00	<0.01	<0.1
UW467	134.00	135.00	<0.01	<0.1
UW467	140.00	141.00	<0.01	<0.1
UW467	150.00	151.00	<0.01	0.2
UW467	158.00	158.90	<0.01	<0.1
UW467	158.90	159.90	<0.01	<0.1
UW467	159.90	161.00	<0.01	<0.1
UW467	164.00	165.00	<0.01	<0.1
UW467	165.00	165.50	0.05	<0.1
UW467	165.50	166.80	<0.01	<0.1
UW467	166.80	167.10	<0.01	<0.1
UW467	167.10	168.30	<0.01	<0.1
UW467	168.30	168.90	<0.01	<0.1
UW467	168.90	169.50	<0.01	<0.1
UW467	170.60	171.80	<0.01	<0.1
UW467	179.10	180.00	<0.01	<0.1
UW467	180.00	181.20	<0.01	<0.1
UW467	181.20	182.40	<0.01	<0.1
UW467	184.30	184.70	<0.01	<0.1
UW467	184.70	185.50	<0.01	<0.1
UW467	185.50	185.80	0.01	<0.1
UW467	185.80	187.00	<0.01	<0.1
UW467	187.00	188.00	<0.01	<0.1
UW467	188.00	189.20	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW467	189.20	190.30	<0.01	0.1
UW467	190.30	191.20	<0.01	<0.1
UW467	191.20	191.80	<0.01	<0.1
UW467	191.80	192.80	<0.01	<0.1
UW467	192.80	194.00	<0.01	<0.1
UW467	199.00	200.10	<0.01	<0.1
UW467	200.10	201.10	<0.01	<0.1
UW467	201.10	202.00	<0.01	<0.1
UW467	202.70	203.80	<0.01	0.3
UW467	205.80	206.50	<0.01	0.2
UW467	206.50	206.80	<0.01	<0.1
UW467	210.20	211.00	<0.01	0.1
UW467	224.80	225.50	<0.01	<0.1
UW467	225.50	225.80	<0.01	<0.1
UW467	231.00	231.40	<0.01	<0.1
UW467	231.40	232.50	<0.01	<0.1
UW467	232.50	233.50	0.01	<0.1
UW467	236.50	237.50	<0.01	<0.1
UW467	257.00	258.00	<0.01	<0.1
UW467	261.00	262.00	<0.01	<0.1
UW467	262.00	263.00	<0.01	<0.1
UW467	263.00	264.05	<0.01	<0.1
UW467	264.05	265.15	<0.01	<0.1
UW467	265.15	266.00	<0.01	<0.1
UW467	266.00	267.00	<0.01	<0.1
UW467	271.00	272.00	<0.01	<0.1
UW467	276.00	277.00	<0.01	<0.1
UW467	279.15	280.20	<0.01	<0.1
UW467	287.00	288.00	0.01	<0.1
UW467	293.00	293.40	<0.01	<0.1
UW467	296.00	297.00	<0.01	<0.1
UW467	302.60	303.10	<0.01	<0.1
UW467	307.00	308.00	<0.01	<0.1
UW467	311.00	312.00	0.01	<0.1
UW467	312.00	312.65	<0.01	<0.1
UW467	312.65	313.70	0.02	<0.1
UW467	313.70	314.70	0.01	<0.1
UW467	314.70	315.30	0.01	<0.1
UW467	315.30	316.40	0.01	<0.1
UW467	316.40	317.60	0.01	<0.1
UW467	317.60	318.35	<0.01	1.2
UW467	318.35	319.05	0.02	0.1
UW467	319.05	319.75	<0.01	0.1
UW467	319.75	320.80	<0.01	<0.1
UW467	320.80	321.85	0.02	0.1
UW467	321.85	322.65	0.01	0.1
UW467	322.65	323.45	0.01	0.1
UW467	323.45	324.50	0.01	<0.1
UW467	324.50	325.50	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW467	325.50	326.50	<0.01	<0.1
UW467	326.50	327.50	<0.01	<0.1
UW467	327.50	328.50	0.01	<0.1
UW467	328.50	329.50	<0.01	<0.1
UW467	331.50	332.50	0.01	<0.1
UW467	333.50	334.50	<0.01	<0.1
UW467	334.50	335.50	<0.01	<0.1
UW467	335.50	336.50	<0.01	<0.1
UW467	336.50	337.50	0.01	<0.1
UW467	337.50	338.50	<0.01	<0.1
UW467	338.50	339.10	<0.01	<0.1
UW467	339.10	339.90	<0.01	<0.1
UW467	339.90	340.80	<0.01	<0.1
UW467	340.80	341.30	0.01	<0.1
UW467	341.30	342.10	<0.01	<0.1
UW467	342.10	343.20	<0.01	<0.1
UW467	343.20	344.30	<0.01	<0.1
UW467	344.30	345.50	<0.01	<0.1
UW467	345.50	346.20	0.02	<0.1
UW467	346.20	347.00	<0.01	<0.1
UW467	347.00	347.60	<0.01	<0.1
UW467	347.60	348.75	<0.01	<0.1
UW467	348.75	349.85	<0.01	<0.1
UW467	352.30	353.70	<0.01	<0.1
UW467	353.70	354.60	<0.01	<0.1
UW467	354.60	355.50	<0.01	<0.1
UW467	356.50	357.50	<0.01	<0.1
UW467	359.50	360.50	0.01	<0.1
UW467	360.50	361.50	<0.01	<0.1
UW467	361.50	362.50	<0.01	<0.1
UW467	364.50	365.50	<0.01	<0.1
UW467	372.50	373.50	0.01	<0.1
UW467	373.50	374.50	<0.01	<0.1
UW467	374.50	375.50	0.01	<0.1
UW467	375.50	376.30	0.01	<0.1
UW467	376.30	377.30	0.01	<0.1
UW467	377.30	378.20	<0.01	<0.1
UW467	378.20	379.20	<0.01	<0.1
UW467	379.20	380.20	<0.01	<0.1
UW467	380.20	380.60	<0.01	<0.1
UW467	384.10	384.50	<0.01	<0.1
UW467	387.00	387.40	<0.01	<0.1
UW467	396.50	397.00	<0.01	<0.1
UW467	398.00	398.90	<0.01	<0.1
UW467	398.90	399.50	<0.01	<0.1
UW467	402.50	403.50	<0.01	<0.1
UW467	409.50	410.50	<0.01	<0.1
UW467	414.50	415.50	<0.01	<0.1
UW467	420.30	420.80	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW467	423.50	424.50	<0.01	<0.1
UW467	424.50	425.30	<0.01	<0.1
UW467	425.30	426.10	0.01	<0.1
UW467	426.10	427.30	<0.01	<0.1
UW467	427.30	428.10	<0.01	<0.1
UW467	428.10	428.90	<0.01	<0.1
UW467	428.90	429.90	<0.01	<0.1
UW467	429.90	430.30	<0.01	<0.1
UW467	430.30	431.00	<0.01	<0.1
UW467	433.00	434.00	<0.01	<0.1
UW467	434.80	435.50	<0.01	<0.1
UW467	439.50	440.50	<0.01	<0.1
UW467	450.10	451.00	<0.01	<0.1
UW467	451.00	452.00	<0.01	<0.1
UW467	452.00	453.00	0.02	<0.1
UW467	453.00	454.00	0.02	<0.1
UW467	454.00	455.00	<0.01	<0.1
UW467	455.00	455.70	<0.01	<0.1
UW467	460.70	461.60	<0.01	<0.1
UW467	463.50	464.50	<0.01	<0.1
UW467	470.25	471.00	<0.01	<0.1
UW467	471.00	472.00	<0.01	0.1
UW467	472.00	473.00	<0.01	<0.1
UW467	473.00	474.00	<0.01	<0.1
UW467	474.00	475.00	<0.01	<0.1
UW467	475.00	476.00	<0.01	<0.1
UW467	476.00	477.00	0.01	0.8
UW467	477.00	478.00	<0.01	<0.1
UW467	478.00	479.00	<0.01	<0.1
UW467	479.00	480.00	<0.01	0.1
UW467	482.00	483.00	<0.01	0.3
UW467	483.00	484.00	0.01	0.1
UW467	484.90	485.50	<0.01	<0.1
UW467	485.50	486.40	<0.01	0.2
UW467	486.40	487.00	<0.01	<0.1
UW467	487.00	488.00	0.01	<0.1
UW467	488.00	489.00	<0.01	<0.1
UW467	489.00	489.90	<0.01	<0.1
UW467	493.50	494.50	<0.01	<0.1
UW467	494.50	495.20	<0.01	<0.1
UW467	495.20	496.20	<0.01	<0.1
UW467	505.20	506.20	<0.01	0.1
UW467	510.00	510.50	<0.01	<0.1
UW467	518.50	519.60	<0.01	<0.1
UW467	520.70	521.40	<0.01	<0.1
UW467	521.40	522.30	<0.01	<0.1
UW467	522.30	522.90	<0.01	<0.1
UW467	529.00	530.00	<0.01	0.5
UW467	530.00	531.00	0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW467	534.00	535.00	<0.01	0.1
UW467	538.60	539.00	<0.01	<0.1
UW467	543.00	544.00	<0.01	<0.1
UW467	545.00	546.00	<0.01	<0.1
UW467	547.00	548.00	<0.01	<0.1
UW467	548.00	549.00	0.01	<0.1
UW467	549.00	550.00	<0.01	<0.1
UW467	560.30	561.40	<0.01	<0.1
UW467	565.00	565.80	<0.01	<0.1
UW467	568.00	569.00	<0.01	<0.1
UW467	572.00	573.00	<0.01	<0.1
UW467	580.00	581.00	<0.01	<0.1
UW467	584.00	585.00	<0.01	<0.1
UW467	586.10	586.80	<0.01	<0.1
UW467	595.00	596.00	<0.01	<0.1
UW467	599.30	600.00	<0.01	<0.1
UW467	600.00	601.00	<0.01	<0.1
UW467	601.00	602.00	<0.01	<0.1
UW467	602.00	603.00	<0.01	<0.1
UW467	603.00	604.00	<0.01	<0.1
UW467	604.00	605.00	0.01	<0.1
UW467	605.00	606.00	<0.01	<0.1
UW467	606.00	607.00	<0.01	<0.1
UW467	607.00	608.00	<0.01	<0.1
UW467	608.00	609.00	<0.01	<0.1
UW467	609.00	610.00	<0.01	<0.1
UW467	610.00	611.00	<0.01	<0.1
UW467	618.50	619.40	0.01	<0.1
UW467	619.40	620.30	<0.01	<0.1
UW467	627.00	627.60	0.01	<0.1
UW467	627.60	628.60	<0.01	<0.1
UW467	628.60	629.70	0.01	<0.1
UW467	629.70	630.70	<0.01	0.1
UW467	630.70	631.70	0.01	0.1
UW467	631.70	632.80	<0.01	<0.1
UW467	632.80	633.85	<0.01	<0.1
UW467	633.85	635.20	0.01	<0.1
UW467	635.20	635.90	<0.01	<0.1
UW467	638.00	639.00	<0.01	<0.1
UW467	640.70	641.70	<0.01	<0.1
UW467	641.70	642.70	<0.01	<0.1
UW467	646.70	647.70	<0.01	<0.1
UW467	648.70	649.70	<0.01	<0.1
UW467	649.70	650.50	<0.01	<0.1
UW467	650.50	651.50	<0.01	<0.1
UW467	651.50	652.60	<0.01	<0.1
UW467	652.60	653.70	<0.01	<0.1
UW467	653.70	655.30	<0.01	<0.1
UW467	655.30	656.20	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW467	656.20	656.70	<0.01	0.3
UW467	656.70	658.20	<0.01	<0.1
UW467	658.20	659.70	<0.01	<0.1
UW467	665.70	666.70	<0.01	<0.1
UW469	0.00	1.90	0.84	1.1
UW469	1.90	3.60	7.54	11.1
UW469	3.60	5.60	7.07	27.3
UW469	5.60	7.10	4.18	14.9
UW469	7.10	8.70	2.54	5.6
UW469	8.70	10.60	0.16	0.8
UW469	10.60	13.10	0.11	0.9
UW469	13.10	14.10	0.32	2.1
UW469	14.10	14.90	0.20	1.3
UW469	14.90	16.10	0.16	3.8
UW469	16.10	17.10	0.07	0.7
UW469	17.10	18.00	0.13	1.1
UW469	18.00	19.00	0.08	1.2
UW469	19.00	20.00	0.04	1.1
UW469	20.00	21.00	0.03	0.3
UW469	21.00	22.00	0.04	0.7
UW469	22.00	23.00	0.06	0.9
UW469	23.00	23.70	0.14	1.2
UW469	23.70	26.10	1.48	10.1
UW469	26.10	27.20	1.99	13.6
UW469	27.20	28.40	0.28	3.1
UW469	28.40	29.30	0.10	1.1
UW469	29.30	30.00	0.10	0.7
UW469	30.00	31.00	0.89	4.9
UW469	31.00	33.00	0.10	1.1
UW469	33.00	34.00	0.21	1.2
UW469	34.00	37.40	2.15	5.2
UW469	37.40	38.50	0.72	1.3
UW469	38.50	40.00	0.16	1.0
UW469	40.00	41.00	0.10	0.9
UW469	41.00	42.00	0.07	0.8
UW469	42.00	43.00	0.28	1.0
UW469	43.00	44.00	0.10	3.6
UW469	44.00	45.00	0.04	0.5
UW469	45.00	46.00	0.05	0.4
UW469	46.00	47.00	0.10	0.5
UW469	47.00	48.00	0.05	0.3
UW469	48.00	49.00	0.07	0.4
UW469	49.00	50.00	0.72	1.3
UW469	50.00	51.00	0.06	0.3
UW469	51.00	52.50	0.05	0.6
UW469	52.50	53.20	0.46	0.9
UW469	53.20	54.00	0.05	0.3
UW469	54.00	55.00	0.05	0.3
UW469	55.00	56.00	0.05	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW469	56.00	57.00	0.07	0.3
UW469	57.00	58.00	0.07	0.2
UW469	58.00	59.00	2.57	8.7
UW469	59.00	60.00	0.86	2.9
UW469	60.00	62.00	0.22	1.2
UW469	62.00	63.00	0.02	1.2
UW469	63.00	64.00	0.03	0.4
UW469	64.00	65.00	0.02	0.3
UW469	65.00	66.00	<0.01	0.3
UW469	66.00	67.00	0.03	0.3
UW469	67.00	68.00	0.01	0.4
UW469	68.00	69.00	0.02	0.5
UW469	69.00	70.40	1.60	3.3
UW469	70.40	71.10	5.79	8.6
UW469	71.10	72.00	0.11	1.4
UW469	72.00	73.20	16.20	55.9
UW469	73.20	75.00	3.30	8.0
UW469	75.00	75.60	0.03	0.2
UW469	75.60	76.20	4.07	12.1
UW469	76.20	77.00	0.04	0.7
UW469	77.00	78.00	<0.01	0.2
UW469	78.00	79.00	0.60	0.4
UW469	79.00	80.00	<0.01	0.2
UW469	80.00	81.00	0.03	0.2
UW469	81.00	82.00	<0.01	0.1
UW469	82.00	83.00	<0.01	0.2
UW469	83.00	84.00	<0.01	0.1
UW469	84.00	85.00	0.03	2.3
UW469	85.00	86.00	0.03	0.5
UW469	86.00	87.00	0.01	0.1
UW469	87.00	88.00	<0.01	<0.1
UW469	88.00	89.00	<0.01	0.2
UW469	89.00	90.00	0.01	0.4
UW469	90.00	91.00	<0.01	0.4
UW469	91.00	92.00	0.02	1.1
UW469	92.00	93.00	0.02	0.3
UW469	93.00	94.00	0.05	0.6
UW469	94.00	95.00	0.03	0.5
UW469	95.00	96.00	0.03	0.4
UW469	96.00	97.00	0.21	0.6
UW469	97.00	98.00	0.04	0.3
UW469	98.00	99.00	0.06	0.4
UW469	99.00	100.00	0.06	0.5
UW469	100.00	101.00	0.03	1.1
UW469	101.00	101.40	0.03	0.9
UW469	101.40	102.30	1.04	1.8
UW469	102.30	103.00	0.06	1.1
UW469	103.00	104.00	0.01	0.6
UW469	104.00	105.00	<0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW469	105.00	106.00	<0.01	0.1
UW469	106.00	107.00	<0.01	0.1
UW469	107.00	108.00	0.03	0.9
UW469	108.00	109.00	0.01	0.2
UW469	109.00	110.00	0.01	0.1
UW469	110.00	111.00	0.02	0.3
UW469	111.00	112.00	<0.01	0.3
UW469	112.00	113.00	0.06	0.6
UW469	113.00	114.00	0.03	0.4
UW469	114.00	115.00	0.02	0.3
UW469	115.00	116.00	0.01	0.4
UW469	116.00	117.00	0.01	0.2
UW469	117.00	118.00	<0.01	<0.1
UW469	118.00	119.00	<0.01	<0.1
UW469	119.00	120.00	<0.01	<0.1
UW469	120.00	121.00	0.07	0.9
UW469	121.00	122.00	0.56	0.7
UW469	122.00	123.00	0.18	0.7
UW469	123.00	124.00	<0.01	<0.1
UW469	124.00	125.00	0.01	0.1
UW469	125.00	126.00	<0.01	<0.1
UW469	126.00	127.00	0.01	0.2
UW469	127.00	128.00	0.02	0.2
UW469	128.00	129.00	0.02	1.5
UW469	129.00	130.00	0.02	0.6
UW469	130.00	131.00	0.02	0.5
UW469	131.00	132.00	0.02	0.6
UW469	132.00	133.00	0.03	1.0
UW469	133.00	134.00	0.02	2.1
UW469	134.00	134.60	0.02	2.3
UW469	134.60	135.40	0.02	4.1
UW469	135.40	136.30	<0.01	2.5
UW469	136.30	137.00	<0.01	3.7
UW469	137.00	138.00	<0.01	1.0
UW469	138.00	139.00	<0.01	1.1
UW469	139.00	140.00	0.03	1.3
UW469	140.00	141.00	0.02	0.7
UW469	141.00	142.00	0.02	0.8
UW469	142.00	143.00	0.02	0.8
UW469	143.00	144.00	0.11	0.5
UW469	144.00	145.00	0.04	0.1
UW469	145.00	146.00	0.03	0.3
UW469	146.00	147.00	0.06	0.9
UW469	147.00	148.00	0.02	<0.1
UW469	148.00	149.00	0.03	<0.1
UW469	149.00	150.00	0.03	<0.1
UW469	150.00	151.00	0.03	<0.1
UW469	151.00	152.00	0.03	0.2
UW469	152.00	153.00	0.02	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW469	153.00	154.00	0.03	0.6
UW469	154.00	155.00	<0.01	0.5
UW469	155.00	156.00	0.02	0.4
UW469	156.00	157.00	0.02	0.4
UW469	157.00	158.00	0.10	2.3
UW469	158.00	159.00	0.02	0.6
UW469	159.00	160.00	0.02	1.3
UW469	160.00	161.00	0.04	5.0
UW469	161.00	162.00	0.02	3.8
UW469	162.00	163.20	0.01	2.2
UW469	163.20	164.00	<0.01	1.6
UW469	164.00	165.00	0.01	0.6
UW469	165.00	166.00	0.02	0.4
UW469	166.00	167.00	0.02	0.5
UW469	167.00	168.00	0.07	1.5
UW469	168.00	170.20	1.84	13.3
UW469	170.20	171.00	0.10	1.5
UW469	171.00	172.30	0.12	1.5
UW469	172.30	173.00	0.16	0.7
UW469	173.00	173.80	0.59	1.3
UW469	173.80	175.00	0.23	0.8
UW469	175.00	176.00	0.02	0.6
UW469	176.00	177.00	0.06	1.0
UW469	177.00	177.70	0.03	0.7
UW469	177.70	178.80	0.33	2.7
UW469	178.80	180.00	0.34	1.9
UW469	180.00	181.00	0.03	0.9
UW469	181.00	182.00	0.02	1.2
UW469	182.00	183.00	0.04	0.7
UW469	183.00	184.00	0.02	0.7
UW469	184.00	185.00	0.02	1.0
UW469	185.00	186.00	0.02	1.2
UW469	186.00	187.00	0.19	1.5
UW469	187.00	188.00	<0.01	0.5
UW469	188.00	189.00	<0.01	0.6
UW469	189.00	190.20	0.02	0.8
UW469	190.20	191.00	0.02	1.2
UW469	191.00	192.00	0.02	0.9
UW469	192.00	193.00	0.02	0.6
UW469	193.00	194.10	0.02	1.1
UW469	194.10	195.00	0.02	0.8
UW469	195.00	196.00	<0.01	0.7
UW469	196.00	197.20	<0.01	1.6
UW469	197.20	198.00	0.02	1.0
UW469	198.00	199.00	0.02	0.4
UW469	199.00	200.00	0.02	0.3
UW469	200.00	201.00	0.01	0.6
UW469	201.00	202.00	0.02	0.4
UW469	202.00	202.90	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW469	202.90	203.50	0.08	3.0
UW469	203.50	204.30	1.41	18.9
UW469	204.30	205.20	2.77	15.8
UW469	205.20	206.10	<0.01	1.1
UW469	206.10	207.10	<0.01	1.7
UW469	207.10	208.00	0.02	0.9
UW469	208.00	209.00	0.05	0.7
UW469	209.00	210.00	0.02	0.3
UW469	210.00	211.00	<0.01	0.4
UW469	211.00	212.00	0.02	0.3
UW469	212.00	213.00	0.02	0.5
UW469	213.00	214.00	0.13	0.5
UW469	214.00	215.00	0.02	0.3
UW469	215.00	216.00	0.01	0.5
UW469	216.00	217.00	0.01	1.2
UW469	217.00	218.00	0.01	1.0
UW469	218.00	219.10	0.02	0.6
UW469	219.10	220.00	0.01	0.7
UW469	220.00	221.00	0.01	0.5
UW469	221.00	222.00	<0.01	0.2
UW469	222.00	223.00	<0.01	0.2
UW469	223.00	224.00	0.03	3.4
UW469	224.00	225.00	<0.01	0.9
UW469	225.00	226.00	0.11	1.3
UW469	226.00	227.00	0.02	0.8
UW469	227.00	228.00	0.02	1.2
UW469	228.00	229.00	0.03	0.7
UW469	229.00	229.60	0.01	0.9
UW469	229.60	230.60	0.02	0.9
UW469	230.60	231.20	<0.01	0.4
UW469	231.20	232.00	<0.01	0.4
UW469	232.00	233.00	0.01	0.5
UW469	233.00	234.00	0.03	0.8
UW469	234.00	235.00	0.05	1.8
UW469	235.00	236.00	0.02	1.5
UW469	236.00	237.00	0.02	1.6
UW469	237.00	238.00	0.30	2.2
UW469	238.00	239.00	0.04	1.6
UW469	239.00	240.00	0.08	3.8
UW469	240.00	241.00	0.44	19.0
UW469	241.00	241.90	0.03	3.3
UW469	241.90	242.90	1.29	53.1
UW469	242.90	243.70	20.00	88.6
UW469	243.70	244.90	0.45	5.0
UW469	244.90	245.80	0.06	1.8
UW469	245.80	246.50	51.50	245.0
UW469	246.50	247.30	0.16	1.3
UW469	247.30	248.00	0.73	22.1
UW469	248.00	249.00	0.06	3.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW469	249.00	250.00	0.07	2.4
UW469	250.00	251.00	0.03	0.9
UW469	251.00	252.00	0.04	2.0
UW469	252.00	253.00	0.03	1.1
UW469	253.00	254.00	0.04	1.2
UW469	254.00	255.00	0.04	1.5
UW469	255.00	256.00	0.03	2.0
UW469	256.00	256.90	0.05	5.5
UW469	256.90	258.00	0.07	4.7
UW469	258.00	259.00	0.05	3.3
UW469	259.00	260.00	0.08	2.1
UW469	260.00	261.00	0.06	1.9
UW469	261.00	262.00	0.02	1.7
UW469	262.00	263.00	0.02	1.5
UW469	263.00	264.00	0.04	2.1
UW469	264.00	265.00	0.02	1.7
UW469	265.00	266.00	0.02	0.9
UW469	266.00	267.00	0.02	2.4
UW469	267.00	268.00	0.03	1.8
UW469	268.00	269.00	0.02	2.4
UW469	269.00	270.00	0.01	1.7
UW469	270.00	270.50	0.02	2.5
UW469	270.50	271.60	0.04	2.5
UW469	271.60	272.80	0.02	1.4
UW469	272.80	274.00	0.02	1.5
UW469	274.00	275.00	<0.01	1.1
UW469	275.00	276.00	0.02	1.9
UW469	276.00	277.00	0.10	6.0
UW469	277.00	278.00	0.02	1.3
UW469	278.00	278.90	0.04	4.7
UW469	278.90	279.30	0.22	14.2
UW469	279.30	280.30	0.06	6.3
UW469	280.30	281.00	0.03	2.1
UW469	281.00	282.00	0.02	2.4
UW469	282.00	283.00	0.05	3.3
UW469	283.00	284.00	0.04	1.8
UW469	284.00	285.00	0.03	1.5
UW469	285.00	285.50	0.02	1.1
UW469	285.50	286.60	0.95	3.1
UW469	286.60	287.60	3.07	4.5
UW469	287.60	288.00	0.21	2.0
UW469	288.00	289.10	0.02	1.8
UW469	289.10	290.00	0.03	2.5
UW469	290.00	291.00	0.04	3.6
UW469	291.00	292.00	0.02	2.9
UW469	292.00	293.00	0.05	2.5
UW469	293.00	294.00	0.02	2.7
UW469	294.00	295.00	0.03	2.4
UW469	295.00	295.50	0.03	2.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW469	295.50	296.00	0.09	1.8
UW469	296.00	297.00	0.12	2.1
UW469	297.00	298.00	0.01	1.5
UW469	298.00	299.00	0.10	0.8
UW469	299.00	300.00	0.02	1.0
UW469	300.00	301.20	0.05	1.3
UW469	301.20	302.40	0.02	0.9
UW469	302.40	303.10	0.18	16.3
UW469	303.10	304.30	0.05	2.0
UW469	304.30	305.10	0.04	1.9
UW469	305.10	306.20	0.06	2.1
UW469	306.20	307.00	0.03	2.3
UW469	307.00	308.00	0.03	2.7
UW469	308.00	309.20	0.02	1.1
UW469	309.20	310.00	0.04	1.1
UW469	310.00	311.00	0.06	1.4
UW469	311.00	312.00	0.02	1.2
UW469	312.00	313.00	0.02	0.9
UW469	313.00	314.00	0.03	1.2
UW469	314.00	315.00	0.01	0.7
UW469	315.00	316.00	0.04	2.1
UW469	316.00	317.00	0.02	1.2
UW469	317.00	318.00	0.06	3.8
UW469	318.00	318.40	0.09	1.6
UW469	318.40	319.00	0.08	1.5
UW469	319.00	320.00	0.02	1.2
UW469	320.00	321.00	0.02	1.9
UW469	321.00	322.00	0.02	1.0
UW469	322.00	323.00	0.02	1.0
UW469	323.00	323.70	0.06	2.2
UW469	323.70	324.20	0.29	3.8
UW469	324.20	325.30	0.06	5.7
UW469	325.30	326.00	0.01	2.6
UW469	326.00	327.00	0.02	3.3
UW469	327.00	328.00	0.02	1.2
UW469	328.00	329.00	0.03	3.2
UW469	329.00	330.00	0.04	2.4
UW469	330.00	331.00	0.03	1.8
UW469	331.00	332.00	0.01	1.4
UW469	332.00	333.00	0.02	1.1
UW469	333.00	334.00	0.10	0.8
UW469	334.00	334.90	0.02	0.7
UW470	0.00	1.50	0.02	0.1
UW470	1.50	2.30	<0.01	0.2
UW470	2.30	4.00	0.02	<0.1
UW470	4.00	5.50	0.01	<0.1
UW470	5.50	7.00	<0.01	<0.1
UW470	7.00	8.50	<0.01	<0.1
UW470	8.50	9.50	0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW470	9.50	10.40	0.02	<0.1
UW470	10.40	11.00	0.02	<0.1
UW470	11.00	12.50	0.01	<0.1
UW470	12.50	14.00	0.02	<0.1
UW470	14.00	15.50	0.02	<0.1
UW470	15.50	17.00	0.02	0.2
UW470	17.00	18.50	0.02	<0.1
UW470	18.50	19.30	0.02	0.3
UW470	19.30	20.10	0.01	7.0
UW470	20.10	21.60	0.03	21.1
UW470	21.60	23.00	0.01	18.3
UW470	23.00	24.30	0.01	11.6
UW470	24.30	25.80	0.02	0.3
UW470	25.80	27.30	0.02	0.2
UW470	27.30	28.80	0.03	0.2
UW470	28.80	30.00	0.05	0.2
UW470	30.00	31.50	0.02	0.3
UW470	31.50	33.00	0.02	1.1
UW470	33.00	34.50	0.02	18.4
UW470	34.50	36.00	0.09	0.3
UW470	36.00	37.50	0.09	0.2
UW470	37.50	39.00	0.05	0.4
UW470	39.00	39.50	0.04	0.3
UW470	39.50	41.00	0.02	0.3
UW470	41.00	42.40	0.03	0.3
UW470	42.40	43.10	<0.01	0.1
UW470	43.10	44.50	0.04	0.1
UW470	44.50	46.00	0.03	0.1
UW470	46.00	47.50	<0.01	<0.1
UW470	47.50	49.00	0.04	0.2
UW470	49.00	50.50	0.03	0.3
UW470	50.50	52.00	0.12	0.3
UW470	52.00	54.70	0.01	1.2
UW470	54.70	56.00	0.01	0.2
UW470	56.00	57.50	0.02	0.4
UW470	57.50	59.00	<0.01	<0.1
UW470	59.00	59.60	0.05	0.1
UW470	59.60	60.20	0.02	<0.1
UW470	60.20	61.00	<0.01	0.2
UW470	61.00	62.50	0.02	0.6
UW470	62.50	64.00	<0.01	0.2
UW470	64.00	65.50	0.01	0.3
UW470	65.50	67.00	<0.01	0.5
UW470	67.00	68.50	<0.01	0.3
UW470	68.50	70.00	0.03	1.9
UW470	70.00	70.40	0.02	7.6
UW470	70.40	71.00	0.02	4.1
UW470	71.00	72.50	0.02	0.6
UW470	72.50	74.00	0.01	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW470	74.00	75.50	0.02	0.3
UW470	75.50	77.00	0.02	0.3
UW470	77.00	78.40	0.02	0.2
UW470	78.40	78.70	0.03	1.2
UW470	78.70	79.50	0.02	0.2
UW470	79.50	80.30	<0.01	<0.1
UW470	80.30	81.00	0.02	1.4
UW470	81.00	82.00	0.03	2.6
UW470	82.00	82.70	0.10	1.5
UW470	82.70	84.00	0.12	3.0
UW470	84.00	85.00	0.05	4.4
UW470	85.00	86.00	0.06	1.2
UW470	86.00	87.00	0.09	1.9
UW470	87.00	87.60	0.07	1.5
UW470	87.60	88.00	0.03	1.0
UW470	88.00	88.60	0.05	0.8
UW470	88.60	89.00	0.02	1.0
UW470	89.00	90.50	0.05	1.4
UW470	90.50	91.70	0.02	0.8
UW470	91.70	92.00	0.01	1.0
UW470	92.00	92.40	0.03	9.4
UW470	92.40	93.90	0.01	0.6
UW470	93.90	95.00	0.04	0.9
UW470	95.00	96.30	0.02	1.7
UW470	96.30	97.70	0.03	2.0
UW470	97.70	98.60	0.03	2.4
UW470	98.60	99.20	0.17	11.1
UW470	99.20	100.20	2.85	78.1
UW470	100.20	101.10	0.03	3.4
UW470	101.10	101.50	0.03	3.8
UW470	101.50	103.00	0.03	3.0
UW470	103.00	104.40	0.02	9.2
UW470	104.40	105.50	0.03	1.4
UW470	105.50	106.50	0.02	1.6
UW470	106.50	107.50	0.02	0.9
UW470	107.50	108.40	0.03	1.2
UW470	108.40	110.00	0.02	0.7
UW470	110.00	111.50	0.03	1.1
UW470	111.50	113.00	0.03	1.1
UW470	113.00	114.10	0.05	1.1
UW470	114.10	114.60	0.03	1.4
UW470	114.60	116.00	0.01	0.6
UW470	116.00	117.50	0.02	0.7
UW470	117.50	119.00	0.05	2.0
UW470	119.00	119.50	0.05	1.4
UW470	119.50	121.00	0.03	0.8
UW470	121.00	121.80	0.06	5.5
UW470	121.80	123.00	17.00	112.0
UW470	123.00	124.30	0.37	4.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW470	124.30	125.50	0.04	1.4
UW470	125.50	127.00	0.04	1.2
UW470	127.00	128.50	0.09	2.2
UW470	128.50	130.00	0.04	1.3
UW470	130.00	131.50	0.03	0.7
UW470	131.50	133.00	0.04	1.7
UW470	133.00	134.00	0.03	1.5
UW470	134.00	135.50	0.03	1.0
UW470	135.50	137.00	0.04	1.4
UW470	137.00	138.50	0.03	2.0
UW470	138.50	140.00	0.05	1.7
UW470	140.00	141.40	0.06	1.8
UW470	141.40	142.00	0.03	1.3
UW470	142.00	143.50	0.01	0.2
UW470	143.50	145.00	<0.01	0.5
UW470	145.00	146.50	0.02	0.7
UW470	146.50	148.00	<0.01	0.8
UW470	148.00	149.50	<0.01	0.5
UW470	149.50	151.00	0.09	1.0
UW470	151.00	152.50	0.12	1.8
UW470	152.50	154.00	0.01	0.3
UW470	154.00	155.50	0.32	1.3
UW470	155.50	157.00	0.05	3.3
UW470	157.00	158.50	0.01	1.3
UW470	158.50	159.50	0.02	1.0
UW470	159.50	161.00	0.01	0.5
UW470	161.00	162.50	<0.01	0.5
UW470	162.50	163.00	0.09	1.5
UW470	163.00	164.50	0.01	0.4
UW470	164.50	166.00	0.02	0.4
UW470	166.00	167.50	0.02	0.4
UW470	167.50	169.00	<0.01	0.2
UW470	169.00	170.50	0.01	0.6
UW470	170.50	172.00	<0.01	0.4
UW470	172.00	173.50	<0.01	<0.1
UW470	173.50	175.00	<0.01	0.7
UW470	175.00	176.60	0.01	0.2
UW471	0.00	1.50	0.03	0.2
UW471	1.50	4.20	0.01	0.2
UW471	4.20	5.70	<0.01	0.1
UW471	5.70	7.00	<0.01	0.2
UW471	7.00	8.50	0.01	<0.1
UW471	8.50	10.00	0.03	0.1
UW471	10.00	11.50	0.01	<0.1
UW471	11.50	13.00	0.01	<0.1
UW471	13.00	14.50	0.01	0.4
UW471	14.50	16.00	0.01	0.1
UW471	16.00	17.50	0.01	<0.1
UW471	17.50	19.00	0.02	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW471	19.00	20.50	0.02	0.2
UW471	20.50	22.00	0.01	0.1
UW471	22.00	23.50	<0.01	0.3
UW471	23.50	25.00	<0.01	0.8
UW471	25.00	26.50	0.01	0.3
UW471	26.50	28.00	0.01	0.5
UW471	28.00	28.50	0.01	7.4
UW471	28.50	30.00	0.01	1.4
UW471	30.00	31.50	0.03	0.6
UW471	31.50	33.00	0.04	0.4
UW471	33.00	34.50	0.02	0.1
UW471	34.50	36.00	0.05	0.4
UW471	36.00	37.50	0.07	0.3
UW471	37.50	39.20	0.04	0.6
UW471	39.20	39.90	0.05	5.3
UW471	39.90	41.50	0.08	0.6
UW471	41.50	43.00	0.02	0.3
UW471	43.00	44.50	0.02	1.7
UW471	44.50	46.00	0.05	1.0
UW471	46.00	47.50	0.03	1.0
UW471	47.50	49.00	0.04	0.7
UW471	49.00	50.50	0.03	0.4
UW471	50.50	52.00	0.04	4.7
UW471	52.00	53.50	0.03	0.9
UW471	53.50	54.50	0.03	2.0
UW471	54.50	56.00	0.01	1.0
UW471	56.00	57.50	0.02	0.3
UW471	57.50	59.00	0.04	0.6
UW471	59.00	60.50	0.03	0.4
UW471	60.50	62.00	0.02	0.3
UW471	62.00	63.20	0.02	0.2
UW471	63.20	64.20	0.01	5.2
UW471	64.20	65.60	0.02	1.2
UW471	65.60	67.00	0.01	0.5
UW471	67.00	67.60	0.02	1.7
UW471	67.60	69.00	0.01	0.3
UW471	69.00	70.50	0.01	0.4
UW471	70.50	71.70	0.02	0.7
UW471	71.70	73.00	0.01	0.5
UW471	73.00	74.50	0.02	0.4
UW471	74.50	76.00	0.03	1.0
UW471	76.00	77.50	0.04	1.2
UW471	77.50	79.00	0.04	1.1
UW471	79.00	80.50	0.02	0.8
UW471	80.50	82.00	0.01	0.7
UW471	82.00	82.90	0.05	1.3
UW471	82.90	84.00	0.11	2.2
UW471	84.00	85.50	0.13	2.7
UW471	85.50	87.00	0.52	1.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW471	87.00	88.50	0.10	2.6
UW471	88.50	90.00	0.08	6.1
UW471	90.00	91.50	0.04	1.5
UW471	91.50	93.00	0.71	4.2
UW471	93.00	94.50	0.18	1.9
UW471	94.50	96.00	0.04	0.8
UW471	96.00	97.50	0.19	2.2
UW471	97.50	99.00	0.05	0.6
UW471	99.00	100.50	0.05	0.7
UW471	100.50	102.00	0.05	1.0
UW471	102.00	103.50	0.04	0.9
UW471	103.50	105.00	0.16	1.6
UW471	105.00	106.20	0.32	1.8
UW471	106.20	107.50	0.05	1.5
UW471	107.50	109.00	0.03	0.5
UW471	109.00	110.50	0.14	0.6
UW471	110.50	112.00	0.04	0.4
UW471	112.00	113.50	0.01	0.5
UW471	113.50	114.30	0.03	1.1
UW471	114.30	115.40	5.41	603.0
UW471	115.40	116.10	0.03	8.4
UW471	116.10	117.50	0.12	2.7
UW471	117.50	119.00	0.08	2.6
UW471	119.00	120.10	0.60	4.6
UW471	120.10	121.60	5.37	44.1
UW471	121.60	122.60	24.70	272.0
UW471	122.60	124.00	0.50	4.1
UW471	124.00	125.50	<0.01	0.8
UW471	125.50	127.00	0.03	0.8
UW471	127.00	128.50	0.02	0.3
UW471	128.50	130.00	0.02	0.4
UW471	130.00	131.50	0.02	1.4
UW471	131.50	133.00	0.02	1.6
UW471	133.00	134.50	0.02	1.6
UW471	134.50	136.00	0.02	0.8
UW471	136.00	137.50	0.04	1.0
UW471	137.50	138.60	8.33	56.9
UW471	138.60	139.20	0.23	1.9
UW471	139.20	140.50	0.06	0.8
UW471	140.50	142.00	0.04	0.8
UW471	142.00	143.50	0.03	0.6
UW471	143.50	145.00	0.03	0.5
UW471	145.00	146.50	0.02	0.4
UW471	146.50	148.00	<0.01	<0.1
UW471	148.00	149.50	0.01	<0.1
UW471	149.50	151.00	0.01	<0.1
UW471	151.00	152.50	<0.01	<0.1
UW471	152.50	154.00	0.02	1.2
UW471	154.00	155.50	0.02	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW471	155.50	156.50	0.03	0.5
UW471	156.50	158.00	0.02	0.5
UW471	158.00	159.40	0.02	0.5
UW471	159.40	160.90	0.05	1.3
UW471	160.90	162.00	0.03	0.8
UW471	162.00	163.40	0.01	0.8
UW471	163.40	164.00	0.04	1.7
UW471	164.00	165.50	0.02	0.9
UW471	165.50	167.00	0.02	1.3
UW471	167.00	168.50	0.03	3.5
UW471	168.50	170.00	0.03	2.2
UW471	170.00	171.00	0.01	1.6
UW471	171.00	172.50	0.05	2.0
UW471	172.50	173.50	0.03	0.8
UW471	173.50	175.00	0.04	1.8
UW471	175.00	176.50	0.02	0.7
UW471	176.50	178.00	<0.01	0.3
UW471	178.00	179.50	0.01	0.1
UW471	179.50	181.00	0.03	0.7
UW471	181.00	182.00	0.04	1.0
UW471	182.00	183.20	11.50	32.3
UW471	183.20	184.60	3.61	6.4
UW471	184.60	186.00	0.01	0.8
UW471	186.00	187.50	0.02	0.4
UW471	187.50	189.00	0.02	0.5
UW471	189.00	190.50	0.02	0.5
UW471	190.50	192.00	0.03	0.9
UW471	192.00	193.50	0.02	1.0
UW471	193.50	195.00	0.02	1.1
UW471	195.00	196.50	0.02	0.7
UW471	196.50	198.00	0.02	0.6
UW471	198.00	199.50	0.03	1.1
UW471	199.50	201.00	0.07	1.8
UW471	201.00	202.50	0.03	1.0
UW471	202.50	203.20	0.02	0.9
UW472	70.00	71.50	0.03	1.7
UW472	71.50	73.00	0.44	2.0
UW472	73.00	74.50	0.03	2.7
UW472	74.50	76.00	0.09	4.9
UW472	76.00	77.50	0.39	4.3
UW472	77.50	79.00	0.23	5.5
UW472	79.00	80.50	0.06	4.6
UW472	80.50	82.00	0.02	3.3
UW472	82.00	83.40	0.06	10.7
UW472	83.40	84.00	0.49	9.1
UW472	84.00	85.00	1.02	37.1
UW472	85.00	86.50	0.09	11.0
UW472	86.50	87.50	0.05	5.9
UW472	87.50	88.30	0.04	5.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW472	88.30	89.10	1.37	75.8
UW472	89.10	90.60	2.29	257.0
UW472	90.60	92.00	<0.01	10.7
UW472	92.00	93.50	0.38	15.6
UW472	93.50	95.00	0.48	4.4
UW472	95.00	96.50	0.23	3.8
UW472	96.50	98.00	0.06	2.7
UW472	98.00	99.50	0.07	0.4
UW472	99.50	101.00	0.20	0.6
UW472	101.00	102.50	0.07	0.8
UW472	102.50	103.60	0.03	2.3
UW472	103.60	104.90	0.45	22.3
UW472	104.90	105.60	0.16	7.0
UW472	105.60	106.60	1.54	29.0
UW472	106.60	108.10	3.66	99.0
UW472	108.10	109.00	0.12	12.7
UW472	109.00	110.50	0.03	3.6
UW472	110.50	111.90	0.10	2.2
UW472	111.90	113.00	0.07	3.4
UW472	113.00	114.50	0.03	1.3
UW472	114.50	116.00	0.05	1.9
UW472	116.00	117.50	0.20	4.2
UW472	117.50	119.00	0.39	4.4
UW472	119.00	120.30	0.04	8.3
UW472	120.30	121.20	0.03	3.8
UW472	121.20	122.40	0.42	36.3
UW472	122.40	123.50	3.45	235.0
UW472	123.50	124.50	1.44	54.1
UW472	124.50	126.00	0.52	28.5
UW472	126.00	126.90	0.72	60.6
UW472	126.90	127.70	4.87	333.0
UW472	127.70	128.60	8.52	450.0
UW472	128.60	130.00	0.70	45.2
UW472	130.00	131.50	0.16	5.7
UW472	131.50	133.00	0.07	3.1
UW472	133.00	134.50	0.24	7.0
UW472	134.50	136.00	0.08	5.6
UW472	136.00	137.50	0.03	2.6
UW472	137.50	139.00	0.04	3.2
UW472	139.00	140.50	0.07	3.7
UW472	140.50	141.10	0.12	5.0
UW472	141.10	141.50	0.21	8.1
UW472	141.50	143.00	0.22	6.7
UW472	143.00	144.50	0.10	5.6
UW472	144.50	145.40	9.14	542.0
UW472	145.40	146.50	0.25	13.1
UW472	146.50	148.10	0.72	36.9
UW472	148.10	148.70	0.40	2.5
UW472	148.70	150.00	0.14	3.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW472	150.00	151.50	0.42	4.3
UW472	151.50	153.00	0.58	4.4
UW472	153.00	154.50	0.10	3.5
UW472	154.50	156.00	0.05	3.4
UW472	156.00	157.50	0.08	2.5
UW472	157.50	159.00	0.03	1.8
UW472	159.00	160.50	0.05	2.9
UW472	160.50	162.00	0.10	2.5
UW472	162.00	163.50	0.03	1.4
UW472	163.50	164.70	0.03	2.1
UW472	164.70	165.50	0.16	4.0
UW472	165.50	167.00	0.06	3.4
UW472	167.00	168.50	0.05	1.8
UW472	168.50	169.20	0.07	2.4
UW472	169.20	170.10	0.09	2.9
UW472	170.10	171.50	0.07	3.4
UW472	171.50	173.00	0.15	3.4
UW472	173.00	174.00	0.05	2.4
UW472	174.00	175.00	0.12	3.5
UW473	0.00	2.00	<0.01	<0.1
UW473	2.00	6.30	5.12	47.6
UW473	6.30	8.00	4.45	14.1
UW473	8.00	10.30	6.06	16.6
UW473	10.30	13.10	4.02	30.7
UW473	13.10	14.70	4.81	19.4
UW473	14.70	16.90	0.63	4.8
UW473	16.90	18.80	0.16	1.5
UW473	18.80	20.20	0.43	3.3
UW473	20.20	21.70	0.08	1.5
UW473	21.70	23.00	0.10	1.9
UW473	23.00	24.50	0.52	1.7
UW473	24.50	26.00	1.81	3.0
UW473	26.00	27.50	0.09	1.4
UW473	27.50	29.00	0.63	1.5
UW473	29.00	31.10	9.15	38.2
UW473	31.10	32.50	0.48	2.2
UW473	32.50	33.40	0.04	1.4
UW473	33.40	35.00	0.04	1.0
UW473	35.00	36.50	0.03	0.9
UW473	36.50	37.80	0.25	1.6
UW473	37.80	39.00	0.79	2.5
UW473	39.00	40.70	0.44	2.2
UW473	40.70	41.30	2.98	9.2
UW473	41.30	42.80	0.26	1.6
UW473	42.80	44.00	0.08	0.9
UW473	44.00	45.10	3.16	6.5
UW473	45.10	46.50	0.27	2.5
UW473	46.50	48.00	1.55	4.8
UW473	48.00	49.10	1.43	6.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW473	49.10	50.40	0.84	2.4
UW473	50.40	52.00	0.58	1.9
UW473	52.00	54.00	0.08	0.8
UW473	54.00	55.50	0.14	1.9
UW473	55.50	57.00	0.52	1.1
UW473	57.00	58.50	0.06	0.4
UW473	58.50	60.00	0.08	0.7
UW473	60.00	61.50	0.22	0.8
UW473	61.50	63.00	0.06	0.7
UW473	63.00	64.50	0.07	0.7
UW473	64.50	66.00	0.06	0.5
UW473	66.00	66.60	2.36	1.3
UW473	66.60	68.60	1.72	1.5
UW473	68.60	70.00	0.20	0.7
UW473	70.00	71.50	0.07	0.9
UW473	71.50	73.00	0.02	0.5
UW473	73.00	74.50	0.02	0.8
UW473	74.50	76.00	0.03	0.7
UW473	76.00	77.50	<0.01	0.9
UW473	77.50	79.00	0.43	7.2
UW473	79.00	80.50	0.04	1.1
UW473	80.50	82.50	0.83	2.4
UW473	82.50	84.00	2.67	4.7
UW473	84.00	85.00	0.09	1.1
UW473	85.00	86.30	0.19	0.9
UW473	86.30	87.40	8.33	16.6
UW473	87.40	88.20	0.40	1.2
UW473	88.20	89.50	5.39	8.8
UW473	89.50	91.00	0.03	0.8
UW473	91.00	92.50	0.04	0.2
UW473	92.50	94.50	0.06	0.1
UW473	94.50	96.00	0.02	3.6
UW473	96.00	97.50	0.02	2.5
UW473	97.50	99.00	0.05	1.4
UW473	99.00	100.50	0.03	0.4
UW473	100.50	102.00	0.19	0.6
UW473	102.00	103.50	0.02	0.4
UW473	103.50	105.00	0.07	0.7
UW473	105.00	106.50	0.02	0.5
UW473	106.50	108.00	0.05	0.6
UW473	108.00	109.50	0.02	0.8
UW473	109.50	111.00	0.02	0.9
UW473	111.00	112.50	0.03	0.7
UW473	112.50	114.00	0.04	0.6
UW473	114.00	115.50	0.02	0.2
UW473	115.50	117.00	0.02	0.2
UW473	117.00	118.50	0.03	0.4
UW473	118.50	120.00	0.03	0.6
UW473	120.00	121.50	0.03	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW473	121.50	122.80	0.03	0.5
UW473	122.80	123.50	0.02	0.7
UW473	123.50	125.00	0.05	1.0
UW473	125.00	126.50	0.03	1.1
UW473	126.50	128.00	0.03	0.8
UW473	128.00	129.50	0.02	0.3
UW473	129.50	131.00	0.02	0.3
UW473	131.00	132.50	0.02	0.3
UW473	132.50	134.00	0.02	0.3
UW473	134.00	135.50	0.02	0.3
UW473	135.50	136.80	0.10	0.9
UW473	136.80	137.50	0.88	1.5
UW473	137.50	139.00	0.01	1.1
UW473	139.00	140.50	<0.01	1.2
UW473	140.50	142.00	<0.01	1.1
UW473	142.00	143.50	0.02	0.9
UW473	143.50	145.00	0.03	0.3
UW473	145.00	146.00	<0.01	0.8
UW473	146.00	147.50	0.04	0.6
UW473	147.50	149.00	<0.01	0.7
UW473	149.00	150.50	<0.01	1.2
UW473	150.50	152.00	<0.01	0.3
UW473	152.00	153.50	<0.01	0.2
UW473	153.50	155.00	0.02	0.3
UW473	155.00	156.50	0.02	0.5
UW473	156.50	158.00	0.02	0.5
UW473	158.00	159.50	0.01	0.2
UW473	159.50	161.00	<0.01	0.3
UW473	161.00	162.50	0.01	0.2
UW473	162.50	164.00	0.03	0.3
UW473	164.00	165.50	0.02	0.5
UW473	165.50	166.90	0.02	1.5
UW473	166.90	167.70	0.45	18.6
UW473	167.70	168.50	0.02	1.6
UW473	168.50	169.30	<0.01	0.7
UW473	169.30	170.20	0.01	1.5
UW473	170.20	171.50	0.01	0.7
UW473	171.50	173.00	0.02	0.3
UW473	173.00	174.50	0.02	1.2
UW473	174.50	176.00	0.01	1.4
UW473	176.00	177.50	0.01	0.6
UW473	177.50	179.00	0.01	1.1
UW473	179.00	180.50	<0.01	0.2
UW473	180.50	182.00	<0.01	0.4
UW473	182.00	183.50	<0.01	0.6
UW473	183.50	185.00	<0.01	1.1
UW473	185.00	186.50	<0.01	0.6
UW473	186.50	188.00	0.01	1.2
UW473	188.00	189.50	0.26	7.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW473	189.50	191.00	0.03	1.2
UW473	191.00	192.50	0.03	1.1
UW473	192.50	194.00	0.01	0.9
UW473	194.00	195.50	0.07	0.7
UW473	195.50	197.00	<0.01	0.5
UW473	197.00	198.50	<0.01	0.6
UW473	198.50	200.00	<0.01	0.6
UW473	200.00	201.50	0.01	1.6
UW473	201.50	203.00	0.03	2.6
UW473	203.00	204.50	0.03	1.9
UW473	204.50	205.90	0.02	2.3
UW473	205.90	206.60	0.02	1.7
UW473	206.60	208.10	0.01	1.0
UW473	208.10	209.60	0.01	1.3
UW473	209.60	210.70	0.02	1.8
UW473	210.70	212.20	0.01	1.1
UW473	212.20	213.50	0.01	0.8
UW473	213.50	215.00	0.03	0.9
UW473	215.00	216.50	0.02	0.5
UW473	216.50	218.00	0.03	0.4
UW473	218.00	218.70	0.03	1.9
UW473	218.70	220.20	1.52	3.6
UW473	220.20	221.20	55.10	131.0
UW473	221.20	222.20	64.90	131.0
UW473	222.20	223.20	0.30	4.2
UW473	223.20	224.70	0.04	1.6
UW473	224.70	226.10	0.10	1.7
UW473	226.10	227.40	0.02	2.7
UW473	227.40	228.00	0.49	26.9
UW473	228.00	229.50	0.03	2.1
UW473	229.50	231.00	0.02	2.1
UW473	231.00	232.50	0.01	1.6
UW473	232.50	234.00	0.03	1.2
UW473	234.00	235.50	<0.01	1.9
UW473	235.50	236.40	0.03	2.4
UW473	236.40	237.30	0.01	2.4
UW473	237.30	238.60	0.02	2.4
UW473	238.60	240.00	<0.01	2.7
UW473	240.00	241.50	0.03	3.7
UW473	241.50	243.00	0.03	2.1
UW473	243.00	244.50	0.03	1.9
UW473	244.50	245.80	0.15	10.9
UW473	245.80	246.80	0.03	2.2
UW473	246.80	247.80	0.02	2.8
UW473	247.80	249.00	0.12	10.3
UW473	249.00	250.00	0.04	2.2
UW473	250.00	251.00	0.03	1.9
UW473	251.00	251.80	0.11	3.5
UW473	251.80	253.10	0.03	3.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW473	253.10	254.50	0.11	3.2
UW473	254.50	255.20	0.05	2.3
UW473	255.20	256.00	0.06	4.5
UW473	256.00	256.70	2.24	54.2
UW473	256.70	257.60	0.15	3.4
UW473	257.60	259.00	0.04	3.4
UW473	259.00	259.80	0.03	5.8
UW473	259.80	260.70	0.40	16.1
UW473	260.70	261.60	0.65	5.7
UW473	261.60	263.00	0.06	7.4
UW473	263.00	264.50	0.04	5.2
UW473	264.50	266.00	0.03	2.1
UW473	266.00	267.50	0.04	2.7
UW473	267.50	268.10	1.19	82.7
UW473	268.10	269.50	0.03	1.4
UW473	269.50	271.00	0.02	1.4
UW473	271.00	272.50	0.03	1.7
UW473	272.50	274.00	0.06	1.9
UW473	274.00	275.50	0.84	3.3
UW473	275.50	277.00	0.08	1.4
UW473	277.00	278.50	0.02	1.3
UW473	278.50	280.00	0.21	5.2
UW473	280.00	281.50	0.03	2.1
UW473	281.50	283.00	0.29	2.4
UW473	283.00	284.50	0.21	4.0
UW473	284.50	286.00	0.16	6.7
UW473	286.00	287.30	2.22	55.3
UW473	287.30	288.50	0.09	2.3
UW473	288.50	289.30	0.06	4.9
UW473	289.30	289.80	1.55	29.9
UW473	289.80	291.00	0.03	3.7
UW473	291.00	292.50	0.29	8.3
UW473	292.50	294.00	0.07	8.2
UW473	294.00	295.40	0.03	4.8
UW473	295.40	296.40	0.21	9.6
UW473	296.40	297.00	0.03	6.2
UW473	297.00	298.20	0.24	5.3
UW473	298.20	299.50	0.02	4.4
UW473	299.50	301.00	0.02	3.8
UW473	301.00	302.50	0.02	4.5
UW473	302.50	304.00	0.03	5.0
UW473	304.00	305.50	0.02	4.3
UW473	305.50	307.00	0.02	2.9
UW473	307.00	308.50	0.03	2.8
UW473	308.50	310.00	0.03	3.9
UW473	310.00	311.10	0.02	4.5
UW473	311.10	312.60	1.33	74.2
UW473	312.60	313.80	1.13	67.3
UW473	313.80	315.00	0.50	62.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW473	319.30	320.80	0.02	2.4
UW473	320.80	322.60	0.02	2.5
UW473	322.60	323.90	0.13	4.1
UW473	323.90	325.40	0.06	3.1
UW473	325.40	326.90	0.02	2.9
UW473	326.90	328.40	0.04	3.2
UW473	328.40	329.90	0.03	3.3
UW473	329.90	331.40	0.03	3.4
UW473	331.40	332.60	0.07	3.0
UW473	332.60	333.40	0.07	6.1
UW474	0.00	1.00	0.82	13.9
UW474	1.00	1.50	2.47	26.0
UW474	1.50	2.30	2.55	17.8
UW474	2.30	3.30	7.13	10.1
UW474	3.30	3.90	3.99	17.8
UW474	3.90	4.90	3.11	14.2
UW474	4.90	5.80	3.91	10.3
UW474	5.80	7.00	3.14	21.8
UW474	7.00	7.80	2.13	48.4
UW474	7.80	9.00	1.40	14.0
UW474	9.00	9.70	2.08	8.6
UW474	9.70	10.40	2.03	7.0
UW474	10.40	11.40	0.08	3.6
UW474	11.40	12.60	0.07	6.7
UW474	12.60	13.30	1.72	5.1
UW474	13.30	14.40	0.28	3.5
UW474	14.40	15.00	0.11	3.0
UW474	15.00	16.50	0.16	1.2
UW474	16.50	18.00	0.15	2.8
UW474	18.00	19.50	0.19	3.5
UW474	19.50	21.00	0.19	1.1
UW474	21.00	22.00	1.62	4.7
UW474	22.00	23.50	0.09	1.0
UW474	23.50	24.50	0.14	0.5
UW474	24.50	25.20	0.10	1.4
UW474	25.20	26.50	0.07	2.0
UW474	26.50	28.00	0.07	1.6
UW474	28.00	28.60	0.06	0.4
UW474	28.60	30.00	0.07	0.5
UW474	30.00	30.90	0.20	1.8
UW474	30.90	31.90	0.18	4.3
UW474	31.90	33.00	0.59	3.6
UW474	33.00	34.30	1.73	39.8
UW474	34.30	35.90	0.13	1.1
UW474	35.90	36.50	0.15	1.7
UW474	36.50	37.30	0.32	1.4
UW474	37.30	38.00	0.09	0.7
UW474	38.00	39.50	0.12	0.6
UW474	39.50	40.50	0.16	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW474	40.50	42.00	0.16	2.3
UW474	42.00	43.50	0.05	0.9
UW474	43.50	45.00	0.04	0.6
UW474	45.00	45.90	0.08	0.7
UW474	45.90	46.60	0.07	1.2
UW474	46.60	48.00	0.05	0.6
UW474	48.00	49.50	0.03	0.3
UW474	49.50	51.00	0.04	0.4
UW474	51.00	52.50	0.04	0.9
UW474	52.50	54.00	0.02	0.4
UW474	54.00	54.30	0.05	0.8
UW474	54.30	55.50	0.07	1.2
UW474	55.50	57.00	0.02	0.7
UW474	57.00	58.50	0.03	0.8
UW474	58.50	60.00	0.03	0.5
UW474	60.00	61.50	0.07	0.8
UW474	61.50	62.40	0.05	1.0
UW474	62.40	63.00	15.90	19.1
UW474	63.00	63.70	23.00	35.8
UW474	63.70	64.00	0.31	2.4
UW474	64.00	64.80	0.06	0.5
UW474	64.80	66.00	0.09	0.6
UW474	66.00	67.10	0.07	0.4
UW474	67.10	68.60	0.03	0.4
UW474	68.60	69.60	0.02	0.3
UW474	69.60	70.00	0.13	1.2
UW474	70.00	70.40	0.04	0.7
UW474	70.40	72.00	0.02	0.5
UW474	72.00	73.10	0.01	0.3
UW474	73.10	74.60	0.04	0.2
UW474	74.60	75.40	0.02	0.1
UW474	75.40	76.60	0.03	0.2
UW474	76.60	78.00	0.01	0.1
UW474	78.00	79.30	3.36	7.4
UW474	79.30	79.80	0.06	1.2
UW474	79.80	81.00	0.01	0.4
UW474	81.00	82.50	0.02	0.2
UW474	82.50	84.00	0.03	0.3
UW474	84.00	85.40	0.02	0.5
UW474	85.40	85.90	0.15	3.2
UW474	85.90	87.00	0.04	1.0
UW474	87.00	88.00	0.17	2.0
UW474	88.00	89.30	0.08	0.9
UW474	89.30	90.40	0.02	0.6
UW474	90.40	91.30	0.01	0.2
UW474	91.30	92.50	0.01	0.4
UW474	92.50	93.70	<0.01	0.3
UW474	93.70	94.20	0.17	0.9
UW474	94.20	95.65	0.07	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW474	95.65	96.80	0.05	1.4
UW474	96.80	98.30	0.02	0.3
UW474	98.30	99.30	<0.01	0.2
UW474	99.30	100.00	0.03	0.2
UW474	100.00	101.50	0.02	0.3
UW474	101.50	102.00	0.01	0.5
UW474	102.00	103.10	<0.01	0.7
UW474	103.10	104.60	0.02	0.6
UW474	104.60	105.40	0.01	0.4
UW474	105.40	106.30	<0.01	0.4
UW474	106.30	107.80	0.03	0.9
UW474	107.80	109.10	0.05	0.8
UW474	109.10	110.60	0.02	1.0
UW474	110.60	111.00	0.05	1.0
UW474	111.00	112.00	0.04	0.4
UW474	112.00	112.40	1.09	1.5
UW474	112.40	113.80	0.02	0.6
UW474	113.80	115.20	0.03	1.4
UW474	115.20	116.70	0.02	0.4
UW474	116.70	118.20	0.15	0.4
UW474	118.20	119.70	0.04	0.3
UW474	119.70	121.20	0.02	0.1
UW474	121.20	122.70	0.02	0.1
UW474	122.70	124.20	<0.01	0.2
UW474	124.20	125.70	0.02	0.3
UW474	125.70	127.20	0.05	0.4
UW474	127.20	128.70	0.01	0.5
UW474	128.70	130.20	0.02	0.3
UW474	130.20	131.70	0.48	0.6
UW474	131.70	133.20	0.02	0.2
UW474	133.20	133.90	0.02	0.3
UW474	133.90	135.00	<0.01	<0.1
UW474	135.00	136.20	<0.01	0.2
UW474	136.20	137.70	0.04	0.6
UW474	137.70	139.20	0.03	0.5
UW474	139.20	140.70	0.01	0.3
UW474	140.70	141.00	0.22	0.6
UW474	141.00	142.30	0.10	2.2
UW474	142.30	143.70	0.08	1.1
UW474	143.70	145.00	0.03	1.2
UW474	145.00	146.20	0.02	0.7
UW474	146.20	147.60	0.10	1.5
UW474	147.60	149.00	0.03	1.6
UW474	149.00	150.50	0.02	0.9
UW474	150.50	151.00	0.77	9.5
UW474	151.00	151.70	0.11	5.4
UW474	151.70	153.20	0.04	1.0
UW474	153.20	154.70	0.08	0.8
UW474	154.70	156.00	0.04	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW474	156.00	157.50	0.04	0.7
UW474	157.50	159.00	0.06	0.7
UW474	159.00	160.50	0.03	0.7
UW474	160.50	162.00	0.04	0.6
UW474	162.00	163.50	0.01	0.4
UW474	163.50	165.00	0.02	0.4
UW474	165.00	166.50	0.09	0.4
UW474	166.50	168.00	0.07	0.5
UW474	168.00	169.50	0.08	0.4
UW474	169.50	170.00	0.75	1.3
UW474	170.00	170.50	11.10	31.1
UW474	170.50	172.00	0.09	0.8
UW474	172.00	173.50	0.02	1.0
UW474	173.50	175.00	0.31	1.6
UW474	175.00	176.50	0.08	1.3
UW474	176.50	178.00	0.09	0.9
UW474	178.00	179.50	0.08	1.0
UW474	179.50	180.00	1.44	9.4
UW474	180.00	180.40	3.26	27.7
UW474	180.40	181.00	0.18	3.9
UW474	181.00	182.30	0.03	2.2
UW474	182.30	182.90	0.06	10.2
UW474	182.90	183.20	3.82	8.0
UW474	183.20	184.20	0.49	25.2
UW474	184.20	185.70	1.12	5.3
UW474	185.70	187.20	0.02	1.2
UW474	187.20	188.70	0.03	0.8
UW474	188.70	190.20	0.02	1.2
UW474	190.20	191.70	0.01	0.7
UW474	191.70	192.50	0.03	1.4
UW474	192.50	193.10	0.04	1.2
UW474	193.10	194.60	0.02	0.4
UW474	194.60	196.00	0.04	0.4
UW474	196.00	196.80	0.14	2.2
UW474	196.80	197.70	0.02	0.7
UW474	197.70	199.20	0.03	1.7
UW474	199.20	200.70	0.03	2.9
UW474	200.70	201.70	0.17	8.9
UW474	201.70	202.80	0.07	3.8
UW474	202.80	203.50	0.04	3.4
UW474	203.50	205.00	0.04	2.5
UW474	205.00	206.50	0.03	1.2
UW474	206.50	208.00	0.03	1.8
UW474	208.00	209.50	0.02	1.7
UW474	209.50	210.00	0.02	1.1
UW474	210.00	211.00	0.02	2.2
UW474	211.00	211.50	0.03	1.3
UW474	211.50	211.90	0.04	1.1
UW474	211.90	213.40	0.03	1.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW474	213.40	214.10	0.02	1.4
UW474	214.10	215.10	0.03	2.1
UW474	215.10	215.40	1.96	18.2
UW474	215.40	216.90	0.04	1.4
UW474	216.90	218.40	0.03	1.8
UW474	218.40	219.90	0.22	1.5
UW474	219.90	221.40	0.03	0.7
UW474	221.40	222.90	0.02	1.7
UW474	222.90	223.30	70.30	471.0
UW474	223.30	224.80	0.15	3.8
UW474	224.80	226.00	0.05	3.9
UW474	226.00	227.00	0.06	2.3
UW474	227.00	228.50	0.49	4.5
UW474	228.50	230.00	0.40	4.2
UW474	230.00	230.60	16.80	96.5
UW474	230.60	232.00	0.24	2.6
UW474	232.00	232.70	0.66	4.5
UW474	232.70	234.00	1.39	17.3
UW474	234.00	235.20	<0.01	0.3
UW474	235.20	236.70	0.60	2.0
UW474	236.70	238.20	1.09	6.5
UW474	238.20	239.70	0.02	1.2
UW474	239.70	241.20	<0.01	0.8
UW474	241.20	242.00	0.63	3.9
UW474	242.00	243.00	1.51	4.6
UW474	243.00	244.10	7.91	21.3
UW474	244.10	245.10	9.61	33.5
UW474	245.10	246.00	18.60	71.8
UW474	246.00	247.20	12.30	55.4
UW474	247.20	248.60	0.31	3.2
UW474	248.60	250.10	0.02	1.3
UW474	250.10	251.50	0.02	1.1
UW474	251.50	252.90	0.11	1.4
UW474	252.90	254.40	0.03	1.3
UW474	254.40	255.80	0.02	2.1
UW474	255.80	257.00	0.01	0.7
UW474	257.00	257.50	0.01	1.4
UW474	257.50	259.00	0.03	2.0
UW474	259.00	260.40	45.30	60.7
UW474	260.40	261.50	0.21	2.5
UW474	261.50	262.60	8.29	30.2
UW474	262.60	264.10	0.92	5.9
UW474	264.10	265.40	15.10	43.4
UW474	265.40	266.00	0.12	2.5
UW474	266.00	267.50	0.03	1.6
UW474	267.50	269.00	0.02	1.1
UW474	269.00	270.50	0.02	0.6
UW474	270.50	271.90	0.02	1.3
UW474	271.90	272.55	0.19	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW474	272.55	273.30	0.02	1.3
UW474	273.30	274.80	0.02	0.9
UW474	274.80	275.70	0.02	1.9
UW474	275.70	277.20	0.03	1.9
UW474	277.20	278.70	0.02	0.8
UW474	278.70	280.20	0.02	1.0
UW474	280.20	281.10	<0.01	1.0
UW474	281.10	282.15	0.01	0.4
UW474	282.15	283.60	0.02	0.3
UW474	283.60	284.00	0.02	0.7
UW474	284.00	285.30	0.03	0.6
UW474	285.30	285.90	0.02	0.7
UW474	285.90	287.50	0.02	1.1
UW474	287.50	288.70	0.02	1.5
UW474	288.70	290.20	0.01	0.8
UW474	290.20	291.50	0.02	1.9
UW474	291.50	292.70	0.05	5.3
UW474	292.70	293.40	0.01	1.0
UW474	293.40	294.70	0.02	1.7
UW474	294.70	296.20	0.02	1.7
UW474	296.20	297.10	0.02	1.0
UW474	297.10	298.60	0.01	0.8
UW474	298.60	300.10	0.03	1.0
UW474	300.10	301.60	0.02	2.4
UW474	301.60	303.15	0.02	1.9
UW474	303.15	303.85	3.78	16.2
UW474	303.85	305.30	0.03	1.8
UW474	305.30	306.80	0.01	2.0
UW474	306.80	308.30	0.01	2.6
UW474	308.30	309.75	0.03	3.0
UW474	309.75	311.00	0.09	3.0
UW474	311.00	312.50	0.05	6.2
UW474	312.50	314.00	0.04	2.7
UW474	314.00	315.50	0.05	2.6
UW474	315.50	316.80	0.04	2.5
UW475	1.50	3.00	0.02	<0.1
UW475	3.00	4.40	0.02	<0.1
UW475	4.40	5.90	0.02	<0.1
UW475	5.90	7.40	0.02	<0.1
UW475	7.40	8.90	0.02	<0.1
UW475	8.90	10.40	0.02	<0.1
UW475	10.40	11.10	0.02	<0.1
UW475	11.10	11.70	0.02	0.1
UW475	11.70	13.00	0.01	<0.1
UW475	13.00	14.50	<0.01	<0.1
UW475	14.50	16.00	0.02	<0.1
UW475	16.00	17.50	0.02	<0.1
UW475	17.50	19.00	0.04	<0.1
UW475	19.00	20.50	0.03	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW475	20.50	21.50	0.06	11.4
UW475	21.50	22.50	0.05	4.1
UW475	22.50	23.30	0.04	1.3
UW475	23.30	24.50	0.03	1.5
UW475	24.50	25.20	0.03	0.5
UW475	25.20	26.50	0.02	0.1
UW475	26.50	28.00	0.03	0.1
UW475	28.00	29.50	0.04	0.1
UW475	29.50	31.00	0.02	0.2
UW475	31.00	32.50	0.04	0.3
UW475	32.50	34.00	0.03	0.2
UW475	34.00	35.50	0.05	0.1
UW475	35.50	37.00	0.02	0.2
UW475	37.00	38.50	0.04	0.3
UW475	38.50	40.00	0.04	0.2
UW475	40.00	41.50	0.01	0.3
UW475	41.50	43.00	0.02	0.2
UW475	43.00	44.50	0.02	0.3
UW475	44.50	45.30	0.04	0.3
UW475	45.30	46.50	0.02	0.2
UW475	46.50	47.30	0.02	5.3
UW475	47.30	48.50	0.02	2.6
UW475	48.50	50.00	0.04	2.9
UW475	50.00	51.50	0.04	2.2
UW475	51.50	53.00	0.37	2.7
UW475	53.00	54.50	0.25	0.9
UW475	54.50	56.00	0.18	0.5
UW475	56.00	57.50	0.18	1.4
UW475	57.50	58.70	0.05	5.0
UW475	58.70	60.00	0.05	4.4
UW475	60.00	61.50	0.07	2.9
UW475	61.50	63.00	0.05	4.0
UW475	63.00	64.50	0.04	2.2
UW475	64.50	66.00	0.03	2.0
UW475	66.00	67.50	0.02	1.5
UW475	67.50	68.40	0.02	1.3
UW475	68.40	69.00	0.04	2.3
UW475	69.00	70.50	0.03	1.1
UW475	70.50	72.00	0.04	2.1
UW475	72.00	73.50	0.10	1.0
UW475	73.50	75.00	0.03	0.7
UW475	75.00	76.50	0.02	0.4
UW475	76.50	78.00	0.03	0.9
UW475	78.00	79.50	0.06	1.0
UW475	79.50	81.00	0.03	0.6
UW475	81.00	82.50	0.11	0.9
UW475	82.50	84.00	0.03	0.8
UW475	84.00	85.50	0.05	0.5
UW475	85.50	87.00	0.03	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW475	87.00	88.50	0.03	0.2
UW475	88.50	90.20	0.02	0.3
UW475	90.20	90.70	0.05	2.5
UW475	90.70	92.00	0.11	2.5
UW475	92.00	93.50	0.04	1.7
UW475	93.50	95.00	0.05	1.5
UW475	95.00	96.00	0.07	2.2
UW475	96.00	97.00	0.12	4.4
UW475	97.00	98.00	0.57	5.3
UW475	98.00	98.80	0.37	8.2
UW475	98.80	100.00	0.30	8.7
UW475	100.00	101.50	0.15	8.6
UW475	101.50	102.00	0.15	6.5
UW475	102.00	103.00	0.10	5.8
UW475	103.00	104.50	0.89	7.5
UW475	104.50	106.00	0.47	6.0
UW475	106.00	106.50	0.08	4.1
UW475	106.50	106.80	0.11	3.4
UW475	106.80	108.00	0.65	7.1
UW475	108.00	108.30	0.52	4.9
UW475	108.30	109.00	7.49	15.6
UW475	109.00	109.60	0.72	6.4
UW475	109.60	110.50	0.14	3.6
UW475	110.50	112.00	0.06	3.8
UW475	112.00	112.30	0.52	5.4
UW475	112.30	113.50	0.17	4.5
UW475	113.50	115.00	2.31	4.2
UW475	115.00	116.50	0.07	3.6
UW475	116.50	117.40	0.04	2.9
UW475	117.40	118.60	0.21	17.6
UW475	118.60	120.00	0.06	4.1
UW475	120.00	121.50	0.05	5.7
UW475	121.50	123.00	0.05	6.1
UW475	123.00	124.30	0.04	3.6
UW475	124.30	125.20	0.02	3.8
UW475	125.20	126.50	0.04	4.0
UW475	126.50	128.00	0.05	3.3
UW475	128.00	129.50	0.07	5.0
UW475	129.50	131.00	0.07	9.8
UW475	131.00	132.50	0.08	5.3
UW475	132.50	133.20	0.03	4.5
UW475	133.20	134.00	0.13	4.1
UW475	134.00	134.80	0.07	2.5
UW475	134.80	135.60	0.05	3.1
UW475	135.60	136.40	0.11	3.8
UW475	136.40	137.60	0.57	6.0
UW475	137.60	138.40	0.29	4.6
UW475	138.40	139.70	0.06	1.4
UW475	139.70	140.50	0.06	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW475	140.50	142.00	0.06	1.2
UW475	142.00	143.50	0.03	0.8
UW475	143.50	145.00	0.05	0.9
UW475	145.00	146.50	0.04	1.1
UW475	146.50	148.00	0.04	1.3
UW475	148.00	149.50	0.07	1.4
UW475	149.50	150.80	0.05	0.9
UW475	150.80	152.20	0.08	2.2
UW475	152.20	153.50	0.17	2.9
UW475	153.50	155.00	0.09	1.7
UW475	155.00	156.50	0.08	2.2
UW475	156.50	158.00	0.14	2.3
UW475	158.00	159.50	0.07	1.7
UW475	159.50	161.00	0.11	1.4
UW475	161.00	161.80	0.10	1.8
UW475	161.80	162.70	0.33	4.2
UW475	162.70	164.00	0.04	1.6
UW475	164.00	165.50	0.05	3.5
UW475	165.50	167.00	0.21	5.1
UW475	167.00	168.20	0.06	3.3
UW475	168.20	169.00	0.04	44.0
UW475	169.00	170.50	0.04	2.4
UW475	170.50	172.00	0.07	1.2
UW475	172.00	173.50	0.15	3.2
UW475	173.50	175.00	0.08	1.9
UW475	175.00	176.50	0.07	1.7
UW475	176.50	178.00	0.24	3.9
UW475	178.00	179.50	0.07	3.0
UW475	179.50	181.00	0.15	12.8
UW475	181.00	182.10	0.05	1.4
UW476	61.50	63.30	0.02	1.9
UW476	63.30	64.20	<0.01	2.5
UW476	64.20	65.60	0.02	4.6
UW476	65.60	67.10	0.02	4.1
UW476	67.10	68.60	0.08	19.0
UW476	68.60	69.50	0.03	4.5
UW476	77.70	79.10	0.77	7.2
UW476	79.10	79.70	0.43	15.0
UW476	79.70	80.50	20.50	85.8
UW476	80.50	81.10	0.23	22.3
UW476	81.10	81.60	0.18	9.7
UW476	81.60	82.50	0.67	12.5
UW476	82.50	83.10	0.33	5.6
UW476	83.10	84.50	0.06	2.4
UW476	84.50	86.00	0.06	3.0
UW476	86.00	86.50	0.28	12.7
UW476	86.50	87.40	0.26	4.0
UW476	87.40	88.80	0.13	6.5
UW476	88.80	89.30	0.94	33.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW476	89.30	90.60	0.05	2.5
UW476	90.60	92.10	0.02	1.7
UW476	92.10	93.60	0.31	15.4
UW476	93.60	95.00	0.04	4.8
UW476	95.00	95.30	0.58	33.7
UW476	95.30	96.80	0.04	3.7
UW476	96.80	98.30	0.05	1.0
UW476	98.30	99.80	0.03	1.9
UW476	99.80	101.00	0.07	8.3
UW476	101.00	101.30	0.03	4.9
UW476	101.30	102.80	0.05	6.2
UW476	102.80	103.10	0.12	11.3
UW476	103.10	104.50	0.24	22.7
UW476	104.50	104.90	0.11	9.1
UW476	104.90	105.60	0.08	10.6
UW476	105.60	106.40	0.64	19.6
UW476	106.40	106.90	0.14	10.8
UW476	106.90	107.80	0.51	45.0
UW476	107.80	109.30	0.02	2.9
UW476	109.30	110.40	0.03	2.1
UW476	110.40	111.50	0.02	1.2
UW476	111.50	113.00	0.05	1.5
UW476	113.00	114.50	<0.01	3.4
UW476	114.50	114.90	0.03	4.8
UW476	114.90	115.70	0.03	4.0
UW476	115.70	117.20	0.02	1.3
UW476	117.20	118.70	0.01	1.0
UW476	118.70	119.10	0.03	2.0
UW477	74.50	75.50	0.19	1.1
UW477	75.50	77.00	0.14	1.4
UW477	77.00	78.50	0.21	1.5
UW477	78.50	80.00	0.03	1.1
UW477	80.00	81.00	0.02	1.4
UW477	81.00	82.50	0.02	14.7
UW477	82.50	84.00	0.02	6.5
UW477	84.00	85.50	0.09	7.1
UW477	85.50	87.00	0.02	3.1
UW477	87.00	88.50	<0.01	2.0
UW477	88.50	90.00	0.04	10.5
UW477	90.00	91.50	<0.01	3.2
UW477	91.50	93.00	0.02	3.8
UW477	93.00	94.50	0.02	1.2
UW477	94.50	96.00	0.01	0.9
UW477	96.00	97.50	0.01	0.5
UW477	97.50	99.00	0.02	0.4
UW477	99.00	100.50	<0.01	0.3
UW477	100.50	102.00	<0.01	0.2
UW477	102.00	103.50	0.01	0.3
UW477	103.50	105.00	0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW477	105.00	106.50	0.03	1.4
UW477	106.50	108.00	0.01	3.8
UW477	108.00	109.50	0.01	3.1
UW477	109.50	111.00	0.02	3.4
UW477	111.00	112.50	<0.01	0.9
UW477	112.50	114.00	<0.01	0.6
UW477	114.00	115.50	0.02	0.4
UW477	115.50	117.00	0.02	0.3
UW477	117.00	118.00	<0.01	0.7
UW477	118.00	119.50	0.02	0.6
UW477	119.50	121.00	0.01	0.4
UW477	121.00	122.50	0.02	0.6
UW477	122.50	124.00	0.03	1.3
UW477	124.00	125.50	<0.01	0.6
UW477	125.50	127.00	<0.01	0.8
UW477	127.00	128.50	<0.01	0.9
UW477	128.50	129.00	<0.01	1.2
UW477	129.00	131.00	<0.01	0.7
UW477	131.00	132.50	0.01	1.8
UW477	132.50	134.00	0.02	1.5
UW477	134.00	135.50	0.06	1.7
UW477	135.50	137.00	0.08	1.9
UW477	137.00	139.00	0.02	1.6
UW477	139.00	140.50	0.04	1.3
UW477	140.50	142.00	0.02	1.2
UW477	142.00	143.50	0.02	2.6
UW477	143.50	145.00	0.03	2.3
UW477	145.00	146.50	0.02	4.5
UW477	146.50	148.00	0.06	3.6
UW477	148.00	149.50	0.04	5.4
UW477	149.50	151.00	0.03	5.5
UW477	151.00	152.50	0.06	10.6
UW477	152.50	154.00	0.04	9.8
UW477	154.00	155.50	0.09	6.7
UW477	155.50	157.00	0.55	17.0
UW477	157.00	158.50	0.12	8.9
UW477	158.50	160.00	0.05	5.9
UW477	160.00	161.50	0.04	6.6
UW477	161.50	163.00	0.17	6.3
UW477	163.00	164.50	0.17	22.2
UW477	164.50	166.00	0.18	5.3
UW477	166.00	167.50	0.15	14.4
UW477	167.50	168.50	1.79	16.8
UW477	168.50	170.00	0.18	7.4
UW477	170.00	171.50	0.23	5.0
UW477	171.50	173.00	0.03	2.4
UW477	173.00	173.80	0.03	2.3
UW477	173.80	174.90	0.02	1.7
UW477	174.90	176.00	<0.01	2.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW477	176.00	177.00	0.04	2.4
UW477	177.00	178.00	0.02	1.1
UW477	178.00	179.20	0.04	2.0
UW477	179.20	180.30	0.23	2.5
UW477	180.30	181.70	0.06	1.7
UW477	181.70	182.20	0.02	1.8
UW477	182.20	183.30	0.02	1.4
UW477	183.30	184.10	0.02	1.2
UW477	184.10	185.20	<0.01	1.1
UW477	185.20	186.50	0.02	1.0
UW477	186.50	188.00	<0.01	1.2
UW477	188.00	189.50	<0.01	0.8
UW477	189.50	191.00	<0.01	0.7
UW477	191.00	192.50	<0.01	0.6
UW477	192.50	194.00	<0.01	1.0
UW477	194.00	195.50	<0.01	0.8
UW477	195.50	197.00	0.01	0.5
UW477	197.00	198.50	0.01	0.3
UW477	198.50	200.00	<0.01	0.7
UW477	200.00	201.50	0.02	1.7
UW477	201.50	203.00	<0.01	1.4
UW477	203.00	204.50	<0.01	0.4
UW477	204.50	206.00	<0.01	<0.1
UW477	206.00	207.50	<0.01	0.2
UW477	207.50	209.00	0.02	0.5
UW477	209.00	210.50	0.01	0.3
UW477	210.50	212.00	0.02	0.3
UW477	212.00	213.00	0.01	0.6
UW477	213.00	214.00	0.01	0.2
UW478	124.30	126.10	0.02	0.5
UW478	126.10	127.50	0.03	1.6
UW478	127.50	129.00	0.02	1.5
UW478	129.00	130.50	<0.01	0.9
UW478	130.50	132.00	0.02	3.0
UW478	132.00	133.50	0.61	7.2
UW478	133.50	134.00	15.60	88.5
UW478	134.00	135.00	0.14	4.9
UW478	135.00	136.50	0.05	2.2
UW478	136.50	138.00	0.03	1.6
UW478	138.00	139.50	0.04	1.3
UW478	139.50	141.00	0.02	0.6
UW478	141.00	142.50	0.05	1.4
UW478	142.50	144.00	0.01	0.2
UW478	144.00	145.50	0.04	0.7
UW478	145.50	147.00	0.02	0.8
UW478	147.00	148.50	0.02	0.9
UW478	148.50	150.00	0.03	1.1
UW478	150.00	151.50	0.02	0.7
UW478	151.50	153.00	0.02	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW478	153.00	154.50	0.03	1.3
UW478	154.50	156.00	0.04	1.8
UW478	156.00	157.50	0.02	1.0
UW478	157.50	159.00	0.02	1.0
UW478	159.00	160.50	0.02	0.8
UW478	160.50	162.00	<0.01	0.7
UW478	162.00	162.80	0.01	1.0
UW478	162.80	163.40	0.02	0.9
UW478	163.40	164.90	0.01	0.7
UW478	164.90	166.40	<0.01	0.4
UW478	166.40	167.90	<0.01	0.5
UW478	167.90	169.50	0.02	1.4
UW478	169.50	170.70	0.05	2.6
UW478	170.70	172.50	0.02	2.9
UW478	172.50	174.00	0.02	1.9
UW478	174.00	175.50	0.13	2.1
UW478	175.50	177.00	0.04	1.0
UW478	177.00	178.50	0.03	1.5
UW478	178.50	180.00	0.05	1.7
UW478	180.00	181.50	0.12	1.2
UW478	181.50	183.00	0.02	1.0
UW478	183.00	184.50	0.01	0.8
UW478	184.50	186.00	0.02	0.8
UW478	186.00	187.50	0.02	0.8
UW478	187.50	189.00	0.03	0.5
UW478	189.00	192.00	0.03	1.0
UW478	192.00	193.50	0.05	1.0
UW478	193.50	195.00	0.05	1.3
UW478A	126.10	127.50	<0.01	0.1
UW478A	127.50	128.90	0.02	0.5
UW478A	128.90	129.40	5.75	31.7
UW478A	129.40	130.50	1.37	1.5
UW478A	130.50	132.00	0.03	1.0
UW478A	132.00	133.50	0.02	1.6
UW478A	133.50	135.00	0.03	2.3
UW478A	135.00	136.50	0.02	1.2
UW478A	136.50	138.00	0.02	0.5
UW478A	138.00	139.50	0.03	0.3
UW478A	139.50	141.00	<0.01	0.3
UW478A	141.00	142.50	0.03	1.0
UW478A	142.50	144.00	0.01	1.7
UW478A	144.00	145.50	0.02	0.9
UW478A	145.50	147.00	0.02	1.9
UW478A	147.00	148.50	<0.01	1.1
UW478A	148.50	150.00	0.04	0.6
UW478A	150.00	151.50	0.02	0.6
UW478A	151.50	153.00	0.03	1.4
UW478A	153.00	154.50	0.03	0.6
UW478A	154.50	156.00	0.03	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW478A	156.00	157.50	0.02	1.1
UW478A	157.50	159.00	<0.01	0.6
UW478A	159.00	160.50	0.02	0.6
UW478A	160.50	161.60	0.01	0.8
UW479	0.00	1.60	0.17	1.2
UW479	1.60	3.00	0.02	0.2
UW479	3.00	3.90	0.02	0.1
UW479	3.90	5.40	0.03	<0.1
UW479	5.40	6.50	0.03	<0.1
UW479	6.50	8.00	0.02	<0.1
UW479	8.00	9.50	0.02	<0.1
UW479	9.50	11.00	0.03	<0.1
UW479	11.00	12.50	0.03	<0.1
UW479	12.50	14.00	0.03	<0.1
UW479	14.00	14.70	0.03	0.2
UW479	14.70	15.70	0.03	<0.1
UW479	15.70	17.00	0.03	<0.1
UW479	17.00	18.00	0.06	0.1
UW479	18.00	19.30	0.05	<0.1
UW479	19.30	20.00	0.06	<0.1
UW479	20.00	21.50	0.05	0.4
UW479	21.50	22.40	0.05	0.3
UW479	22.40	23.40	0.04	<0.1
UW479	23.40	24.00	0.03	<0.1
UW479	24.00	25.50	0.02	<0.1
UW479	25.50	27.00	0.02	0.4
UW479	27.00	27.90	0.02	0.1
UW479	27.90	28.70	0.02	4.3
UW479	28.70	30.00	0.02	0.7
UW479	30.00	31.50	0.02	0.5
UW479	31.50	33.20	0.02	0.5
UW479	33.20	34.70	0.02	0.7
UW479	34.70	36.00	0.03	0.8
UW479	36.00	36.60	0.03	1.1
UW479	36.60	37.80	0.03	1.9
UW479	37.80	38.60	0.02	3.0
UW479	38.60	40.00	0.03	0.6
UW479	40.00	41.50	0.03	0.4
UW479	41.50	43.00	0.02	2.0
UW479	43.00	44.50	0.04	1.5
UW479	44.50	45.70	0.02	0.7
UW479	45.70	47.00	0.03	0.7
UW479	47.00	48.50	0.03	0.3
UW479	48.50	50.00	0.02	0.3
UW479	50.00	51.40	0.01	0.5
UW479	51.40	52.40	0.08	5.9
UW479	52.40	53.90	1.20	7.6
UW479	53.90	55.20	0.29	7.1
UW479	55.20	56.20	3.74	13.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW479	56.20	57.20	0.20	19.2
UW479	57.20	57.70	2.70	2.3
UW479	57.70	59.20	0.09	1.0
UW479	59.20	60.50	0.37	2.3
UW479	60.50	62.00	0.13	5.5
UW479	62.00	63.50	0.05	2.7
UW479	63.50	65.00	0.08	1.2
UW479	65.00	66.50	0.15	2.3
UW479	66.50	68.00	0.12	1.1
UW479	68.00	68.70	0.04	1.5
UW479	68.70	70.00	0.02	0.3
UW479	70.00	71.50	0.01	0.2
UW479	71.50	73.00	0.01	0.4
UW479	73.00	74.50	0.01	0.4
UW479	74.50	76.00	0.02	0.6
UW479	76.00	77.50	0.02	0.6
UW479	77.50	79.00	0.02	0.3
UW479	79.00	80.50	0.26	0.2
UW479	80.50	82.00	<0.01	0.5
UW479	82.00	83.50	0.38	11.5
UW479	83.50	85.00	0.04	0.6
UW479	85.00	86.50	0.03	0.4
UW479	86.50	88.00	0.03	0.5
UW479	88.00	89.20	0.34	4.1
UW479	89.20	90.00	0.28	1.9
UW479	90.00	90.90	0.05	0.6
UW479	90.90	92.20	0.16	2.8
UW479	92.20	93.50	0.13	1.4
UW479	93.50	95.00	0.03	0.4
UW479	95.00	96.50	0.02	0.6
UW479	96.50	98.00	0.03	1.1
UW479	98.00	98.50	0.03	0.8
UW479	98.50	99.50	0.92	3.9
UW479	99.50	101.00	0.05	0.4
UW479	101.00	102.00	0.06	1.5
UW479	102.00	103.00	0.15	1.4
UW479	103.00	104.00	0.21	1.6
UW479	104.00	105.00	0.03	1.1
UW479	105.00	106.50	0.02	0.4
UW479	106.50	108.00	0.11	1.0
UW479	108.00	109.40	0.25	4.7
UW479	109.40	110.30	2.17	21.7
UW479	110.30	111.20	0.54	4.1
UW479	111.20	112.00	1.79	6.4
UW479	112.00	113.50	0.11	3.8
UW479	113.50	114.80	0.18	5.7
UW479	114.80	115.90	0.46	7.9
UW479	115.90	116.80	0.17	3.6
UW479	116.80	118.00	1.75	4.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW479	118.00	119.00	0.07	3.3
UW479	119.00	120.50	0.06	3.7
UW479	120.50	121.50	0.06	2.3
UW479	121.50	122.60	0.33	2.0
UW479	122.60	124.00	0.13	1.8
UW479	124.00	125.00	0.05	2.3
UW479	125.00	125.90	0.03	4.7
UW479	125.90	126.60	0.04	9.2
UW479	126.60	127.80	0.03	2.7
UW479	127.80	128.70	0.04	2.7
UW479	128.70	129.70	0.04	2.8
UW479	129.70	131.10	0.07	2.8
UW479	131.10	132.50	0.04	3.0
UW479	132.50	134.00	0.04	2.2
UW479	134.00	135.50	0.03	3.2
UW479	135.50	137.00	0.04	3.2
UW479	137.00	138.50	0.04	3.2
UW479	138.50	139.40	0.06	3.8
UW479	139.40	140.60	0.05	3.8
UW479	140.60	141.60	0.03	4.0
UW479	141.60	142.60	0.03	4.4
UW479	142.60	144.00	0.02	3.5
UW479	144.00	145.50	0.04	4.0
UW479	145.50	147.00	0.04	4.7
UW479	147.00	148.30	0.03	3.4
UW479	148.30	149.30	0.03	3.4
UW479	149.30	150.60	0.05	3.6
UW479	150.60	152.00	0.03	2.1
UW479	152.00	153.00	0.02	2.6
UW479	153.00	154.30	0.02	3.0
UW479	154.30	155.50	0.02	2.4
UW479	155.50	157.00	0.02	1.1
UW479	157.00	158.50	0.02	1.1
UW479	158.50	160.00	0.06	2.5
UW479	160.00	161.50	0.08	3.3
UW479	161.50	163.00	0.11	6.0
UW479	163.00	164.50	0.09	3.6
UW479	164.50	166.00	0.12	2.4
UW479	166.00	167.30	0.09	4.4
UW479	167.30	168.60	0.17	7.5
UW479	168.60	170.00	0.08	4.4
UW479	170.00	171.50	0.02	1.1
UW479	171.50	173.00	0.01	1.0
UW479	173.00	174.50	0.06	1.8
UW479	174.50	176.00	0.03	1.3
UW479	176.00	177.50	0.01	0.9
UW479	177.50	179.00	0.02	4.3
UW479	179.00	179.90	0.03	4.0
UW479	179.90	180.50	0.03	4.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW479	180.50	181.00	<0.01	1.8
UW479	181.00	181.50	0.02	2.4
UW479	181.50	183.00	<0.01	0.5
UW479	183.00	184.50	0.02	0.4
UW479	184.50	186.00	0.01	1.0
UW479	186.00	187.50	0.02	1.9
UW479	187.50	187.90	<0.01	0.9
UW479	187.90	188.30	0.15	11.6
UW479	188.30	189.50	0.02	1.6
UW479	189.50	191.00	<0.01	0.9
UW479	191.00	192.50	0.05	0.7
UW479	192.50	194.00	0.05	1.9
UW479	194.00	194.60	<0.01	0.6
UW479	194.60	194.90	0.02	1.8
UW479	194.90	196.00	0.04	0.6
UW479	196.00	197.50	0.02	2.6
UW479	197.50	199.00	0.02	3.0
UW479	199.00	200.50	0.01	1.5
UW479	200.50	200.90	0.02	4.1
UW479	200.90	201.40	0.67	44.4
UW479	201.40	202.00	0.01	1.6
UW479	202.00	203.40	0.01	1.7
UW479	203.40	203.70	0.03	3.8
UW479	203.70	204.60	0.05	4.3
UW479	204.60	205.40	0.21	8.4
UW479	205.40	205.90	0.04	7.1
UW480	115.40	116.10	0.02	1.2
UW480	116.10	117.60	0.02	0.3
UW480	117.60	118.70	<0.01	0.5
UW480	118.70	120.10	0.03	2.0
UW480	120.10	121.70	0.02	0.8
UW480	121.70	122.30	0.02	0.4
UW480	122.30	123.30	0.03	0.5
UW480	123.30	124.40	0.02	0.3
UW480	124.40	125.00	0.07	0.5
UW480	125.00	126.60	0.02	0.9
UW480	126.60	128.10	0.01	0.5
UW480	128.10	129.60	0.02	0.3
UW480	129.60	130.70	0.02	1.2
UW480	130.70	132.20	0.03	0.8
UW480	132.20	133.70	0.04	5.2
UW480	133.70	134.80	0.05	5.7
UW480	134.80	135.10	0.04	4.2
UW480	135.10	135.90	0.05	8.6
UW480	135.90	136.20	0.04	6.7
UW480	136.20	137.70	0.08	8.4
UW480	137.70	138.20	0.16	11.5
UW480	138.20	139.40	0.07	30.6
UW480	139.40	139.90	0.10	42.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW480	139.90	141.40	7.76	40.7
UW480	141.40	142.50	9.04	43.6
UW480	142.50	144.00	0.11	15.6
UW480	144.00	145.40	0.14	4.1
UW480	145.40	146.10	1.00	11.2
UW480	146.10	147.20	0.54	2.5
UW480	147.20	148.70	0.10	1.2
UW480	148.70	149.40	0.17	1.4
UW480	149.40	150.40	0.03	0.5
UW480	150.40	150.90	0.13	0.6
UW480	150.90	152.00	<0.01	0.6
UW480	152.00	153.30	<0.01	0.2
UW480	153.30	154.70	0.02	0.2
UW480	154.70	155.30	0.04	0.3
UW480	155.30	156.80	0.03	0.8
UW480	156.80	158.30	0.04	1.8
UW480	158.30	159.80	0.02	1.1
UW480	159.80	161.30	0.03	0.9
UW480	161.30	162.80	0.02	0.7
UW480	162.80	164.30	0.02	0.5
UW480	164.30	165.80	0.03	0.8
UW480	165.80	167.30	0.03	1.4
UW480	167.30	168.80	0.03	0.8
UW480	168.80	170.30	0.04	0.9
UW480	170.30	171.70	0.04	1.0
UW480	171.70	172.70	0.03	2.2