

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0887	2.40	3.40	0.01	0.4
844SP0DN0887	3.40	3.70	0.02	2.4
844SP0DN0887	3.70	4.30	0.01	0.3
844SP0DN0887	5.90	6.30	0.01	1.0
844SP0DN0887	9.60	10.60	0.01	0.3
844SP0DN0887	10.60	11.60	0.01	0.2
844SP0DN0887	11.60	12.20	0.01	0.2
844SP0DN0887	12.20	12.70	<0.01	0.1
844SP0DN0887	12.70	13.55	<0.01	0.2
844SP0DN0887	13.55	14.50	0.02	0.5
844SP0DN0887	14.50	15.50	0.03	0.2
844SP0DN0887	15.50	16.40	0.02	0.2
844SP0DN0887	16.40	16.70	0.05	0.3
844SP0DN0887	16.70	17.50	0.02	0.2
844SP0DN0887	17.50	18.50	0.01	0.3
844SP0DN0887	18.50	19.00	0.03	3.9
844SP0DN0887	19.00	20.10	0.01	0.5
844SP0DN0887	20.10	20.90	0.02	0.2
844SP0DN0887	36.80	37.30	0.02	0.7
844SP0DN0887	42.00	43.10	0.01	0.2
844SP0DN0887	46.60	47.90	0.01	0.7
844SP0DN0887	47.90	48.50	0.01	1.2
844SP0DN0887	48.50	49.30	<0.01	0.1
844SP0DN0887	49.30	50.00	<0.01	0.8
844SP0DN0887	50.00	50.35	<0.01	0.2
844SP0DN0887	78.50	79.30	0.04	0.4
844SP0DN0887	79.30	80.00	0.01	0.4
844SP0DN0887	88.15	88.60	0.07	0.8
844SP0DN0887	88.60	89.50	0.04	1.4
844SP0DN0887	97.70	98.90	0.03	0.8
844SP0DN0887	98.90	99.50	0.01	0.6
844SP0DN0887	99.50	101.80	0.04	1.9
844SP0DN0887	101.80	102.10	0.05	1.1
844SP0DN0887	102.10	103.20	0.07	10.9
844SP0DN0887	103.20	103.70	0.04	2.5
844SP0DN0887	103.70	104.00	0.63	1.5
844SP0DN0887	104.00	104.90	<0.01	0.4
844SP0DN0887	107.90	108.60	0.14	0.7
844SP0DN0887	117.00	118.00	0.02	0.5
844SP0DN0887	127.30	127.60	0.07	0.3
844SP0DN0887	147.30	148.00	0.07	0.5
844SP0DN0887	161.30	162.30	<0.01	0.7
844SP0DN0887	162.30	163.30	0.02	0.8
844SP0DN0887	163.30	164.30	<0.01	0.8
844SP0DN0887	170.30	171.00	<0.01	0.4
844SP0DN0887	173.50	174.50	0.16	0.5
844SP0DN0887	174.50	175.10	<0.01	0.6
844SP0DN0887	175.10	175.50	0.06	0.7
844SP0DN0887	178.40	179.20	0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0887	179.20	180.00	<0.01	0.5
844SP0DN0887	180.00	181.20	<0.01	0.4
844SP0DN0887	181.20	181.60	0.45	1.0
844SP0DN0887	181.60	181.90	1.12	2.7
844SP0DN0887	181.90	183.00	0.04	0.7
844SP0DN0887	183.00	183.90	0.40	2.3
844SP0DN0887	183.90	185.00	0.06	0.7
844SP0DN0887	185.00	185.70	0.18	0.8
844SP0DN0887	185.70	186.70	0.04	1.0
844SP0DN0887	186.70	187.50	<0.01	0.5
844SP0DN0887	187.50	188.50	<0.01	0.4
844SP0DN0887	188.50	188.90	4.69	4.9
844SP0DN0887	188.90	189.70	2.81	3.9
844SP0DN0887	189.70	190.40	0.45	0.6
844SP0DN0887	190.40	190.70	1.06	1.4
844SP0DN0887	190.70	191.90	0.01	0.4
844SP0DN0887	191.90	192.40	0.40	0.3
844SP0DN0887	192.40	193.30	0.02	0.4
844SP0DN0887	197.90	198.50	<0.01	0.5
844SP0DN0887	198.50	198.80	0.24	1.5
844SP0DN0887	198.80	199.80	0.02	0.8
844SP0DN0887	202.70	203.00	0.03	0.5
844SP0DN0887	203.00	203.90	0.04	0.6
844SP0DN0887	203.90	204.30	0.80	3.8
844SP0DN0887	204.30	204.90	0.03	0.6
844SP0DN0887	204.90	205.30	0.51	2.8
844SP0DN0887	205.30	206.00	<0.01	0.4
844SP0DN0887	206.00	206.90	<0.01	0.4
844SP0DN0887	206.90	207.20	0.06	1.1
844SP0DN0887	207.20	208.30	0.01	0.8
844SP0DN0887	208.30	209.30	0.10	0.7
844SP0DN0887	209.30	210.20	0.02	0.7
844SP0DN0887	214.40	215.40	0.07	0.5
844SP0DN0887	215.40	216.30	0.02	0.5
844SP0DN0887	216.30	217.20	0.15	0.7
844SP0DN0887	217.20	217.80	0.01	0.9
844SP0DN0887	217.80	219.00	0.02	0.8
844SP0DN0887	224.50	224.90	0.04	0.8
844SP0DN0887	231.10	232.00	0.01	1.6
844SP0DN0887	232.00	233.00	0.02	1.1
844SP0DN0887	233.00	234.00	0.01	1.3
844SP0DN0887	234.00	234.80	0.02	1.3
844SP0DN0887	234.80	235.20	0.04	1.0
844SP0DN0887	235.20	236.20	0.01	1.3
844SP0DN0887	236.20	237.20	0.01	1.1
844SP0DN0887	237.20	238.20	0.04	0.8
844SP0DN0887	238.20	239.30	0.04	0.8
844SP0DN0887	239.30	240.40	0.17	1.2
844SP0DN0887	240.40	240.90	7.11	7.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0887	240.90	241.65	4.84	5.1
844SP0DN0887	241.65	242.40	3.88	6.0
844SP0DN0887	242.40	243.30	6.10	8.4
844SP0DN0887	243.30	244.40	0.59	2.9
844SP0DN0887	244.40	245.20	0.03	1.5
844SP0DN0887	245.20	246.00	0.02	0.4
844SP0DN0887	246.00	246.90	<0.01	0.5
844SP0DN0887	246.90	248.00	0.01	0.7
844SP0DN0887	248.00	249.10	0.05	0.5
844SP0DN0887	249.10	250.00	0.06	1.1
844SP0DN0887	250.00	251.00	0.02	0.3
844SP0DN0887	251.00	252.00	0.02	0.3
844SP0DN0887	252.00	253.00	0.01	0.2
844SP0DN0887	253.00	253.80	<0.01	0.2
844SP0DN0887	253.80	254.10	0.01	0.3
844SP0DN0887	254.10	254.90	0.01	0.5
844SP0DN0887	254.90	255.70	0.04	0.9
844SP0DN0887	255.70	256.10	0.15	2.5
844SP0DN0887	256.10	257.10	0.01	0.4
844SP0DN0887	257.10	258.00	<0.01	0.3
844SP0DN0887	258.00	259.20	<0.01	0.4
844SP0DN0887	259.20	259.70	0.03	0.9
844SP0DN0887	259.70	260.10	14.20	12.9
844SP0DN0887	260.10	260.70	0.67	0.8
844SP0DN0887	260.70	261.50	0.03	1.0
844SP0DN0887	261.50	261.80	0.21	1.7
844SP0DN0887	261.80	262.80	<0.01	0.8
844SP0DN0887	267.70	268.60	0.02	0.7
844SP0DN0887	268.60	269.20	2.27	1.9
844SP0DN0887	269.20	269.90	0.03	0.8
844SP0DN0887	269.90	270.40	0.01	0.8
844SP0DN0887	270.40	270.80	0.08	1.0
844SP0DN0887	270.80	272.00	0.02	1.2
844SP0DN0887	272.00	272.70	0.02	0.8
844SP0DN0887	274.20	275.40	0.99	1.6
844SP0DN0887	279.30	280.45	<0.01	0.9
844SP0DN0887	280.45	281.00	0.01	0.5
844SP0DN0887	281.00	281.70	0.08	0.9
844SP0DN0887	281.70	283.10	3.89	6.1
844SP0DN0887	288.50	290.10	0.01	0.2
844SP0DN0887	290.10	291.40	0.02	1.1
844SP0DN0887	291.40	292.30	<0.01	1.3
844SP0DN0887	292.30	293.00	<0.01	1.4
844SP0DN0887	293.00	294.20	0.02	4.5
844SP0DN0887	294.20	295.00	0.05	6.3
844SP0DN0887	295.00	295.90	<0.01	2.4
844SP0DN0887	295.90	296.90	8.51	5.1
844SP0DN0887	296.90	298.20	0.93	1.6
844SP0DN0887	304.30	305.30	0.02	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0887	307.20	307.80	0.01	0.7
844SP0DN0887	311.00	311.60	<0.01	1.4
844SP0DN0887	316.40	317.10	0.02	0.5
844SP0DN0887	319.40	320.60	0.02	0.6
844SP0DN0887	320.60	321.10	<0.01	0.6
844SP0DN0887	331.50	332.50	0.03	0.4
844SP0DN0891	2.30	3.30	0.02	1.8
844SP0DN0891	3.30	4.40	0.03	0.8
844SP0DN0891	5.50	5.80	<0.01	0.2
844SP0DN0891	7.20	7.90	<0.01	0.5
844SP0DN0891	8.90	9.50	0.01	0.2
844SP0DN0891	10.60	11.70	0.01	0.3
844SP0DN0891	11.70	12.60	<0.01	0.2
844SP0DN0891	12.60	13.60	0.02	0.2
844SP0DN0891	13.60	14.30	0.02	0.3
844SP0DN0891	14.30	15.60	0.01	0.5
844SP0DN0891	15.60	16.30	<0.01	0.8
844SP0DN0891	16.30	17.00	0.17	0.5
844SP0DN0891	20.40	21.00	<0.01	0.8
844SP0DN0891	21.00	22.20	<0.01	0.7
844SP0DN0891	23.10	23.70	0.01	0.2
844SP0DN0891	27.00	27.40	0.02	0.2
844SP0DN0891	35.90	37.10	0.05	0.5
844SP0DN0891	40.60	41.20	<0.01	0.3
844SP0DN0891	41.20	42.20	<0.01	0.7
844SP0DN0891	43.50	44.00	0.01	0.3
844SP0DN0891	47.10	47.90	0.01	0.7
844SP0DN0891	47.90	48.40	<0.01	0.3
844SP0DN0891	50.70	51.10	<0.01	0.8
844SP0DN0891	53.70	54.10	0.02	0.5
844SP0DN0891	57.00	58.20	<0.01	1.1
844SP0DN0891	65.70	66.30	<0.01	0.4
844SP0DN0891	69.00	69.60	<0.01	0.7
844SP0DN0891	74.80	76.00	0.06	2.4
844SP0DN0891	77.00	78.20	<0.01	0.5
844SP0DN0891	78.20	79.40	<0.01	0.5
844SP0DN0891	79.40	80.50	0.08	0.6
844SP0DN0891	81.30	82.20	0.03	0.6
844SP0DN0891	82.20	83.40	<0.01	0.4
844SP0DN0891	84.00	84.50	<0.01	0.3
844SP0DN0891	85.20	85.90	<0.01	0.8
844SP0DN0891	87.40	88.30	0.01	0.4
844SP0DN0891	91.00	92.00	0.01	0.4
844SP0DN0891	93.00	93.30	0.05	0.4
844SP0DN0891	97.40	97.80	0.01	0.4
844SP0DN0891	97.80	99.00	<0.01	0.3
844SP0DN0891	99.00	100.00	<0.01	0.5
844SP0DN0891	100.00	100.90	0.01	5.6
844SP0DN0891	100.90	101.70	0.35	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0891	101.70	102.70	0.02	1.8
844SP0DN0891	102.70	103.50	0.01	2.3
844SP0DN0891	103.50	104.20	0.02	2.4
844SP0DN0891	104.20	104.60	0.21	2.3
844SP0DN0891	104.60	105.20	0.05	0.6
844SP0DN0891	106.20	106.80	0.21	0.5
844SP0DN0891	107.60	108.20	1.03	0.8
844SP0DN0891	108.20	108.90	0.59	0.9
844SP0DN0891	110.20	111.10	0.04	0.2
844SP0DN0891	113.50	114.60	0.02	0.2
844SP0DN0891	114.60	115.30	0.07	0.3
844SP0DN0891	117.40	117.90	0.02	0.3
844SP0DN0891	118.40	119.00	<0.01	0.3
844SP0DN0891	119.60	120.50	0.07	0.8
844SP0DN0891	124.30	125.00	0.03	0.6
844SP0DN0891	126.10	126.80	<0.01	0.3
844SP0DN0891	127.10	127.40	0.81	0.9
844SP0DN0891	129.30	129.80	0.03	0.6
844SP0DN0891	136.90	137.20	0.10	0.5
844SP0DN0891	138.30	138.60	2.88	1.6
844SP0DN0891	140.40	140.80	0.02	0.6
844SP0DN0891	146.60	147.80	0.03	2.6
844SP0DN0891	147.80	149.10	0.05	0.6
844SP0DN0891	149.10	150.10	0.02	2.1
844SP0DN0891	150.10	150.70	0.02	0.5
844SP0DN0891	150.70	151.30	0.10	0.5
844SP0DN0891	151.30	152.50	0.02	0.4
844SP0DN0891	155.50	156.40	0.01	0.2
844SP0DN0891	157.20	158.60	0.11	0.4
844SP0DN0891	159.30	160.10	0.02	0.4
844SP0DN0891	160.10	160.80	0.03	0.4
844SP0DN0891	162.50	163.10	0.07	0.7
844SP0DN0891	164.10	164.70	0.07	0.6
844SP0DN0891	166.00	166.60	<0.01	0.5
844SP0DN0891	169.00	169.40	0.02	0.4
844SP0DN0891	170.40	171.50	0.02	0.3
844SP0DN0891	171.50	172.40	0.02	0.5
844SP0DN0891	172.40	173.60	0.06	0.6
844SP0DN0891	174.30	174.70	0.02	0.4
844SP0DN0891	177.70	178.80	0.15	0.5
844SP0DN0891	179.40	180.20	0.04	0.5
844SP0DN0891	181.70	182.40	2.14	2.4
844SP0DN0891	182.90	184.10	1.11	1.1
844SP0DN0891	185.20	185.60	0.01	0.4
844SP0DN0891	186.20	186.80	<0.01	0.2
844SP0DN0891	187.40	187.90	<0.01	0.2
844SP0DN0891	189.20	190.10	0.67	3.3
844SP0DN0891	190.10	191.00	<0.01	0.6
844SP0DN0891	192.00	193.00	0.07	1.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0891	193.80	194.20	<0.01	0.4
844SP0DN0891	195.80	196.50	0.24	0.5
844SP0DN0891	197.00	198.20	0.02	0.3
844SP0DN0891	200.40	201.30	0.32	0.9
844SP0DN0891	206.20	207.40	0.02	0.6
844SP0DN0891	209.50	210.30	0.02	0.5
844SP0DN0891	211.80	212.40	<0.01	0.6
844SP0DN0891	212.40	213.00	0.09	0.8
844SP0DN0891	213.00	214.20	0.02	0.5
844SP0DN0891	214.20	215.40	<0.01	0.5
844SP0DN0891	215.40	216.60	0.02	0.4
844SP0DN0891	216.60	217.50	0.01	0.6
844SP0DN0891	217.50	218.20	0.14	1.5
844SP0DN0891	218.20	219.00	13.30	11.2
844SP0DN0891	219.00	220.00	10.10	11.9
844SP0DN0891	220.00	221.00	47.50	26.2
844SP0DN0891	221.00	221.60	6.99	5.6
844SP0DN0891	221.60	223.00	0.04	0.8
844SP0DN0891	223.00	224.20	0.02	0.5
844SP0DN0891	224.20	225.40	0.03	0.4
844SP0DN0891	225.40	226.60	0.01	0.2
844SP0DN0891	226.60	227.80	0.05	0.3
844SP0DN0891	233.00	233.40	0.18	1.1
844SP0DN0891	233.40	234.50	0.01	1.2
844SP0DN0895	2.40	3.50	0.01	0.6
844SP0DN0895	3.50	4.10	0.07	3.0
844SP0DN0895	4.10	5.10	<0.01	0.4
844SP0DN0895	11.00	12.20	<0.01	0.2
844SP0DN0895	12.20	13.40	0.03	0.2
844SP0DN0895	13.40	14.00	<0.01	<0.1
844SP0DN0895	14.00	15.10	<0.01	1.2
844SP0DN0895	16.90	17.70	<0.01	2.1
844SP0DN0895	17.70	19.00	<0.01	0.2
844SP0DN0895	19.00	19.90	<0.01	0.5
844SP0DN0895	33.60	33.90	0.01	0.3
844SP0DN0895	33.90	34.40	<0.01	0.6
844SP0DN0895	34.40	34.70	0.08	0.5
844SP0DN0895	43.20	43.60	<0.01	0.3
844SP0DN0895	46.00	46.90	<0.01	0.3
844SP0DN0895	46.90	48.00	<0.01	0.4
844SP0DN0895	48.00	49.10	<0.01	0.8
844SP0DN0895	49.10	49.80	0.01	0.4
844SP0DN0895	52.00	52.80	0.02	<0.1
844SP0DN0895	52.80	54.00	<0.01	0.3
844SP0DN0895	54.00	55.00	0.08	0.6
844SP0DN0895	59.90	60.70	0.01	0.2
844SP0DN0895	60.70	61.10	0.04	0.2
844SP0DN0895	61.10	61.90	<0.01	0.7
844SP0DN0895	72.10	72.90	0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0895	76.00	76.80	<0.01	0.3
844SP0DN0895	76.80	78.20	<0.01	0.2
844SP0DN0895	78.20	79.20	<0.01	0.9
844SP0DN0895	79.20	80.10	<0.01	0.3
844SP0DN0895	87.30	88.00	0.03	2.2
844SP0DN0895	90.90	91.40	0.04	0.8
844SP0DN0895	91.40	92.10	0.01	0.3
844SP0DN0895	97.60	98.60	0.18	1.4
844SP0DN0895	98.60	99.10	0.03	0.5
844SP0DN0895	99.10	100.00	0.04	0.7
844SP0DN0895	100.00	101.00	0.12	0.9
844SP0DN0895	101.00	102.00	0.10	0.7
844SP0DN0895	102.00	103.10	<0.01	0.4
844SP0DN0895	103.10	104.20	0.01	2.3
844SP0DN0895	104.20	105.00	0.12	1.9
844SP0DN0895	105.00	106.00	<0.01	0.3
844SP0DN0895	106.00	106.50	0.07	0.3
844SP0DN0895	108.40	108.90	0.23	0.3
844SP0DN0895	108.90	109.50	0.02	0.2
844SP0DN0895	114.00	115.00	<0.01	0.1
844SP0DN0895	116.10	116.80	<0.01	0.2
844SP0DN0895	122.50	122.90	<0.01	0.1
844SP0DN0895	130.90	131.20	<0.01	<0.1
844SP0DN0895	144.10	145.00	0.06	0.4
844SP0DN0895	145.00	145.50	0.05	0.3
844SP0DN0895	148.70	149.20	<0.01	0.4
844SP0DN0895	154.20	154.60	0.03	0.3
844SP0DN0895	166.10	166.70	<0.01	0.5
844SP0DN0895	166.70	167.80	0.01	0.3
844SP0DN0895	167.80	169.00	0.06	0.5
844SP0DN0895	169.00	169.40	0.02	0.3
844SP0DN0895	169.40	170.10	0.10	0.8
844SP0DN0895	170.10	170.50	0.59	2.3
844SP0DN0895	170.50	171.50	0.02	0.9
844SP0DN0895	171.50	172.30	0.08	1.1
844SP0DN0895	172.30	173.50	0.01	0.8
844SP0DN0895	173.50	173.90	0.36	0.9
844SP0DN0895	173.90	175.00	0.25	1.2
844SP0DN0895	177.00	177.30	0.04	4.1
844SP0DN0895	177.30	178.20	<0.01	0.6
844SP0DN0895	178.20	179.10	0.01	0.7
844SP0DN0895	182.90	183.30	0.05	0.9
844SP0DN0895	184.80	185.60	0.90	1.5
844SP0DN0895	185.60	186.70	0.01	0.6
844SP0DN0895	186.70	187.50	0.82	1.4
844SP0DN0895	187.50	188.10	0.09	0.6
844SP0DN0895	188.10	189.00	3.09	3.4
844SP0DN0895	189.00	189.40	1.32	2.1
844SP0DN0895	189.40	190.30	0.02	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0895	191.60	191.90	0.09	0.5
844SP0DN0895	197.10	198.30	0.14	1.0
844SP0DN0895	198.30	198.60	0.37	0.9
844SP0DN0895	198.60	199.80	<0.01	0.8
844SP0DN0895	205.00	205.60	0.08	0.7
844SP0DN0895	205.60	206.30	<0.01	0.7
844SP0DN0895	213.20	214.00	<0.01	0.4
844SP0DN0895	214.00	214.60	<0.01	0.4
844SP0DN0895	214.60	215.40	<0.01	0.6
844SP0DN0895	215.40	216.00	<0.01	0.3
844SP0DN0895	219.30	220.00	0.01	0.5
844SP0DN0895	220.00	221.00	<0.01	0.5
844SP0DN0895	222.80	223.80	0.01	0.3
844SP0DN0895	230.50	230.80	0.01	0.6
844SP0DN0895	230.80	232.00	<0.01	1.0
844SP0DN0895	232.00	232.60	0.01	0.8
844SP0DN0895	232.60	233.30	0.02	1.0
844SP0DN0895	233.30	234.50	0.01	0.6
844SP0DN0895	234.50	235.50	0.01	0.5
844SP0DN0895	235.50	236.20	0.05	0.5
844SP0DN0895	236.20	237.00	<0.01	1.5
844SP0DN0895	237.00	237.80	<0.01	0.6
844SP0DN0895	242.30	243.00	0.02	0.5
844SP0DN0895	246.90	247.60	0.02	0.9
844SP0DN0895	249.00	249.80	0.07	1.0
844SP0DN0895	253.80	254.20	0.10	0.8
844SP0DN0895	254.20	255.30	0.01	0.8
844SP0DN0895	255.30	256.40	0.04	0.5
844SP0DN0895	256.40	257.70	0.03	1.5
844SP0DN0895	257.70	258.70	<0.01	0.9
844SP0DN0895	258.70	259.40	0.52	1.5
844SP0DN0895	259.40	260.30	1.18	2.5
844SP0DN0895	260.30	261.00	0.02	1.3
844SP0DN0895	261.00	262.10	<0.01	1.4
844SP0DN0895	262.10	263.00	<0.01	0.9
844SP0DN0895	263.00	264.00	0.02	0.6
844SP0DN0895	264.00	265.00	0.01	0.8
844SP0DN0895	265.00	266.00	0.01	1.2
844SP0DN0895	266.00	267.00	1.21	3.1
844SP0DN0895	267.00	268.10	1.66	3.1
844SP0DN0895	268.10	269.00	0.02	1.3
844SP0DN0895	269.00	270.00	0.02	1.4
844SP0DN0895	270.00	271.10	0.03	1.1
844SP0DN0895	271.10	271.90	1.17	2.2
844SP0DN0895	271.90	273.00	0.07	1.2
844SP0DN0895	273.00	273.70	16.80	18.9
844SP0DN0895	273.70	274.60	15.20	16.8
844SP0DN0895	274.60	274.90	0.24	10.7
844SP0DN0895	274.90	275.90	2.14	5.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0895	275.90	276.40	12.30	15.4
844SP0DN0895	276.40	276.90	1.43	2.4
844SP0DN0895	276.90	277.80	14.40	13.5
844SP0DN0895	277.80	279.00	0.10	1.0
844SP0DN0895	279.00	280.30	0.03	0.6
844SP0DN0895	280.30	281.00	0.04	0.8
844SP0DN0895	281.00	281.65	0.03	1.0
844SP0DN0895	281.65	282.00	0.46	1.4
844SP0DN0895	282.00	282.70	0.02	1.5
844SP0DN0895	282.70	283.10	<0.01	0.5
844SP0DN0895	283.10	284.30	0.04	0.5
844SP0DN0895	284.30	285.30	0.04	0.4
844SP0DN0895	285.30	286.30	0.02	0.8
844SP0DN0895	286.30	287.10	0.04	0.7
844SP0DN0895	287.10	288.30	0.03	1.2
844SP0DN0895	288.30	289.40	0.10	0.8
844SP0DN0899	2.60	3.70	<0.01	0.8
844SP0DN0899	3.70	4.00	0.03	4.8
844SP0DN0899	4.00	4.45	<0.01	0.4
844SP0DN0899	4.45	5.00	<0.01	1.7
844SP0DN0899	5.00	6.00	<0.01	0.2
844SP0DN0899	6.60	7.40	<0.01	0.3
844SP0DN0899	7.40	8.40	0.01	0.5
844SP0DN0899	13.50	13.80	<0.01	0.5
844SP0DN0899	19.80	20.10	<0.01	2.3
844SP0DN0899	20.10	20.60	<0.01	0.3
844SP0DN0899	20.60	21.80	<0.01	0.4
844SP0DN0899	43.00	43.30	0.01	0.4
844SP0DN0899	73.10	74.30	0.01	0.6
844SP0DN0899	74.30	75.00	0.01	0.6
844SP0DN0899	88.70	89.70	<0.01	0.4
844SP0DN0899	98.10	98.50	<0.01	0.6
844SP0DN0899	98.50	99.15	<0.01	0.5
844SP0DN0899	99.15	99.60	0.01	0.4
844SP0DN0899	104.10	104.40	<0.01	1.1
844SP0DN0899	109.40	109.70	<0.01	0.4
844SP0DN0899	113.50	113.80	0.14	0.2
844SP0DN0899	126.70	127.90	<0.01	0.2
844SP0DN0899	134.10	135.00	<0.01	<0.1
844SP0DN0899	135.00	136.00	<0.01	<0.1
844SP0DN0899	136.00	137.20	<0.01	<0.1
844SP0DN0899	137.20	138.20	<0.01	0.3
844SP0DN0899	138.20	139.60	<0.01	0.3
844SP0DN0899	139.60	140.70	<0.01	0.1
844SP0DN0899	140.70	142.20	<0.01	0.3
844SP0DN0899	146.70	147.50	0.04	0.5
844SP0DN0899	153.80	155.00	0.01	0.3
844SP0DN0899	155.00	156.00	<0.01	0.4
844SP0DN0899	156.00	156.90	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	156.90	157.50	0.02	0.6
844SP0DN0899	157.50	158.30	0.02	0.8
844SP0DN0899	158.30	159.10	0.01	0.8
844SP0DN0899	159.10	160.00	<0.01	0.7
844SP0DN0899	160.00	161.10	<0.01	0.9
844SP0DN0899	161.10	161.70	<0.01	0.9
844SP0DN0899	161.70	162.50	2.03	1.5
844SP0DN0899	162.50	163.15	0.45	2.3
844SP0DN0899	163.15	164.30	0.01	1.7
844SP0DN0899	164.30	165.20	0.24	0.9
844SP0DN0899	165.20	166.10	0.25	3.2
844SP0DN0899	166.10	167.00	0.02	4.9
844SP0DN0899	167.00	167.50	3.64	5.8
844SP0DN0899	167.50	168.20	3.19	7.9
844SP0DN0899	168.20	169.20	3.61	5.8
844SP0DN0899	169.20	169.70	6.08	6.5
844SP0DN0899	169.70	170.25	1.91	4.7
844SP0DN0899	170.25	170.90	0.46	7.9
844SP0DN0899	170.90	171.60	0.20	8.3
844SP0DN0899	171.60	172.60	0.87	8.4
844SP0DN0899	172.60	173.50	0.68	5.4
844SP0DN0899	173.50	174.00	0.01	1.8
844SP0DN0899	174.00	174.60	1.33	7.5
844SP0DN0899	174.60	175.80	0.02	0.7
844SP0DN0899	175.80	177.00	<0.01	1.0
844SP0DN0899	177.00	178.20	<0.01	0.7
844SP0DN0899	178.20	179.40	0.01	3.0
844SP0DN0899	179.40	180.00	0.21	2.0
844SP0DN0899	180.00	180.80	<0.01	1.2
844SP0DN0899	180.80	182.00	0.01	0.8
844SP0DN0899	182.00	183.20	0.02	0.9
844SP0DN0899	183.20	184.40	<0.01	0.8
844SP0DN0899	184.40	185.00	0.16	1.7
844SP0DN0899	185.00	186.00	0.08	2.1
844SP0DN0899	186.00	187.20	0.11	2.3
844SP0DN0899	187.20	188.40	0.08	1.3
844SP0DN0899	188.40	189.60	0.11	0.9
844SP0DN0899	189.60	190.80	0.03	1.1
844SP0DN0899	190.80	191.70	0.31	1.6
844SP0DN0899	191.70	192.45	0.52	4.8
844SP0DN0899	192.45	193.60	0.19	3.0
844SP0DN0899	193.60	194.30	0.05	0.8
844SP0DN0899	194.30	195.45	0.49	2.9
844SP0DN0899	195.45	196.20	0.17	2.6
844SP0DN0899	196.20	196.65	0.55	2.7
844SP0DN0899	196.65	197.30	6.19	12.9
844SP0DN0899	197.30	198.00	4.49	8.2
844SP0DN0899	198.00	198.80	0.04	0.6
844SP0DN0899	198.80	199.30	0.75	7.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	199.30	199.80	0.03	2.0
844SP0DN0899	199.80	200.20	0.10	4.2
844SP0DN0899	200.20	201.40	0.02	2.3
844SP0DN0899	201.40	202.50	0.01	0.8
844SP0DN0899	202.50	203.70	<0.01	0.4
844SP0DN0899	203.70	204.50	0.04	1.3
844SP0DN0899	204.50	205.50	0.04	0.7
844SP0DN0899	205.50	206.70	0.02	0.6
844SP0DN0899	206.70	207.85	0.03	0.8
844SP0DN0899	207.85	209.00	0.01	0.6
844SP0DN0899	209.00	210.00	<0.01	0.4
844SP0DN0899	210.00	210.85	<0.01	0.4
844SP0DN0899	210.85	211.90	<0.01	0.4
844SP0DN0899	211.90	213.00	<0.01	0.5
844SP0DN0899	213.00	214.20	0.01	0.6
844SP0DN0899	214.20	215.50	<0.01	0.6
844SP0DN0899	215.50	216.70	<0.01	0.3
844SP0DN0899	216.70	217.80	0.04	0.8
844SP0DN0899	217.80	218.40	<0.01	0.5
844SP0DN0899	218.40	219.35	0.02	0.9
844SP0DN0899	219.35	219.80	0.01	0.4
844SP0DN0899	219.80	221.00	<0.01	0.8
844SP0DN0899	221.00	222.00	0.01	0.3
844SP0DN0899	222.00	222.95	0.01	0.5
844SP0DN0899	222.95	223.30	0.02	3.0
844SP0DN0899	223.30	223.80	1.30	3.9
844SP0DN0899	223.80	224.10	<0.01	0.5
844SP0DN0899	224.10	225.05	0.20	3.4
844SP0DN0899	225.05	225.60	0.35	5.5
844SP0DN0899	225.60	226.40	1.46	6.6
844SP0DN0899	226.40	227.40	1.24	9.4
844SP0DN0899	227.40	228.10	1.43	6.4
844SP0DN0899	228.10	229.20	1.91	3.6
844SP0DN0899	229.20	230.40	1.28	3.1
844SP0DN0899	230.40	231.20	2.09	3.6
844SP0DN0899	231.20	231.80	40.00	19.7
844SP0DN0899	231.80	232.35	0.11	0.8
844SP0DN0899	232.35	233.00	4.15	6.5
844SP0DN0899	233.00	233.90	1.05	3.9
844SP0DN0899	233.90	235.10	0.02	0.9
844SP0DN0899	235.10	236.30	0.01	0.6
844SP0DN0899	236.30	237.50	<0.01	0.5
844SP0DN0899	237.50	238.70	0.01	0.4
844SP0DN0899	238.70	239.90	0.01	0.3
844SP0DN0899	239.90	241.00	0.01	0.2
844SP0DN0899	241.00	241.40	<0.01	0.5
844SP0DN0899	244.40	245.10	<0.01	1.0
844SP0DN0899	248.90	249.50	0.01	0.5
844SP0DN0899	249.50	250.65	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	250.65	251.70	<0.01	0.6
844SP0DN0899	251.70	252.40	<0.01	0.5
844SP0DN0899	252.40	253.00	<0.01	0.4
844SP0DN0899	261.00	261.40	<0.01	1.9
844SP0DN0899	265.10	265.80	<0.01	0.7
844SP0DN0899	265.80	266.30	0.01	0.5
844SP0DN0899	266.30	267.20	<0.01	0.4
844SP0DN0899	267.20	268.30	<0.01	0.4
844SP0DN0899	268.30	269.60	<0.01	0.3
844SP0DN0899	275.30	275.70	<0.01	0.1
844SP0DN0899	275.70	276.40	<0.01	0.4
844SP0DN0899	276.40	277.00	<0.01	0.3
844SP0DN0899	281.00	281.50	<0.01	0.1
844SP0DN0899	286.00	287.00	<0.01	0.6
844SP0DN0899	287.00	288.20	<0.01	0.2
844SP0DN0899	289.50	290.30	0.02	0.2
844SP0DN0899	293.70	294.00	0.08	0.5
844SP0DN0899	294.00	295.00	0.02	0.6
844SP0DN0899	295.00	295.60	<0.01	0.6
844SP0DN0899	295.60	295.90	0.02	0.6
844SP0DN0899	295.90	297.00	<0.01	0.4
844SP0DN0899	297.00	297.40	0.01	1.4
844SP0DN0899	297.40	298.00	<0.01	0.3
844SP0DN0899	298.00	298.90	0.02	0.3
844SP0DN0899	298.90	299.20	0.08	0.7
844SP0DN0899	299.20	300.00	<0.01	0.2
844SP0DN0899	300.00	300.95	<0.01	0.3
844SP0DN0899	300.95	301.25	0.07	1.6
844SP0DN0899	301.25	302.30	7.55	9.8
844SP0DN0899	302.30	302.90	6.05	13.1
844SP0DN0899	302.90	304.00	3.86	4.2
844SP0DN0899	304.00	304.60	0.53	2.0
844SP0DN0899	304.60	305.70	0.06	0.6
844SP0DN0899	305.70	306.10	0.59	1.6
844SP0DN0899	306.10	306.80	0.02	1.1
844SP0DN0899	306.80	308.00	0.77	1.5
844SP0DN0899	308.00	308.50	0.01	0.8
844SP0DN0899	308.50	309.50	0.04	0.6
844SP0DN0899	309.50	310.10	0.10	0.9
844SP0DN0899	310.10	311.10	0.01	0.3
844SP0DN0899	311.10	311.70	<0.01	0.5
844SP0DN0899	311.70	312.90	0.05	0.8
844SP0DN0899	312.90	313.90	0.03	0.8
844SP0DN0899	313.90	315.00	0.11	1.1
844SP0DN0899	315.00	316.20	0.02	1.0
844SP0DN0899	316.20	317.00	0.03	1.0
844SP0DN0899	317.00	317.90	0.02	1.2
844SP0DN0899	317.90	318.35	0.53	2.2
844SP0DN0899	318.35	319.10	0.15	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	319.10	319.70	0.02	0.4
844SP0DN0899	319.70	320.70	0.01	0.3
844SP0DN0899	323.40	324.20	<0.01	0.4
844SP0DN0899	327.20	327.75	0.02	0.4
844SP0DN0899	330.00	330.40	0.04	1.4
844SP0DN0899	330.40	331.70	0.01	1.3
844SP0DN0899	333.20	333.60	0.01	0.5
844SP0DN0899	338.30	339.00	0.14	0.4
844SP0DN0899	339.00	340.20	0.04	0.4
844SP0DN0899	340.20	341.40	0.03	0.6
844SP0DN0899	341.40	342.30	0.03	0.4
844SP0DN0899	342.30	343.40	0.17	0.5
844SP0DN0899	343.40	344.70	0.02	0.4
844SP0DN0899	344.70	345.30	0.04	0.5
844SP0DN0899	345.30	346.30	0.02	0.3
844SP0DN0899	346.30	347.40	0.01	0.3
844SP0DN0899	347.40	348.30	<0.01	0.6
844SP0DN0899	348.30	348.80	<0.01	0.4
844SP0DN0899	348.80	350.00	0.14	0.4
844SP0DN0899	350.00	351.00	0.04	0.7
844SP0DN0899	351.00	352.20	0.01	0.6
844SP0DN0899	352.20	353.30	<0.01	0.4
844SP0DN0899	353.30	353.90	<0.01	0.5
844SP0DN0899	353.90	354.70	<0.01	0.3
844SP0DN0899	354.70	355.90	<0.01	0.2
844SP0DN0899	355.90	356.40	<0.01	0.2
844SP0DN0899	356.40	356.70	<0.01	0.3
844SP0DN0899	356.70	357.40	0.07	0.5
844SP0DN0899	357.40	358.60	0.01	0.3
844SP0DN0899	358.60	359.70	<0.01	0.5
844SP0DN0899	359.70	360.90	0.02	0.7
844SP0DN0899	360.90	362.10	0.02	0.8
844SP0DN0899	362.10	362.70	3.49	24.2
844SP0DN0899	362.70	365.10	1.38	5.5
844SP0DN0899	365.10	366.10	0.55	2.5
844SP0DN0899	366.10	366.70	1.26	2.4
844SP0DN0899	366.70	367.40	0.04	0.7
844SP0DN0899	367.40	368.20	0.09	0.7
844SP0DN0899	368.20	369.30	0.02	0.6
844SP0DN0899	369.30	370.30	<0.01	0.4
844SP0DN0899	370.30	371.20	<0.01	0.2
844SP0DN0899	371.20	371.60	0.04	0.4
844SP0DN0899	371.60	372.80	0.01	0.3
844SP0DN0899	372.80	373.90	<0.01	0.3
844SP0DN0899	373.90	374.70	<0.01	0.3
844SP0DN0899	374.70	375.30	0.02	0.7
844SP0DN0899	375.30	376.45	0.01	0.5
844SP0DN0899	376.45	377.50	0.01	0.4
844SP0DN0899	377.50	378.80	0.02	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	378.80	380.00	0.05	0.3
844SP0DN0899	380.00	380.90	0.05	0.8
844SP0DN0899	380.90	381.90	0.06	0.7
844SP0DN0899	381.90	383.10	0.09	0.4
844SP0DN0899	383.10	383.50	0.06	0.4
844SP0DN0899	383.50	384.10	0.11	0.5
844SP0DN0899	384.10	384.70	0.06	0.5
844SP0DN0899	384.70	385.50	0.01	0.3
844SP0DN0899	385.50	386.70	0.01	0.2
844SP0DN0899	386.70	387.00	0.05	0.3
844SP0DN0899	387.00	387.80	0.01	0.2
844SP0DN0899	387.80	388.60	0.01	0.2
844SP0DN0899	388.60	389.70	0.01	0.3
844SP0DN0899	389.70	390.80	0.05	0.3
844SP0DN0899	390.80	392.00	0.05	0.6
844SP0DN0899	392.00	392.70	0.21	0.6
844SP0DN0899	392.70	393.80	0.15	0.7
844SP0DN0899	393.80	394.20	0.05	0.7
844SP0DN0899	394.20	395.50	0.03	0.5
844SP0DN0899	397.40	398.50	0.02	0.7
844SP0DN0899	398.50	399.20	0.02	0.5
844SP0DN0899	402.80	403.20	0.02	0.4
844SP0DN0899	408.30	409.50	0.03	0.6
844SP0DN0899	409.50	409.80	8.71	5.6
844SP0DN0899	409.80	410.60	0.01	1.3
844SP0DN0899	410.60	410.90	0.02	0.2
844SP0DN0899	412.00	412.80	0.02	0.3
844SP0DN0899	415.90	417.10	0.11	0.8
844SP0DN0899	417.10	417.70	0.03	3.6
844SP0DN0899	417.70	418.40	0.04	0.7
844SP0DN0899	418.40	419.70	0.04	1.0
844SP0DN0899	419.70	421.00	0.02	1.9
844SP0DN0899	421.00	421.90	0.03	0.6
844SP0DN0899	421.90	422.50	0.08	0.7
844SP0DN0899	422.50	423.60	0.07	0.7
844SP0DN0899	423.60	424.50	0.03	1.8
844SP0DN0899	424.50	425.10	0.05	1.3
844SP0DN0899	425.10	425.90	0.04	0.4
844SP0DN0899	425.90	427.10	0.11	0.6
844SP0DN0899	427.10	428.40	0.03	0.8
844SP0DN0899	428.40	428.80	0.08	0.7
844SP0DN0899	428.80	430.00	0.02	0.5
844SP0DN0899	430.00	431.00	<0.01	0.2
844SP0DN0899	431.00	432.10	0.33	0.4
844SP0DN0899	432.10	432.80	1.22	4.8
844SP0DN0899	432.80	433.45	0.15	0.9
844SP0DN0899	433.45	434.10	0.33	2.7
844SP0DN0899	434.10	435.20	0.31	0.9
844SP0DN0899	435.20	436.20	0.03	1.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	436.20	436.90	0.03	2.3
844SP0DN0899	436.90	437.30	0.04	1.2
844SP0DN0899	437.30	438.35	0.04	0.8
844SP0DN0899	438.35	438.70	0.08	0.6
844SP0DN0899	438.70	439.90	0.02	1.2
844SP0DN0899	439.90	440.80	<0.01	<0.1
844SP0DN0899	440.80	441.10	0.12	1.5
844SP0DN0899	441.10	442.30	0.02	0.8
844SP0DN0899	442.30	442.80	0.03	1.0
844SP0DN0899	442.80	444.00	0.01	0.5
844SP0DN0899	444.00	444.80	0.02	0.4
844SP0DN0899	444.80	445.40	0.27	1.3
844SP0DN0899	445.40	446.30	0.99	2.8
844SP0DN0899	446.30	447.20	0.21	9.0
844SP0DN0899	447.20	448.30	0.19	0.7
844SP0DN0899	448.30	448.70	0.63	2.9
844SP0DN0899	448.70	449.80	0.01	0.4
844SP0DN0899	449.80	451.00	<0.01	0.2
844SP0DN0899	451.00	451.70	0.06	0.5
844SP0DN0899	451.70	452.50	0.03	0.5
844SP0DN0899	452.50	453.70	0.03	0.7
844SP0DN0899	453.70	454.90	<0.01	0.2
844SP0DN0899	454.90	455.60	0.02	0.2
844SP0DN0899	455.60	456.80	0.03	0.3
844SP0DN0899	456.80	458.00	0.03	0.4
844SP0DN0899	458.00	458.50	0.02	0.3
844SP0DN0899	458.50	459.40	<0.01	0.2
844SP0DN0899	459.40	460.50	0.04	0.2
844SP0DN0899	460.50	461.70	0.04	0.7
844SP0DN0899	461.70	462.95	0.08	1.0
844SP0DN0899	462.95	464.20	0.05	0.6
844SP0DN0899	464.20	464.70	2.36	12.4
844SP0DN0899	464.70	465.90	4.49	7.8
844SP0DN0899	465.90	466.30	0.14	2.6
844SP0DN0899	466.30	467.00	0.11	2.2
844SP0DN0899	467.00	467.70	0.07	1.1
844SP0DN0899	467.70	469.00	0.03	1.2
844SP0DN0899	469.00	470.20	0.12	2.7
844SP0DN0899	470.20	471.00	0.02	0.8
844SP0DN0899	471.00	471.50	0.03	0.9
844SP0DN0899	471.50	472.70	0.02	1.1
844SP0DN0899	472.70	473.00	0.04	1.6
844SP0DN0899	473.00	474.20	0.05	0.7
844SP0DN0899	474.20	475.00	0.11	0.7
844SP0DN0899	475.00	475.90	0.07	0.6
844SP0DN0899	475.90	476.20	0.25	3.8
844SP0DN0899	476.20	477.00	0.13	4.3
844SP0DN0899	477.00	477.40	0.07	1.2
844SP0DN0899	477.40	478.60	0.07	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0899	478.60	479.40	0.09	0.6
844SP0DN0899	479.40	480.15	0.21	1.3
844SP0DN0899	480.15	481.20	0.37	1.2
844SP0DN0899	481.20	482.00	2.28	2.8
844SP0DN0899	482.00	482.90	0.18	0.7
844SP0DN0899	482.90	484.10	0.08	0.9
844SP0DN0899	484.10	485.20	0.09	0.9
844SP0DN0899	485.20	485.60	0.34	1.4
844SP0DN0899	485.60	486.80	0.13	0.8
844SP0DN0899	486.80	487.50	0.11	1.9
844SP0DN0899	487.50	488.20	1.61	2.7
844SP0DN0899	488.20	488.80	0.14	2.1
844SP0DN0899	488.80	489.40	0.09	1.4
844SP0DN0899	489.40	489.80	0.14	0.4
844SP0DN0899	489.80	490.45	3.04	7.0
844SP0DN0899	490.45	490.70	0.05	0.8
844SP0DN0899	490.70	491.10	0.09	3.0
844SP0DN0899	491.10	491.90	0.16	1.3
844SP0DN0899	491.90	492.80	0.03	0.7
844SP0DN0899	492.80	493.30	0.01	0.6
844SP0DN0899	493.30	494.00	0.21	2.7
844SP0DN0899	494.00	494.80	0.04	4.6
844SP0DN0899	494.80	495.20	0.02	0.9
844SP0DN0899	495.20	496.00	0.05	1.1
844SP0DN0899	496.00	497.20	0.03	0.7
844SP0DN0899	497.20	498.10	0.02	0.6
844SP0DN0899	498.10	498.70	0.02	0.3
844SP0DN0899	498.70	499.90	0.02	0.7
844SP0DN0899	499.90	501.10	0.02	0.6
844SP0DN0899	501.10	501.70	0.01	0.6
844SP0DN0899	501.70	502.60	0.02	0.5
844SP0DN0899	502.60	503.80	0.02	0.7
844SP0DN0899	503.80	504.90	0.02	0.7
844SP0DN0899	504.90	505.20	0.04	0.8
844SP0DN0899	505.20	505.50	0.04	0.8
844SP0DN0899	509.00	510.10	0.02	0.6
844SP0DN0899	510.10	511.10	0.02	0.6
844SP0DN0899	511.10	512.20	0.03	2.5
844SP0DN0899	512.20	513.40	0.04	1.0
844SP0DN0899	513.40	514.60	0.02	0.9
844SP0DN0899	514.60	515.70	0.02	1.7
844SP0DN0904	2.80	3.10	0.02	2.2
844SP0DN0904	3.10	4.00	<0.01	0.4
844SP0DN0904	4.00	5.20	0.01	0.5
844SP0DN0904	11.00	12.20	<0.01	0.2
844SP0DN0904	12.20	13.40	<0.01	0.2
844SP0DN0904	13.40	14.00	<0.01	0.4
844SP0DN0904	14.00	15.20	<0.01	0.3
844SP0DN0904	17.50	18.50	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0904	18.50	19.20	0.02	0.2
844SP0DN0904	19.20	20.40	<0.01	0.7
844SP0DN0904	37.10	38.30	<0.01	0.4
844SP0DN0904	41.60	42.00	<0.01	1.2
844SP0DN0904	49.70	50.50	<0.01	0.3
844SP0DN0904	50.50	51.00	<0.01	0.6
844SP0DN0904	60.90	61.70	<0.01	0.6
844SP0DN0904	61.70	62.00	0.13	0.3
844SP0DN0904	62.00	63.20	0.01	0.2
844SP0DN0904	64.10	64.50	0.03	0.8
844SP0DN0904	64.50	65.10	0.02	0.6
844SP0DN0904	65.10	66.30	0.04	0.7
844SP0DN0904	77.00	77.40	<0.01	0.9
844SP0DN0904	80.00	81.20	<0.01	0.9
844SP0DN0904	81.20	81.80	<0.01	0.3
844SP0DN0904	81.80	83.00	0.02	1.5
844SP0DN0904	84.00	85.20	0.01	1.4
844SP0DN0904	87.80	88.30	0.02	0.9
844SP0DN0904	96.00	97.20	<0.01	0.3
844SP0DN0904	97.20	98.40	<0.01	0.2
844SP0DN0904	98.40	99.10	<0.01	0.2
844SP0DN0904	99.10	100.30	<0.01	0.3
844SP0DN0904	100.30	101.50	<0.01	0.3
844SP0DN0904	101.50	102.70	0.02	0.6
844SP0DN0904	102.70	104.00	<0.01	0.3
844SP0DN0904	104.00	105.30	0.02	0.3
844SP0DN0904	105.30	106.50	<0.01	0.2
844SP0DN0904	106.50	107.60	<0.01	0.3
844SP0DN0904	107.60	108.80	<0.01	0.3
844SP0DN0904	108.80	110.00	0.02	0.6
844SP0DN0904	110.00	111.00	<0.01	0.5
844SP0DN0904	111.00	111.90	<0.01	0.4
844SP0DN0904	111.90	112.20	0.07	0.3
844SP0DN0904	112.20	113.30	0.01	1.2
844SP0DN0904	113.30	114.50	<0.01	0.5
844SP0DN0904	118.60	119.30	<0.01	0.2
844SP0DN0904	128.70	130.00	0.02	0.6
844SP0DN0904	130.00	131.30	<0.01	0.2
844SP0DN0904	131.30	132.50	0.05	0.4
844SP0DN0904	135.70	136.90	0.01	0.6
844SP0DN0904	138.80	139.30	0.02	0.6
844SP0DN0904	141.30	142.50	0.01	0.5
844SP0DN0904	144.60	144.90	0.02	0.8
844SP0DN0904	146.90	148.10	<0.01	0.4
844SP0DN0904	152.40	153.00	<0.01	0.5
844SP0DN0904	154.00	155.20	0.02	0.6
844SP0DN0904	155.20	156.20	0.04	0.7
844SP0DN0904	156.20	157.40	<0.01	0.5
844SP0DN0904	172.30	173.50	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DN0904	177.30	178.00	0.02	0.7
844SP0DN0904	186.00	187.20	<0.01	1.8
844SP0DN0904	190.00	191.20	<0.01	0.8
844SP0DN0904	191.20	192.00	3.33	6.8
844SP0DN0904	192.00	193.20	0.02	1.1
844SP0DN0904	193.20	194.40	0.04	0.8
844SP0DN0904	200.10	201.30	<0.01	0.6
844SP0DN0904	201.30	201.90	0.02	0.7
844SP0DN0904	201.90	203.00	<0.01	0.4
844SP0DN0904	203.00	204.20	<0.01	0.3
844SP0DN0904	206.40	206.80	0.18	2.0
844SP0DN0904	208.00	209.00	0.01	1.3
844SP0DN0904	213.00	214.20	0.01	1.0
844SP0DN0904	217.90	219.20	0.02	0.9
844SP0DN0904	222.00	223.20	0.02	3.1
844SP0DN0904	230.90	232.10	0.01	1.3
844SP0DN0904	232.10	233.30	<0.01	1.2
844SP0DN0904	233.30	233.70	0.07	1.3
844SP0DN0904	235.80	237.00	0.01	2.3
844SP0DN0904	237.00	238.10	0.01	2.6
844SP0DN0904	238.10	239.30	<0.01	3.0
844SP0DN0904	239.30	240.00	<0.01	2.0
844SP0DN0904	240.00	241.00	<0.01	2.5
844SP0DN0904	241.00	242.20	<0.01	2.7
844SP0DN0904	242.20	243.40	0.01	1.4
844SP0DN0904	243.40	244.00	0.88	2.3
844SP0DN0904	244.00	245.20	0.55	2.1
844SP0DN0904	245.20	245.90	3.47	6.8
844SP0DN0904	245.90	246.50	1.48	2.0
844SP0DN0904	246.50	247.50	0.15	1.5
844SP0DN0904	247.50	248.20	0.04	1.4
844SP0DN0904	248.20	249.30	0.50	3.6
844SP0DN0904	249.30	250.40	0.11	1.2
844SP0DN0904	250.40	251.60	0.03	1.4
844SP0DN0904	251.60	252.70	0.03	1.2
844SP0DN0904	252.70	253.50	0.13	2.9
844SP0DN0904	253.50	254.70	0.06	1.4
844SP0DN0904	254.70	255.90	0.02	0.9
844SP0DN0904	257.30	258.60	0.07	0.7
844SP0DN0904	258.60	259.40	0.03	0.6
844SP0DN0904	261.00	262.30	0.02	1.4
844SP0DN0904	270.00	271.20	0.01	1.6
844SP0DN0904	271.20	272.00	0.04	1.5
844SP0DR0910	0.00	0.30	0.02	2.6
844SP0DR0910	3.70	4.10	0.01	3.6
844SP0DR0910	11.10	12.00	<0.01	0.3
844SP0DR0910	12.50	12.80	<0.01	0.6
844SP0DR0910	14.80	15.60	<0.01	0.4
844SP0DR0910	15.60	16.40	0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0910	16.40	17.40	0.14	0.8
844SP0DR0910	18.50	18.80	<0.01	1.3
844SP0DR0910	20.10	20.40	<0.01	0.6
844SP0DR0910	21.20	22.10	<0.01	0.3
844SP0DR0910	22.10	22.50	<0.01	2.5
844SP0DR0910	23.10	23.70	0.04	0.4
844SP0DR0910	35.20	36.10	<0.01	0.3
844SP0DR0910	36.70	37.80	0.02	0.7
844SP0DR0910	38.40	38.70	0.08	0.4
844SP0DR0910	39.30	39.60	0.07	0.6
844SP0DR0910	40.90	41.80	0.02	1.4
844SP0DR0910	41.80	42.80	<0.01	0.4
844SP0DR0910	42.80	44.00	<0.01	0.5
844SP0DR0910	44.00	45.20	<0.01	0.6
844SP0DR0910	45.20	46.10	0.01	0.7
844SP0DR0910	46.10	47.00	<0.01	0.6
844SP0DR0910	47.50	48.60	0.01	0.7
844SP0DR0910	48.60	50.10	0.01	0.6
844SP0DR0910	54.30	55.00	0.02	1.1
844SP0DR0910	55.70	56.10	<0.01	0.9
844SP0DR0910	57.50	58.70	<0.01	0.7
844SP0DR0910	59.20	60.20	0.01	0.8
844SP0DR0910	62.40	63.60	0.01	0.4
844SP0DR0910	64.90	65.60	<0.01	0.5
844SP0DR0910	67.50	68.60	0.01	1.0
844SP0DR0910	68.60	69.80	<0.01	0.8
844SP0DR0910	70.20	70.90	<0.01	1.1
844SP0DR0910	70.90	72.00	0.03	12.1
844SP0DR0910	72.90	73.60	0.02	1.2
844SP0DR0910	76.80	78.00	<0.01	0.5
844SP0DR0910	78.00	79.20	0.04	0.8
844SP0DR0910	79.20	80.00	0.01	1.3
844SP0DR0910	80.50	81.60	0.03	1.5
844SP0DR0910	82.40	83.40	0.02	1.2
844SP0DR0910	84.80	85.70	<0.01	0.4
844SP0DR0910	86.30	86.70	0.01	0.6
844SP0DR0910	87.80	88.30	<0.01	0.4
844SP0DR0910	89.00	89.50	0.01	0.6
844SP0DR0910	93.60	94.00	0.02	0.7
844SP0DR0910	94.00	95.20	<0.01	0.5
844SP0DR0910	95.20	96.40	0.01	0.3
844SP0DR0910	96.40	97.50	0.01	0.2
844SP0DR0910	97.50	98.50	<0.01	0.3
844SP0DR0910	98.50	99.50	<0.01	0.3
844SP0DR0910	99.50	100.60	<0.01	0.1
844SP0DR0910	100.60	101.80	0.01	1.2
844SP0DR0910	101.80	102.80	0.03	0.8
844SP0DR0910	102.80	104.00	0.02	1.9
844SP0DR0910	104.00	105.00	0.04	1.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0910	105.00	106.00	<0.01	0.6
844SP0DR0910	106.00	106.80	0.73	4.3
844SP0DR0910	106.80	108.00	0.23	0.5
844SP0DR0910	108.00	108.80	0.29	0.5
844SP0DR0910	108.80	109.80	0.82	3.4
844SP0DR0910	109.80	110.50	0.03	0.5
844SP0DR0910	110.50	111.20	<0.01	0.3
844SP0DR0910	111.20	112.30	0.39	0.7
844SP0DR0910	112.30	113.10	0.01	0.3
844SP0DR0910	113.10	113.40	0.05	0.4
844SP0DR0910	115.70	116.00	0.10	0.3
844SP0DR0910	117.40	117.90	0.02	0.3
844SP0DR0910	118.90	120.00	0.01	0.2
844SP0DR0910	120.00	120.60	0.03	0.5
844SP0DR0910	121.80	122.80	0.06	0.5
844SP0DR0910	122.80	123.50	0.04	0.5
844SP0DR0910	123.50	124.30	0.03	0.4
844SP0DR0910	124.30	125.50	0.02	0.3
844SP0DR0910	127.70	128.20	0.02	0.6
844SP0DR0910	133.30	133.60	<0.01	0.6
844SP0DR0910	134.40	135.20	0.11	0.5
844SP0DR0910	136.90	137.50	1.53	1.5
844SP0DR0910	142.30	142.60	0.03	0.3
844SP0DR0910	148.00	148.90	0.02	0.4
844SP0DR0910	150.80	151.10	0.05	0.5
844SP0DR0910	152.10	152.90	0.03	0.4
844SP0DR0910	153.40	153.70	0.72	0.9
844SP0DR0910	156.40	157.00	0.05	0.6
844SP0DR0910	159.30	160.50	<0.01	0.3
844SP0DR0910	160.50	161.70	0.03	0.3
844SP0DR0910	161.70	163.00	0.03	0.3
844SP0DR0910	163.00	164.20	0.01	0.3
844SP0DR0910	164.20	165.00	0.04	0.3
844SP0DR0910	165.00	165.70	0.11	0.3
844SP0DR0910	165.70	166.50	0.02	0.3
844SP0DR0910	166.50	167.70	0.02	0.3
844SP0DR0910	168.90	169.20	0.02	0.4
844SP0DR0910	169.90	170.30	0.07	0.5
844SP0DR0910	170.80	171.58	1.63	2.6
844SP0DR0910	172.90	173.70	0.58	0.8
844SP0DR0910	175.20	176.00	0.71	0.9
844SP0DR0910	177.30	178.50	0.03	0.7
844SP0DR0910	179.10	180.00	0.64	0.6
844SP0DR0910	180.00	181.20	0.12	0.3
844SP0DR0910	181.20	181.50	0.01	0.3
844SP0DR0910	181.50	182.10	0.01	0.3
844SP0DR0910	182.10	182.60	1.37	0.8
844SP0DR0910	182.60	183.20	<0.01	0.3
844SP0DR0910	183.20	184.30	0.18	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0910	184.30	184.60	1.77	1.6
844SP0DR0910	185.30	185.90	1.29	1.2
844SP0DR0910	187.40	187.80	0.03	0.8
844SP0DR0910	188.50	188.80	0.06	0.5
844SP0DR0910	190.00	190.70	0.02	0.5
844SP0DR0910	191.10	192.00	<0.01	0.9
844SP0DR0910	193.10	194.40	<0.01	0.3
844SP0DR0910	195.40	195.70	0.19	0.6
844SP0DR0910	196.50	196.80	<0.01	0.2
844SP0DR0910	199.20	200.20	<0.01	0.3
844SP0DR0910	200.20	200.70	0.06	0.4
844SP0DR0910	200.70	201.10	0.95	1.7
844SP0DR0910	201.10	201.70	<0.01	0.4
844SP0DR0910	201.70	202.50	<0.01	0.4
844SP0DR0910	202.50	202.80	1.55	2.1
844SP0DR0910	202.80	203.30	0.02	0.4
844SP0DR0910	203.30	204.50	<0.01	0.3
844SP0DR0910	204.50	204.80	<0.01	0.9
844SP0DR0910	204.80	206.00	<0.01	0.5
844SP0DR0910	206.00	206.50	<0.01	0.6
844SP0DR0910	206.50	206.80	0.06	4.7
844SP0DR0910	206.80	207.80	27.90	21.7
844SP0DR0910	207.80	208.80	17.80	17.8
844SP0DR0910	208.80	209.70	0.36	8.4
844SP0DR0910	209.70	210.70	26.40	19.9
844SP0DR0910	210.70	211.90	0.05	0.5
844SP0DR0910	211.90	212.80	0.02	0.4
844SP0DR0910	212.80	213.10	0.08	3.0
844SP0DR0910	213.10	214.00	0.02	0.4
844SP0DR0910	214.00	214.90	<0.01	0.3
844SP0DR0910	214.90	215.90	0.23	1.8
844SP0DR0910	215.90	216.70	<0.01	0.5
844SP0DR0910	217.10	217.40	<0.01	0.5
844SP0DR0910	217.40	218.00	0.03	0.6
844SP0DR0910	218.00	218.40	0.02	0.6
844SP0DR0910	218.40	218.80	0.02	0.6
844SP0DR0910	218.80	219.60	2.34	6.3
844SP0DR0910	219.60	220.80	<0.01	0.5
844SP0DR0910	220.80	222.00	<0.01	1.0
844SP0DR0910	224.80	225.20	0.02	0.5
844SP0DR0910	225.20	225.50	0.12	0.5
844SP0DR0944	3.60	4.20	0.02	2.0
844SP0DR0944	8.60	9.00	0.02	0.9
844SP0DR0944	10.60	10.90	<0.01	0.4
844SP0DR0944	12.10	12.40	0.03	0.4
844SP0DR0944	12.60	13.40	0.01	0.5
844SP0DR0944	13.40	14.20	0.02	0.3
844SP0DR0944	14.20	15.30	0.04	0.3
844SP0DR0944	15.30	15.80	0.02	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0944	16.40	16.70	<0.01	0.4
844SP0DR0944	17.10	17.90	0.05	1.3
844SP0DR0944	19.70	20.40	<0.01	0.6
844SP0DR0944	20.40	21.20	<0.01	3.0
844SP0DR0944	26.00	26.70	0.02	0.3
844SP0DR0944	35.40	35.70	0.18	0.5
844SP0DR0944	36.40	36.80	0.02	0.3
844SP0DR0944	38.30	38.70	<0.01	0.3
844SP0DR0944	40.10	41.30	<0.01	0.5
844SP0DR0944	41.30	42.00	<0.01	0.5
844SP0DR0944	44.80	45.40	<0.01	0.5
844SP0DR0944	46.10	46.70	0.01	0.7
844SP0DR0944	47.10	47.70	0.02	0.2
844SP0DR0944	52.80	53.90	0.03	0.4
844SP0DR0944	53.90	54.20	0.04	0.5
844SP0DR0944	54.20	54.50	0.01	0.3
844SP0DR0944	54.50	55.00	0.01	0.4
844SP0DR0944	55.00	56.20	0.01	0.8
844SP0DR0944	56.20	57.10	0.01	0.3
844SP0DR0944	57.10	57.70	0.01	0.4
844SP0DR0944	57.70	58.90	<0.01	0.5
844SP0DR0944	58.90	60.00	0.01	0.6
844SP0DR0944	60.00	60.90	0.01	0.6
844SP0DR0944	60.90	62.10	<0.01	0.7
844SP0DR0944	62.10	63.30	0.01	1.2
844SP0DR0944	71.90	72.60	0.03	2.9
844SP0DR0944	73.30	74.00	<0.01	0.3
844SP0DR0944	75.70	76.70	0.07	0.6
844SP0DR0944	78.30	79.30	<0.01	0.7
844SP0DR0944	80.00	80.50	<0.01	0.4
844SP0DR0944	85.50	86.40	<0.01	0.9
844SP0DR0944	90.00	90.70	<0.01	0.6
844SP0DR0944	90.70	91.50	0.14	0.6
844SP0DR0944	91.50	92.70	<0.01	0.5
844SP0DR0944	92.70	93.90	<0.01	0.6
844SP0DR0944	93.90	95.10	<0.01	1.9
844SP0DR0944	95.10	96.30	0.03	0.9
844SP0DR0944	96.30	96.80	<0.01	0.4
844SP0DR0944	96.80	98.00	<0.01	0.3
844SP0DR0944	98.00	99.20	<0.01	0.5
844SP0DR0944	99.20	100.40	<0.01	1.3
844SP0DR0944	100.40	101.60	<0.01	2.8
844SP0DR0944	101.60	102.30	0.01	2.9
844SP0DR0944	102.30	103.50	0.07	10.7
844SP0DR0944	103.50	104.00	0.03	3.2
844SP0DR0944	104.00	104.30	1.61	2.7
844SP0DR0944	104.30	105.30	0.02	0.5
844SP0DR0944	105.30	105.90	0.27	0.6
844SP0DR0944	105.90	107.10	0.02	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0944	107.10	107.40	0.04	0.4
844SP0DR0944	107.40	108.60	0.02	0.3
844SP0DR0944	108.60	109.70	0.01	0.8
844SP0DR0944	109.70	110.00	0.01	0.3
844SP0DR0944	110.00	110.60	0.01	0.3
844SP0DR0944	110.60	110.90	0.03	0.3
844SP0DR0944	114.50	114.80	<0.01	0.5
844SP0DR0944	115.80	116.50	0.01	0.3
844SP0DR0944	117.10	117.40	0.01	0.2
844SP0DR0944	117.80	118.30	<0.01	0.3
844SP0DR0944	120.30	121.20	0.05	0.5
844SP0DR0944	121.90	122.20	0.02	0.4
844SP0DR0944	122.90	123.30	0.02	0.3
844SP0DR0944	123.70	124.10	0.01	0.2
844SP0DR0944	125.50	125.80	0.01	0.3
844SP0DR0944	132.30	132.70	0.04	0.3
844SP0DR0944	135.10	135.80	0.02	0.2
844SP0DR0944	137.00	137.50	0.01	0.3
844SP0DR0944	138.80	139.10	0.06	0.3
844SP0DR0944	140.60	141.30	0.03	0.4
844SP0DR0944	146.90	147.40	<0.01	0.3
844SP0DR0944	147.70	148.50	0.02	0.3
844SP0DR0944	148.50	149.50	0.01	0.3
844SP0DR0944	150.10	150.70	0.01	0.3
844SP0DR0944	154.80	155.10	0.02	0.3
844SP0DR0944	155.40	155.70	0.03	0.4
844SP0DR0944	158.90	160.10	0.02	0.3
844SP0DR0944	160.10	160.50	0.01	0.2
844SP0DR0944	160.50	161.00	0.01	0.4
844SP0DR0944	163.30	164.50	0.02	0.5
844SP0DR0944	164.50	165.30	<0.01	0.4
844SP0DR0944	165.30	165.80	0.01	0.8
844SP0DR0944	165.80	166.90	0.01	1.3
844SP0DR0944	166.90	168.00	0.02	0.6
844SP0DR0944	168.00	169.00	0.03	0.5
844SP0DR0944	169.00	169.40	0.02	0.5
844SP0DR0944	169.40	170.30	0.02	0.5
844SP0DR0944	172.60	173.60	0.20	0.7
844SP0DR0944	173.60	174.20	0.24	1.0
844SP0DR0944	174.60	175.00	0.02	0.6
844SP0DR0944	177.80	178.20	0.47	1.5
844SP0DR0944	179.00	179.40	0.67	1.0
844SP0DR0944	182.00	182.50	0.84	1.1
844SP0DR0944	183.00	183.90	1.04	0.8
844SP0DR0944	183.90	184.20	4.03	4.2
844SP0DR0944	189.50	189.90	2.34	2.8
844SP0DR0944	190.80	191.50	2.90	3.1
844SP0DR0944	191.50	191.90	0.05	0.7
844SP0DR0944	193.70	194.10	0.10	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0944	197.90	198.20	0.05	0.7
844SP0DR0944	199.00	199.30	0.08	0.5
844SP0DR0944	199.70	200.80	<0.01	0.7
844SP0DR0944	202.10	202.40	0.25	1.5
844SP0DR0944	205.80	206.30	0.03	0.9
844SP0DR0944	208.70	209.50	0.02	0.7
844SP0DR0944	210.20	210.60	0.06	0.6
844SP0DR0944	210.60	211.70	0.03	0.7
844SP0DR0944	225.00	226.00	0.02	0.4
844SP0DR0944	226.00	226.50	0.01	0.5
844SP0DR0944	226.50	227.70	0.01	1.1
844SP0DR0944	227.70	228.10	<0.01	0.8
844SP0DR0944	228.10	229.20	0.02	0.9
844SP0DR0944	229.20	229.70	<0.01	0.6
844SP0DR0944	229.70	230.70	0.02	1.1
844SP0DR0944	230.70	231.60	0.02	1.2
844SP0DR0944	231.60	232.40	0.02	1.4
844SP0DR0944	232.40	233.50	0.03	1.1
844SP0DR0944	233.50	234.80	0.09	1.2
844SP0DR0944	234.80	235.40	0.15	0.8
844SP0DR0944	235.40	236.60	0.07	0.5
844SP0DR0944	236.60	237.80	0.02	0.4
844SP0DR0944	237.80	239.00	<0.01	0.3
844SP0DR0944	239.00	239.80	<0.01	0.6
844SP0DR0944	239.80	240.60	0.02	0.3
844SP0DR0944	240.60	241.00	0.02	0.9
844SP0DR0944	241.00	242.20	<0.01	0.7
844SP0DR0944	242.20	242.80	0.02	0.4
844SP0DR0944	242.80	244.00	0.01	0.3
844SP0DR0944	244.00	244.90	<0.01	0.5
844SP0DR0944	244.90	245.90	0.03	0.7
844SP0DR0944	245.90	246.90	0.03	0.4
844SP0DR0944	246.90	247.70	0.03	0.9
844SP0DR0944	247.70	248.90	0.01	0.5
844SP0DR0944	248.90	250.00	0.02	0.4
844SP0DR0944	250.00	250.70	0.02	0.3
844SP0DR0944	250.70	251.00	0.05	0.8
844SP0DR0944	251.00	251.80	<0.01	0.4
844SP0DR0944	251.80	252.20	1.05	1.3
844SP0DR0944	252.20	253.20	0.02	1.2
844SP0DR0944	253.20	254.30	0.02	0.7
844SP0DR0944	254.30	255.50	0.05	1.8
844SP0DR0944	255.50	256.00	0.03	1.2
844SP0DR0944	256.00	256.80	0.03	1.0
844SP0DR0944	256.80	257.60	0.02	0.9
844SP0DR0944	257.60	258.40	0.02	0.3
844SP0DR0944	258.40	258.80	0.03	0.3
844SP0DR0944	258.80	260.00	0.06	0.5
844SP0DR0944	262.20	262.80	0.18	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0944	263.30	263.60	0.02	0.7
844SP0DR0945	2.00	3.00	<0.01	0.5
844SP0DR0945	3.00	4.00	<0.01	1.4
844SP0DR0945	4.00	4.60	<0.01	1.0
844SP0DR0945	4.60	5.50	<0.01	0.4
844SP0DR0945	5.50	6.50	<0.01	0.3
844SP0DR0945	8.50	9.50	<0.01	0.2
844SP0DR0945	9.50	10.50	<0.01	0.1
844SP0DR0945	10.50	11.10	<0.01	0.4
844SP0DR0945	11.10	12.00	0.01	0.2
844SP0DR0945	12.00	12.60	<0.01	0.3
844SP0DR0945	12.60	13.10	0.05	0.4
844SP0DR0945	13.10	14.00	0.02	0.3
844SP0DR0945	14.00	14.60	0.03	0.2
844SP0DR0945	14.60	15.45	0.02	0.3
844SP0DR0945	15.45	16.35	<0.01	0.1
844SP0DR0945	16.35	17.35	<0.01	0.1
844SP0DR0945	17.35	17.90	0.02	0.3
844SP0DR0945	17.90	18.40	<0.01	2.0
844SP0DR0945	18.40	19.15	0.02	0.4
844SP0DR0945	19.15	19.75	0.02	0.9
844SP0DR0945	19.75	20.70	0.02	0.2
844SP0DR0945	20.70	21.20	0.02	0.2
844SP0DR0945	24.00	25.00	0.01	0.2
844SP0DR0945	25.00	26.00	<0.01	0.2
844SP0DR0945	26.00	27.00	<0.01	0.3
844SP0DR0945	35.00	35.85	<0.01	0.5
844SP0DR0945	35.85	36.30	0.03	0.7
844SP0DR0945	41.00	42.00	<0.01	1.1
844SP0DR0945	43.00	44.00	<0.01	1.1
844SP0DR0945	44.00	45.00	<0.01	1.2
844SP0DR0945	45.00	46.00	<0.01	0.7
844SP0DR0945	46.00	47.00	<0.01	0.3
844SP0DR0945	47.00	48.20	<0.01	0.3
844SP0DR0945	48.20	48.90	<0.01	0.8
844SP0DR0945	48.90	49.60	<0.01	0.2
844SP0DR0945	49.60	50.70	<0.01	0.8
844SP0DR0945	50.70	51.30	<0.01	0.8
844SP0DR0945	51.30	51.80	<0.01	0.9
844SP0DR0945	51.80	52.50	<0.01	0.6
844SP0DR0945	52.50	53.00	<0.01	0.4
844SP0DR0945	53.00	54.00	<0.01	0.4
844SP0DR0945	55.00	56.00	<0.01	0.2
844SP0DR0945	56.00	57.00	<0.01	0.3
844SP0DR0945	57.00	58.00	<0.01	0.5
844SP0DR0945	58.00	59.00	0.01	0.5
844SP0DR0945	59.00	60.00	0.02	0.3
844SP0DR0945	60.00	61.00	<0.01	0.5
844SP0DR0945	61.00	62.00	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0945	62.00	63.00	<0.01	0.4
844SP0DR0945	63.00	64.00	<0.01	0.2
844SP0DR0945	64.00	65.00	<0.01	0.4
844SP0DR0945	66.00	67.00	0.02	0.2
844SP0DR0945	67.00	68.00	<0.01	0.2
844SP0DR0945	68.00	69.00	<0.01	0.3
844SP0DR0945	69.00	70.00	<0.01	0.4
844SP0DR0945	70.00	71.00	<0.01	0.4
844SP0DR0945	71.00	72.00	0.02	0.4
844SP0DR0945	72.00	73.10	0.01	0.5
844SP0DR0945	74.20	75.15	0.04	1.0
844SP0DR0945	77.40	78.10	<0.01	1.2
844SP0DR0945	78.10	79.10	0.01	1.0
844SP0DR0945	81.00	81.50	0.02	1.4
844SP0DR0945	81.50	82.00	0.01	1.4
844SP0DR0945	82.00	82.90	<0.01	0.9
844SP0DR0945	85.00	86.00	0.02	3.4
844SP0DR0945	86.00	87.00	0.05	1.6
844SP0DR0945	87.00	87.80	<0.01	0.6
844SP0DR0945	87.80	88.90	<0.01	0.9
844SP0DR0945	88.90	90.00	0.01	0.7
844SP0DR0945	90.00	91.00	0.02	1.0
844SP0DR0945	91.00	91.90	0.06	1.4
844SP0DR0945	91.90	92.80	0.04	1.2
844SP0DR0945	92.80	93.80	<0.01	0.8
844SP0DR0945	93.80	94.65	0.02	0.9
844SP0DR0945	94.65	95.70	0.02	1.1
844SP0DR0945	95.70	96.65	<0.01	0.4
844SP0DR0945	96.65	97.25	<0.01	0.3
844SP0DR0945	97.25	97.90	0.01	0.4
844SP0DR0945	97.90	98.60	<0.01	0.4
844SP0DR0945	98.60	99.55	<0.01	0.3
844SP0DR0945	99.55	100.70	<0.01	0.6
844SP0DR0945	100.70	102.25	0.01	1.0
844SP0DR0945	102.25	102.85	0.03	0.8
844SP0DR0945	102.85	104.00	<0.01	0.3
844SP0DR0945	104.00	105.00	0.02	0.2
844SP0DR0945	105.00	106.00	0.01	<0.1
844SP0DR0945	106.00	107.00	0.01	0.1
844SP0DR0945	107.00	107.50	0.13	0.3
844SP0DR0945	107.50	108.50	0.02	0.3
844SP0DR0945	108.50	109.00	0.02	0.5
844SP0DR0945	109.00	110.00	0.01	0.2
844SP0DR0945	111.75	112.70	0.01	0.2
844SP0DR0945	119.00	119.55	0.02	0.1
844SP0DR0945	128.00	129.00	0.01	0.3
844SP0DR0945	133.00	134.00	<0.01	0.7
844SP0DR0945	135.00	136.00	0.05	0.7
844SP0DR0945	138.20	138.85	0.03	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0945	138.85	140.00	0.04	1.3
844SP0DR0945	140.00	141.00	0.03	0.9
844SP0DR0945	143.60	144.40	0.10	1.9
844SP0DR0945	145.20	145.90	0.02	9.4
844SP0DR0945	147.00	147.70	0.03	1.3
844SP0DR0945	149.50	150.50	<0.01	0.6
844SP0DR0945	151.70	152.70	0.01	0.9
844SP0DR0945	152.70	153.30	0.02	1.0
844SP0DR0945	163.00	164.00	0.01	0.5
844SP0DR0945	164.00	165.00	<0.01	0.3
844SP0DR0945	165.00	166.00	<0.01	0.4
844SP0DR0945	166.00	167.00	<0.01	0.4
844SP0DR0945	171.00	172.00	<0.01	0.6
844SP0DR0945	172.00	173.00	0.02	0.3
844SP0DR0945	173.00	174.00	0.02	0.6
844SP0DR0945	174.00	175.00	<0.01	0.4
844SP0DR0945	175.00	176.00	0.01	0.5
844SP0DR0945	176.00	177.00	<0.01	0.5
844SP0DR0945	177.00	178.00	0.01	0.4
844SP0DR0945	178.00	179.00	0.03	0.9
844SP0DR0945	179.00	179.50	0.02	1.2
844SP0DR0945	179.50	180.00	<0.01	0.5
844SP0DR0945	180.00	181.00	<0.01	0.3
844SP0DR0945	181.00	182.00	0.02	0.2
844SP0DR0945	182.00	183.00	0.01	0.6
844SP0DR0945	183.00	184.00	0.01	0.6
844SP0DR0945	184.00	185.00	0.20	1.5
844SP0DR0945	185.00	186.00	0.02	0.5
844SP0DR0945	186.00	187.00	0.02	0.6
844SP0DR0945	187.00	188.00	0.01	0.6
844SP0DR0945	188.00	188.70	0.01	0.6
844SP0DR0945	188.70	189.20	7.18	9.1
844SP0DR0945	189.20	190.00	0.05	0.7
844SP0DR0945	193.50	194.00	0.03	0.6
844SP0DR0945	196.00	196.95	0.02	0.8
844SP0DR0945	196.95	197.40	1.70	4.1
844SP0DR0945	198.60	199.15	0.02	0.7
844SP0DR0945	199.90	200.65	0.02	1.0
844SP0DR0945	200.65	201.50	0.01	0.5
844SP0DR0945	201.50	202.40	<0.01	0.4
844SP0DR0945	202.40	202.80	0.05	0.4
844SP0DR0945	202.80	203.45	<0.01	0.5
844SP0DR0945	203.45	204.30	<0.01	0.5
844SP0DR0945	204.30	204.70	<0.01	0.4
844SP0DR0945	204.70	205.70	<0.01	0.3
844SP0DR0945	205.70	206.50	<0.01	0.4
844SP0DR0945	206.50	207.00	0.02	0.3
844SP0DR0945	207.00	208.00	<0.01	0.4
844SP0DR0945	208.00	209.00	0.03	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0945	209.00	210.00	<0.01	0.5
844SP0DR0945	210.00	211.00	0.01	0.6
844SP0DR0945	211.00	212.00	<0.01	0.9
844SP0DR0945	212.00	213.00	0.02	0.6
844SP0DR0945	213.00	214.00	<0.01	0.5
844SP0DR0945	214.00	215.00	0.01	0.6
844SP0DR0945	215.00	216.00	<0.01	0.7
844SP0DR0945	217.00	218.00	<0.01	0.5
844SP0DR0945	218.00	219.00	<0.01	0.4
844SP0DR0945	219.00	219.80	<0.01	0.4
844SP0DR0945	219.80	220.60	0.34	0.8
844SP0DR0945	220.60	221.15	<0.01	0.8
844SP0DR0945	221.15	222.15	<0.01	0.7
844SP0DR0945	222.15	222.90	<0.01	0.5
844SP0DR0945	222.90	223.70	0.02	1.1
844SP0DR0945	223.70	224.70	0.02	1.0
844SP0DR0945	224.70	225.60	<0.01	0.7
844SP0DR0945	225.60	226.75	<0.01	0.5
844SP0DR0945	226.75	227.90	<0.01	0.7
844SP0DR0945	227.90	228.90	0.02	0.9
844SP0DR0945	228.90	229.90	0.08	1.5
844SP0DR0945	229.90	231.00	0.04	1.2
844SP0DR0945	231.00	232.00	0.02	0.7
844SP0DR0945	232.00	233.00	<0.01	0.6
844SP0DR0945	235.10	236.20	0.02	0.7
844SP0DR0945	236.20	237.00	0.03	0.7
844SP0DR0945	237.00	238.00	0.01	0.7
844SP0DR0945	238.00	239.00	<0.01	0.9
844SP0DR0945	239.00	240.00	<0.01	0.7
844SP0DR0945	240.00	241.00	<0.01	0.6
844SP0DR0945	241.00	241.70	0.02	0.7
844SP0DR0945	246.50	247.40	0.02	0.5
844SP0DR0945	247.40	248.30	0.03	0.5
844SP0DR0945	248.30	249.10	0.03	0.9
844SP0DR0945	256.00	257.00	0.01	1.2
844SP0DR0945	259.10	260.10	<0.01	2.1
844SP0DR0945	264.00	265.00	0.01	2.0
844SP0DR0945	265.00	265.65	0.06	8.8
844SP0DR0945	265.65	266.30	0.02	7.1
844SP0DR0945	266.30	267.20	0.39	3.3
844SP0DR0945	267.20	268.00	0.76	2.3
844SP0DR0945	268.00	268.70	0.29	1.5
844SP0DR0945	268.70	269.50	0.32	7.0
844SP0DR0945	269.50	270.00	3.65	13.8
844SP0DR0945	270.00	271.00	0.19	1.1
844SP0DR0945	271.00	272.00	0.06	1.0
844SP0DR0945	272.00	273.00	0.01	0.8
844SP0DR0945	273.00	274.00	0.01	0.7
844SP0DR0945	274.00	274.90	0.02	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0945	274.90	275.70	0.04	5.2
844SP0DR0945	279.20	279.90	0.02	1.3
844SP0DR0945	279.90	281.10	0.03	0.8
844SP0DR0945	281.10	282.00	0.02	0.7
844SP0DR0945	282.00	282.80	0.02	0.8
844SP0DR0945	282.80	283.90	0.02	0.8
844SP0DR0945	283.90	285.00	0.01	0.6
844SP0DR0945	285.00	286.00	0.03	0.6
844SP0DR0945	286.00	287.00	0.03	1.1
844SP0DR0945	287.00	288.00	0.03	0.8
844SP0DR0945	288.00	289.00	0.07	0.7
844SP0DR0945	289.00	290.00	0.02	0.9
844SP0DR0945	290.00	291.00	<0.01	0.8
844SP0DR0945	291.00	292.15	0.05	0.9
844SP0DR0945	292.15	292.80	0.04	0.9
844SP0DR0945	292.80	293.45	0.02	0.6
844SP0DR0945	293.45	294.00	<0.01	0.5
844SP0DR0945	294.00	295.00	0.04	0.7
844SP0DR0945	295.00	296.00	0.02	1.1
844SP0DR0945	296.00	297.00	0.04	1.1
844SP0DR0945	297.00	298.00	0.07	1.0
844SP0DR0945	298.00	299.00	0.01	1.1
844SP0DR0945	299.00	300.00	0.05	0.8
844SP0DR0945	300.00	301.05	<0.01	1.0
844SP0DR0945	301.05	302.15	0.03	0.8
844SP0DR0945	302.15	303.10	<0.01	1.6
844SP0DR0945	303.10	304.15	0.16	8.2
844SP0DR0945	304.15	305.40	0.34	16.1
844SP0DR0945	305.40	306.40	0.05	1.8
844SP0DR0945	306.40	307.40	0.02	2.3
844SP0DR0945	307.40	308.40	0.04	3.3
844SP0DR0945	308.40	309.40	<0.01	1.6
844SP0DR0945	309.40	310.40	<0.01	1.0
844SP0DR0945	310.40	311.40	0.02	2.7
844SP0DR0945	311.40	312.40	<0.01	1.0
844SP0DR0945	312.40	313.40	0.01	1.5
844SP0DR0945	313.40	313.90	0.02	0.4
844SP0DR0945	313.90	314.90	0.05	3.5
844SP0DR0945	314.90	315.45	0.03	2.7
844SP0DR0945	315.45	316.45	0.03	2.1
844SP0DR0945	316.45	317.10	0.06	8.2
844SP0DR0945	317.10	318.00	0.02	1.8
844SP0DR0945	318.00	318.60	0.02	1.5
844SP0DR0945	318.60	319.50	0.02	1.3
844SP0DR0945	319.50	320.40	0.03	1.5
844SP0DR0945	320.40	321.00	0.02	1.8
844SP0DR0945	321.00	321.80	0.79	2.0
844SP0DR0945	321.80	322.60	0.68	2.7
844SP0DR0945	322.60	323.50	0.02	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0DR0945	323.50	324.10	1.86	3.3
844SP0DR0945	324.10	324.80	0.03	4.5
844SP0DR0945	324.80	325.45	0.05	6.9
844SP0DR0945	325.45	326.00	0.67	1.6
844SP0DR0945	326.00	327.00	0.21	1.0
844SP0DR0945	327.00	327.80	0.04	0.8
844SP0DR0945	327.80	328.80	0.01	1.1
844SP0DR0945	328.80	329.80	0.02	0.7
844SP0DR0945	329.80	330.80	0.02	0.6
844SP0DR0945	330.80	331.80	0.05	0.6
844SP0DR0945	331.80	332.80	0.10	1.0
844SP0DR0945	332.80	333.40	<0.01	1.0
844SP0DR0945	333.40	333.80	<0.01	0.9
844SP0DR0945	335.80	336.80	<0.01	1.0
844SP0DR0945	336.80	337.80	<0.01	0.7
844SP0DR0945	337.80	338.80	<0.01	0.5
844SP0DR0945	338.80	339.20	0.26	1.2
844SP0DR0945	342.50	342.90	0.02	0.7
844SP0DR0945	342.90	344.10	0.01	0.9
844SP0DR0945	344.10	344.70	0.06	0.8
844SP0DR0945	344.70	345.70	<0.01	0.4
844SP0DR0945	347.40	347.80	0.01	0.2
844SP0DR0945	350.00	351.00	0.02	1.0
844SP2DR0884	1.10	1.50	0.01	1.9
844SP2DR0884	2.70	3.80	0.01	0.4
844SP2DR0884	7.00	8.20	<0.01	0.2
844SP2DR0884	8.20	9.20	<0.01	0.2
844SP2DR0884	9.20	9.60	<0.01	0.3
844SP2DR0884	15.00	15.90	0.01	0.1
844SP2DR0884	34.80	35.10	<0.01	0.2
844SP2DR0884	35.60	36.00	<0.01	0.3
844SP2DR0884	36.40	37.00	<0.01	0.1
844SP2DR0884	37.90	38.30	<0.01	1.4
844SP2DR0884	43.10	43.40	0.02	0.2
844SP2DR0884	44.50	45.30	0.01	0.3
844SP2DR0884	46.00	46.50	0.02	0.5
844SP2DR0884	48.40	49.20	<0.01	0.2
844SP2DR0884	49.20	49.80	0.01	0.2
844SP2DR0884	52.30	53.50	0.01	0.5
844SP2DR0884	60.50	60.90	0.02	0.4
844SP2DR0884	63.10	63.50	<0.01	0.3
844SP2DR0884	63.50	64.20	<0.01	0.3
844SP2DR0884	64.20	65.40	0.02	0.5
844SP2DR0884	65.40	66.30	<0.01	0.4
844SP2DR0884	66.30	67.00	0.02	0.4
844SP2DR0884	67.00	68.10	0.05	0.3
844SP2DR0884	68.10	69.10	<0.01	0.2
844SP2DR0884	69.10	69.70	0.38	0.8
844SP2DR0884	69.70	70.55	0.02	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2DR0884	70.55	71.50	0.01	0.2
844SP2DR0884	71.50	72.25	0.01	0.2
844SP2DR0884	72.25	73.30	0.01	0.3
844SP2DR0884	73.30	74.50	<0.01	0.6
844SP2DR0884	74.50	75.30	<0.01	0.2
844SP2DR0884	75.30	76.40	0.01	0.3
844SP2DR0884	76.40	77.45	<0.01	0.2
844SP2DR0884	77.45	78.60	<0.01	0.2
844SP2DR0884	78.60	79.60	<0.01	0.2
844SP2DR0884	79.60	80.60	0.01	1.1
844SP2DR0884	80.60	81.60	<0.01	0.4
844SP2DR0884	81.60	82.70	<0.01	0.3
844SP2DR0884	82.70	83.50	0.01	0.6
844SP2DR0884	83.50	84.30	<0.01	0.5
844SP2DR0884	84.30	85.00	<0.01	0.8
844SP2DR0884	85.00	85.50	<0.01	0.9
844SP2DR0884	85.50	86.10	<0.01	2.6
844SP2DR0884	86.10	87.00	0.01	2.0
844SP2DR0884	87.00	88.00	<0.01	0.3
844SP2DR0884	88.00	89.00	<0.01	0.5
844SP2DR0884	89.00	90.00	<0.01	0.5
844SP2DR0884	90.00	91.00	<0.01	0.5
844SP2DR0884	91.00	92.00	0.05	0.5
844SP2DR0884	92.00	93.00	<0.01	0.8
844SP2DR0884	93.00	94.00	0.01	3.6
844SP2DR0884	94.00	94.90	0.02	5.4
844SP2DR0884	94.90	95.30	0.02	2.5
844SP2DR0884	95.30	96.40	0.02	2.9
844SP2DR0884	96.40	97.40	0.02	2.0
844SP2DR0884	97.40	98.20	0.02	1.2
844SP2DR0884	99.40	100.20	0.01	1.6
844SP2DR0884	100.20	100.90	0.02	2.1
844SP2DR0884	100.90	102.00	<0.01	0.8
844SP2DR0884	122.20	123.30	<0.01	0.2
844SP2DR0884	123.30	123.90	<0.01	0.4
844SP2DR0884	132.40	132.70	<0.01	1.2
844SP2DR0884	132.70	133.50	0.05	5.7
844SP2DR0884	133.50	133.90	0.05	6.1
844SP2DR0884	133.90	135.00	0.01	3.2
844SP2DR0884	137.40	137.70	0.07	6.0
844SP2DR0884	140.10	141.20	0.02	1.6
844SP2DR0884	141.20	141.80	0.04	2.9
844SP2DR0884	141.80	142.70	0.03	3.4
844SP2DR0884	142.70	143.80	0.01	2.1
844SP2DR0884	148.30	148.80	0.02	0.7
844SP2DR0884	148.80	150.00	0.03	2.6
844SP2DR0884	150.00	150.40	0.09	6.3
844SP2DR0884	150.40	151.20	0.01	1.2
844SP2DR0884	155.20	156.40	0.02	2.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP2DR0884	156.40	156.70	0.04	5.4
844SP2DR0884	156.70	157.70	<0.01	0.7
844SP2DR0884	161.60	162.40	0.08	24.0
844SP2DR0884	169.60	170.80	<0.01	0.6
844SP2DR0884	170.80	171.70	0.03	2.5
844SP2DR0884	171.70	172.70	0.02	2.3
844SP2DR0884	172.70	173.70	0.02	1.7
844SP2DR0884	173.70	174.50	0.02	1.6
844SP2DR0884	174.50	175.50	0.02	1.3
844SP2DR0884	175.50	176.30	0.02	1.7
844SP2DR0884	176.30	177.30	0.02	2.2
844SP2DR0884	177.30	177.70	0.15	2.4
844SP2DR0884	177.70	178.30	0.02	3.3
844SP2DR0884	178.30	179.20	<0.01	1.5
844SP2DR0884	179.20	179.60	<0.01	0.9
844SP2DR0884	179.60	180.65	0.02	2.6
844SP2DR0884	180.65	181.80	0.02	2.3
844SP2DR0884	181.80	183.00	0.02	2.2
844SP2DR0884	183.00	183.40	0.02	0.9
844SP2DR0884	183.40	184.00	<0.01	0.6
844SP2DR0884	184.00	184.80	0.02	2.2
844SP2DR0884	184.80	185.40	0.02	1.1
844SP2DR0884	185.40	186.50	0.07	1.0
844SP2DR0884	186.50	186.90	0.04	1.6
844SP2DR0884	186.90	187.60	0.37	1.1
844SP2DR0884	187.60	188.00	0.02	0.5
844SP2DR0884	188.00	189.20	0.05	0.6
844SP2DR0884	189.20	190.00	0.05	0.8
844SP2DR0884	190.00	191.30	0.06	0.8
844SP2DR0884	191.30	192.40	0.02	0.6
844SP2DR0884	192.40	193.80	0.01	0.7
844SP2DR0884	193.80	195.30	0.02	0.7
844SP2DR0884	195.30	196.60	<0.01	0.3
844SP2DR0884	196.60	197.10	<0.01	0.6
844SP2DR0884	197.10	198.00	<0.01	1.0
844SP2DR0884	198.00	199.00	<0.01	0.8
844SP2DR0884	199.00	200.10	<0.01	0.6
953SP2DN0905A	16.20	16.60	0.14	5.1
953SP2DN0905A	34.00	34.30	0.12	1.1
953SP2DN0905A	42.50	43.50	0.39	1.9
953SP2DN0905A	43.50	44.50	3.07	24.7
953SP2DN0905A	44.50	45.40	2.75	10.0
953SP2DN0905A	45.40	46.40	0.05	0.9
953SP2DN0905A	52.20	53.40	0.02	0.4
953SP2DN0905A	53.40	54.00	0.33	20.2
953SP2DN0905A	54.00	55.00	0.04	1.6
953SP2DN0905A	55.00	55.65	0.51	12.8
953SP2DN0905A	55.65	56.80	0.06	4.5
953SP2DN0905A	59.30	59.70	0.88	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0905A	66.50	66.80	0.06	0.5
953SP2DN0905A	80.30	80.60	0.03	0.5
953SP2DN0905A	85.90	87.00	0.04	0.4
953SP2DN0905A	87.00	88.00	0.04	0.4
953SP2DN0905A	88.00	89.20	0.05	0.5
953SP2DN0905A	89.20	90.20	0.03	1.0
953SP2DN0905A	90.20	91.20	0.06	1.2
953SP2DN0905A	91.20	92.30	0.04	1.0
953SP2DN0905A	92.30	92.60	1.34	2.6
953SP2DN0905A	92.60	93.60	0.05	0.8
953SP2DN0905A	93.60	93.90	0.10	0.8
953SP2DN0905A	93.90	95.00	0.05	0.7
953SP2DN0905A	95.00	96.00	0.04	0.8
953SP2DN0905A	96.00	96.90	0.04	0.9
953SP2DN0905A	96.90	98.10	11.50	50.1
953SP2DN0905A	98.10	99.00	0.03	0.8
953SP2DN0905A	99.00	100.00	0.02	1.0
953SP2DN0905A	100.00	101.00	0.01	0.4
953SP2DN0905A	101.00	102.00	0.02	0.3
953SP2DN0905A	102.00	103.00	0.01	0.2
953SP2DN0905A	103.00	104.00	0.02	0.4
953SP2DN0905A	104.00	105.00	0.02	0.3
953SP2DN0905A	105.00	106.00	0.03	0.3
953SP2DN0905A	106.00	107.00	0.03	0.5
953SP2DN0905A	107.00	108.20	0.04	0.4
953SP2DN0905A	108.20	109.00	0.05	3.2
953SP2DN0905A	109.00	110.00	0.03	0.8
953SP2DN0905A	110.00	111.00	0.02	0.3
953SP2DN0906	0.90	1.20	0.02	2.2
953SP2DN0906	6.10	6.50	0.05	1.7
953SP2DN0906	12.20	13.00	0.02	0.6
953SP2DN0906	13.00	14.00	0.02	1.5
953SP2DN0906	21.50	22.10	0.03	0.7
953SP2DN0906	29.10	30.00	0.04	1.7
953SP2DN0906	38.20	38.80	3.64	6.7
953SP2DN0906	38.80	39.20	0.40	3.6
953SP2DN0906	45.00	45.80	0.23	14.1
953SP2DN0906	45.80	46.60	0.26	18.9
953SP2DN0906	46.60	47.80	0.03	0.4
953SP2DN0906	51.80	52.10	0.03	3.2
953SP2DN0906	55.90	56.20	0.20	1.1
953SP2DN0906	64.90	65.40	0.10	1.3
953SP2DN0906	65.40	66.30	0.02	0.7
953SP2DN0906	72.20	73.10	<0.01	0.7
953SP2DN0906	75.90	76.60	0.01	0.3
953SP2DN0906	82.80	84.00	0.01	0.7
953SP2DN0906	84.00	84.50	0.27	7.4
953SP2DN0906	84.50	85.50	0.01	0.7
953SP2DN0906	85.50	86.50	0.02	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0906	86.50	87.50	<0.01	0.9
953SP2DN0906	87.50	88.50	0.01	0.9
953SP2DN0906	88.50	89.50	0.01	0.9
953SP2DN0906	89.50	90.30	0.21	11.4
953SP2DN0906	90.30	91.00	0.08	2.1
953SP2DN0906	91.00	91.50	0.04	7.7
953SP2DN0906	91.50	92.30	0.53	44.7
953SP2DN0906	92.30	93.40	0.10	2.6
953SP2DN0906	93.40	94.60	0.03	1.2
953SP2DN0906	94.60	95.50	0.01	1.2
953SP2DN0906	95.50	96.70	0.14	2.8
953SP2DN0906	96.70	97.90	<0.01	1.5
953SP2DN0906	97.90	98.50	0.03	1.3
953SP2DN0906	98.50	99.50	0.03	1.3
953SP2DN0906	99.50	100.70	0.01	1.2
953SP2DN0906	100.70	101.90	0.01	1.0
953SP2DN0906	101.90	102.80	11.40	13.2
953SP2DN0906	102.80	103.50	1.04	3.4
953SP2DN0906	103.50	104.50	0.13	1.9
953SP2DN0906	104.50	105.30	29.80	42.6
953SP2DN0906	105.30	106.00	2.71	22.3
953SP2DN0906	106.00	106.60	0.03	0.9
953SP2DN0906	106.60	107.80	0.40	1.2
953SP2DN0906	107.80	109.00	0.04	2.5
953SP2DN0906	109.00	110.20	0.03	1.5
953SP2DN0906	110.20	111.40	0.04	1.7
953SP2DN0906	111.40	112.40	0.03	3.6
953SP2DN0906	112.40	112.90	0.05	3.4
953SP2DN0906	112.90	114.10	0.04	1.1
953SP2DN0906	114.10	114.70	0.07	6.9
953SP2DN0906	114.70	115.90	0.02	0.5
953SP2DN0906	115.90	117.10	0.01	0.3
953SP2DN0906	117.10	118.10	0.08	13.9
953SP2DN0906	118.10	119.10	0.04	5.6
953SP2DN0906	119.10	120.10	0.06	10.8
953SP2DN0906	120.10	121.40	0.03	1.6
953SP2DN0906	121.40	122.30	0.05	1.1
953SP2DN0906	122.30	123.20	0.02	0.9
953SP2DN0906	123.20	124.00	0.03	0.9
953SP2DN0906	124.00	125.20	0.02	0.8
953SP2DN0906	125.20	125.70	0.12	1.2
953SP2DN0906	127.20	128.20	0.07	1.5
953SP2DN0906	130.00	131.00	0.04	0.9
953SP2DN0911	33.40	34.50	0.09	0.3
953SP2DN0911	34.50	35.20	0.36	15.0
953SP2DN0911	35.20	36.20	0.02	0.7
953SP2DN0911	39.40	40.60	<0.01	0.3
953SP2DN0911	40.60	41.80	0.13	11.6
953SP2DN0911	41.80	43.00	0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0911	55.10	56.00	0.02	1.1
953SP2DN0911	56.00	57.00	0.04	0.5
953SP2DN0911	59.40	59.70	0.01	0.8
953SP2DN0911	62.00	62.40	0.04	1.0
953SP2DN0911	73.00	74.00	<0.01	0.3
953SP2DN0911	74.00	75.20	0.45	10.3
953SP2DN0911	75.20	76.40	<0.01	0.7
953SP2DN0911	76.40	77.20	0.27	1.8
953SP2DN0911	77.20	78.20	0.04	1.1
953SP2DN0911	78.20	78.60	0.24	0.7
953SP2DN0911	80.90	81.70	<0.01	1.4
953SP2DN0911	81.70	82.00	0.56	5.7
953SP2DN0911	84.00	84.30	2.69	2.9
953SP2DN0911	91.20	91.50	5.60	3.8
953SP2DN0911	94.20	95.20	<0.01	0.3
953SP2DN0911	95.20	96.00	0.02	1.2
953SP2DN0911	96.00	97.20	0.03	0.5
953SP2DN0911	97.20	98.40	<0.01	0.7
953SP2DN0911	98.40	99.20	0.02	3.9
953SP2DN0911	99.20	99.80	0.14	5.6
953SP2DN0911	99.80	100.70	0.10	2.4
953SP2DN0911	100.70	101.90	0.02	0.6
953SP2DN0911	101.90	102.50	1.59	3.1
953SP2DN0911	102.50	103.50	<0.01	0.7
953SP2DN0911	103.50	104.60	<0.01	0.7
953SP2DN0911	104.60	105.10	0.02	0.6
953SP2DN0911	105.10	106.30	0.01	1.7
953SP2DN0911	106.30	107.00	9.38	13.1
953SP2DN0911	107.00	107.80	2.30	26.5
953SP2DN0911	107.80	108.35	31.80	84.3
953SP2DN0911	108.35	109.00	6.21	8.8
953SP2DN0911	109.00	109.90	5.60	6.4
953SP2DN0911	109.90	110.50	24.20	20.6
953SP2DN0911	110.50	111.00	0.03	2.0
953SP2DN0911	111.00	111.90	7.97	8.0
953SP2DN0911	111.90	113.00	0.04	1.5
953SP2DN0911	113.00	114.20	0.13	1.1
953SP2DN0911	114.20	115.40	0.10	1.2
953SP2DN0911	115.40	116.60	0.06	1.2
953SP2DN0911	116.60	117.80	0.03	1.3
953SP2DN0911	117.80	119.00	0.02	1.2
953SP2DN0911	120.40	121.40	0.02	0.9
953SP2DN0911	121.40	122.10	0.39	2.8
953SP2DN0911	122.10	123.10	<0.01	0.8
953SP2DN0911	129.30	130.20	0.02	0.8
953SP2DN0911	130.20	131.30	0.02	0.8
953SP2DN0911	131.30	132.20	0.15	1.6
953SP2DN0911	132.20	133.20	0.07	1.2
953SP2DN0911	133.20	134.20	0.02	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0911	134.20	135.20	0.04	0.7
953SP2DN0911	135.20	135.90	0.02	1.3
953SP2DN0911	135.90	137.40	0.03	5.8
953SP2DN0911	140.60	141.00	0.76	2.1
953SP2DN0911	141.00	141.80	<0.01	1.8
953SP2DN0911	142.80	143.20	0.02	1.7
953SP2DN0911	143.20	144.20	0.02	1.0
953SP2DN0911	144.20	145.70	<0.01	0.9
953SP2DN0911	145.70	146.80	<0.01	0.6
953SP2DN0911	146.80	148.00	<0.01	0.8
953SP2DN0911	148.00	148.90	<0.01	0.5
953SP2DN0911	148.90	150.20	<0.01	1.3
953SP2DN0911	150.20	152.00	0.01	419
953SP2DN0912	7.90	8.20	0.25	0.5
953SP2DN0912	9.10	10.00	0.01	0.3
953SP2DN0912	10.00	10.30	0.11	4.3
953SP2DN0912	10.30	11.30	0.06	5.9
953SP2DN0912	14.30	14.60	0.02	0.3
953SP2DN0912	22.00	22.40	0.05	1.6
953SP2DN0912	30.80	32.00	0.02	0.4
953SP2DN0912	32.00	33.00	0.03	0.4
953SP2DN0912	33.00	33.80	2.05	18.1
953SP2DN0912	33.80	34.20	0.02	0.7
953SP2DN0912	34.20	35.40	<0.01	0.3
953SP2DN0912	35.40	36.60	<0.01	0.3
953SP2DN0912	36.60	37.80	0.02	0.2
953SP2DN0912	37.80	39.00	<0.01	0.2
953SP2DN0912	39.00	40.00	<0.01	0.1
953SP2DN0912	40.00	40.80	0.69	10.4
953SP2DN0912	40.80	42.00	<0.01	0.3
953SP2DN0912	51.50	51.80	0.03	0.5
953SP2DN0912	61.40	61.70	0.28	1.9
953SP2DN0912	61.70	62.10	0.04	2.8
953SP2DN0912	62.10	62.50	0.06	2.4
953SP2DN0912	64.80	65.20	0.02	0.8
953SP2DN0912	69.00	70.50	0.01	1.5
953SP2DN0912	70.50	71.20	3.63	10.6
953SP2DN0912	71.20	72.20	0.02	1.0
953SP2DN0912	82.90	84.10	0.01	1.1
953SP2DN0912	84.10	84.70	0.92	2.9
953SP2DN0912	84.70	85.80	0.02	1.2
953SP2DN0912	87.40	87.70	0.05	0.6
953SP2DN0912	93.00	93.30	0.01	0.5
953SP2DN0912	95.50	96.00	<0.01	0.4
953SP2DN0912	104.70	105.00	<0.01	0.3
953SP2DN0912	109.50	110.70	<0.01	0.6
953SP2DN0912	110.70	111.00	0.66	4.1
953SP2DN0912	111.00	111.70	0.02	0.8
953SP2DN0912	111.70	112.70	<0.01	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0912	112.70	113.70	<0.01	1.0
953SP2DN0912	113.70	114.70	<0.01	0.9
953SP2DN0912	114.70	115.00	<0.01	1.1
953SP2DN0912	115.00	116.00	<0.01	1.0
953SP2DN0912	116.00	116.30	0.15	27.2
953SP2DN0912	116.30	117.20	0.02	2.6
953SP2DN0912	117.20	117.60	0.12	9.5
953SP2DN0912	117.60	118.00	0.03	1.5
953SP2DN0912	118.00	119.20	0.04	7.4
953SP2DN0912	119.20	119.70	0.03	6.5
953SP2DN0912	119.70	120.00	0.33	44.0
953SP2DN0912	120.00	121.20	0.04	5.5
953SP2DN0912	121.20	121.50	0.15	17.6
953SP2DN0912	121.50	121.90	0.17	20.0
953SP2DN0912	121.90	122.30	0.05	5.6
953SP2DN0912	122.30	123.50	0.02	0.7
953SP2DN0912	123.50	124.70	0.31	0.7
953SP2DN0912	124.70	126.00	0.07	4.0
953SP2DN0912	126.00	126.60	0.11	8.0
953SP2DN0912	126.60	127.30	0.01	1.7
953SP2DN0912	127.30	128.50	0.04	2.1
953SP2DN0912	128.50	129.00	0.04	6.0
953SP2DN0912	129.00	130.20	0.08	1.8
953SP2DN0912	130.20	131.40	0.02	1.2
953SP2DN0912	131.40	132.60	<0.01	1.2
953SP2DN0912	132.60	133.80	0.02	1.0
953SP2DN0912	133.80	135.00	0.01	0.5
953SP2DN0912	135.00	136.20	<0.01	0.3
953SP2DN0912	136.20	137.40	<0.01	0.3
953SP2DN0912	137.40	138.60	<0.01	0.4
953SP2DN0912	138.60	139.20	0.02	0.4
953SP2DN0912	139.20	140.40	<0.01	0.4
953SP2DN0912	140.40	141.60	0.03	1.0
953SP2DN0912	141.60	143.00	0.04	1.0
953SP2DN0912	143.00	144.10	0.02	2.3
953SP2DN0912	144.10	144.50	0.02	2.1
953SP2DN0912	144.50	145.10	0.05	25.0
953SP2DN0912	145.10	148.00	0.02	2.3
953SP2DN0912	148.00	148.90	0.04	3.1
953SP2DN0912	148.90	149.40	0.02	1.9
953SP2DN0912	149.40	150.50	0.02	2.3
953SP2DN0912	150.50	152.20	0.05	1.4
953SP2DN0912	152.20	153.50	0.01	1.4
953SP2DN0912	153.50	154.70	0.01	1.4
953SP2DN0912	154.70	156.00	0.02	1.9
953SP2DN0912	156.00	156.70	0.02	1.6
953SP2DN0912	156.70	157.60	0.03	1.6
953SP2DN0919	8.70	9.40	3.32	4.8
953SP2DN0919	19.60	20.10	0.02	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0919	21.60	22.10	0.02	0.9
953SP2DN0919	27.90	28.60	0.03	5.4
953SP2DN0919	32.10	33.10	0.03	0.4
953SP2DN0919	33.10	34.00	2.02	17.6
953SP2DN0919	34.00	35.10	0.04	2.1
953SP2DN0919	40.90	41.30	0.17	19.8
953SP2DN0919	43.00	44.20	0.13	8.9
953SP2DN0919	44.20	44.70	0.04	1.8
953SP2DN0919	51.40	51.70	0.02	0.8
953SP2DN0919	57.80	58.20	0.02	1.2
953SP2DN0919	66.50	67.10	0.10	1.9
953SP2DN0919	69.00	69.50	0.01	0.7
953SP2DN0919	72.50	73.00	0.03	3.4
953SP2DN0919	73.00	73.90	0.02	1.6
953SP2DN0919	73.90	74.80	6.30	19.8
953SP2DN0919	74.80	76.10	0.28	8.0
953SP2DN0919	76.10	76.80	1.20	17.4
953SP2DN0919	76.80	77.80	0.13	0.9
953SP2DN0919	78.20	78.70	0.03	1.6
953SP2DN0919	79.90	80.70	0.02	1.6
953SP2DN0919	81.20	81.50	0.01	0.5
953SP2DN0919	90.70	91.90	0.02	0.6
953SP2DN0919	96.60	97.30	<0.01	0.4
953SP2DN0919	98.10	98.50	0.02	0.5
953SP2DN0919	107.90	108.20	0.37	0.9
953SP2DN0919	108.20	108.60	0.02	0.5
953SP2DN0919	113.60	114.00	0.10	7.9
953SP2DN0919	116.20	117.40	0.03	2.1
953SP2DN0919	117.40	118.60	0.02	1.2
953SP2DN0919	118.60	119.70	<0.01	1.2
953SP2DN0919	119.70	120.10	0.10	3.9
953SP2DN0919	120.10	121.10	0.02	0.8
953SP2DN0919	121.10	121.90	0.01	0.3
953SP2DN0919	121.90	122.80	<0.01	0.1
953SP2DN0919	122.80	123.50	0.08	1.4
953SP2DN0919	123.50	124.50	0.04	1.6
953SP2DN0919	124.50	125.60	0.01	1.0
953SP2DN0919	125.60	126.50	0.02	1.6
953SP2DN0919	126.50	127.30	<0.01	1.4
953SP2DN0919	127.30	128.40	0.02	2.9
953SP2DN0919	128.40	129.60	0.01	0.6
953SP2DN0919	129.60	130.50	0.02	0.8
953SP2DN0919	130.50	131.40	<0.01	0.3
953SP2DN0919	131.40	132.30	0.02	0.5
953SP2DN0919	132.30	133.30	<0.01	0.9
953SP2DN0919	133.30	134.30	0.02	1.1
953SP2DN0919	134.30	135.40	0.03	1.9
953SP2DN0919	135.40	136.40	0.04	2.1
953SP2DN0919	136.40	137.40	0.01	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DN0919	137.40	138.30	0.06	1.6
953SP2DN0919	138.30	138.90	0.71	1.7
953SP2DN0919	138.90	139.90	0.07	1.1
953SP2DN0919	139.90	140.80	0.04	1.2
953SP2DN0919	140.80	141.90	0.04	7.1
953SP2DN0919	141.90	142.90	0.01	1.6
953SP2DN0919	142.90	143.80	0.10	5.7
953SP2DN0919	143.80	144.80	2.67	7.4
953SP2DN0919	144.80	145.80	0.03	1.3
953SP2DN0919	145.80	146.70	0.02	0.7
953SP2DN0919	146.70	147.60	0.03	0.8
953SP2DN0919	147.60	149.00	0.04	3.6
953SP2DN0919	149.00	149.90	0.01	1.0
953SP2DN0919	149.90	151.00	0.08	1.2
953SP2DN0919	151.00	152.10	0.02	2.0
953SP2DN0919	152.10	152.80	0.04	1.3
953SP2DN0919	152.80	154.00	0.03	2.7
953SP2DN0919	154.00	155.20	0.05	2.1
953SP2DN0919	155.20	156.30	0.03	1.2
953SP2DN0919	156.30	156.90	<0.01	0.8
953SP2DN0919	157.50	158.40	0.01	0.9
953SP2DN0919	158.40	159.00	<0.01	0.6
953SP2DN0919	159.00	160.30	0.01	1.2
953SP2DN0919	161.00	161.50	0.03	0.9
953SP2DN0919	167.30	167.90	0.01	0.6
953SP2DN0919	167.90	168.90	0.02	0.8
953SP2DN0919	168.90	170.20	0.01	0.9
953SP2DN0919	170.20	171.40	0.01	0.9
953SP2DN0919	171.40	172.40	<0.01	0.6
953SP2DN0919	172.40	173.30	<0.01	0.8
953SP2DN0919	173.30	174.30	0.03	5.4
953SP2DN0919	174.30	175.20	0.03	5.8
953SP2DN0919	175.20	175.60	0.01	2.3
953SP2DN0919	175.60	176.40	0.02	2.1
953SP2DN0919	176.40	176.90	0.02	1.4
953SP2DN0919	176.90	178.10	0.02	1.9
953SP2DN0919	179.30	180.30	0.02	1.7
953SP2DN0919	189.50	190.50	0.12	10.7
953SP2DN0919	190.50	191.70	0.06	3.4
953SP2DN0919	195.00	195.70	0.05	3.6
953SP2DN0919	197.10	198.30	0.16	8.9
953SP2DN0919	198.30	198.60	0.01	1.6
953SP2DN0919	200.80	201.20	0.04	3.6
953SP2DN0919	206.40	207.00	0.01	1.3
953SP2DN0919	207.20	208.00	<0.01	0.9
953SP2DR0917	8.00	8.30	0.47	2.8
953SP2DR0917	11.00	11.30	0.23	5.9
953SP2DR0917	13.00	13.40	1.98	1.7
953SP2DR0917	14.50	14.80	0.02	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0917	22.90	23.90	0.02	0.5
953SP2DR0917	23.90	24.20	0.02	2.1
953SP2DR0917	35.50	36.10	1.42	9.6
953SP2DR0917	36.10	37.00	0.11	2.1
953SP2DR0917	42.00	43.30	<0.01	0.5
953SP2DR0917	43.30	44.10	0.45	25.8
953SP2DR0917	44.10	45.00	0.01	0.3
953SP2DR0917	45.00	45.60	0.02	1.4
953SP2DR0917	45.60	46.30	0.09	0.6
953SP2DR0917	46.30	46.90	0.47	7.8
953SP2DR0917	46.90	48.10	0.04	2.8
953SP2DR0917	48.10	48.90	0.39	1.9
953SP2DR0917	48.90	50.10	<0.01	0.6
953SP2DR0917	53.90	54.30	0.02	0.2
953SP2DR0917	57.90	58.20	0.07	0.6
953SP2DR0917	64.80	65.80	0.01	1.8
953SP2DR0917	65.80	66.20	0.01	2.1
953SP2DR0917	68.30	68.60	0.05	1.5
953SP2DR0917	70.90	71.30	<0.01	1.3
953SP2DR0917	72.70	73.00	<0.01	0.8
953SP2DR0917	78.00	79.00	<0.01	0.5
953SP2DR0917	79.00	79.40	0.03	1.6
953SP2DR0917	79.40	79.90	3.54	24.0
953SP2DR0917	79.90	80.40	0.06	2.9
953SP2DR0917	80.40	81.00	0.02	0.7
953SP2DR0917	81.00	81.30	0.60	1.1
953SP2DR0917	81.30	82.00	<0.01	0.5
953SP2DR0917	82.00	83.00	<0.01	1.1
953SP2DR0917	83.00	84.10	<0.01	0.9
953SP2DR0917	84.10	84.90	<0.01	1.6
953SP2DR0917	84.90	85.90	0.02	3.0
953SP2DR0917	85.90	87.00	<0.01	0.5
953SP2DR0917	87.00	88.00	<0.01	0.8
953SP2DR0917	88.00	89.00	<0.01	1.3
953SP2DR0917	89.00	90.00	<0.01	0.3
953SP2DR0917	90.00	91.00	<0.01	0.5
953SP2DR0917	91.00	92.30	<0.01	0.6
953SP2DR0917	92.30	92.60	<0.01	1.0
953SP2DR0917	92.60	93.50	<0.01	0.7
953SP2DR0917	93.50	94.40	<0.01	0.9
953SP2DR0917	94.40	95.50	4.53	6.7
953SP2DR0917	95.50	96.10	7.92	9.3
953SP2DR0917	96.10	97.20	0.50	1.3
953SP2DR0917	97.20	97.80	0.04	0.9
953SP2DR0917	97.80	98.30	<0.01	0.5
953SP2DR0917	98.30	98.90	<0.01	1.0
953SP2DR0917	98.90	99.40	0.48	2.0
953SP2DR0917	99.40	99.90	<0.01	0.8
953SP2DR0917	99.90	100.60	0.02	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0917	100.60	101.30	0.01	1.6
953SP2DR0917	101.30	102.00	0.01	1.2
953SP2DR0917	102.00	102.80	0.08	2.4
953SP2DR0917	102.80	103.90	0.45	3.4
953SP2DR0917	103.90	104.70	0.03	0.5
953SP2DR0917	104.70	105.00	0.01	0.6
953SP2DR0917	105.00	106.00	<0.01	0.3
953SP2DR0917	106.00	107.00	<0.01	0.3
953SP2DR0917	107.00	108.00	<0.01	0.4
953SP2DR0917	108.00	108.50	<0.01	0.4
953SP2DR0917	108.50	109.30	0.01	1.4
953SP2DR0917	109.30	109.90	<0.01	1.3
953SP2DR0917	109.90	111.10	0.01	1.5
953SP2DR0917	111.10	111.60	0.48	2.5
953SP2DR0917	111.60	112.40	6.79	12.8
953SP2DR0917	112.40	113.10	18.90	22.1
953SP2DR0917	113.10	113.70	0.14	1.7
953SP2DR0917	113.70	114.30	15.00	100
953SP2DR0917	114.30	115.30	9.95	54.6
953SP2DR0917	115.30	116.40	5.88	12.3
953SP2DR0917	116.40	116.80	2.63	5.8
953SP2DR0917	116.80	117.80	0.03	1.6
953SP2DR0917	117.80	118.40	0.04	2.3
953SP2DR0917	118.40	119.00	3.21	4.0
953SP2DR0917	119.00	119.40	0.05	1.8
953SP2DR0917	119.40	119.90	0.23	1.1
953SP2DR0917	119.90	120.60	0.10	2.5
953SP2DR0917	120.60	121.00	0.05	0.8
953SP2DR0917	121.00	122.00	0.03	0.7
953SP2DR0917	122.00	123.00	<0.01	1.1
953SP2DR0917	123.00	124.00	<0.01	1.6
953SP2DR0917	124.00	125.00	0.01	1.4
953SP2DR0917	125.00	126.00	<0.01	0.9
953SP2DR0917	126.00	127.00	0.01	0.7
953SP2DR0917	127.00	128.00	<0.01	1.3
953SP2DR0917	128.00	128.40	<0.01	0.7
953SP2DR0917	128.40	128.80	0.01	1.4
953SP2DR0917	128.80	129.50	0.01	2.5
953SP2DR0917	129.50	130.00	<0.01	0.8
953SP2DR0917	130.00	131.00	<0.01	0.6
953SP2DR0917	131.00	132.00	0.02	3.7
953SP2DR0917	132.00	133.00	0.03	3.7
953SP2DR0917	135.00	135.40	0.03	4.2
953SP2DR0917	135.40	135.70	0.06	5.2
953SP2DR0917	135.70	137.00	0.04	2.5
953SP2DR0917	137.00	137.80	0.01	1.5
953SP2DR0917	137.80	138.90	0.07	11.0
953SP2DR0917	138.90	140.00	0.07	2.9
953SP2DR0917	145.10	145.60	0.03	1.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0923	6.70	7.00	0.20	0.4
953SP2DR0923	12.50	12.80	0.16	2.2
953SP2DR0923	13.90	14.20	0.03	1.0
953SP2DR0923	15.80	16.10	0.78	0.9
953SP2DR0923	27.00	27.30	0.01	0.4
953SP2DR0923	27.30	27.60	0.09	0.9
953SP2DR0923	38.40	39.00	3.58	9.2
953SP2DR0923	45.20	46.40	0.03	0.4
953SP2DR0923	46.40	46.80	0.60	47.5
953SP2DR0923	46.80	48.00	0.01	0.5
953SP2DR0923	51.00	51.50	0.05	3.1
953SP2DR0923	51.50	51.80	0.21	7.5
953SP2DR0923	59.00	59.30	0.07	2.4
953SP2DR0923	62.40	63.00	0.37	1.8
953SP2DR0923	63.70	64.00	0.03	1.3
953SP2DR0923	64.00	65.20	0.05	1.7
953SP2DR0923	67.40	67.70	0.07	2.1
953SP2DR0923	68.00	68.30	0.04	0.8
953SP2DR0923	69.00	69.30	0.04	1.0
953SP2DR0923	75.90	76.20	0.01	1.2
953SP2DR0923	77.40	78.60	0.03	2.0
953SP2DR0923	80.00	81.20	<0.01	1.0
953SP2DR0923	81.20	82.40	0.01	2.5
953SP2DR0923	82.40	83.60	0.02	2.0
953SP2DR0923	83.60	84.30	0.01	1.8
953SP2DR0923	84.30	84.70	0.85	23.9
953SP2DR0923	84.70	85.00	3.86	17.1
953SP2DR0923	85.00	85.80	0.02	1.6
953SP2DR0923	85.80	86.20	0.21	16.6
953SP2DR0923	86.20	86.70	0.01	2.6
953SP2DR0923	86.70	87.00	0.09	2.3
953SP2DR0923	87.00	88.00	0.03	1.4
953SP2DR0923	88.00	89.40	0.04	3.1
953SP2DR0923	89.40	90.00	0.07	1.3
953SP2DR0923	90.00	91.30	0.02	2.4
953SP2DR0923	91.30	92.50	0.01	1.6
953SP2DR0923	92.50	93.50	0.03	0.9
953SP2DR0923	93.50	93.80	0.02	0.7
953SP2DR0923	93.80	94.40	<0.01	0.7
953SP2DR0923	94.40	94.70	0.07	1.0
953SP2DR0923	94.70	95.40	0.03	1.5
953SP2DR0923	95.40	96.00	0.24	1.8
953SP2DR0923	96.00	96.40	0.91	5.6
953SP2DR0923	96.40	96.90	0.43	5.7
953SP2DR0923	96.90	97.40	0.36	8.9
953SP2DR0923	97.40	97.80	0.59	3.9
953SP2DR0923	97.80	99.10	31.70	139
953SP2DR0923	99.10	100.30	11.90	33.1
953SP2DR0923	100.30	101.00	3.83	18.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0923	101.00	102.00	0.11	15.5
953SP2DR0923	102.00	102.60	0.04	2.5
953SP2DR0923	102.60	102.90	0.91	2.5
953SP2DR0923	102.90	104.10	0.04	0.8
953SP2DR0923	104.10	105.30	0.08	0.8
953SP2DR0923	105.30	105.90	0.66	1.4
953SP2DR0923	105.90	106.40	0.24	1.3
953SP2DR0923	106.40	107.40	0.23	30.6
953SP2DR0923	107.40	107.70	6.39	20.2
953SP2DR0923	107.70	108.10	8.23	21.7
953SP2DR0923	108.10	109.20	0.05	3.6
953SP2DR0923	109.20	110.40	<0.01	1.2
953SP2DR0923	110.40	111.60	0.02	0.7
953SP2DR0923	111.60	113.00	0.15	20.0
953SP2DR0923	113.00	114.20	0.03	3.1
953SP2DR0923	114.20	115.40	0.01	1.7
953SP2DR0923	115.40	116.60	<0.01	0.5
953SP2DR0923	116.60	117.80	<0.01	0.4
953SP2DR0923	117.80	118.40	0.04	0.6
953SP2DR0923	118.40	119.20	4.72	6.7
953SP2DR0923	119.20	120.20	0.08	1.6
953SP2DR0923	120.20	121.00	0.03	0.7
953SP2DR0923	121.00	122.20	0.02	0.6
953SP2DR0925	5.60	6.00	0.01	1.0
953SP2DR0925	10.40	11.00	0.02	0.5
953SP2DR0925	27.30	27.70	0.04	0.9
953SP2DR0925	30.90	32.30	0.17	7.4
953SP2DR0925	32.30	32.80	0.06	1.0
953SP2DR0925	37.10	37.50	1.65	2.3
953SP2DR0925	38.60	39.40	0.03	0.9
953SP2DR0925	39.40	40.90	0.04	0.7
953SP2DR0925	42.00	42.50	0.03	0.4
953SP2DR0925	46.30	47.30	<0.01	0.5
953SP2DR0925	50.10	50.90	0.04	0.8
953SP2DR0925	52.40	53.90	0.10	6.9
953SP2DR0925	62.90	63.90	0.05	2.5
953SP2DR0925	63.90	64.30	0.06	1.6
953SP2DR0925	66.20	67.20	0.03	0.5
953SP2DR0925	78.10	78.80	16.00	108
953SP2DR0925	82.20	83.00	0.94	4.6
953SP2DR0925	83.00	84.50	0.03	0.9
953SP2DR0925	84.50	86.20	0.27	1.2
953SP2DR0925	86.20	87.80	0.12	1.3
953SP2DR0925	87.80	88.60	0.59	2.9
953SP2DR0925	88.60	89.70	14.20	65.9
953SP2DR0925	89.70	91.20	12.60	72.8
953SP2DR0925	91.20	92.80	19.40	30.7
953SP2DR0925	92.80	94.10	0.05	1.5
953SP2DR0925	94.10	95.50	0.05	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
953SP2DR0925	95.50	97.30	1.73	26.8
953SP2DR0925	97.30	98.40	0.11	3.7
953SP2DR0925	98.40	99.90	9.73	56.7
953SP2DR0925	99.90	101.60	0.01	0.9
953SP2DR0925	101.60	103.20	0.01	0.6
953SP2DR0925	103.20	104.90	0.03	1.7
953SP2DR0925	104.90	105.70	1.40	9.6
953SP2DR0925	109.80	110.20	0.03	0.5