

Local Mine Grid Mt Eden Old Cadastral (North = 359.4° WGS84)

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
1120SP2GR1064	0	101.33	2
1120SP2GR1064	20	100.06	0.6
1120SP2GR1064	40	100.56	0.1
1120SP2GR1064	60	99.66	0.3
1120SP2GR1064	90	99.26	0.3
1120SP2GR1064	124.5	98.76	1.8
1120SP2GR1070	0	98.13	-3.5
1120SP2GR1070	20	96.46	-5
1120SP2GR1070	40	96.26	-5.5
1120SP2GR1070	60	95.46	-5.7
1120SP2GR1070	90	94.96	-6.8
1120SP2GR1070	120	94.46	-7.4
1120SP2GR1070	150	94.16	-8.5
1120SP2GR1070	180	93.36	-8.7
1120SP2GR1070	210	92.76	-8.9
1120SP2GR1070	250	92.46	-9.1
1120SP2GR1070	260	91.86	-9.4
1120SP2GR1070	288	91.66	-9.4
1120SP2GR1073	0	116.03	-6
1120SP2GR1073	20	114.06	-6.9
1120SP2GR1073	40	114.16	-7.1
1120SP2GR1073	60	113.36	-7.8
1120SP2GR1073	120	113.36	-9
1120SP2GR1073	150	113.26	-9.7
1120SP2GR1073	180	112.26	-10.9
1120SP2GR1073	210	111.76	-9.9
1120SP2GR1073	240	112.26	-11.7
1120SP2GR1073	263	112.76	-12.3
1120SP2GR1082	0	134.43	-9.1
1120SP2GR1082	20	133.46	-10.2
1120SP2GR1082	40	133.26	-10.2
1120SP2GR1082	60	132.96	-11
1120SP2GR1082	90	132.86	-11.5
1120SP2GR1082	120	132.16	-12.2
1120SP2GR1082	150	130.96	-13
1120SP2GR1082	180	130.96	-13.7
1120SP2GR1082	210	130.36	-14
1120SP2GR1082	250	130.16	-15
1120SP2GR1082	258	130.36	-15
800SP1MN1095	0	306.13	5.9
800SP1MN1095	20	305.86	4.9
800SP1MN1095	40	305.16	4.5
800SP1MN1095	60	304.16	3.8
800SP1MN1095	90	303.56	3.4
800SP1MN1095	130	304.06	2.5
800SP1MN1095	150	302.56	1.5
800SP1MN1095	180	301.41	1.1
800SP1MN1095	194	300.26	0.7

800SP1MN1095	240	300.76	-0.7
800SP1MN1095	270	300.86	-1.2
800SP1MN1095	307	300.46	-2.1
800SP1MN1100	0	294.73	5.8
800SP1MN1100	20	294.56	5.7
800SP1MN1100	40	294.36	5.7
800SP1MN1100	60	294.26	5.5
800SP1MN1100	90	294.16	5.3
800SP1MN1100	117	294.46	5
800SP1MN1100	150	293.46	5.4
800SP1MN1100	180	294.16	4.9
800SP1MN1100	210	294.06	4.6
800SP1MN1100	240	294.26	4.2
800SP1MN1100	270	293.76	3.7
800SP1MN1100	306	293.76	3.1
800SP1MN1100	318	293.66	2.7
800SP1MN1100	330	293.66	2.5
800SP1MN1100	342	293.36	2.2
800SP1MN1101	0	300.13	-3.2
800SP1MN1101	20	299.06	-4.1
800SP1MN1101	40	298.56	-4.6
800SP1MN1101	60	296.86	-5.8
800SP1MN1101	90	297.46	-6.9
800SP1MN1101	120	296.46	-7.6
800SP1MN1101	150	294.76	-8.5
800SP1MN1103	0	300.93	-14.9
800SP1MN1103	20	300.56	-15.4
800SP1MN1103	40	299.96	-15.5
800SP1MN1103	60	299.76	-15.5
800SP1MN1103	90	299.16	-15.9
800SP1MN1103	120	299.06	-16.3
800SP1MN1103	150	298.26	-16.6
800SP1MN1103	198	298.26	-17.9
800SP1MN1103	217	291.66	-15
800SP1MN1103	250	290.46	-16.7
800SP1MN1103	280	290.36	-17.6
800SP1MN1109	0	290.03	9
800SP1MN1109	20	289.96	8.1
800SP1MN1109	40	288.26	7.3
800SP1MN1109	60	288.86	7.2
800SP1MN1109	90	287.46	6.5
800SP1MN1109	120	286.56	5.8
800SP1MN1109	150	284.66	4.6
800SP1MN1109	180	285.56	3.7
800SP1MN1109	210	284.96	2.8
800SP1MN1109	240	284.46	2.4
800SP1MN1109	270	283.46	2.1
800SP1MN1109	293	284.06	2.1
800SP1MN1109	338	284.66	2.2
800SP1MN1109	356	285.26	2.5

800SP1MN1109	365	283.76	2.3
800SP1MN1109	374	283.76	2.5
800SP1MN1109	383	283.66	2
800SP1MN1109	392	283.66	2.2
800SP1MN1109	401	283.66	2.1
800SP1MN1109	410	283.56	2
800SP2MN1088	0	317.23	6.5
800SP2MN1088	20	317.56	6
800SP2MN1088	40	316.16	5.5
800SP2MN1088	60	315.56	5.1
800SP2MN1088	90	315.36	4.5
800SP2MN1088	120	315.26	3.3
800SP2MN1088	140	315.16	2.1
800SP2MN1097	0	313.73	-16.9
800SP2MN1097	20	310.76	-17.2
800SP2MN1097	40	313.36	-17.4
800SP2MN1097	60	312.96	-17.6
800SP2MN1097	90	312.06	-18
800SP2MN1097	120	312.06	-18.1
800SP2MN1097	139	311.26	-20.6
800SP2MN1097	180	311.01	-20.3
800SP2MN1097	210	310.76	-21.1
800SP2MN1097	240	310.26	-22.5
800SP2MN1097	267	309.96	-23.3
800SP2MN1099	0	310.53	-4.7
800SP2MN1099	20	310.16	-6.3
800SP2MN1099	40	309.96	-6.5
800SP2MN1099	60	309.76	-6.8
800SP2MN1099	90	309.56	-7.5
800SP2MN1099	125	308.56	-8.5
800SP2MN1099	150	307.16	-8.9
800SP2MN1099	175	305.76	-10.7
800SP2MN1099	215	304.46	-16.2
800SP2MN1099	240	303.76	-16.9
800SP2MN1099	269	303.06	-17.5
800SP2MN1106	0	305.73	-29
800SP2MN1106	20	305.66	-30.6
800SP2MN1106	40	305.46	-31.5
800SP2MN1106	60	304.36	-32
800SP2MN1106	90	303.36	-33.5
800SP2MN1106	120	303.46	-34
800SP2MN1106	150	302.16	-34.4
800SP2MN1106	187	293.26	-33.1
800SP2MN1108	0	318.53	6.3
800SP2MN1108	24	318.26	6.1
800SP2MN1108	51	318.16	5.6
800SP2MN1108	60	317.36	5.4
800SP2MN1108	90	316.86	4.8
800SP2MN1108	126	317.56	4.5
800SP2MN1108	150	317.36	4

800SP2MN1108	180	317.16	3.4
800SP2MN1108	207	316.76	2.3
800SP2MN1108	246	316.36	1.3
800SP2MN1108	278	316.66	0.2
800SP2MN1108	299	315.46	0
813CR1035	0	81.66	-40.7
813CR1035	20	81.36	-40.9
813CR1035	40	81.26	-41
813CR1035	60	81.06	-41.2
813CR1035	90	80.46	-41
813CR1035	120	80.56	-41.2
813CR1035	150	80.06	-41.1
813CR1035	193	80.76	-40.9
813CR1062	0	60.06	-40
813CR1062	20	60.06	-41.2
813CR1062	40	59.26	-41.6
813CR1062	60	59.76	-41.8
813CR1062	90	59.86	-43
813CR1062	120	59.46	-43.4
813CR1062	150	58.86	-44.5
813CR1062	180	59.26	-45.4
813CR1062	206	59.26	-46.4
813CR1062	234	59.56	-47.2
813ER1080	0	284.43	24.6
813ER1080	20	285.86	24.2
813ER1080	40	285.76	23.3
813ER1080	60	285.06	22.7
813ER1083	0	280.93	17.4
813ER1083	20	282.46	16.7
813ER1083	40	280.86	16.6
813ER1083	60	280.66	15.4
813ER1083	90	280.06	14.7
813ER1083	120	279.86	14.1
813ER1083	133	280.56	13.7
813ER1083	165	280.36	13.2
813ER1083	188	279.56	12.4
813ER1084	0	294.23	24.8
813ER1084	20	295.16	25.1
813ER1084	40	295.36	25.1
813ER1084	60	294.96	25
813ER1084	90	295.06	24.7
813ER1084	120	295.06	24.5
813ER1084	150	295.06	24.5
813ER1084	159	294.96	24.4
813ER1087	0	298.83	7.6
813ER1087	20	299.16	7.1
813ER1087	40	298.06	6.6
813ER1087	60	297.06	6.4
813ER1087	100	297.16	5.5
813ER1087	126	296.26	4.9

813ER1089	0	301.83	17.2
813ER1089	20	302.46	17.1
813ER1089	40	302.36	16.9
813ER1089	60	302.36	16.6
813ER1089	90	302.06	16.3
813ER1089	120	302.46	15.9
813ER1089	134.5	302.26	15.8
813ER1091	0	272.13	-7.3
813ER1091	20	271.86	-8.1
813ER1091	40	271.56	-8
813ER1091	60	271.96	-8.2
813ER1091	83	271.86	-8.3
813ER1093	0	284.53	28.8
813ER1093	27	284.26	27.7
813ER1093	40	283.66	27.2
813ER1093	60	284.26	26.9
813ER1093	90	283.56	26.2
813ER1093	130	282.96	25.5
813ER1093	141	283.16	25.2
830ER1001	0	324.83	-8.9
830ER1001	20	324.86	-9.2
830ER1001	40	324.06	-9.4
830ER1001	60	324.16	-9.7
830ER1001	90	324.06	-10.4
830ER1001	120	323.86	-10.8
830ER1001	150	323.76	-11.2
830ER1001	180	323.86	-11.9
830ER1001	204	323.86	-12
830ER1069	0	289.63	-8.9
830ER1069	20	288.86	-9.3
830ER1069	40	288.36	-9.8
830ER1069	60	288.46	-10.1
830ER1069	90	288.76	-10.7
830ER1069	120	288.56	-11.2
830ER1069	150	287.96	-11.8
830ER1069	180	288.46	-12.6
830ER1069	200	288.46	-12.9
830ER1081	0	326.63	-3
830ER1081	20	325.96	-3.2
830ER1081	40	325.46	-3.4
830ER1081	60	325.16	-3.6
830ER1081	90	325.06	-4.1
830ER1081	120	325.06	-5
830ER1081	160	324.66	-5.2
830ER1090	0	329.83	32.5
830ER1090	20	330.66	31.8
830ER1090	40	329.66	31.9
830ER1090	85	330.86	31
830ER1090	115	330.66	30.2
830ER1090	145	330.86	29.3

830ER1092	0	323.63	35.6
830ER1092	20	324.86	35.1
830ER1092	32	325.16	34.8
830ER1092	44	324.76	34.6
830ER1092	56	324.66	34.6
830ER1092	68	324.46	34.5
830ER1092	80	324.16	34.4
830ER1092	92	324.06	34.2
830ER1092	104	323.96	34.8
830ER1092	120	324.13	34.2
830ER1092	150	324.07	34
830ER1092	175	324.02	33.9
844SP3CR0965	0	65.23	-32.5
844SP3CR0965	20	64.96	-33.1
844SP3CR0965	40	64.66	-33.8
844SP3CR0965	60	64.86	-34.2
844SP3CR0965	70	64.66	-34.3
844SP3CR0965	90	64.76	-34.8
844SP3CR0965	105	64.26	-35
844SP3CR0965	120	65.06	-35.3
844SP3CR0965	150	64.96	-36
844SP3CR0965	180	64.56	-36.2
844SP3CR0965	210	64.16	-36.4
844SP3CR0965	230	63.86	-36.8
844SP3CR0969	0	74.03	-32.3
844SP3CR0969	20	74.06	-32.5
844SP3CR0969	40	73.86	-32
844SP3CR0969	60	74.66	-31.6
844SP3CR0969	80	74.76	-31.1
844SP3CR0969	90	74.76	-30.8
844SP3CR0969	110	74.96	-30.5
844SP3CR0969	120	75.26	-30.3
844SP3CR0969	150	76.16	-29.1
844SP3CR0969	180	76.76	-27.8
844SP3CR0969	210	77.46	-26.8
844SP3CR0969	249	78.66	-25.4
844SP3CR1076	0	55.83	-29.8
844SP3CR1076	21	54.16	-30.3
844SP3CR1076	40	54.36	-30.6
844SP3CR1076	60	54.56	-30.8
844SP3CR1076	70	54.46	-30.8
844SP3CR1076	90	55.06	-31
844SP3CR1076	120	55.46	-31.3
844SP3CR1076	150	55.56	-31.7
844SP3CR1076	180	55.96	-31.6
844SP3CR1076	210	56.56	-31.7
844SP3CR1076	235	56.56	-31.9
844SP3CR1076	252	56.46	-32.1
844SP3CR1077	0	81.83	-34.2
844SP3CR1077	20	81.46	-34.7

844SP3CR1077	40	81.56	-35.2
844SP3CR1077	60	81.36	-35.5
844SP3CR1077	90	80.86	-36.1
844SP3CR1077	120	80.66	-36.4
844SP3CR1077	150	81.86	-36.7
844SP3CR1077	180	82.06	-37
844SP3CR1077	210	81.46	-37.6
844SP3CR1077	230	81.26	-37.8
844SP3CR1077	244	81.26	-37.8
912ER1063	0	338.03	-19.4
912ER1063	20	338.46	-20.4
912ER1063	40	338.26	-21
912ER1063	60	337.66	-22
912ER1063	90	337.06	-22.5
912ER1063	121	337.36	-23.6
912ER1063	150	336.66	-24
912ER1063	170	335.96	-24.4
912ER1068	0	264.23	-8.7
912ER1068	20	265.86	-10.3
912ER1068	40	264.76	-10.8
912ER1068	60	264.46	-11.3
912ER1068	90	264.06	-12.4
912ER1068	125	263.86	-13.2
912ER1102	0	322.03	-7.9
912ER1102	20	324.36	-9.3
912ER1102	40	323.16	-9.4
912ER1102	60	323.06	-10.3
912ER1102	90	323.16	-11.5
912ER1102	120	321.86	-12.5
912ER1102	140	322.26	-13.7
912ER1102	153	322.16	-13.9
912ER1104	0	321.13	-29
912ER1104	20	322.66	-30.6
912ER1104	42	321.76	-31.1
912ER1104	60	320.56	-32
912ER1104	105	319.96	-33.1
912ER1105	0	335.43	-12
912ER1105	20	337.16	-13.6
912ER1105	40	335.96	-13.7
912ER1105	60	336.46	-14.8
912ER1105	90	334.56	-15.9
912ER1105	120	334.16	-17.2
912ER1105	141	333.56	-18.9
912ER1105	153	333.36	-19.5
912ER1110	0	336.13	-29.8
912ER1110	20	337.36	-30.5
912ER1110	40	336.66	-31.3
912ER1110	60	336.16	-32.2
912ER1110	90	335.16	-33.5
912ER1110	105	334.76	-33.7

912ER1113	0	301.7	-32.8
912ER1113	20	302.96	-33.9
912ER1113	40	302.46	-34.3
912ER1113	60	302.56	-35
912ER1113	90	301.46	-35.8
912ER1113	111	299.46	-36.1
GT011	0	20.66	-90
GT011	31	154.16	-89.5
GT011	61	116.26	-89.7
GT011	90	130.86	-89.6
GT011	120	191.46	-89
GT012	0	20.66	-90
GT012	31	57.56	-89.7
GT012	60	257.46	-89.7
GT012	90	103.66	-89.5
GT012	129.6	305.16	-89.3
GT012	140	311.66	-89.1
GT013	0	20.66	-90
GT013	30	38.46	-88.9
GT013	60	46.66	-88.9
GT013	90	94.46	-88.5
GT013	101	81.56	-87.7
GT013	101.2	81.56	-87.7
GT014	0	20.66	-90
GT014	41	102.76	-89
GT014	60	225.46	-89.1
GT014	90	133.56	-89.1
GT014	110	203.36	-89.2
GT015	0	20.66	-90
GT015	20	127.96	-88.6
GT015	60	59.36	-88.5
GT015	90	181.66	-89.3
GT015	120	134.76	-88.8
GT015	130	348.76	-89.7
GT016	130	177.36	-89.6
GT018	0	42.43	10.9
GT018	20	39.46	9.6
GT018	40	40.46	7.3
GT019	0	29.5	9.4
GT019	20	26.46	8.3
GT019	38	27.16	6.9
GT019	46	29.46	6.3
UW527	0	285.33	-50.1
UW527	20	285.66	-50.1
UW527	40	285.06	-50.2
UW527	70	285.26	-50.3
UW527	85	285.06	-50.3
UW536	0	266.43	-29.1
UW536	20	264.66	-29.4
UW536	40	266.56	-30.9

UW536	60	267.16	-31
UW536	90	266.26	-32
UW536	120	267.56	-33.2
UW536	150	267.36	-34.5
UW536	164	267.06	-33.8
UW565	0	90.33	-43.9
UW565	20	89.26	-43.6
UW565	40	89.16	-43.7
UW565	60	89.56	-44.1
UW565	100	89.86	-45.3
UW565	130	90.66	-45.7
UW570	0	309.73	-42.7
UW570	20	310.36	-42.9
UW570	40	311.46	-44.3
UW570	61.2	312.06	-45.4
UW570	90	309.86	-45.5
UW570	120	308.86	-46.7
UW570	150	310.96	-47
UW570	180	308.26	-48.1
UW570	190	308.26	-48.3
UW573	0	6.03	-29.2
UW573	20	4.86	-27.6
UW573	40	4.06	-28.4
UW573	60	3.96	-29.5
UW573	90	3.96	-30.4
UW573	110	3.36	-30.6
UW573	135	3.16	-31
UW574	0	42.53	-18.7
UW574	20	41.16	-19.1
UW574	40	40.46	-19.5
UW574	60	40.26	-19.8
UW574	70	39.96	-20.4
UW574	102	38.86	-20.7
UW575	0	334.03	-33.1
UW575	20	332.26	-32.7
UW575	40	334.36	-34.1
UW575	50	332.46	-34.1
UW575	57.6	334.76	-33.7
UW575	70	333.06	-34.1
UW575	90	334.16	-35.4
UW575	120	333.66	-36.1
UW575	150	332.36	-36.9
UW576	0	342.83	-5.1
UW576	25	344.06	-6.9
UW576	40	343.46	-7.7
UW576	61	344.36	-8.9
UW576	90	342.96	-9.3
UW576	120	342.96	-10.7
UW576	150	341.06	-13.3
UW576	180	340.46	-14.6

UW576	189	341.26	-15.4
UW576	204.8	343.16	-16.2
UW577	0	281.36	-35
UW577	24	281.26	-34.9
UW577	40	283.46	-35.5
UW577	70	283.16	-37.1
UW577	90	283.26	-38
UW577	120	283.46	-38.8
UW578	0	285.03	-59.3
UW578	20	284.36	-59.7
UW578	40	283.96	-60.2
UW578	64	284.96	-60.4
UW578	105	287.66	-60.5
UW578	132	286.16	-60.8
UW579	0	274.33	-40.1
UW579	20	273.76	-41.2
UW579	40	273.91	-41.3
UW579	60	274.06	-41.5
UW579	70	274.06	-41.2
UW579	90	275.56	-41.4
UW579	105	272.86	-41.4
UW580	0	282.53	-22.8
UW580	20	282.34	-22.1
UW580	40	282.15	-22.1
UW580	70	282.56	-23.4
UW580	90	282.86	-24
UW580	130	282.46	-25.6
UW581	0	4.93	-36.9
UW581	20	4.56	-36.1
UW581	40	7.16	-37.1
UW581	60	5.36	-37.5
UW581	90	4.16	-38
UW581	120	5.16	-38.3
UW581	150	5.06	-39.4
UW581	180	4.46	-39.8
UW581	201	3.16	-41
UW581	220	4.96	-41.1
UW582	0	290.03	-43.9
UW582	20	288.16	-43.7
UW582	40	288.36	-44.2
UW582	60.4	287.66	-45
UW582	100	287.96	-45.8
UW583	0	100.23	-40.3
UW583	20	98.06	-40.6
UW583	40	98.66	-41.5
UW583	60	98.06	-41.5
UW583	90	97.56	-43.6
UW583	120	96.96	-44.1
UW583	150	95.96	-44.6
UW584	0	110.13	-40

UW584	20	110.86	-40.8
UW584	40	110.66	-41.1
UW584	60	111.26	-41
UW584	90	109.26	-41.2
UW584	100	109.06	-41.1
UW584	120	105.66	-41
UW584	150	106.76	-41.3
UW585	0	271.23	-33.3
UW585	20	273.26	-34.4
UW585	40	271.86	-33.8
UW585	60	271.16	-33.9
UW585	78	272.46	-33.7
UW585	90	272.66	-34.2
UW585	135	271.56	-35.4
UW586	0	100.33	-50.5
UW586	20	99.96	-49.3
UW586	40	99.56	-49.8
UW586	60	97.36	-49.3
UW586	90	97.36	-48.8
UW586	120	98.16	-48.1
UW587	0	284.73	-22.3
UW587	20	284.06	-22.4
UW587	40	284.46	-22.4
UW587	65	283.86	-22.9
UW587	90	284.26	-23.2
UW587	120	283.66	-23.7
UW588	0	315.43	-43.9
UW588	22	315.96	-43.9
UW588	46.2	313.46	-44.5
UW588	61.2	313.86	-44.1
UW588	90	312.76	-44.5
UW588	122	312.06	-45.3
UW588A	0	315.43	-43.9
UW588A	22	315.96	-43.9
UW588A	46.2	312.96	-44.5
UW588A	61.2	313.86	-44.1
UW588A	90	316.96	-44.9
UW588A	100	318.16	-45
UW589	0	106.03	-44.1
UW589	20	104.96	-45
UW589	43	105.96	-45.3
UW589	63	103.76	-45.4
UW589	90	103.16	-45.6
UW589	125	103.46	-44.7
UW590	0	294.63	-41
UW590	22	296.26	-41.6
UW590	40	296.66	-41.5
UW590	60	296.86	-41.5
UW590	90	297.86	-42.9
UW590	120	298.86	-42.3

UW591	0	262.83	-27.2
UW591	20	263.46	-26.2
UW591	40	262.86	-26.4
UW591	60	263.46	-27
UW591	98	261.36	-28.8
UW591	120	261.76	-29.2
UW591	150	261.56	-30.1
UW592	0	295.43	-49.2
UW592	18	295.56	-49
UW592	43	294.16	-48.9
UW592	60	296.46	-48.9
UW592	94	295.16	-49.7
UW592	120	295.46	-49.9
UW593	0	106.03	-48.7
UW593	20	103.26	-48.9
UW593	40	105.76	-49.2
UW593	60	104.86	-49.3
UW593	90	104.76	-49.1
UW593	120	107.26	-49.9
UW593	150	105.56	-49.9
UW594	0	105.93	-43.4
UW594	20	105.16	-43.5
UW594	40	104.96	-44.3
UW594	60	103.96	-44.2
UW594	90	102.96	-44.1
UW594	100	102.36	-43.7
UW594	120	103.26	-42.9
UW594	150	104.36	-43.3
UW595	0	119.83	-40.2
UW595	20	119.36	-40.7
UW595	40	117.96	-41.7
UW595	60	119.26	-42.9
UW595	90	118.66	-43.2
UW595	120	118.56	-43.8
UW595	162	119.56	-45
UW595	173	119.76	-45
UW596	0	276.63	-57.2
UW596	20	274.36	-56.8
UW596	40.3	275.16	-56.4
UW596	70	276.36	-57.2
UW596	100	275.96	-57.7
UW597	0	289.73	-40.3
UW597	20	291.96	-40.1
UW597	40	294.26	-40.4
UW597	60	292.26	-41.3
UW597	105	289.66	-41.7
UW597	126	289.36	-42
UW598	0	261.63	-46.5
UW598	24.9	261.66	-46.2
UW598	40.2	261.86	-45.7

UW598	61	261.46	-45.6
UW598	91.2	261.76	-46.5
UW598	109.2	263.46	-46.2
UW599	0	267.73	-48.2
UW599	20	270.06	-48
UW599	40	269.86	-48.2
UW599	60	267.16	-48.6
UW599	90	267.36	-49.7
UW599	141	266.36	-50.4
UW600	0	282	-43.2
UW600	20.4	283.86	-42.9
UW600	40	284.09	-42.6
UW600	60	284.32	-42.3
UW600	90	284.56	-41.9
UW600	103	285.76	-40.6
UW601	0	287.63	-49.8
UW601	20	287.86	-48.8
UW601	40	287.26	-49.5
UW601	60	286.76	-49.8
UW601	90	285.36	-49.9
UW601	119.9	286.16	-49.7
UW602	0	285.73	-40.9
UW602	22.1	286.96	-41.2
UW602	40	286.56	-41.7
UW602	61.1	286.56	-42.1
UW602	75	286.86	-41.8
UW602	90	287.96	-42.2
UW602	130	287.16	-42.6
UW602	149	286.96	-42.9
UW602	170	284.16	-43.6
UW603	0	166.23	-34
UW603	20	166.06	-32.7
UW603	45	165.96	-33.1
UW603	60	165.86	-33.5
UW603	90	165.66	-34.8
UW603	130.1	166.36	-37.2
UW604	0	299.53	-51
UW604	20	299.36	-51.6
UW604	40	297.96	-52
UW604	60	298.06	-52.1
UW604	100.3	297.86	-52.6
UW605	0	105.93	-43.3
UW605	19	106.26	-42.7
UW605	40	105.16	-43.2
UW605	70	105.76	-43.1
UW605	90	105.16	-44
UW605	120	105.56	-43.4
UW605	150	106.36	-43.7
UW606	0	106.26	-58.7
UW606	20	105.26	-58.1

UW606	40	104.96	-58.8
UW606	60	105.16	-58.5
UW606	80	106.36	-58.8
UW606	90	106.26	-59.1
UW607	0	295.53	-39.7
UW607	22	296.96	-39.2
UW607	40	297.06	-39.5
UW607	61	296.16	-40
UW607	90	294.76	-40.4
UW607	120	296.66	-40.8
UW607	130	296.66	-41
UW608	0	12.03	-4.8
UW608	20	12.56	-6.4
UW608	40	13.16	-8
UW608	60	12.96	-8.5
UW608	91	12.76	-9.3
UW608	121	12.46	-9.7
UW608	150	12.86	-11.1
UW609	0	100.03	-41.7
UW609	20	99.69	-41.7
UW609	40	99.66	-42.6
UW609	60	98.96	-42.7
UW609	90	100.36	-42.6
UW609	110	100.46	-42.8
UW609	113	100.46	-43.1
UW610	0	240.16	-40.2
UW610	20	239.16	-39.7
UW610	40	238.86	-39.4
UW610	60	238.16	-39.6
UW610	90	238.56	-40.1
UW611	0	319.8	-40
UW611	20	320.76	-40.9
UW611	43	320.96	-41.3
UW611	61	321.16	-40.9
UW611	95.9	321.26	-41.5
UW612	0	346.7	-38.5
UW612	20	346.66	-38.1
UW612	40	346.76	-38.8
UW612	60	346.26	-39.2
UW612	90	344.86	-39.5
UW612	120	344.96	-40.5
UW612	150	344.06	-40.7
UW612	180	343.36	-40.9
UW612	200	342.76	-40.8
UW613	0	102.13	-44.2
UW613	20	100.96	-43.6
UW613	40	100.36	-44.3
UW613	60	101.06	-44.5
UW613	90	100.56	-45
UW613	100	100.46	-45.1

UW613	110	98.66	-45.4
UW614	0	107.03	-40
UW614	20	106.46	-40.1
UW614	39	106.06	-40.5
UW614	60	105.86	-40.3
UW614	90	105.86	-41.6
UW614	130	105.96	-41.6
UW615	0	310.03	-40.3
UW615	20	307.76	-41
UW615	40	308.26	-41.4
UW615	70	307.26	-42.5
UW616	0	349.73	-41.5
UW616	20	348.36	-40.7
UW616	40	348.66	-41.4
UW616	60	349.26	-42.1
UW616	80	348.56	-42.2
UW617	0	280.13	-45.1
UW617	20	280.06	-44.8
UW617	40	280.06	-44.9
UW617	60	280.06	-45.5
UW617	100	281.86	-46.5
UW618	0	190.43	-34.1
UW618	20	190.66	-33
UW618	40	190.46	-32.7
UW618	60	189.16	-33.1
UW618	90	190.46	-34.6
UW618	120	190.56	-36.7
UW618	145	189.96	-37.7
UW619	0	209.13	-20.2
UW619	20	209.09	-19.7
UW619	40	209.06	-19.2
UW619	60	208.26	-19.7
UW619	80	208.16	-20.4
UW619	107	208.16	-21.6