

HOLEID	DEPTH	AZIMUTH_NZTM2000	Inclination
WKP124H	0	153	-20.5
WKP124H	3	153.01	-20.27
WKP124H	6	152.96	-20.02
WKP124H	9	152.93	-20.15
WKP124H	12	152.88	-20.46
WKP124H	15	152.83	-20.61
WKP124H	18	152.79	-20.53
WKP124H	21	152.71	-20.44
WKP124H	24	152.62	-20.42
WKP124H	27	152.53	-20.48
WKP124H	30	152.51	-20.6
WKP124H	33	152.56	-20.87
WKP124H	36	152.6	-21.29
WKP124H	39	152.66	-21.71
WKP124H	42	152.69	-22.08
WKP124H	45	152.69	-22.31
WKP124H	48	152.67	-22.46
WKP124H	51	152.61	-22.67
WKP124H	54	152.5	-23.11
WKP124H	57	152.38	-23.75
WKP124H	60	152.25	-24.21
WKP124H	63	152.17	-24.25
WKP124H	66	152.12	-23.96
WKP124H	69	152.03	-23.85
WKP124H	72	151.95	-24.23
WKP124H	75	151.91	-24.78
WKP124H	78	151.91	-25.14
WKP124H	81	151.87	-25.34
WKP124H	84	151.77	-25.37
WKP124H	87	151.66	-25.38
WKP124H	90	151.03	-24.65
WKP124H	93	150.99	-24.83
WKP124H	96	150.94	-24.8
WKP124H	99	150.87	-24.63
WKP124H	102	150.77	-24.47
WKP124H	105	150.76	-24.38
WKP124H	108	150.8	-24.4
WKP124H	111	150.84	-24.48
WKP124H	114	150.81	-24.59
WKP124H	117	150.69	-24.63
WKP124H	120	150.59	-24.3
WKP124H	123	150.48	-23.7
WKP124H	126	150.38	-23.12
WKP124H	129	150.22	-22.51
WKP124H	132	150.02	-21.87
WKP124H	135	149.85	-21.1
WKP124H	138	149.72	-20.29

WKP124H	141	149.62	-19.62
WKP124H	144	149.67	-19.62
WKP124H	147	149.71	-19.57
WKP124H	150	149.75	-19.5
WKP124H	153	149.67	-19.55
WKP124H	156	149.43	-19.51
WKP124H	159	148.98	-19.31
WKP124H	162	148.33	-19.08
WKP124H	165	147.6	-18.74
WKP124H	168	146.91	-18.25
WKP124H	171	146.33	-17.65
WKP124H	174	145.74	-17.09
WKP124H	177	145.27	-16.6
WKP124H	180	144.95	-16.18
WKP124H	183	144.78	-15.95
WKP124H	186	144.61	-15.74
WKP124H	189	144.39	-15.52
WKP124H	192	144.09	-15.44
WKP124H	195	143.77	-15.56
WKP124H	198	143.48	-15.7
WKP124H	201	143.19	-15.73
WKP124H	204	142.94	-15.55
WKP124H	207	142.68	-15.35
WKP124H	210	142.57	-15.13
WKP124H	213	142.16	-14.83
WKP124H	216	141.58	-14.74
WKP124H	219	140.94	-14.74
WKP124H	222	140.39	-14.71
WKP124H	225	139.96	-14.77
WKP124H	228	139.64	-14.68
WKP124H	231	139.38	-14.37
WKP124H	234	139.03	-14.03
WKP124H	237	138.68	-13.72
WKP124H	240	138.29	-13.37
WKP124H	243	137.96	-13.07
WKP124H	246	137.66	-12.91
WKP124H	249	137.26	-12.91
WKP124H	252	136.73	-12.9
WKP124H	255	136.1	-12.77
WKP124H	258	135.52	-12.63
WKP124H	261	135.1	-12.73
WKP124H	264	134.88	-12.88
WKP124H	267	134.81	-12.95
WKP124H	270	134.79	-13.08
WKP124H	273	134.73	-13.4
WKP124H	276	134.6	-13.59
WKP124H	279	134.55	-13.52
WKP124H	282	134.51	-13.53

WKP124H	285	134.48	-13.79
WKP124H	288	134.46	-14.05
WKP124H	291	134.45	-14.19
WKP124H	294	134.45	-14.3
WKP124H	297	134.43	-14.48
WKP124H	300	134.43	-14.63
WKP124H	303	134.4	-14.8
WKP124H	306	134.35	-14.99
WKP124H	309	134.27	-15.12
WKP124H	312	134.24	-15.27
WKP124H	315	134.2	-15.45
WKP124H	318	134.21	-15.58
WKP124H	321	134.21	-15.67
WKP124H	324	134.22	-15.68
WKP124H	327	134.22	-15.68
WKP124H	330	134.2	-15.71
WKP124H	333	134.15	-15.75
WKP124H	336	134.1	-15.87
WKP124H	339	134.06	-16.03
WKP124H	342	134.06	-16.21
WKP124H	345	134.05	-16.37
WKP124H	348	134.07	-16.44
WKP124H	351	134.04	-16.48
WKP124H	354	134.03	-16.5
WKP124H	357	134.01	-16.52
WKP124H	360	134.02	-16.5
WKP124H	363	134	-16.5
WKP124H	366	133.98	-16.5
WKP124H	369	133.95	-16.48
WKP124H	372	133.96	-16.43
WKP124H	375	133.95	-16.44
WKP124H	378	133.97	-16.59
WKP124H	381	133.96	-16.79
WKP124H	384	133.94	-16.99
WKP124H	387	133.95	-17.42
WKP124H	390	133.92	-17.9
WKP124H	393	133.85	-18.04
WKP124H	396	133.7	-18.09
WKP124H	399	133.55	-18.33
WKP124H	402	133.45	-18.78
WKP124H	405	133.6	-18.98
WKP124H	408	133.96	-19.06
WKP124H	411	134.24	-19.07
WKP124H	414	134.28	-19.16
WKP124H	417	134.08	-19.46
WKP124H	420	133.92	-19.74
WKP124H	423	133.84	-19.99
WKP124H	426	133.78	-20.26

WKP124H	429	133.75	-20.52
WKP124H	432	133.7	-20.83
WKP124H	435	133.71	-21.07
WKP124H	438	133.74	-21.3
WKP124H	441	133.74	-21.49
WKP124H	444	133.72	-21.69
WKP124H	447	133.67	-21.93
WKP124H	450	133.66	-22.18
WKP124H	453	133.69	-22.39
WKP124H	456	133.7	-22.48
WKP124H	459	133.65	-22.57
WKP124H	462	133.65	-22.75
WKP124H	465	133.63	-23.01
WKP124H	468	133.66	-23.22
WKP124H	471	133.66	-23.32
WKP124H	474	133.67	-23.55
WKP124H	477	133.66	-23.82
WKP124H	480	133.68	-24.02
WKP124H	483	133.71	-24.36
WKP124H	486	133.66	-24.68
WKP124H	489	133.65	-24.72
WKP124H	492	133.64	-24.78
WKP124H	495	133.65	-24.94
WKP124H	498	133.69	-25.12
WKP124H	501	133.65	-25.09
WKP124H	504	133.57	-25.2
WKP124H	507	133.53	-25.34
WKP124H	510	133.52	-25.38
WKP124H	513	133.75	-25.52
WKP124H	516	133.89	-25.66
WKP124H	519	133.85	-25.76
WKP124H	522	133.74	-25.78
WKP124H	525	133.66	-25.95
WKP124H	528	133.66	-26.12
WKP124H	531	133.6	-26.27
WKP124H	534	133.58	-26.35
WKP124H	537	133.53	-26.43
WKP124H	540	133.55	-26.53
WKP124H	543	133.45	-26.63
WKP124H	546	133.42	-26.61
WKP124H	549	133.32	-26.7
WKP124H	552	133.29	-26.79
WKP124H	555	133.27	-26.92
WKP124H	558	133.25	-27
WKP124H	561	133.24	-27.07
WKP124H	564	133.27	-27.1
WKP124H	567	133.24	-27.18
WKP124H	570	133.19	-27.26

WKP124H	573	133.15	-27.29
WKP124H	576	133.2	-27.3
WKP124H	579	133.33	-27.42
WKP124H	582	133.36	-27.59
WKP124H	585	133.3	-27.7
WKP124H	588	133.25	-27.78
WKP124H	591	133.25	-27.9
WKP124H	594	133.24	-27.97
WKP124H	597	133.19	-28.05
WKP124H	600	133.14	-28.19
WKP124H	603	133.18	-28.3
WKP124H	606	133.04	-28.31
WKP124H	609	133.06	-28.53
WKP124H	612	133.2	-28.71
WKP124H	615	133.15	-28.83
WKP124H	618	133.17	-28.82
WKP124H	621	133.1	-28.86
WKP124H	624	133.1	-28.97
WKP124H	627	133.11	-29.08
WKP124H	630	133.19	-29.18
WKP124H	633	133.15	-29.3
WKP124H	636	133.16	-29.41
WKP124H	639	133.22	-29.52
WKP124H	642	133.29	-29.54
WKP124H	645	133.33	-29.62
WKP124H	648	133.24	-29.67
WKP124H	651	133.21	-29.74
WKP124H	654	133.26	-29.78
WKP124H	657	133.24	-29.94
WKP124H	660	133.28	-30.1
WKP124H	663	133.27	-30.12
WKP124H	666	133.27	-30.2
WKP124H	669	133.25	-30.29
WKP124H	672	133.15	-30.43
WKP124H	675	133.21	-30.49
WKP124H	678	133.17	-30.44
WKP124H	681	133.2	-30.44
WKP124H	684	133.11	-30.46
WKP124H	687	133.08	-30.52
WKP124H	690	132.99	-30.64
WKP124H	693	133.02	-30.69
WKP124H	696	132.97	-30.69
WKP124H	699	132.94	-30.64
WKP124H	702	132.98	-30.73
WKP124H	705	132.92	-30.79
WKP124I	0	153	-20.5
WKP124I	3	153.01	-20.27
WKP124I	6	152.96	-20.02

WKP124I	9	152.93	-20.15
WKP124I	12	152.88	-20.46
WKP124I	15	152.83	-20.61
WKP124I	18	152.79	-20.53
WKP124I	21	152.71	-20.44
WKP124I	24	152.62	-20.42
WKP124I	27	152.53	-20.48
WKP124I	30	152.51	-20.6
WKP124I	33	152.56	-20.87
WKP124I	36	152.6	-21.29
WKP124I	39	152.66	-21.71
WKP124I	42	152.69	-22.08
WKP124I	45	152.69	-22.31
WKP124I	48	152.67	-22.46
WKP124I	51	152.61	-22.67
WKP124I	54	152.5	-23.11
WKP124I	57	152.38	-23.75
WKP124I	60	152.25	-24.21
WKP124I	63	152.17	-24.25
WKP124I	66	152.12	-23.96
WKP124I	69	152.03	-23.85
WKP124I	72	151.95	-24.23
WKP124I	75	151.91	-24.78
WKP124I	78	151.91	-25.14
WKP124I	81	151.87	-25.34
WKP124I	84	151.77	-25.37
WKP124I	87	151.66	-25.38
WKP124I	90	151.03	-24.65
WKP124I	93	150.99	-24.83
WKP124I	96	150.94	-24.8
WKP124I	99	150.87	-24.63
WKP124I	102	150.77	-24.47
WKP124I	105	150.76	-24.38
WKP124I	108	150.8	-24.4
WKP124I	111	150.84	-24.48
WKP124I	114	150.81	-24.59
WKP124I	117	150.69	-24.63
WKP124I	120	150.59	-24.3
WKP124I	123	150.48	-23.7
WKP124I	126	150.38	-23.12
WKP124I	129	150.22	-22.51
WKP124I	132	150.02	-21.87
WKP124I	135	149.85	-21.1
WKP124I	138	149.72	-20.29
WKP124I	141	149.62	-19.62
WKP124I	144	149.67	-19.62
WKP124I	147	149.71	-19.57
WKP124I	150	149.75	-19.5

WKP124I	153	149.67	-19.55
WKP124I	156	149.43	-19.51
WKP124I	159	148.98	-19.31
WKP124I	162	148.33	-19.08
WKP124I	165	147.6	-18.74
WKP124I	168	146.91	-18.25
WKP124I	171	146.33	-17.65
WKP124I	174	145.74	-17.09
WKP124I	177	145.27	-16.6
WKP124I	180	144.95	-16.18
WKP124I	183	144.78	-15.95
WKP124I	186	144.61	-15.74
WKP124I	189	144.39	-15.52
WKP124I	192	144.09	-15.44
WKP124I	195	143.77	-15.56
WKP124I	198	143.48	-15.7
WKP124I	201	143.19	-15.73
WKP124I	204	142.94	-15.55
WKP124I	207	142.68	-15.35
WKP124I	210	142.38	-15.15
WKP124I	213	142.28	-15.15
WKP124I	216	142.23	-15.24
WKP124I	219	142.27	-15.2
WKP124I	222	142.26	-15.15
WKP124I	225	142.27	-15.29
WKP124I	228	142.13	-15.48
WKP124I	231	141.83	-15.71
WKP124I	234	141.3	-16.05
WKP124I	237	140.73	-16.52
WKP124I	240	140.3	-16.78
WKP124I	243	140.05	-16.91
WKP124I	246	139.88	-17.01
WKP124I	249	139.57	-17.07
WKP124I	252	139.12	-17.28
WKP124I	255	138.66	-17.61
WKP124I	258	138.27	-17.76
WKP124I	261	137.95	-17.76
WKP124I	264	137.51	-17.52
WKP124I	267	137.06	-17.2
WKP124I	270	136.37	-17.22
WKP124I	273	135.6	-17.49
WKP124I	276	134.69	-17.19
WKP124I	279	134.04	-17.24
WKP124I	282	133.61	-17.59
WKP124I	285	133.49	-17.8
WKP124I	288	133.52	-17.84
WKP124I	291	133.38	-17.88
WKP124I	294	133.14	-18.05

WKP124I	297	133.12	-18.12
WKP124I	300	132.78	-18.17
WKP124I	303	132.21	-18.45
WKP124I	306	131.65	-18.96
WKP124I	309	131.35	-19.41
WKP124I	312	131.22	-19.39
WKP124I	315	131.21	-19.23
WKP124I	318	131.22	-19.46
WKP124I	321	131.24	-19.95
WKP124I	324	131.57	-20.42
WKP124I	327	131.69	-20.76
WKP124I	330	131.64	-20.43
WKP124I	333	131.38	-19.78
WKP124I	336	131	-19.45
WKP124I	339	130.73	-19.54
WKP124I	342	130.65	-19.57
WKP124I	345	130.66	-19.58
WKP124I	348	130.72	-19.58
WKP124I	351	130.69	-19.57
WKP124I	354	130.63	-19.58
WKP124I	357	130.56	-19.59
WKP124I	360	130.55	-19.63
WKP124I	363	130.54	-19.68
WKP124I	366	130.5	-19.68
WKP124I	369	130.48	-19.72
WKP124I	372	130.46	-19.76
WKP124I	375	130.45	-19.84
WKP124I	378	130.45	-19.99
WKP124I	381	130.47	-20.08
WKP124I	384	130.45	-20.18
WKP124I	387	130.47	-20.3
WKP124I	390	130.47	-20.5
WKP124I	393	130.46	-20.62
WKP124I	396	130.42	-20.72
WKP124I	399	130.44	-20.75
WKP124I	402	130.4	-20.88
WKP124I	405	130.38	-21.04
WKP124I	408	130.34	-21.16
WKP124I	411	130.4	-21.17
WKP124I	414	130.34	-21.33
WKP124I	417	130.39	-21.56
WKP124I	420	130.39	-21.61
WKP124I	423	130.29	-21.55
WKP124I	426	130.22	-21.44
WKP124I	429	130.19	-21.47
WKP124I	432	130.18	-21.72
WKP124I	435	130.18	-21.97
WKP124I	438	130.16	-22.08

WKP124I	441	130.16	-22.09
WKP124I	444	130.12	-22.13
WKP124I	447	130.1	-22.21
WKP124I	450	130.06	-22.33
WKP124I	453	130.07	-22.41
WKP124I	456	130.07	-22.56
WKP124I	459	130.04	-22.63
WKP124I	462	130	-22.68
WKP124I	465	130	-22.72
WKP124I	468	129.91	-22.82
WKP124I	471	129.87	-22.94
WKP124I	474	129.91	-23.1
WKP124I	477	129.93	-23.17
WKP124I	480	129.88	-23.2
WKP124I	483	129.94	-23.27
WKP124I	486	129.91	-23.29
WKP124I	489	129.83	-23.36
WKP124I	492	129.82	-23.4
WKP124I	495	129.76	-23.42
WKP124I	498	129.75	-23.66
WKP124I	501	129.67	-23.77
WKP124I	504	129.63	-23.81
WKP124I	507	129.54	-23.78
WKP124I	510	129.58	-23.9
WKP124I	513	129.69	-24.41
WKP124I	516	129.71	-24.55
WKP124I	519	129.68	-24.41
WKP124I	522	129.76	-24.47
WKP124I	525	129.82	-24.77
WKP124I	528	129.83	-24.84
WKP124I	531	129.7	-24.75
WKP124I	534	129.73	-24.84
WKP124I	537	129.7	-24.97
WKP124I	540	129.72	-25.16
WKP124I	543	129.75	-25.11
WKP124I	546	129.68	-25.16
WKP124I	549	129.65	-25.18
WKP124I	552	129.62	-25.29
WKP124I	555	129.57	-25.43
WKP124I	558	129.58	-25.46
WKP124I	561	129.6	-25.44
WKP124I	564	129.59	-25.4
WKP124J	0	153	-20.5
WKP124J	3	153.01	-20.27
WKP124J	6	152.96	-20.02
WKP124J	9	152.93	-20.15
WKP124J	12	152.88	-20.46
WKP124J	15	152.83	-20.61

WKP124J	18	152.79	-20.53
WKP124J	21	152.71	-20.44
WKP124J	24	152.62	-20.42
WKP124J	27	152.53	-20.48
WKP124J	30	152.51	-20.6
WKP124J	33	152.56	-20.87
WKP124J	36	152.6	-21.29
WKP124J	39	152.66	-21.71
WKP124J	42	152.69	-22.08
WKP124J	45	152.69	-22.31
WKP124J	48	152.67	-22.46
WKP124J	51	152.61	-22.67
WKP124J	54	152.5	-23.11
WKP124J	57	152.38	-23.75
WKP124J	60	152.25	-24.21
WKP124J	63	152.17	-24.25
WKP124J	66	152.12	-23.96
WKP124J	69	152.03	-23.85
WKP124J	72	151.95	-24.23
WKP124J	75	151.91	-24.78
WKP124J	78	151.91	-25.14
WKP124J	81	151.87	-25.34
WKP124J	84	151.77	-25.37
WKP124J	87	151.66	-25.38
WKP124J	90	151.03	-24.65
WKP124J	93	150.99	-24.83
WKP124J	96	150.94	-24.8
WKP124J	99	150.87	-24.63
WKP124J	102	150.77	-24.47
WKP124J	105	150.76	-24.38
WKP124J	108	150.8	-24.4
WKP124J	111	150.84	-24.48
WKP124J	114	150.81	-24.59
WKP124J	117	150.69	-24.63
WKP124J	120	150.59	-24.3
WKP124J	123	150.48	-23.7
WKP124J	126	150.38	-23.12
WKP124J	129	150.22	-22.51
WKP124J	132	150.02	-21.87
WKP124J	135	149.85	-21.1
WKP124J	138	149.72	-20.29
WKP124J	141	149.62	-19.62
WKP124J	144	149.67	-19.62
WKP124J	147	149.71	-19.57
WKP124J	150	149.75	-19.5
WKP124J	153	149.67	-19.55
WKP124J	156	149.43	-19.51
WKP124J	159	148.98	-19.31

WKP124J	162	148.33	-19.08
WKP124J	165	147.6	-18.74
WKP124J	168	146.91	-18.25
WKP124J	171	146.33	-17.65
WKP124J	174	145.74	-17.09
WKP124J	177	145.27	-16.6
WKP124J	180	144.95	-16.18
WKP124J	183	144.78	-15.95
WKP124J	186	144.61	-15.74
WKP124J	189	144.39	-15.52
WKP124J	192	144.09	-15.44
WKP124J	195	143.77	-15.56
WKP124J	198	143.48	-15.7
WKP124J	201	143.19	-15.73
WKP124J	204	142.94	-15.55
WKP124J	207	142.68	-15.35
WKP124J	210	142.38	-15.15
WKP124J	213	142.28	-15.15
WKP124J	216	142.23	-15.24
WKP124J	219	142.27	-15.2
WKP124J	222	142.26	-15.15
WKP124J	225	142.27	-15.29
WKP124J	228	142.13	-15.48
WKP124J	231	141.83	-15.71
WKP124J	234	141.3	-16.05
WKP124J	237	140.73	-16.52
WKP124J	240	140.3	-16.78
WKP124J	243	140.05	-16.91
WKP124J	246	139.88	-17.01
WKP124J	249	139.57	-17.07
WKP124J	252	139.12	-17.28
WKP124J	255	138.66	-17.61
WKP124J	258	138.27	-17.76
WKP124J	261	137.95	-17.76
WKP124J	264	137.51	-17.52
WKP124J	267	137.06	-17.2
WKP124J	270	136.37	-17.22
WKP124J	273	135.6	-17.49
WKP124J	276	135.21	-17.59
WKP124J	279	134.95	-17.36
WKP124J	282	135.02	-17.41
WKP124J	285	135.03	-17.64
WKP124J	288	135.1	-17.78
WKP124J	291	135.29	-18.04
WKP124J	294	135.77	-18.52
WKP124J	297	136.37	-18.9
WKP124J	300	136.96	-18.91
WKP124J	303	137.75	-18.98

WKP124J	306	138.6	-19.28
WKP124J	309	139.24	-19.69
WKP124J	312	139.56	-20.26
WKP124J	315	139.61	-20.87
WKP124J	318	139.6	-21.49
WKP124J	321	139.62	-22.16
WKP124J	324	139.69	-22.9
WKP124J	327	139.93	-23.51
WKP124J	330	140.18	-24.07
WKP124J	333	140.75	-24.37
WKP124J	336	141.13	-24.73
WKP124J	339	141.51	-25.02
WKP124J	342	141.76	-25.13
WKP124J	345	141.89	-25.28
WKP124J	348	141.87	-25.25
WKP124J	351	141.91	-25.23
WKP124J	354	141.86	-25.3
WKP124J	357	141.81	-25.34
WKP124J	360	141.84	-25.33
WKP124J	363	141.89	-25.4
WKP124J	366	141.83	-25.43
WKP124J	369	141.8	-25.49
WKP124J	372	141.93	-25.58
WKP124J	375	141.78	-25.85
WKP124J	378	141.72	-25.98
WKP124J	381	141.73	-25.99
WKP124J	384	141.79	-26.22
WKP124J	387	141.63	-26.45
WKP124J	390	141.66	-26.64
WKP124J	393	141.58	-26.99
WKP124J	396	141.63	-27.09
WKP124J	399	141.7	-27.24
WKP124J	402	141.72	-27.58
WKP124J	405	141.65	-27.92
WKP124J	408	141.58	-28.12
WKP124J	411	141.62	-28.29
WKP124J	414	141.63	-28.53
WKP124J	417	141.48	-28.88
WKP124J	420	141.52	-28.94
WKP124J	423	141.47	-29.1
WKP124J	426	141.43	-29.37
WKP124J	429	141.33	-29.62
WKP124J	432	141.3	-29.76
WKP124J	435	141.28	-29.94
WKP124J	438	141.21	-30.15
WKP124J	441	141.2	-30.34
WKP124J	444	141.08	-30.55
WKP124J	447	141.06	-30.63

WKP124J	450	141.16	-30.66
WKP124J	453	141.14	-30.66
WKP124J	456	141.04	-30.7
WKP124J	459	141.1	-30.81
WKP124J	462	141.12	-31.03
WKP124J	465	141.14	-31.27
WKP124J	468	141.1	-31.31
WKP124J	471	141.09	-31.47
WKP124J	474	141.01	-31.62
WKP124J	477	140.79	-31.8
WKP124J	480	140.81	-31.83
WKP124J	483	140.88	-31.79
WKP124J	486	140.85	-31.82
WKP124J	489	140.75	-31.93
WKP124J	492	140.68	-32
WKP124J	495	140.67	-32
WKP124J	498	140.69	-32.14
WKP124J	501	140.75	-32.2
WKP124J	504	140.78	-32.26
WKP124J	507	140.65	-32.39
WKP124J	510	140.7	-32.4
WKP124J	513	140.8	-32.39
WKP124J	516	140.75	-32.44
WKP124J	519	140.68	-32.3
WKP124J	522	140.65	-32.19
WKP124J	525	140.79	-32.16
WKP124J	528	140.71	-32.1
WKP124J	531	140.64	-31.93
WKP124J	534	140.69	-31.76
WKP124J	537	140.65	-31.72
WKP124J	540	140.52	-31.6
WKP124J	543	140.52	-31.32
WKP124J	546	140.52	-31.18
WKP124J	549	140.46	-31.05
WKP124J	552	140.42	-30.89
WKP124J	555	140.41	-30.61
WKP124J	558	140.38	-30.42
WKP124J	561	140.49	-30.36
WKP124J	564	140.65	-30.63
WKP124J	567	140.77	-30.76
WKP124J	570	140.76	-30.66
WKP124J	573	140.99	-30.74
WKP124J	576	140.94	-30.87
WKP124J	579	140.99	-30.98
WKP124J	582	141.03	-30.97
WKP124J	585	140.95	-30.93
WKP124J	588	140.98	-30.9
WKP124J	591	141.15	-30.84

WKP124J	594	141.04	-30.79
WKP124J	597	141.2	-30.85
WKP124J	600	141.12	-30.7
WKP124K	0	153	-21.05
WKP124K	3	152.86	-20.47
WKP124K	6	152.75	-20.19
WKP124K	9	152.7	-20.25
WKP124K	12	152.66	-20.55
WKP124K	15	152.66	-20.67
WKP124K	18	152.63	-20.57
WKP124K	21	152.55	-20.49
WKP124K	24	152.43	-20.42
WKP124K	27	152.32	-20.45
WKP124K	30	152.3	-20.54
WKP124K	33	152.35	-20.79
WKP124K	36	152.41	-21.16
WKP124K	39	152.44	-21.6
WKP124K	42	152.46	-22.01
WKP124K	45	152.46	-22.29
WKP124K	48	152.5	-22.38
WKP124K	51	152.44	-22.54
WKP124K	54	152.34	-22.99
WKP124K	57	152.17	-23.7
WKP124K	60	152.03	-24.29
WKP124K	63	151.93	-24.33
WKP124K	66	151.86	-24.09
WKP124K	69	151.78	-23.99
WKP124K	72	151.74	-24.2
WKP124K	75	151.72	-24.65
WKP124K	78	151.7	-24.99
WKP124K	81	151.65	-25.01
WKP124K	84	151.49	-24.86
WKP124K	87	151.31	-24.78
WKP124K	90	151.03	-24.65
WKP124K	93	150.99	-24.83
WKP124K	96	150.94	-24.8
WKP124K	99	150.87	-24.63
WKP124K	102	150.77	-24.47
WKP124K	105	150.76	-24.38
WKP124K	108	150.8	-24.4
WKP124K	111	150.84	-24.48
WKP124K	114	150.81	-24.59
WKP124K	117	150.69	-24.63
WKP124K	120	150.59	-24.3
WKP124K	123	150.48	-23.7
WKP124K	126	150.38	-23.12
WKP124K	129	150.22	-22.51
WKP124K	132	150.36	-21.88

WKP124K	135	150.29	-21.98
WKP124K	138	150.24	-22.17
WKP124K	141	150.18	-22.52
WKP124K	144	150.09	-22.83
WKP124K	147	149.95	-23.28
WKP124K	150	149.83	-23.88
WKP124K	153	149.75	-24.43
WKP124K	156	149.69	-24.88
WKP124K	159	149.66	-25.05
WKP124K	162	149.68	-25.11
WKP124K	165	149.82	-25.49
WKP124K	168	150.04	-26.34
WKP124K	171	150.24	-26.88
WKP124K	174	150.46	-27.27
WKP124K	177	150.65	-27.79
WKP124K	180	150.86	-28.28
WKP124K	183	151.14	-28.71
WKP124K	186	151.53	-29.19
WKP124K	189	151.97	-29.68
WKP124K	192	152.48	-30.13
WKP124K	195	153.06	-30.43
WKP124K	198	153.62	-30.61
WKP124K	201	154.08	-30.82
WKP124K	204	154.38	-31.17
WKP124K	207	154.53	-31.58
WKP124K	210	154.55	-31.82
WKP124K	213	154.51	-31.92
WKP124K	216	154.47	-31.99
WKP124K	219	154.41	-32.07
WKP124K	222	154.38	-32.13
WKP124K	225	154.35	-32.29
WKP124K	228	154.3	-32.47
WKP124K	231	154.25	-32.51
WKP124K	234	154.18	-32.57
WKP124K	237	154.12	-32.65
WKP124K	240	154.07	-32.82
WKP124K	243	154.04	-33.04
WKP124K	246	154.01	-33.26
WKP124K	249	153.99	-33.47
WKP124K	252	153.99	-33.67
WKP124K	255	153.94	-33.81
WKP124K	258	153.9	-33.98
WKP124K	261	153.84	-34.12
WKP124K	264	153.84	-34.29
WKP124K	267	153.83	-34.46
WKP124K	270	153.8	-34.57
WKP124K	273	153.76	-34.73
WKP124K	276	153.75	-34.86

WKP124K	279	153.71	-35.01
WKP124K	282	153.71	-35.09
WKP124K	285	153.7	-35.16
WKP124K	288	153.64	-35.22
WKP124K	291	153.62	-35.35
WKP124K	294	153.58	-35.4
WKP124K	297	153.84	-35.25
WKP124K	300	154.35	-34.87
WKP124K	303	155.1	-34.43
WKP124K	306	155.88	-34
WKP124K	309	156.39	-33.82
WKP124K	312	156.67	-33.72
WKP124K	315	157.03	-31.97
WKP124K	318	156.66	-31.38
WKP124K	321	156.04	-30.83
WKP124K	324	155.61	-30.55
WKP124K	327	155.53	-30.51
WKP124K	330	155.52	-30.52
WKP124K	333	155.48	-30.51
WKP124K	336	155.51	-30.5
WKP124K	339	155.46	-30.53
WKP124K	342	155.44	-30.49
WKP124K	345	155.42	-30.52
WKP124K	348	155.42	-30.51
WKP124K	351	155.39	-30.49
WKP124K	354	155.38	-30.48
WKP124K	357	155.35	-30.46
WKP124K	360	155.33	-30.44
WKP124K	363	155.3	-30.42
WKP124K	366	155.28	-30.4
WKP124K	369	155.22	-30.37
WKP124K	372	155.16	-30.36
WKP124K	375	155.07	-30.37
WKP124K	378	155.03	-30.34
WKP124K	381	155.02	-30.29
WKP124K	384	155.02	-30.29
WKP124K	387	154.95	-30.26
WKP124K	390	154.9	-30.25
WKP124K	393	154.83	-30.2
WKP124K	396	154.87	-30.19
WKP124K	399	154.91	-30.16
WKP124K	402	154.94	-30.11
WKP124K	405	154.94	-30.09
WKP124K	408	154.97	-30.11
WKP124K	411	154.96	-30.12
WKP124K	414	154.91	-30.09
WKP124K	417	154.89	-30.07
WKP124K	420	154.82	-30.06

WKP124K	423	154.82	-30.16
WKP124K	426	154.79	-30.19
WKP124K	429	154.82	-30.22
WKP124K	432	154.84	-30.19
WKP124K	435	154.89	-30.11
WKP124K	438	154.95	-30.06
WKP124K	441	155.03	-30.07
WKP124K	444	155.05	-30.08
WKP124K	447	155.08	-30.14
WKP124K	450	155.09	-30.19
WKP124K	453	155.05	-30.16
WKP124K	456	155.07	-30.13
WKP124K	459	155.06	-30.15
WKP124K	462	155.14	-30.21
WKP124K	465	155.1	-30.22
WKP124K	468	155.11	-30.26
WKP124K	471	155.12	-30.27
WKP124K	474	155.16	-30.36
WKP124K	477	155.15	-30.38
WKP124K	480	155.2	-30.36
WKP124K	483	155.18	-30.3
WKP124K	486	155.13	-30.33
WKP124K	489	155.05	-30.33
WKP124K	492	155.01	-30.3
WKP124K	495	155	-30.25
WKP124K	498	154.97	-30.27
WKP124K	501	154.99	-30.28
WKP124K	504	155	-30.35
WKP124K	507	155.04	-30.36
WKP124K	510	155.03	-30.32
WKP124K	513	154.93	-30.16
WKP124K	516	154.93	-30.09
WKP124K	519	154.94	-30.12
WKP124K	522	154.92	-30.28
WKP124K	525	154.88	-30.36
WKP124K	528	154.91	-30.34
WKP124K	531	154.89	-30.44
WKP124K	534	154.96	-30.5
WKP124K	537	155.03	-30.57
WKP124K	540	155.11	-30.67
WKP124K	543	155.21	-30.68
WKP124K	546	155.17	-30.61
WKP124K	549	155.14	-30.62
WKP124K	552	155.18	-30.63
WKP124K	555	155.19	-30.61
WKP124K	558	155.24	-30.5
WKP124K	561	155.23	-30.45
WKP124K	564	155.21	-30.45

WKP124K	567	155.19	-30.43
WKP124K	570	155.19	-30.43
WKP124K	573	155.21	-30.43
WKP124K	576	155.08	-30.38
WKP124K	579	155.21	-30.29
WKP124K	582	155.23	-30.36
WKP124K	585	155.21	-30.48
WKP124K	588	155.22	-30.41
WKP124K	591	155.24	-30.31
WKP124K	594	155.24	-30.24
WKP124K	597	155.27	-30.23
WKP124K	600	155.22	-30.2
WKP124K	603	155.2	-30.37
WKP124K	606	155.04	-30.36
WKP124K	609	155.07	-30.37
WKP124K	612	155.03	-30.36
WKP124K	615	155.09	-30.36
WKP124K	618	155.11	-30.35
WKP124K	621	155.11	-30.32
WKP124K	624	155.1	-30.31
WKP124K	627	155.07	-30.17
WKP124K	630	155.05	-30.1
WKP124K	633	155.03	-30
WKP124K	636	154.97	-29.96
WKP124K	639	154.92	-29.89
WKP124K	642	154.81	-29.89
WKP124K	645	154.88	-29.68
WKP124K	648	154.84	-29.65
WKP124K	651	154.86	-29.77
WKP124K	654	155.02	-29.7
WKP124K	657	154.81	-29.55
WKP124K	660	154.81	-29.76
WKP124L	0	153	-21.05
WKP124L	3	152.86	-20.47
WKP124L	6	152.75	-20.19
WKP124L	9	152.7	-20.25
WKP124L	12	152.66	-20.55
WKP124L	15	152.66	-20.67
WKP124L	18	152.63	-20.57
WKP124L	21	152.55	-20.49
WKP124L	24	152.43	-20.42
WKP124L	27	152.32	-20.45
WKP124L	30	152.3	-20.54
WKP124L	33	152.35	-20.79
WKP124L	36	152.41	-21.16
WKP124L	39	152.44	-21.6
WKP124L	42	152.46	-22.01
WKP124L	45	152.46	-22.29

WKP124L	48	152.5	-22.38
WKP124L	51	152.44	-22.54
WKP124L	54	152.34	-22.99
WKP124L	57	152.17	-23.7
WKP124L	60	152.03	-24.29
WKP124L	63	151.93	-24.33
WKP124L	66	151.86	-24.09
WKP124L	69	151.78	-23.99
WKP124L	72	151.74	-24.2
WKP124L	75	151.72	-24.65
WKP124L	78	151.7	-24.99
WKP124L	81	151.65	-25.01
WKP124L	84	151.49	-24.86
WKP124L	87	151.31	-24.78
WKP124L	90	151.03	-24.65
WKP124L	93	150.99	-24.83
WKP124L	96	150.94	-24.8
WKP124L	99	150.87	-24.63
WKP124L	102	150.77	-24.47
WKP124L	105	150.76	-24.38
WKP124L	108	150.8	-24.4
WKP124L	111	150.84	-24.48
WKP124L	114	150.81	-24.59
WKP124L	117	150.69	-24.63
WKP124L	120	150.59	-24.3
WKP124L	123	150.48	-23.7
WKP124L	126	150.38	-23.12
WKP124L	129	150.22	-22.51
WKP124L	132	150.36	-21.88
WKP124L	135	150.29	-21.98
WKP124L	138	150.24	-22.17
WKP124L	141	150.18	-22.52
WKP124L	144	150.09	-22.83
WKP124L	147	149.95	-23.28
WKP124L	150	149.83	-23.88
WKP124L	153	149.75	-24.43
WKP124L	156	149.69	-24.88
WKP124L	159	149.66	-25.05
WKP124L	162	149.68	-25.11
WKP124L	165	149.82	-25.49
WKP124L	168	150.04	-26.34
WKP124L	171	150.24	-26.88
WKP124L	174	150.46	-27.27
WKP124L	177	150.65	-27.79
WKP124L	180	150.86	-28.28
WKP124L	183	151.14	-28.71
WKP124L	186	151.53	-29.19
WKP124L	189	151.97	-29.68

WKP124L	192	152.48	-30.13
WKP124L	195	153.06	-30.43
WKP124L	198	153.62	-30.61
WKP124L	201	154.08	-30.82
WKP124L	204	154.38	-31.17
WKP124L	207	154.53	-31.58
WKP124L	210	154.55	-31.82
WKP124L	213	154.51	-31.92
WKP124L	216	154.47	-31.99
WKP124L	219	154.41	-32.07
WKP124L	222	154.38	-32.13
WKP124L	225	154.35	-32.29
WKP124L	228	154.3	-32.47
WKP124L	231	154.25	-32.51
WKP124L	234	154.18	-32.57
WKP124L	237	154.12	-32.65
WKP124L	240	154.07	-32.82
WKP124L	243	154.04	-33.04
WKP124L	246	154.01	-33.26
WKP124L	249	153.99	-33.47
WKP124L	252	153.99	-33.67
WKP124L	255	153.94	-33.81
WKP124L	258	153.9	-33.98
WKP124L	261	153.84	-34.12
WKP124L	264	153.84	-34.29
WKP124L	267	153.83	-34.46
WKP124L	270	153.8	-34.57
WKP124L	273	153.76	-34.73
WKP124L	276	153.75	-34.86
WKP124L	279	153.71	-35.01
WKP124L	282	153.71	-35.09
WKP124L	285	153.7	-35.16
WKP124L	288	153.64	-35.22
WKP124L	291	153.62	-35.35
WKP124L	294	153.58	-35.4
WKP124L	297	153.84	-35.25
WKP124L	300	154.35	-34.87
WKP124L	303	155.1	-34.43
WKP124L	306	155.88	-34
WKP124L	309	156.39	-33.82
WKP124L	312	156.67	-33.72
WKP124L	315	156.49	-34.28
WKP124L	318	156.53	-34.2
WKP124L	321	156.93	-34.04
WKP124L	324	158.08	-33.65
WKP124L	327	158.86	-33.33
WKP124L	330	159.03	-33.14
WKP124L	333	159.28	-32.83

WKP124L	336	159.94	-31.73
WKP124L	339	160.62	-31.09
WKP124L	342	161.23	-30.41
WKP124L	345	161.81	-29.83
WKP124L	348	162.25	-29.37
WKP124L	351	162.25	-28.92
WKP124L	354	162.04	-28.67
WKP124L	357	161.95	-28.53
WKP124L	360	162.12	-28.43
WKP124L	363	162.61	-28.23
WKP124L	366	163.05	-28.04
WKP124L	369	163.28	-28.04
WKP124L	372	163.29	-28.11
WKP124L	375	163.25	-28.17
WKP124L	378	163.2	-28.16
WKP124L	381	163.14	-28.24
WKP124L	384	163.14	-28.33
WKP124L	387	163.11	-28.44
WKP124L	390	163.1	-28.52
WKP124L	393	163.07	-28.61
WKP124L	396	163	-28.7
WKP124L	399	162.92	-28.73
WKP124L	402	162.87	-28.8
WKP124L	405	162.85	-28.79
WKP124L	408	162.79	-28.76
WKP124L	411	162.79	-28.74
WKP124L	414	162.74	-28.75
WKP124L	417	162.7	-28.77
WKP124L	420	162.64	-28.77
WKP124L	423	162.64	-28.77
WKP124L	426	162.61	-28.81
WKP124L	429	162.57	-28.82
WKP124L	432	162.54	-28.83
WKP124L	435	162.52	-28.86
WKP124L	438	162.51	-28.93
WKP124L	441	162.41	-28.99
WKP124L	444	162.37	-28.97
WKP124L	447	162.39	-28.94
WKP124L	450	162.37	-28.9
WKP124L	453	162.34	-28.84
WKP124L	456	162.36	-28.82
WKP124L	459	162.38	-28.84
WKP124L	462	162.37	-28.85
WKP124L	465	162.39	-28.85
WKP124L	468	162.39	-28.86
WKP124L	471	162.36	-28.86
WKP124L	474	162.34	-28.85
WKP124L	477	162.31	-28.82

WKP124L	480	162.35	-28.82
WKP124L	483	162.37	-28.79
WKP124L	486	162.37	-28.7
WKP124L	489	162.32	-28.58
WKP124L	492	162.17	-28.51
WKP124L	495	162.07	-28.5
WKP124L	498	162.02	-28.4
WKP124L	501	161.84	-28.47
WKP124L	504	161.83	-28.49
WKP124L	507	161.81	-28.56
WKP124L	510	161.8	-28.65
WKP124L	513	161.73	-28.79
WKP124L	516	161.68	-28.82
WKP124L	519	161.62	-28.76
WKP124L	522	161.56	-28.73
WKP124L	525	161.58	-28.76
WKP124L	528	161.62	-28.85
WKP124L	531	161.61	-28.89
WKP124L	534	161.65	-28.9
WKP124L	537	161.67	-28.96
WKP124L	540	161.55	-29.01
WKP124L	543	161.41	-28.99
WKP124L	546	161.37	-28.94
WKP124L	549	161.32	-28.87
WKP124L	552	161.32	-28.78
WKP124L	555	161.26	-28.74
WKP124L	558	161.2	-28.84
WKP124L	561	161.16	-28.85
WKP124L	564	161.13	-28.93
WKP124L	567	160.96	-28.89
WKP124L	570	160.88	-28.75
WKP124L	573	160.82	-28.6
WKP124L	576	160.81	-28.48
WKP124L	579	160.71	-28.44
WKP124L	582	160.66	-28.53
WKP124L	585	160.75	-28.36
WKP124L	588	160.62	-28.13
WKP124L	591	160.56	-27.95
WKP124L	594	160.43	-27.89
WKP124L	597	160.39	-27.9
WKP124L	600	160.41	-27.75
WKP124L	603	160.42	-27.65
WKP124L	606	160.45	-27.54
WKP124L	609	160.44	-27.4
WKP124L	612	160.51	-27.44
WKP124L	615	160.68	-27.47
WKP124L	618	160.67	-27.33
WKP124L	621	160.64	-27.21

WKP124L	624	160.47	-27.05
WKP124L	627	160.4	-26.84
WKP124L	630	160.36	-26.81
WKP124L	633	160.41	-26.85
WKP124L	636	160.62	-27.04
WKP124L	639	160.68	-27.19
WKP124L	642	160.77	-27.17
WKP124L	645	160.67	-27.08
WKP124L	648	160.67	-27
WKP124L	651	160.58	-26.79
WKP124L	654	160.51	-26.69
WKP124L	657	160.49	-26.61
WKP124L	660	160.4	-26.36
WKP124L	663	160.35	-26.21
WKP137A	0	93	-41.86
WKP137A	3	92.97	-41.08
WKP137A	6	92.95	-40.44
WKP137A	9	92.85	-39.7
WKP137A	12	92.73	-39.03
WKP137A	15	92.58	-38.69
WKP137A	18	92.43	-38.91
WKP137A	21	92.26	-39.55
WKP137A	24	92.16	-39.92
WKP137A	27	92.17	-40.09
WKP137A	30	92.23	-40.34
WKP137A	33	92.3	-40.68
WKP137A	36	92.31	-40.99
WKP137A	39	92.39	-41.28
WKP137A	42	92.46	-41.56
WKP137A	45	92.43	-41.62
WKP137A	48	92.5	-41.47
WKP137A	51	92.54	-41.28
WKP137A	54	92.52	-41.15
WKP137A	57	92.57	-41.14
WKP137A	60	92.57	-41.22
WKP137A	63	92.58	-41.39
WKP137A	66	92.58	-41.59
WKP137A	69	92.59	-41.79
WKP137A	72	92.61	-42.15
WKP137A	75	92.67	-42.54
WKP137A	78	92.68	-42.55
WKP137A	81	92.69	-42.34
WKP137A	84	92.62	-42.16
WKP137A	87	92.51	-42.12
WKP137A	90	92.47	-42.25
WKP137A	93	92.42	-42.33
WKP137A	96	92.45	-42.43
WKP137A	99	92.46	-42.42

WKP137A	102	92.41	-42.37
WKP137A	105	92.44	-42.32
WKP137A	108	92.4	-42.3
WKP137A	111	92.4	-42.26
WKP137A	114	92.39	-42.28
WKP137A	117	92.35	-42.31
WKP137A	120	92.28	-42.31
WKP137A	123	92.29	-42.22
WKP137A	126	92.28	-42.11
WKP137A	129	92.24	-42.06
WKP137A	132	92.28	-42.04
WKP137A	135	92.28	-42.05
WKP137A	138	92.28	-41.99
WKP137A	141	92.22	-41.99
WKP137A	144	92.14	-42.04
WKP137A	147	92.15	-42.01
WKP137A	150	92.08	-42.03
WKP137A	153	92	-41.96
WKP137A	156	92.01	-41.93
WKP137A	159	92.02	-41.9
WKP137A	162	92.05	-41.86
WKP137A	165	92.1	-41.8
WKP137A	168	92.1	-41.74
WKP137A	171	92.03	-41.69
WKP137A	174	92.03	-41.64
WKP137A	177	91.99	-41.6
WKP137A	180	92.14	-41.5
WKP137A	183	92.51	-41.49
WKP137A	186	93.78	-41.65
WKP137A	189	93.91	-41.74
WKP137A	192	93.98	-41.71
WKP137A	195	94.21	-41.79
WKP137A	198	94.73	-42.41
WKP137A	201	95.35	-43.08
WKP137A	204	96.14	-43.42
WKP137A	207	96.88	-43.66
WKP137A	210	97.63	-43.98
WKP137A	213	98.49	-44.67
WKP137A	216	99.18	-45.2
WKP137A	219	99.81	-45.74
WKP137A	222	100.52	-46.38
WKP137A	225	101.11	-46.78
WKP137A	228	101.58	-47
WKP137A	231	101.96	-47.2
WKP137A	234	102.49	-47.52
WKP137A	237	103.09	-47.67
WKP137A	240	103.74	-47.86
WKP137A	243	104.47	-48.1

WKP137A	246	105.18	-48.32
WKP137A	249	105.9	-48.4
WKP137A	252	106.38	-48.29
WKP137A	255	106.63	-48.13
WKP137A	258	106.67	-48.01
WKP137A	261	106.58	-48.11
WKP137A	264	106.47	-48.39
WKP137A	267	106.41	-48.52
WKP137A	270	106.36	-48.46
WKP137A	273	106.32	-48.44
WKP137A	276	106.27	-48.52
WKP137A	279	106.16	-48.59
WKP137A	282	106.09	-48.67
WKP137A	285	105.99	-48.75
WKP137A	288	105.87	-48.79
WKP137A	291	105.76	-48.89
WKP137A	294	105.67	-48.97
WKP137A	297	105.52	-49.12
WKP137A	300	105.43	-49.28
WKP137A	303	105.28	-49.39
WKP137A	306	105.15	-49.49
WKP137A	309	105.05	-49.56
WKP137A	312	104.96	-49.59
WKP137A	315	104.9	-49.65
WKP137A	318	104.79	-49.67
WKP137A	321	104.7	-49.84
WKP137A	324	104.59	-49.9
WKP137A	327	104.57	-49.91
WKP137A	330	104.43	-49.99
WKP137A	333	104.32	-50.04
WKP137A	336	104.21	-50.07
WKP137A	339	104.16	-50.14
WKP137A	342	104	-50.28
WKP137A	345	103.87	-50.35
WKP137A	348	103.75	-50.35
WKP137A	351	103.67	-50.46
WKP137A	354	103.6	-50.58
WKP137A	357	103.59	-50.69
WKP137A	360	103.62	-50.74
WKP137A	363	103.53	-50.8
WKP137A	366	103.36	-50.91
WKP137A	369	103.3	-51.01
WKP137A	372	103.28	-51.08
WKP137A	375	103.3	-51.14
WKP137A	378	103.3	-51.15
WKP137A	381	103.28	-51.07
WKP137A	384	103.3	-51.01
WKP137A	387	103.29	-50.94

WKP137A	390	103.27	-50.9
WKP137A	393	103.29	-50.86
WKP137A	396	103.31	-50.77
WKP137A	399	103.31	-50.71
WKP137A	402	103.33	-50.67
WKP137A	405	103.31	-50.62
WKP137A	408	103.34	-50.63
WKP137A	411	103.29	-50.61
WKP137A	414	103.23	-50.59
WKP137A	417	103.21	-50.67
WKP137A	420	103.19	-50.72
WKP137A	423	103.23	-50.76
WKP137A	426	103.17	-50.74
WKP137A	429	103.19	-50.69
WKP137A	432	103.11	-50.61
WKP137A	435	103.03	-50.65
WKP137A	438	103.02	-50.63
WKP137A	441	103.11	-50.56
WKP137A	444	103.16	-50.5
WKP137A	447	103.17	-50.47
WKP137A	450	103.04	-50.43
WKP137A	453	102.91	-50.41
WKP137A	456	102.8	-50.33
WKP137A	459	102.68	-50.37
WKP137A	462	102.64	-50.47
WKP137A	465	102.68	-50.49
WKP137A	468	102.8	-50.45
WKP137A	471	102.63	-50.26
WKP137A	474	102.37	-50.19
WKP137A	477	102.04	-50.15
WKP137A	480	101.89	-50.03
WKP137A	483	102.14	-50.3
WKP137A	486	102.23	-50.14
WKP137A	489	102.16	-50.06
WKP137A	492	102.11	-50.1
WKP137A	495	102.16	-50.2
WKP137A	498	102.23	-50.06
WKP137A	501	102.25	-50.01
WKP137A	504	102.26	-50.04
WKP137A	507	102.32	-50.16
WKP137A	510	102.41	-50.2
WKP137A	513	102.53	-50.38
WKP137A	516	102.46	-50.34
WKP137A	519	102.59	-50.42
WKP137A	522	102.68	-50.46
WKP137A	525	102.71	-50.51
WKP137A	528	102.67	-50.68
WKP137A	531	102.66	-50.76

WKP137A	534	102.67	-50.78
WKP137A	537	102.77	-50.83
WKP137A	540	102.76	-50.95
WKP137A	543	102.77	-51.03
WKP137A	546	102.81	-51.05
WKP137A	549	102.98	-51.16
WKP137A	552	103.06	-51.22
WKP137A	555	103.05	-51.28
WKP137A	558	103.13	-51.32
WKP137A	561	103.13	-51.24
WKP137A	564	103.21	-51.17
WKP137A	567	103.23	-51.2
WKP137A	570	103.17	-50.99
WKP137A	573	103.13	-51.03
WKP137A	576	103.31	-50.91
WKP137A	579	103.3	-50.92
WKP137A	582	103.12	-50.92
WKP137A	585	103.16	-50.92
WKP137A	588	103.03	-51.04
WKP137A	591	102.98	-51.07
WKP137A	594	103.05	-51.2
WKP137A	597	102.98	-51.27
WKP137A	600	102.96	-51.42
WKP137A	603	103	-51.44
WKP137A	606	102.84	-51.56
WKP137A	609	102.93	-51.7
WKP137A	612	103.16	-51.77
WKP137A	615	103.11	-52.03
WKP137A	618	103.08	-52.03
WKP137A	621	103.11	-51.98
WKP137A	624	103.11	-51.99
WKP140	0	162.14	-26.41
WKP140	3	161.87	-26.2
WKP140	6	161.72	-26.08
WKP140	9	161.71	-26.17
WKP140	12	161.72	-26.49
WKP140	15	161.79	-26.66
WKP140	18	161.76	-26.63
WKP140	21	161.66	-26.52
WKP140	24	161.55	-26.55
WKP140	27	161.32	-26.71
WKP140	30	161.06	-26.76
WKP140	33	160.97	-26.76
WKP140	36	160.93	-26.86
WKP140	39	160.95	-26.99
WKP140	42	161.01	-26.94
WKP140	45	161.05	-26.81
WKP140	48	161.09	-26.78

WKP140	51	161.21	-26.92
WKP140	54	161.26	-26.96
WKP140	57	161.29	-26.91
WKP140	60	161.28	-27.01
WKP140	63	161.26	-27.17
WKP140	66	161.21	-27.24
WKP140	69	161.16	-27.47
WKP140	72	161.1	-27.49
WKP140	75	161.06	-27.44
WKP140	78	161.06	-27.52
WKP140	81	161.01	-27.73
WKP140	84	160.94	-27.9
WKP140	87	160.94	-27.93
WKP140	90	160.92	-28.08
WKP140	93	160.88	-28.06
WKP140	96	160.86	-28.13
WKP140	99	160.84	-28.27
WKP140	102	160.82	-28.46
WKP140	105	160.79	-28.49
WKP140	108	160.76	-28.48
WKP140	111	160.76	-28.73
WKP140	114	160.74	-28.94
WKP140	117	160.77	-28.85
WKP140	120	160.66	-28.54
WKP140	123	160.52	-28.36
WKP140	126	160.35	-28.44
WKP140	129	160.24	-28.66
WKP140	132	160.17	-28.82
WKP140	135	160.15	-28.92
WKP140	138	160.11	-29.02
WKP140	141	160.05	-29.17
WKP140	144	160.03	-29.4
WKP140	147	159.99	-29.56
WKP140	150	159.93	-29.59
WKP140	153	159.87	-29.54
WKP140	156	159.78	-29.55
WKP140	159	159.64	-29.67
WKP140	162	159.55	-29.91
WKP140	165	159.49	-30.14
WKP140	168	159.42	-30.41
WKP140	171	159.34	-30.73
WKP140	174	159.31	-31.18
WKP140	177	159.23	-31.51
WKP140	180	159.24	-31.88
WKP140	183	159.31	-32.07
WKP140	186	159.24	-31.91
WKP140	189	159.16	-31.6
WKP140	192	158.88	-31.38

WKP140	195	158.54	-31.44
WKP140	198	158.27	-31.64
WKP140	201	158.12	-31.76
WKP140	204	158.04	-31.78
WKP140	207	157.92	-31.83
WKP140	210	157.74	-31.79
WKP140	213	157.55	-31.92
WKP140	216	157.49	-32.46
WKP140	219	157.56	-33.11
WKP140	222	157.64	-33.18
WKP140	225	157.71	-33.05
WKP140	228	157.65	-32.92
WKP140	231	157.51	-32.99
WKP140	234	157.34	-33.56
WKP140	237	157.29	-34.15
WKP140	240	157.28	-34.37
WKP140	243	157.32	-34.45
WKP140	246	157.28	-34.39
WKP140	249	157.19	-34.41
WKP140	252	156.94	-34.45
WKP140	255	156.64	-34.45
WKP140	258	156.28	-34.42
WKP140	261	156.11	-34.15
WKP140	264	156.28	-34.11
WKP140	267	156.24	-34.24
WKP140	270	156.3	-34.45
WKP140	273	156.35	-34.57
WKP140	276	156.46	-34.76
WKP140	279	156.45	-34.93
WKP140	282	156.35	-35.2
WKP140	285	156.3	-35.21
WKP140	288	156.29	-35.27
WKP140	291	156.28	-35.36
WKP140	294	156.24	-35.53
WKP140	297	156.24	-35.48
WKP140	300	156.28	-35.34
WKP140	303	156.24	-35.3
WKP140	306	156.16	-35.52
WKP140	309	156.08	-35.7
WKP140	312	155.97	-35.8
WKP140	315	155.84	-35.84
WKP140	318	155.88	-35.96
WKP140	321	155.8	-36.06
WKP140	324	155.67	-36.05
WKP140	327	155.66	-36.02
WKP140	330	155.63	-36.16
WKP140	333	155.63	-36.46
WKP140	336	155.61	-36.55

WKP140	339	155.64	-36.61
WKP140	342	155.65	-36.69
WKP140	345	155.64	-36.99
WKP140	348	155.54	-37.07
WKP140	351	155.47	-37.08
WKP140	354	155.4	-37.14
WKP140	357	155.33	-37.25
WKP140	360	155.35	-37.38
WKP140	363	155.32	-37.54
WKP140	366	155.32	-37.5
WKP140	369	155.36	-37.6
WKP140	372	155.32	-37.73
WKP140	375	155.24	-37.82
WKP140	378	155.25	-37.85
WKP140	381	155.28	-37.85
WKP140	384	155.27	-37.91
WKP140	387	155.24	-38
WKP140	390	155.11	-38.09
WKP140	393	155.13	-38.2
WKP140	396	155.07	-38.23
WKP140	399	155.1	-38.26
WKP140	402	155.09	-38.39
WKP140	405	155.03	-38.53
WKP140	408	155.02	-38.5
WKP140	411	155.06	-38.53
WKP140	414	155.17	-38.6
WKP140	417	155.07	-38.57
WKP140	420	155.12	-38.52
WKP140	423	155.07	-38.52
WKP140	426	155.06	-38.41
WKP140	429	155.11	-38.33
WKP140	432	155.14	-38.28
WKP140	435	155.15	-38.33
WKP140	438	155.21	-38.28
WKP140	441	155.12	-38.23
WKP140	444	155.04	-38.12
WKP140	447	155.06	-38.08
WKP140	450	155.03	-37.97
WKP140	453	155.03	-37.82
WKP140	456	155.05	-37.68
WKP140	459	155	-37.57
WKP140	462	155.02	-37.5
WKP140	465	154.83	-37.35
WKP140	468	154.83	-37.08
WKP140	471	154.98	-36.99
WKP140	474	155.07	-37.02
WKP140	477	155.07	-37.06
WKP140	477.41	155.07	-37.06

WKP140A	0	162.14	-26.41
WKP140A	3	161.87	-26.2
WKP140A	6	161.72	-26.08
WKP140A	9	161.71	-26.17
WKP140A	12	161.72	-26.49
WKP140A	15	161.79	-26.66
WKP140A	18	161.76	-26.63
WKP140A	21	161.66	-26.52
WKP140A	24	161.55	-26.55
WKP140A	27	161.32	-26.71
WKP140A	30	161.06	-26.76
WKP140A	33	160.97	-26.76
WKP140A	36	160.93	-26.86
WKP140A	39	160.95	-26.99
WKP140A	42	161.01	-26.94
WKP140A	45	161.05	-26.81
WKP140A	48	161.09	-26.78
WKP140A	51	161.21	-26.92
WKP140A	54	161.26	-26.96
WKP140A	57	161.29	-26.91
WKP140A	60	161.28	-27.01
WKP140A	63	161.26	-27.17
WKP140A	66	161.21	-27.24
WKP140A	69	161.16	-27.47
WKP140A	72	161.1	-27.49
WKP140A	75	161.06	-27.44
WKP140A	78	161.06	-27.52
WKP140A	81	161.01	-27.73
WKP140A	84	160.94	-27.9
WKP140A	87	160.94	-27.93
WKP140A	90	160.92	-28.08
WKP140A	93	160.88	-28.06
WKP140A	96	160.86	-28.13
WKP140A	99	160.84	-28.27
WKP140A	102	160.82	-28.46
WKP140A	105	160.79	-28.49
WKP140A	108	160.76	-28.48
WKP140A	111	160.76	-28.73
WKP140A	114	160.74	-28.94
WKP140A	117	160.77	-28.85
WKP140A	120	160.66	-28.54
WKP140A	123	160.52	-28.36
WKP140A	126	160.35	-28.44
WKP140A	129	160.24	-28.66
WKP140A	132	160.17	-28.82
WKP140A	135	160.15	-28.92
WKP140A	138	160.11	-29.02
WKP140A	141	160.05	-29.17

WKP140A	144	160.03	-29.4
WKP140A	147	159.99	-29.56
WKP140A	150	159.93	-29.59
WKP140A	153	159.87	-29.54
WKP140A	156	159.78	-29.55
WKP140A	159	159.64	-29.67
WKP140A	162	159.55	-29.91
WKP140A	165	159.49	-30.14
WKP140A	168	159.42	-30.41
WKP140A	171	159.34	-30.73
WKP140A	174	159.31	-31.18
WKP140A	177	159.23	-31.51
WKP140A	180	159.24	-31.88
WKP140A	183	159.31	-32.07
WKP140A	186	159.24	-31.91
WKP140A	189	159.16	-31.6
WKP140A	192	158.88	-31.38
WKP140A	195	158.54	-31.44
WKP140A	198	158.27	-31.64
WKP140A	201	158.12	-31.76
WKP140A	204	158.04	-31.78
WKP140A	207	157.92	-31.83
WKP140A	210	157.74	-31.79
WKP140A	213	157.55	-31.92
WKP140A	216	157.49	-32.46
WKP140A	219	157.56	-33.11
WKP140A	222	157.64	-33.18
WKP140A	225	157.71	-33.05
WKP140A	228	157.65	-32.92
WKP140A	231	157.51	-32.99
WKP140A	234	157.34	-33.56
WKP140A	237	157.29	-34.15
WKP140A	240	157.28	-34.37
WKP140A	243	157.32	-34.45
WKP140A	246	157.28	-34.39
WKP140A	249	157.19	-34.41
WKP140A	252	156.94	-34.45
WKP140A	255	156.64	-34.45
WKP140A	258	156.28	-34.42
WKP140A	261	156.11	-34.15
WKP140A	264	155.95	-33.55
WKP140A	267	156.38	-32.99
WKP140A	270	157.22	-32.45
WKP140A	273	158.03	-31.99
WKP140A	276	158.43	-31.66
WKP140A	279	158.22	-31.64
WKP140A	282	157.36	-31.31
WKP140A	285	157.39	-31.49

WKP140A	288	158.06	-32.17
WKP140A	291	158.78	-32.79
WKP140A	294	159.1	-33.26
WKP140A	297	158.96	-33.32
WKP140A	300	158.63	-33.21
WKP140A	303	158.31	-32.89
WKP140A	306	158.05	-32.53
WKP140A	309	157.96	-32.15
WKP140A	312	157.94	-32.07
WKP140A	315	157.87	-32.14
WKP140A	318	157.77	-32.3
WKP140A	321	157.76	-32.48
WKP140A	324	157.81	-32.69
WKP140A	327	157.92	-32.84
WKP140A	330	157.9	-33.03
WKP140A	333	157.83	-33.13
WKP140A	336	157.74	-33.18
WKP140A	339	157.6	-33.27
WKP140A	342	157.53	-33.36
WKP140A	345	157.55	-33.44
WKP140A	348	157.58	-33.47
WKP140A	351	157.63	-33.5
WKP140A	354	157.74	-33.51
WKP140A	357	157.84	-33.51
WKP140A	360	157.94	-33.57
WKP140A	363	157.98	-33.69
WKP140A	366	157.97	-33.69
WKP140A	369	157.9	-33.81
WKP140A	372	157.85	-33.82
WKP140A	375	157.78	-33.88
WKP140A	378	157.75	-33.88
WKP140A	381	157.77	-33.91
WKP140A	384	157.75	-33.93
WKP140A	387	157.76	-33.95
WKP140A	390	157.72	-33.89
WKP140A	393	157.75	-33.88
WKP140A	396	157.79	-33.93
WKP140A	399	157.77	-34.09
WKP140A	402	157.76	-34.12
WKP140A	405	157.81	-34.18
WKP140A	408	157.82	-34.12
WKP140A	411	157.81	-34.25
WKP140A	414	157.81	-34.29
WKP140A	417	157.84	-34.27
WKP140A	420	157.85	-34.21
WKP140A	423	157.84	-34.12
WKP140A	426	157.82	-34.1
WKP140A	429	157.81	-34.07

WKP140A	432	157.84	-34.12
WKP140A	435	157.87	-34.18
WKP140A	438	157.85	-34.23
WKP140A	441	157.81	-34.23
WKP140A	444	157.78	-34.2
WKP140A	447	157.87	-34.29
WKP140A	450	157.88	-34.28
WKP140A	453	157.8	-34.18
WKP140A	456	157.6	-34.06
WKP140A	459	157.45	-34
WKP140A	462	157.44	-33.83
WKP140A	465	157.61	-33.73
WKP140A	468	157.96	-33.66
WKP140A	471	158.22	-33.51
WKP140A	474	158.33	-33.39
WKP140A	477	158.43	-33.49
WKP140A	480	158.44	-33.6
WKP140A	483	158.46	-33.73
WKP140A	486	158.47	-33.72
WKP140A	489	158.43	-33.77
WKP140A	492	158.41	-33.85
WKP140A	495	158.45	-33.82
WKP140A	498	158.45	-33.84
WKP140A	501	158.48	-33.85
WKP140A	504	158.53	-33.76
WKP140A	507	158.53	-33.72
WKP140A	510	158.54	-33.67
WKP140A	513	158.56	-33.63
WKP140A	516	158.53	-33.64
WKP140A	519	158.5	-33.63
WKP140A	522	158.51	-33.59
WKP140A	525	158.39	-33.47
WKP140A	528	158.32	-33.37
WKP140A	531	158.49	-33.55
WKP140A	534	158.6	-33.61
WKP140A	537	158.77	-33.69
WKP140A	540	158.61	-33.68
WKP140A	543	158.72	-33.85
WKP140A	546	158.84	-33.82
WKP140A	549	158.77	-33.78
WKP140A	552	158.82	-33.73
WKP140A	555	158.84	-33.72
WKP140A	558	158.81	-33.62
WKP140A	561	158.79	-33.6
WKP140A	564	158.8	-33.56
WKP140A	567	158.79	-33.55
WKP140A	570	158.78	-33.51
WKP140A	573	158.78	-33.46

WKP140A	576	158.83	-33.43
WKP140A	579	158.83	-33.35
WKP140A	582	158.83	-33.28
WKP140A	585	158.81	-33.2
WKP140A	588	158.85	-33.2
WKP140A	591	158.83	-33.12
WKP140A	594	158.76	-33.06
WKP140A	597	158.72	-32.98
WKP140A	600	158.68	-32.91
WKP140A	603	158.71	-32.88
WKP140A	606	158.81	-32.77
WKP140A	609	158.87	-32.75
WKP140A	612	158.93	-32.59
WKP140A	615	158.83	-32.4
WKP140A	618	158.69	-32.16
WKP140A	621	158.58	-32.04
WKP140A	624	158.42	-32.18
WKP140A	627	158.31	-32.04
WKP140A	630	158.27	-32.03
WKP140A	633	158.16	-32.01
WKP140A	636	157.97	-32.05
WKP140A	639	157.85	-32.09
WKP140A	642	157.81	-32.04
WKP140A	645	157.77	-31.92
WKP140A	648	157.85	-31.88
WKP140A	651	157.72	-31.78
WKP140A	654	157.83	-31.52
WKP140A	657	157.92	-31.35
WKP140A	660	157.9	-31.05
WKP140A	663	158.02	-31
WKP141	0	111.13	-38.06
WKP141	3	110.93	-37.59
WKP141	6	110.72	-37.6
WKP141	9	110.64	-38.32
WKP141	12	110.72	-39.21
WKP141	15	110.83	-39.52
WKP141	18	110.91	-39.31
WKP141	21	110.86	-38.87
WKP141	24	110.97	-38.28
WKP141	27	110.95	-37.56
WKP141	30	110.86	-36.91
WKP141	33	110.76	-36.44
WKP141	36	110.42	-36.41
WKP141	39	110.21	-37.05
WKP141	42	110.17	-37.67
WKP141	45	110.4	-38.2
WKP141	48	110.52	-38.38
WKP141	51	110.68	-38.28

WKP141	54	110.8	-38.31
WKP141	57	110.82	-38.44
WKP141	60	110.93	-38.6
WKP141	63	110.97	-38.6
WKP141	66	110.94	-38.59
WKP141	69	111	-38.62
WKP141	72	110.99	-38.62
WKP141	75	110.96	-38.54
WKP141	78	111.06	-38.47
WKP141	81	111.04	-38.4
WKP141	84	111.08	-38.32
WKP141	87	111.07	-38.22
WKP141	90	111.08	-38.14
WKP141	93	111	-38.02
WKP141	96	110.88	-37.92
WKP141	99	110.89	-37.82
WKP141	102	110.82	-37.73
WKP141	105	110.75	-37.64
WKP141	108	110.73	-37.52
WKP141	111	110.64	-37.45
WKP141	114	110.62	-37.34
WKP141	117	110.61	-37.19
WKP141	120	110.66	-37.06
WKP141	123	110.53	-36.9
WKP141	126	110.57	-36.74
WKP141	129	110.66	-36.62
WKP141	132	110.64	-36.53
WKP141	135	110.67	-36.42
WKP141	138	110.64	-36.35
WKP141	141	110.72	-36.29
WKP141	144	110.75	-36.2
WKP141	147	110.75	-36.21
WKP141	150	110.69	-36.2
WKP141	153	110.79	-36.18
WKP141	156	110.8	-36.12
WKP141	159	110.81	-36.07
WKP141	162	110.87	-36.03
WKP141	165	110.93	-36.02
WKP141	168	110.99	-35.92
WKP141	171	111	-35.9
WKP141	174	111.03	-35.81
WKP141	177	111.08	-35.74
WKP141	180	111.06	-35.68
WKP141	183	111.14	-35.62
WKP141	186	111.21	-35.56
WKP141	189	111.23	-35.51
WKP141	192	111.28	-35.48
WKP141	195	111.3	-35.44

WKP141	198	111.35	-35.37
WKP141	201	111.36	-35.31
WKP141	204	111.44	-35.29
WKP141	207	111.44	-35.3
WKP141	210	111.5	-35.26
WKP141	213	111.53	-35.23
WKP141	216	111.52	-35.19
WKP141	219	111.63	-35.15
WKP141	222	111.68	-35.13
WKP141	225	111.69	-35.07
WKP141	228	111.71	-35.03
WKP141	231	111.76	-34.98
WKP141	234	111.81	-34.96
WKP141	237	111.85	-34.83
WKP141	240	111.88	-34.84
WKP141	243	111.91	-34.79
WKP141	246	111.98	-34.79
WKP141	249	111.93	-34.8
WKP141	252	111.9	-34.7
WKP141	255	111.9	-34.64
WKP141	258	111.84	-34.58
WKP141	261	111.85	-34.53
WKP141	264	111.9	-34.5
WKP141	267	111.97	-34.45
WKP141	270	111.97	-34.43
WKP141	273	112.02	-34.41
WKP141	276	112.11	-34.42
WKP141	279	112.11	-34.39
WKP141	282	112.16	-34.36
WKP141	285	112.21	-34.34
WKP141	288	112.26	-34.37
WKP141	291	112.24	-34.4
WKP141	294	112.31	-34.43
WKP141	297	112.25	-34.5
WKP141	300	112.24	-34.48
WKP141	303	112.28	-34.51
WKP141	306	112.21	-34.58
WKP141	309	112.18	-34.67
WKP141	312	112.16	-34.67
WKP141	315	112.18	-34.72
WKP141	318	112.17	-34.74
WKP141	321	112.12	-34.78
WKP141	324	112.09	-34.84
WKP141	327	112.03	-34.87
WKP141	330	112.03	-34.94
WKP141	333	111.95	-34.98
WKP141	336	112.01	-34.98
WKP141	339	112.05	-35

WKP141	342	112.1	-34.97
WKP141	345	112.1	-34.88
WKP141	348	112.16	-34.81
WKP141	351	112.12	-34.76
WKP141	354	112.11	-34.7
WKP141	357	112.1	-34.67
WKP141	360	112.14	-34.62
WKP141	363	112.1	-34.58
WKP141	366	112.04	-34.52
WKP141	369	112	-34.45
WKP141	372	111.96	-34.39
WKP141	375	111.88	-34.3
WKP141	378	111.69	-34.27
WKP141	381	111.36	-34.14
WKP141	384	111.28	-34.11
WKP141	387	111.23	-34.29
WKP141	390	111.3	-34.33
WKP141	393	111.29	-34.3
WKP141	396	111.27	-34.24
WKP141	399	111.27	-34.22
WKP141	402	111.23	-34.19
WKP141	405	111.24	-34.21
WKP141	408	111.24	-34.21
WKP141	411	111.25	-34.2
WKP141	414	111.23	-34.18
WKP141	417	111.26	-34.16
WKP141	420	111.26	-34.16
WKP141	423	111.2	-34.19
WKP141	426	111.14	-34.14
WKP141	429	111.17	-34.15
WKP141	432	111.13	-34.1
WKP141	435	111.18	-34.06
WKP141	438	111.18	-34.01
WKP141	441	111.17	-33.94
WKP141	444	111.27	-33.98
WKP141	447	111.24	-33.98
WKP141	450	111.23	-33.97
WKP141	453	111.21	-33.95
WKP141	456	111.22	-33.92
WKP141	459	111.19	-33.88
WKP141	462	111.22	-33.86
WKP141	465	111.16	-33.85
WKP141	468	111.08	-33.82
WKP141	471	111.11	-33.74
WKP141	474	111.09	-33.71
WKP141	477	111.11	-33.66
WKP141	480	111.05	-33.63
WKP141	483	111.05	-33.58

WKP141	486	111.11	-33.52
WKP141	489	111.09	-33.46
WKP141	492	111.09	-33.46
WKP141	493.67	111.09	-33.46
WKP142	0	104.91	-44.94
WKP142	3	105.16	-44.92
WKP142	6	105.21	-44.87
WKP142	9	105.12	-45.28
WKP142	12	105.09	-45.5
WKP142	15	105.19	-45.41
WKP142	18	105.14	-45
WKP142	21	105.16	-44.55
WKP142	24	105.04	-44.29
WKP142	27	104.92	-44.37
WKP142	30	104.8	-44.85
WKP142	33	104.91	-45.09
WKP142	36	105.04	-45.25
WKP142	39	105.06	-45.29
WKP142	42	105.03	-45.24
WKP142	45	105	-45.22
WKP142	48	104.92	-45.19
WKP142	51	104.88	-45.11
WKP142	54	104.76	-45.09
WKP142	57	104.81	-45.01
WKP142	60	104.8	-44.93
WKP142	63	104.77	-44.85
WKP142	66	104.73	-44.78
WKP142	69	104.72	-44.74
WKP142	72	104.76	-44.66
WKP142	75	104.77	-44.63
WKP142	78	104.82	-44.53
WKP142	81	104.79	-44.47
WKP142	84	104.84	-44.39
WKP142	87	104.84	-44.35
WKP142	90	104.83	-44.24
WKP142	93	104.84	-44.16
WKP142	96	104.89	-44.12
WKP142	99	104.9	-44.11
WKP142	102	104.97	-44.02
WKP142	105	104.99	-43.99
WKP142	108	105.03	-43.92
WKP142	111	104.99	-43.84
WKP142	114	105.05	-43.74
WKP142	117	105.05	-43.64
WKP142	120	105.07	-43.61
WKP142	123	105.13	-43.45
WKP142	126	105.19	-43.4
WKP142	129	105.27	-43.3

WKP142	132	105.26	-43.2
WKP142	135	105.33	-43.11
WKP142	138	105.39	-43.07
WKP142	141	105.44	-43.04
WKP142	144	105.48	-42.97
WKP142	147	105.5	-42.87
WKP142	150	105.6	-42.79
WKP142	153	105.65	-42.75
WKP142	156	105.68	-42.65
WKP142	159	105.75	-42.6
WKP142	162	105.85	-42.53
WKP142	165	105.92	-42.45
WKP142	168	105.94	-42.41
WKP142	171	106.01	-42.36
WKP142	174	106.11	-42.28
WKP142	177	106.18	-42.22
WKP142	180	106.19	-42.14
WKP142	183	106.25	-42.06
WKP142	186	106.23	-41.98
WKP142	189	106.24	-41.93
WKP142	192	106.25	-41.89
WKP142	195	106.25	-41.83
WKP142	198	106.27	-41.79
WKP142	201	106.25	-41.73
WKP142	204	106.25	-41.64
WKP142	207	106.25	-41.57
WKP142	210	106.29	-41.5
WKP142	213	106.26	-41.45
WKP142	216	106.28	-41.38
WKP142	219	106.26	-41.32
WKP142	222	106.25	-41.24
WKP142	225	106.27	-41.15
WKP142	228	106.25	-41.08
WKP142	231	106.28	-40.99
WKP142	234	106.27	-40.93
WKP142	237	106.33	-40.85
WKP142	240	106.32	-40.79
WKP142	243	106.32	-40.72
WKP142	246	106.33	-40.64
WKP142	249	106.28	-40.6
WKP142	252	106.28	-40.53
WKP142	255	106.31	-40.46
WKP142	258	106.31	-40.37
WKP142	261	106.32	-40.3
WKP142	264	106.32	-40.25
WKP142	267	106.28	-40.18
WKP142	270	106.29	-40.1
WKP142	273	106.26	-40.02

WKP142	276	106.34	-39.97
WKP142	279	106.29	-39.93
WKP142	282	106.28	-39.86
WKP142	285	106.34	-39.77
WKP142	288	106.28	-39.72
WKP142	291	106.29	-39.65
WKP142	294	106.28	-39.58
WKP142	297	106.26	-39.54
WKP142	300	106.24	-39.51
WKP142	303	106.22	-39.42
WKP142	306	106.24	-39.33
WKP142	309	106.26	-39.28
WKP142	312	106.27	-39.22
WKP142	315	106.29	-39.22
WKP142	318	106.3	-39.19
WKP142	321	106.31	-39.16
WKP142	324	106.3	-39.09
WKP142	327	106.34	-39.05
WKP142	330	106.37	-39.06
WKP142	333	106.34	-39.08
WKP142	336	106.33	-39.11
WKP142	339	106.37	-39.09
WKP142	342	106.32	-39.07
WKP142	345	106.35	-39.09
WKP142	348	106.33	-39.1
WKP142	351	106.3	-39.14
WKP142	354	106.25	-39.17
WKP142	357	105.98	-39.18
WKP142	360	105.86	-39.23
WKP142	363	105.84	-39.19
WKP142	366	105.76	-39.19
WKP142	369	105.7	-39.15
WKP142	372	105.57	-39.11
WKP142	375	105.53	-39.1
WKP142	378	105.49	-39.15
WKP142	381	105.48	-39.16
WKP142	384	105.43	-39.16
WKP142	387	105.46	-39.16
WKP142	390	105.45	-39.13
WKP142	393	105.4	-39.13
WKP142	396	105.46	-39.13
WKP142	399	105.44	-39.11
WKP142	402	105.35	-39.13
WKP142	405	105.38	-39.12
WKP142	408	105.39	-39.1
WKP142	411	105.41	-39.1
WKP142	414	105.35	-39.07
WKP142	417	105.38	-39.06

WKP142	420	105.39	-39.02
WKP142	423	105.41	-38.98
WKP142	426	105.43	-38.99
WKP142	429	105.5	-38.97
WKP142	432	105.61	-38.93
WKP142	435	105.61	-38.91
WKP142	438	105.49	-38.6
WKP142	441	105.15	-38.31
WKP142	444	104.85	-38.36
WKP142	447	104.78	-38.41
WKP142	450	104.75	-38.42
WKP142	453	104.77	-38.44
WKP142	456	104.76	-38.43
WKP142	459	104.74	-38.41
WKP142	462	104.76	-38.42
WKP142	465	104.78	-38.38
WKP142	468	104.79	-38.36
WKP142	471	104.83	-38.34
WKP142	474	104.84	-38.31
WKP142	477	104.82	-38.27
WKP142	480	104.86	-38.22
WKP142	483	104.83	-38.15
WKP142	486	104.83	-38.05
WKP142	489	104.86	-37.99
WKP142	492	104.84	-37.88
WKP142	495	104.85	-37.79
WKP142	498	104.87	-37.81
WKP142	501	104.87	-37.76
WKP142	504	104.81	-37.69
WKP142	507	104.89	-37.64
WKP142	510	104.88	-37.57
WKP142	513	104.91	-37.61
WKP142	516	104.95	-37.59
WKP142	519	104.92	-37.64
WKP143	0	148.71	-50.4
WKP143	3	149.2	-50.1
WKP143	6	149.3	-50.19
WKP143	9	149.39	-50.58
WKP143	12	149.38	-50.81
WKP143	15	149.33	-50.84
WKP143	18	149.22	-50.74
WKP143	21	149.15	-50.7
WKP143	24	149.11	-50.71
WKP143	27	149.1	-50.82
WKP143	30	149.19	-50.99
WKP143	33	149.2	-51.04
WKP143	36	149.2	-51
WKP143	39	149.18	-51.06

WKP143	42	149.16	-51.02
WKP143	45	149.18	-51.03
WKP143	48	149.23	-51.1
WKP143	51	149.34	-51.07
WKP143	54	149.41	-51.04
WKP143	57	149.39	-51.06
WKP143	60	149.45	-51.04
WKP143	63	149.41	-51.04
WKP143	66	149.38	-51.07
WKP143	69	149.36	-51.05
WKP143	72	149.35	-51.05
WKP143	75	149.27	-51.07
WKP143	78	149.19	-51.08
WKP143	81	149.12	-51.09
WKP143	84	149.04	-51.02
WKP143	87	148.94	-50.96
WKP143	90	148.92	-50.86
WKP143	93	148.91	-50.82
WKP143	96	148.79	-50.76
WKP143	99	148.74	-50.69
WKP143	102	148.77	-50.59
WKP143	105	148.74	-50.46
WKP143	108	148.67	-50.36
WKP143	111	148.69	-50.27
WKP143	114	148.74	-50.17
WKP143	117	148.71	-50.11
WKP143	120	148.74	-50.06
WKP143	123	148.75	-49.99
WKP143	126	148.74	-49.93
WKP143	129	148.78	-49.92
WKP143	132	148.84	-49.9
WKP143	135	148.87	-49.88
WKP143	138	148.9	-49.87
WKP143	141	148.91	-49.85
WKP143	144	148.94	-49.81
WKP143	147	149.01	-49.74
WKP143	150	148.98	-49.65
WKP143	153	149	-49.58
WKP143	156	149.04	-49.51
WKP143	159	149.04	-49.46
WKP143	162	149.11	-49.39
WKP143	165	149.08	-49.3
WKP143	168	149.06	-49.25
WKP143	171	149.08	-49.18
WKP143	174	149.18	-49.12
WKP143	177	149.17	-49.05
WKP143	180	149.16	-48.97
WKP143	183	149.2	-48.91

WKP143	186	149.24	-48.82
WKP143	189	149.3	-48.76
WKP143	192	149.31	-48.68
WKP143	195	149.34	-48.61
WKP143	198	149.41	-48.53
WKP143	201	149.41	-48.48
WKP143	204	149.42	-48.41
WKP143	207	149.51	-48.4
WKP143	210	149.48	-48.36
WKP143	213	149.52	-48.27
WKP143	216	149.54	-48.18
WKP143	219	149.6	-48.11
WKP143	222	149.62	-48.06
WKP143	225	149.63	-47.97
WKP143	228	149.68	-47.91
WKP143	231	149.7	-47.91
WKP143	234	149.72	-47.97
WKP143	237	149.73	-48.02
WKP143	240	149.71	-48.03
WKP143	243	149.68	-48.04
WKP143	246	149.72	-48.1
WKP143	249	149.78	-48.2
WKP143	252	149.7	-48.26
WKP143	255	149.61	-48.3
WKP143	258	149.59	-48.31
WKP143	261	149.57	-48.35
WKP143	264	149.58	-48.39
WKP143	267	149.56	-48.39
WKP143	270	149.61	-48.37
WKP143	273	149.65	-48.32
WKP143	276	149.72	-48.32
WKP143	279	149.73	-48.32
WKP143	282	149.73	-48.35
WKP143	285	149.74	-48.36
WKP143	288	149.79	-48.32
WKP143	291	149.85	-48.35
WKP143	294	149.81	-48.36
WKP143	297	149.76	-48.41
WKP143	300	149.69	-48.48
WKP143	303	149.72	-48.57
WKP143	306	149.75	-48.72
WKP143	309	149.79	-48.83
WKP143	312	149.75	-48.9
WKP143	315	149.74	-48.88
WKP143	318	149.8	-48.88
WKP143	321	149.81	-48.99
WKP143	324	149.85	-49.07
WKP143	327	149.76	-49.13

WKP143	330	149.71	-49.12
WKP143	333	149.67	-49.17
WKP143	336	149.71	-49.26
WKP143	339	149.64	-49.37
WKP143	342	149.59	-49.42
WKP143	345	149.6	-49.43
WKP143	348	149.65	-49.54
WKP143	351	149.63	-49.67
WKP143	354	149.61	-49.77
WKP143	357	149.58	-49.79
WKP143	360	149.6	-49.78
WKP143	363	149.64	-49.78
WKP143	366	149.67	-49.85
WKP143	369	149.61	-49.84
WKP143	372	149.64	-49.92
WKP143	375	149.76	-49.93
WKP143	378	149.71	-49.95
WKP143	381	149.76	-49.99
WKP143	384	149.72	-49.95
WKP143	387	149.68	-49.98
WKP143	390	149.71	-49.98
WKP143	393	149.72	-50
WKP143	396	149.8	-50.04
WKP143	399	149.81	-50.08
WKP143	402	149.8	-50.07
WKP143	405	149.9	-50.01
WKP143	408	149.95	-50.02
WKP143	411	150.04	-50.09
WKP143	414	149.98	-50.15
WKP143	417	149.99	-50.19
WKP143	420	149.95	-50.25
WKP143	423	149.86	-50.34
WKP143	426	149.87	-50.42
WKP143	429	149.67	-50.41
WKP143	432	149.57	-50.38
WKP143	435	149.57	-50.28
WKP143	438	149.57	-50.24
WKP143	441	149.49	-50.22
WKP143	444	149.41	-50.18
WKP143	447	149.4	-50.24
WKP143	450	149.39	-50.25
WKP143	453	149.42	-50.31
WKP143	456	149.3	-50.29
WKP143	459	149.23	-50.29
WKP143	462	149.14	-50.31
WKP143	465	149	-50.34
WKP143	468	149.02	-50.38
WKP143	471	149.01	-50.4

WKP143	474	148.98	-50.4
WKP143	477	148.96	-50.41
WKP143	480	148.86	-50.42
WKP143	483	148.78	-50.45
WKP143	486	148.78	-50.45
WKP143	489	148.77	-50.47
WKP143	492	148.68	-50.46
WKP143	495	148.58	-50.46
WKP143	498	148.58	-50.49
WKP143	501	148.52	-50.48
WKP143	504	148.52	-50.47
WKP143	507	148.55	-50.47
WKP143	510	148.48	-50.51
WKP143	513	148.43	-50.5
WKP143	516	148.39	-50.5
WKP143	519	148.36	-50.52
WKP143	522	148.36	-50.55
WKP143	525	148.29	-50.54
WKP143	528	148.35	-50.59
WKP143	531	148.29	-50.6
WKP143	534	148.27	-50.68
WKP143	537	148.29	-50.72
WKP143	540	148.35	-50.77
WKP143	543	148.45	-50.83
WKP143	546	148.41	-50.76