

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0609	0.00	0.0	-90.0
DDH0609	15.24	345.7	-89.1
DDH0609	34.75	23.8	-87.9
DDH0609	45.72	61.5	-88.9
DDH0609	75.90	111.3	-88.6
DDH0609	106.98	128.0	-87.8
DDH0609	138.38	132.0	-87.1
DDH0609	160.02	131.0	-86.4
DDH0609	181.97	131.6	-86.0
DDH0609	200.25	135.9	-85.7
DDH0609	234.39	137.8	-84.8
DDH0609	261.82	137.6	-84.4
DDH0609	292.30	138.3	-84.1
DDH0609	322.78	143.8	-84.1
DDH0609	352.65	144.5	-83.9
DDH0609	383.74	143.7	-83.3
DDH0609	402.03	142.4	-83.0
DDH0611	0.00	180.0	-76.0
DDH0611	19.51	182.6	-76.6
DDH0611	30.48	184.6	-76.6
DDH0611	45.72	183.9	-76.6
DDH0611	60.96	183.7	-76.4
DDH0611	92.35	180.6	-75.0
DDH0611	123.14	178.3	-71.4
DDH0611	153.62	180.5	-69.7
DDH0611	187.15	175.3	-68.7
DDH0611	213.36	173.4	-66.7
DDH0611	245.06	168.7	-65.4
DDH0611	275.54	165.2	-63.2
DDH0611	306.02	161.2	-60.6
DDH0611	338.02	159.7	-60.3
DDH0611	365.46	159.0	-60.1
DDH0611	395.94	159.4	-59.8
DDH0613	0.00	45.0	-70.0
DDH0613	31.39	47.3	-70.3
DDH0613	60.96	49.4	-70.4
DDH0613	98.45	56.7	-69.6
DDH0613	121.92	61.1	-68.7
DDH0613	152.40	72.6	-66.8
DDH0663	0.00	95.0	-50.0
DDH0663	4.27	94.8	-50.3
DDH0663	10.36	94.6	-49.0
DDH0663	16.46	94.4	-48.0
DDH0663	22.56	94.2	-48.3
DDH0663	28.65	94.0	-48.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0663	34.75	93.8	-49.0
DDH0663	40.84	93.6	-49.3
DDH0663	46.94	93.4	-49.4
DDH0663	53.04	93.2	-49.5
DDH0663	59.13	93.0	-49.2
DDH0663	65.23	92.9	-49.2
DDH0663	71.32	92.9	-48.9
DDH0663	77.42	92.8	-48.8
DDH0663	83.52	92.8	-48.7
DDH0663	89.61	93.5	-48.8
DDH0663	95.71	94.0	-48.9
DDH0663	101.80	94.5	-48.9
DDH0663	107.90	95.0	-48.9
DDH0663	114.00	95.4	-48.8
DDH0663	120.09	95.9	-48.7
DDH0663	126.19	97.2	-48.6
DDH0663	132.28	97.5	-48.4
DDH0663	138.38	98.0	-48.2
DDH0663	144.48	98.5	-48.1
DDH0663	150.57	99.3	-48.0
DDH0663	156.67	99.7	-48.0
DDH0663	162.76	100.0	-47.9
DDH0663	168.86	100.4	-47.8
DDH0663	174.96	100.9	-47.7
DDH0663	181.05	101.0	-47.5
DDH0663	187.15	101.0	-47.4
DDH0663	193.24	101.2	-47.3
DDH0663	199.34	101.5	-47.1
DDH0663	205.44	101.6	-47.0
DDH0663	211.53	101.8	-47.0
DDH0663	217.63	102.1	-47.0
DDH0663	223.72	102.5	-46.9
DDH0663	229.82	102.7	-46.9
DDH0663	235.92	103.3	-46.9
DDH0663	242.01	103.6	-46.9
DDH0663	248.11	103.8	-46.8
DDH0663	254.20	104.0	-46.8
DDH0663	260.30	104.1	-46.7
DDH0663	266.40	104.2	-46.6
DDH0663	272.49	105.1	-46.5
DDH0663	278.59	105.2	-46.4
DDH0663	284.68	105.2	-46.4
DDH0663	290.78	105.4	-46.3
DDH0663	296.88	105.7	-46.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0663	302.97	106.1	-46.4
DDH0663	309.07	106.5	-46.4
DDH0663	315.16	106.6	-46.4
DDH0663	321.26	106.7	-46.5
DDH0663	327.36	106.9	-46.6
DDH0663	333.45	107.2	-46.6
DDH0663	339.55	107.4	-46.6
DDH0663	345.64	107.6	-46.6
DDH0663	351.74	107.9	-46.5
DDH0663	357.84	108.3	-46.5
DDH0663	363.93	108.8	-46.5
DDH0663	370.03	109.2	-46.5
DDH0663	376.12	109.7	-46.4
DDH0663	382.22	110.2	-46.4
DDH0663	388.32	111.0	-46.3
DDH0663	394.41	111.6	-46.4
DDH0663	400.51	112.3	-46.5
DDH0666	0.00	126.0	-62.0
DDH0666	3.66	126.1	-63.0
DDH0666	9.75	126.2	-62.7
DDH0666	15.85	126.4	-62.6
DDH0666	21.95	126.6	-62.9
DDH0666	28.04	126.8	-62.5
DDH0666	34.14	127.0	-62.1
DDH0666	40.23	127.4	-61.7
DDH0666	46.33	127.8	-61.4
DDH0666	52.43	127.5	-61.2
DDH0666	58.52	128.1	-61.1
DDH0666	64.62	128.7	-61.0
DDH0666	70.71	129.1	-60.9
DDH0666	76.81	129.3	-60.6
DDH0666	82.91	129.6	-60.3
DDH0666	89.00	129.9	-59.9
DDH0666	95.10	129.8	-59.7
DDH0666	101.19	129.7	-59.5
DDH0666	107.29	129.7	-59.3
DDH0666	113.39	130.0	-59.0
DDH0666	119.48	130.4	-59.0
DDH0666	125.58	131.0	-58.9
DDH0666	131.67	131.2	-58.9
DDH0666	137.77	131.3	-58.7
DDH0666	143.87	131.7	-58.5
DDH0666	149.96	132.1	-58.4
DDH0666	156.06	131.9	-58.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0666	162.15	131.7	-58.2
DDH0666	168.25	131.7	-58.0
DDH0666	174.35	131.9	-57.9
DDH0666	180.44	131.8	-57.6
DDH0666	186.54	132.0	-57.5
DDH0666	192.63	132.2	-57.4
DDH0666	198.73	132.4	-57.2
DDH0666	204.83	132.5	-57.1
DDH0666	210.92	133.0	-56.9
DDH0666	217.02	133.0	-56.8
DDH0666	223.11	133.3	-56.7
DDH0666	229.21	133.5	-56.5
DDH0666	235.31	133.7	-56.4
DDH0666	241.40	133.8	-56.1
DDH0666	247.50	134.1	-55.9
DDH0666	253.59	134.2	-55.8
DDH0666	259.69	134.1	-55.6
DDH0666	265.79	134.5	-55.5
DDH0666	271.88	134.9	-55.4
DDH0666	277.98	134.7	-55.4
DDH0666	284.07	134.6	-55.4
DDH0666	290.17	135.1	-55.1
DDH0666	296.27	135.3	-54.8
DDH0666	302.36	135.4	-54.7
DDH0666	308.46	135.3	-54.5
DDH0666	314.55	135.4	-54.5
DDH0666	320.65	135.8	-54.4
DDH0669	0.00	109.0	-54.0
DDH0669	3.96	109.0	-53.9
DDH0669	10.06	108.9	-53.9
DDH0669	16.15	108.9	-53.9
DDH0669	22.25	108.8	-53.5
DDH0669	28.35	108.8	-53.3
DDH0669	34.44	108.7	-53.0
DDH0669	40.54	108.7	-53.4
DDH0669	46.63	108.6	-53.5
DDH0669	52.73	108.6	-53.6
DDH0669	58.83	108.6	-53.6
DDH0669	64.92	108.5	-53.4
DDH0669	71.02	108.5	-53.3
DDH0669	77.11	109.4	-53.3
DDH0669	83.21	109.8	-53.3
DDH0669	89.31	109.4	-53.1
DDH0669	95.40	110.6	-53.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0669	101.50	110.6	-53.1
DDH0669	107.59	110.5	-52.8
DDH0669	113.69	110.6	-52.5
DDH0669	119.79	111.1	-52.4
DDH0669	125.88	112.4	-52.4
DDH0669	131.98	112.5	-52.1
DDH0669	138.07	112.8	-52.0
DDH0669	144.17	113.7	-51.9
DDH0669	150.27	113.9	-51.8
DDH0669	156.36	114.5	-51.7
DDH0669	162.46	114.9	-51.5
DDH0669	168.55	115.1	-51.2
DDH0669	174.65	116.0	-50.8
DDH0669	180.75	115.3	-50.9
DDH0669	186.84	116.4	-51.1
DDH0669	192.94	116.9	-50.8
DDH0669	199.03	117.0	-50.6
DDH0669	205.13	117.6	-50.6
DDH0669	211.23	117.2	-50.4
DDH0669	217.32	117.5	-50.4
DDH0669	223.42	117.9	-50.4
DDH0669	229.51	118.3	-50.2
DDH0669	235.61	118.7	-50.0
DDH0669	241.71	119.4	-49.8
DDH0669	247.80	119.6	-49.3
DDH0669	253.90	119.8	-49.1
DDH0669	259.99	120.7	-49.0
DDH0669	266.09	121.1	-48.8
DDH0669	272.19	121.1	-48.6
DDH0669	278.28	121.2	-48.5
DDH0669	284.38	121.1	-48.4
DDH0669	290.47	121.6	-48.3
DDH0669	296.57	122.1	-48.2
DDH0669	302.67	122.7	-48.2
DDH0669	308.76	122.4	-48.4
DDH0669	314.86	122.9	-48.4
DDH0669	320.95	123.5	-48.6
DDH0669	327.05	123.3	-48.4
DDH0669	333.15	124.2	-48.4
DDH0669	339.24	125.3	-48.6
DDH0669	345.34	125.5	-48.7
DDH0672	0.00	149.0	-58.0
DDH0672	0.91	149.2	-57.8
DDH0672	7.01	149.4	-58.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0672	13.11	149.5	-58.0
DDH0672	19.20	149.7	-57.9
DDH0672	25.30	149.9	-58.3
DDH0672	31.39	150.1	-58.0
DDH0672	37.49	150.2	-57.6
DDH0672	43.59	150.4	-57.0
DDH0672	49.68	150.4	-57.2
DDH0672	55.78	150.8	-57.0
DDH0672	61.87	150.9	-56.9
DDH0672	67.97	150.9	-56.9
DDH0672	74.07	150.8	-56.6
DDH0672	80.16	150.4	-56.3
DDH0672	86.26	150.6	-56.1
DDH0672	92.35	151.1	-56.0
DDH0672	98.45	151.3	-55.8
DDH0672	104.55	151.4	-55.7
DDH0672	110.64	151.5	-55.6
DDH0672	116.74	151.2	-55.5
DDH0672	122.83	151.3	-55.4
DDH0672	128.93	150.9	-55.3
DDH0672	135.03	151.0	-55.1
DDH0672	141.12	152.6	-55.1
DDH0672	147.22	152.1	-54.8
DDH0672	153.31	152.0	-54.7
DDH0672	159.41	152.1	-54.6
DDH0672	165.51	151.8	-54.4
DDH0672	171.60	152.2	-54.3
DDH0672	177.70	151.4	-54.0
DDH0672	183.79	152.3	-53.9
DDH0672	189.89	152.5	-53.7
DDH0672	195.99	151.9	-53.4
DDH0672	202.08	152.0	-53.2
DDH0672	208.18	152.7	-53.0
DDH0672	214.27	152.6	-52.8
DDH0672	220.37	152.6	-52.6
DDH0672	226.47	152.5	-52.5
DDH0672	232.56	152.3	-52.4
DDH0672	238.66	153.2	-52.5
DDH0672	244.75	153.2	-52.4
DDH0672	250.85	152.5	-52.3
DDH0672	256.95	153.1	-52.4
DDH0672	263.04	153.1	-52.2
DDH0672	269.14	152.9	-52.1
DDH0672	275.23	153.2	-52.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0672	281.33	153.1	-52.1
DDH0672	287.43	153.0	-52.1
DDH0672	293.52	153.4	-52.0
DDH0674	0.00	194.0	-81.0
DDH0674	1.22	194.1	-75.1
DDH0674	7.32	194.2	-80.4
DDH0674	13.41	194.3	-78.6
DDH0674	19.51	194.4	-78.5
DDH0674	25.60	194.5	-78.6
DDH0674	31.70	194.6	-78.5
DDH0674	37.80	194.7	-78.2
DDH0674	43.89	194.9	-78.2
DDH0674	49.99	195.1	-78.1
DDH0674	56.08	195.3	-78.1
DDH0674	62.18	195.5	-77.8
DDH0674	68.28	194.5	-77.7
DDH0674	74.37	193.5	-77.6
DDH0674	80.47	193.0	-77.5
DDH0674	86.56	192.4	-77.5
DDH0674	92.66	192.2	-77.3
DDH0674	98.76	191.8	-77.2
DDH0674	104.85	191.0	-77.0
DDH0674	110.95	190.3	-76.7
DDH0674	117.04	190.2	-76.6
DDH0674	123.14	189.7	-76.4
DDH0674	129.24	189.3	-76.1
DDH0674	135.33	189.0	-75.9
DDH0674	141.43	188.0	-75.7
DDH0674	147.52	187.3	-75.6
DDH0674	153.62	186.9	-75.4
DDH0674	159.72	187.0	-75.4
DDH0674	165.81	186.7	-75.4
DDH0674	171.91	186.8	-75.4
DDH0674	178.00	187.2	-75.4
DDH0674	184.10	187.3	-75.2
DDH0674	190.20	187.5	-75.2
DDH0674	196.29	187.5	-75.0
DDH0674	202.39	187.3	-74.8
DDH0674	208.48	187.4	-74.7
DDH0674	214.58	187.1	-74.5
DDH0674	220.68	186.8	-74.3
DDH0674	226.77	185.6	-74.2
DDH0674	232.87	184.9	-74.0
DDH0674	238.96	184.5	-73.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0674	245.06	183.4	-73.7
DDH0674	251.16	182.8	-73.6
DDH0674	257.25	182.5	-73.6
DDH0674	263.35	182.4	-73.5
DDH0674	269.44	182.1	-73.5
DDH0674	275.54	182.1	-73.6
DDH0674	281.64	181.8	-73.6
DDH0674	287.73	181.8	-73.5
DDH0674	293.83	181.6	-73.5
DDH0674	299.92	181.3	-73.4
DDH0674	306.02	181.4	-73.3
DDH0680	0.00	207.0	-57.0
DDH0680	3.66	207.1	-51.6
DDH0680	9.75	207.2	-56.3
DDH0680	15.85	207.3	-57.2
DDH0680	21.95	207.4	-57.9
DDH0680	28.04	207.5	-58.3
DDH0680	34.14	207.6	-58.4
DDH0680	40.23	207.7	-58.6
DDH0680	46.33	207.9	-58.7
DDH0680	52.43	208.1	-58.7
DDH0680	58.52	208.4	-58.8
DDH0680	64.62	208.5	-58.6
DDH0680	70.71	207.9	-58.5
DDH0680	76.81	206.8	-58.7
DDH0680	82.91	207.0	-58.9
DDH0680	89.00	207.4	-58.8
DDH0680	95.10	207.7	-58.8
DDH0680	101.19	206.9	-58.8
DDH0680	107.29	207.0	-58.8
DDH0680	113.39	207.3	-58.5
DDH0680	119.48	206.7	-58.8
DDH0680	125.58	206.8	-58.6
DDH0680	131.67	206.0	-58.6
DDH0680	137.77	205.9	-58.6
DDH0680	143.87	206.2	-58.7
DDH0680	149.96	206.2	-58.6
DDH0680	156.06	206.1	-58.7
DDH0680	162.15	205.8	-58.5
DDH0680	168.25	205.0	-58.7
DDH0680	174.35	204.2	-59.0
DDH0680	180.44	203.9	-59.2
DDH0680	186.54	204.3	-59.3
DDH0680	192.63	205.1	-59.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0680	198.73	205.4	-59.3
DDH0680	204.83	205.5	-59.2
DDH0680	210.92	206.2	-59.0
DDH0680	217.02	205.9	-59.0
DDH0680	223.11	205.6	-59.1
DDH0680	229.21	205.9	-59.3
DDH0680	235.31	206.0	-59.4
DDH0680	241.40	206.1	-59.5
DDH0680	247.50	206.4	-59.5
DDH0680	253.59	206.1	-59.5
DDH0680	259.69	206.5	-59.6
DDH0680	265.79	206.7	-59.7
DDH0680	271.88	206.5	-59.7
DDH0680	277.98	207.8	-59.8
DDH0680	284.07	208.1	-59.7
DDH0680	290.17	209.1	-59.8
DDH0680	296.27	208.1	-59.7
DDH0680	302.36	209.0	-59.8
DDH0680	308.46	207.2	-59.8
DDH0680	314.55	209.5	-59.8
DDH0680	320.65	210.2	-59.8
DDH0680	326.75	209.3	-59.8
DDH0680	332.84	209.8	-59.8
DDH0680	338.94	209.8	-59.9
DDH0680	345.03	208.9	-59.9
DDH0685	0.00	125.0	-71.0
DDH0685	1.22	124.6	-70.9
DDH0685	7.32	124.2	-70.9
DDH0685	13.41	123.8	-71.0
DDH0685	19.51	123.4	-71.1
DDH0685	25.60	123.0	-70.9
DDH0685	31.70	122.6	-70.8
DDH0685	37.80	122.4	-70.8
DDH0685	43.89	123.0	-70.7
DDH0685	49.99	123.3	-70.7
DDH0685	56.08	123.8	-70.6
DDH0685	62.18	124.7	-70.6
DDH0685	68.28	125.8	-70.5
DDH0685	74.37	126.6	-70.3
DDH0685	80.47	126.7	-70.0
DDH0685	86.56	126.0	-69.9
DDH0685	92.66	125.9	-69.8
DDH0685	98.76	125.9	-69.6
DDH0685	104.85	126.4	-69.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0685	110.95	127.1	-69.2
DDH0685	117.04	128.5	-69.0
DDH0685	123.14	129.8	-68.7
DDH0685	129.24	130.3	-68.5
DDH0685	135.33	131.0	-68.2
DDH0685	141.43	131.4	-67.9
DDH0685	147.52	131.6	-67.6
DDH0685	153.62	132.0	-67.2
DDH0685	159.72	132.5	-66.9
DDH0685	165.81	132.7	-66.5
DDH0685	171.91	133.1	-66.2
DDH0685	178.00	133.6	-66.0
DDH0685	184.10	134.5	-65.7
DDH0685	190.20	134.9	-65.3
DDH0685	196.29	134.8	-65.2
DDH0685	202.39	134.8	-64.8
DDH0685	208.48	135.0	-64.2
DDH0685	214.58	135.4	-63.6
DDH0685	220.68	136.1	-63.3
DDH0685	226.77	138.5	-62.9
DDH0685	232.87	138.9	-62.7
DDH0685	238.96	139.1	-62.5
DDH0685	245.06	139.9	-62.2
DDH0685	251.16	140.1	-61.9
DDH0685	257.25	140.7	-61.7
DDH0685	263.35	141.0	-61.3
DDH0685	269.44	141.5	-61.0
DDH0685	275.54	141.5	-60.9
DDH0685	281.64	141.7	-60.8
DDH0685	287.73	141.8	-60.6
DDH0685	293.83	141.9	-60.5
DDH0685	299.92	142.0	-60.5
DDH0685	306.02	142.4	-60.4
DDH0685	312.12	142.9	-60.2
DDH0685	318.21	142.8	-60.2
DDH0685	324.31	143.1	-60.1
DDH0685	330.40	142.1	-60.0
DDH0685	336.50	143.5	-60.0
DDH0685	342.60	143.7	-59.9
DDH0685	348.69	143.8	-59.7
DDH0685	354.79	144.0	-59.5
DDH0685	360.88	144.2	-59.4
DDH0685	366.98	143.9	-59.2
DDH0685	373.08	144.6	-59.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0685	379.17	145.3	-59.0
DDH0685	385.27	144.3	-58.9
DDH0685	391.36	144.9	-58.8
DDH0685	397.46	144.7	-58.5
DDH0685	403.56	144.6	-58.4
DDH0685	409.65	145.4	-58.3
DDH0685	415.75	145.9	-58.1
DDH0686	0.00	233.0	-67.0
DDH0686	1.52	233.0	-66.7
DDH0686	7.62	233.0	-68.2
DDH0686	13.72	233.0	-68.5
DDH0686	19.81	233.0	-68.2
DDH0686	25.91	233.0	-68.2
DDH0686	32.00	233.0	-69.1
DDH0686	38.10	233.0	-69.5
DDH0686	44.20	233.0	-69.7
DDH0686	50.29	233.0	-69.7
DDH0686	56.39	233.0	-69.7
DDH0686	62.48	233.0	-69.9
DDH0686	68.58	233.0	-70.5
DDH0686	74.68	233.0	-71.2
DDH0686	330.40	233.0	-71.2
DDH0690A	0.00	90.0	-76.0
DDH0690A	1.52	90.3	-79.7
DDH0690A	7.62	90.5	-80.1
DDH0690A	13.72	90.7	-79.4
DDH0690A	19.81	90.9	-79.5
DDH0690A	25.91	91.1	-80.0
DDH0690A	32.00	91.3	-79.8
DDH0690A	38.10	91.5	-79.9
DDH0690A	44.20	91.7	-79.7
DDH0690A	50.29	91.9	-79.5
DDH0690A	56.39	93.8	-79.4
DDH0690A	62.48	96.8	-79.1
DDH0690A	68.58	98.5	-79.0
DDH0690A	74.68	99.5	-78.8
DDH0690A	80.77	101.2	-78.5
DDH0690A	86.87	104.1	-78.1
DDH0690A	92.96	104.7	-78.1
DDH0690A	99.06	104.8	-78.0
DDH0690A	105.16	105.5	-77.8
DDH0690A	111.25	106.6	-77.7
DDH0690A	117.35	108.2	-77.6
DDH0690A	123.44	109.4	-77.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0690A	129.54	110.0	-77.3
DDH0690A	135.64	110.6	-77.1
DDH0690A	141.73	111.0	-77.1
DDH0690A	147.83	111.3	-77.0
DDH0690A	153.92	112.4	-76.8
DDH0690A	160.02	113.1	-76.7
DDH0690A	166.12	113.4	-76.6
DDH0690A	172.21	114.0	-76.5
DDH0690A	178.31	114.0	-76.3
DDH0690A	184.40	114.7	-76.1
DDH0690A	190.50	112.4	-75.9
DDH0690A	196.60	116.5	-75.8
DDH0690A	202.69	116.7	-75.6
DDH0690A	208.79	117.0	-75.5
DDH0690A	214.88	117.5	-75.4
DDH0690A	220.98	118.2	-75.1
DDH0690A	227.08	119.0	-74.9
DDH0690A	233.17	120.0	-74.4
DDH0690A	239.27	120.6	-74.1
DDH0690A	245.36	121.2	-73.8
DDH0690A	251.46	121.7	-73.8
DDH0690A	257.56	122.4	-73.8
DDH0690A	263.65	122.7	-73.5
DDH0690A	269.75	123.6	-73.2
DDH0691	0.00	71.0	-66.0
DDH0691	3.96	71.2	-69.0
DDH0691	10.06	71.4	-68.8
DDH0691	16.15	71.6	-69.0
DDH0691	22.25	71.8	-69.0
DDH0691	28.35	72.0	-68.7
DDH0691	34.44	72.2	-68.9
DDH0691	40.54	72.4	-68.2
DDH0691	46.63	72.6	-69.0
DDH0691	52.73	72.8	-69.1
DDH0691	58.83	73.0	-69.1
DDH0691	64.92	73.8	-69.1
DDH0691	71.02	75.0	-69.0
DDH0691	77.11	76.0	-69.1
DDH0691	83.21	77.1	-69.3
DDH0691	89.31	77.9	-69.4
DDH0691	95.40	78.3	-69.4
DDH0691	101.50	78.9	-69.3
DDH0691	107.59	79.7	-69.3
DDH0691	113.69	80.4	-69.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0691	119.79	81.9	-69.2
DDH0691	125.88	82.9	-69.2
DDH0691	131.98	82.8	-69.2
DDH0691	138.07	88.6	-69.0
DDH0691	144.17	93.9	-68.7
DDH0691	150.27	97.9	-68.4
DDH0691	156.36	102.0	-68.0
DDH0691	162.46	105.2	-67.2
DDH0691	168.55	108.0	-66.5
DDH0691	174.65	109.5	-66.0
DDH0691	180.75	109.8	-66.0
DDH0691	186.84	110.4	-65.8
DDH0691	192.94	111.1	-65.4
DDH0691	199.03	111.7	-65.0
DDH0691	205.13	112.5	-64.9
DDH0691	211.23	113.5	-64.7
DDH0691	217.32	114.8	-64.4
DDH0691	223.42	115.7	-64.2
DDH0691	229.51	116.7	-63.9
DDH0691	235.61	117.6	-63.7
DDH0691	241.71	118.6	-63.4
DDH0693	0.00	120.0	-57.0
DDH0693	3.66	120.1	-55.7
DDH0693	9.75	120.2	-55.8
DDH0693	15.85	120.3	-55.6
DDH0693	21.95	120.4	-55.5
DDH0693	28.04	120.5	-55.7
DDH0693	34.14	120.6	-55.9
DDH0693	40.23	120.7	-55.8
DDH0693	46.33	120.7	-55.7
DDH0693	52.43	121.6	-55.8
DDH0693	58.52	121.9	-55.8
DDH0693	64.62	122.6	-55.7
DDH0693	70.71	122.2	-55.8
DDH0693	76.81	122.5	-55.8
DDH0693	82.91	123.0	-55.6
DDH0693	89.00	123.3	-55.3
DDH0693	95.10	124.0	-55.2
DDH0693	101.19	124.5	-55.0
DDH0693	107.29	124.7	-55.0
DDH0693	113.39	125.2	-55.0
DDH0693	119.48	125.4	-55.0
DDH0693	125.58	125.7	-55.0
DDH0693	131.67	124.4	-53.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0693	137.77	127.5	-54.9
DDH0693	143.87	126.3	-54.6
DDH0693	149.96	127.0	-54.3
DDH0693	156.06	127.1	-53.8
DDH0693	162.15	127.5	-53.6
DDH0693	168.25	127.9	-53.4
DDH0693	174.35	128.0	-53.3
DDH0693	180.44	128.2	-53.2
DDH0693	186.54	129.2	-53.1
DDH0693	192.63	128.6	-53.0
DDH0693	198.73	128.9	-52.8
DDH0693	204.83	129.0	-52.6
DDH0693	210.92	129.3	-52.4
DDH0693	217.02	129.6	-52.2
DDH0693	223.11	130.3	-52.0
DDH0693	229.21	130.6	-51.7
DDH0693	235.31	131.1	-51.1
DDH0693	241.40	131.3	-50.8
DDH0693	247.50	131.3	-50.8
DDH0693	253.59	131.6	-50.2
DDH0693	259.69	132.2	-49.8
DDH0693	265.79	132.7	-49.5
DDH0693	271.88	132.8	-49.2
DDH0693	277.98	132.6	-48.8
DDH0693	284.07	132.7	-48.4
DDH0693	290.17	134.3	-47.9
DDH0693	296.27	133.3	-47.4
DDH0693	302.36	133.1	-47.2
DDH0693	308.46	133.5	-47.1
DDH0693	314.55	133.6	-46.9
DDH0693	320.65	133.9	-46.7
DDH0693	326.75	133.6	-46.6
DDH0693	332.84	133.6	-46.4
DDH0693	338.94	133.6	-46.2
DDH0693	345.03	133.8	-45.9
DDH0694	0.00	131.0	-79.0
DDH0694	4.27	130.6	-83.6
DDH0694	10.36	130.2	-83.4
DDH0694	16.46	129.8	-83.3
DDH0694	22.56	129.4	-82.9
DDH0694	28.65	129.0	-82.9
DDH0694	34.75	128.6	-82.8
DDH0694	40.84	128.2	-82.7
DDH0694	46.94	127.8	-82.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0694	53.04	127.4	-81.9
DDH0694	59.13	127.0	-81.9
DDH0694	65.23	127.2	-81.8
DDH0694	71.32	127.5	-81.7
DDH0694	77.42	127.9	-81.6
DDH0694	83.52	129.1	-81.6
DDH0694	89.61	130.1	-81.4
DDH0694	95.71	130.6	-81.2
DDH0694	101.80	132.0	-81.2
DDH0694	107.90	132.3	-80.9
DDH0694	114.00	133.4	-80.8
DDH0694	120.09	134.4	-80.6
DDH0694	126.19	135.5	-80.3
DDH0694	132.28	137.5	-79.7
DDH0694	138.38	138.3	-79.3
DDH0694	144.48	138.2	-79.2
DDH0694	150.57	138.1	-79.2
DDH0694	156.67	137.8	-79.0
DDH0694	162.76	137.5	-78.8
DDH0694	168.86	137.6	-78.5
DDH0694	174.96	138.0	-78.3
DDH0694	181.05	138.1	-78.0
DDH0694	187.15	138.1	-77.7
DDH0694	193.24	138.2	-77.5
DDH0694	199.34	138.0	-77.3
DDH0694	205.44	138.4	-77.0
DDH0694	211.53	138.8	-76.6
DDH0694	217.63	138.8	-76.3
DDH0694	223.72	139.0	-75.9
DDH0694	229.82	140.2	-75.5
DDH0698	0.00	100.0	-84.0
DDH0698	3.96	100.0	-83.7
DDH0698	10.06	99.9	-83.5
DDH0698	16.15	99.9	-83.7
DDH0698	22.25	99.9	-83.6
DDH0698	28.35	99.9	-83.6
DDH0698	34.44	99.8	-83.5
DDH0698	40.54	99.8	-83.9
DDH0698	46.63	99.8	-84.2
DDH0698	52.73	99.7	-84.2
DDH0698	58.83	99.7	-84.4
DDH0698	64.92	99.7	-84.3
DDH0698	71.02	102.3	-84.2
DDH0698	77.11	105.3	-84.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0698	83.21	108.5	-83.8
DDH0698	89.31	109.2	-83.5
DDH0698	95.40	109.7	-83.0
DDH0698	101.50	110.3	-83.0
DDH0698	107.59	109.8	-82.9
DDH0698	113.69	112.2	-82.7
DDH0698	119.79	114.3	-82.7
DDH0698	125.88	116.8	-82.5
DDH0698	131.98	119.1	-82.3
DDH0698	138.07	123.5	-82.2
DDH0698	144.17	123.0	-81.8
DDH0698	150.27	123.5	-81.3
DDH0698	156.36	124.7	-80.7
DDH0698	162.46	125.5	-80.4
DDH0698	168.55	124.8	-79.9
DDH0698	174.65	125.8	-79.2
DDH0698	180.75	126.7	-78.6
DDH0698	186.84	127.2	-78.1
DDH0698	192.94	128.1	-77.6
DDH0698	199.03	129.4	-77.1
DDH0698	205.13	130.2	-76.4
DDH0698	211.23	131.3	-76.1
DDH0698	217.32	131.8	-75.7
DDH0698	223.42	134.2	-74.6
DDH0698	229.51	136.4	-73.3
DDH0698	235.61	138.2	-71.9
DDH0698	241.71	139.8	-70.8
DDH0698	247.80	140.0	-70.5
DDH0698	253.90	142.3	-69.3
DDH0698	259.99	144.7	-67.4
DDH0698	266.09	144.8	-66.2
DDH0698	272.19	144.7	-65.9
DDH0698	278.28	145.2	-65.8
DDH0698	284.38	145.1	-65.6
DDH0698	290.47	145.4	-65.4
DDH0698	296.57	145.3	-65.2
DDH0698	302.67	146.3	-65.7
DDH0698	308.76	146.0	-65.0
DDH0698	314.86	146.1	-64.9
DDH0698	320.95	146.3	-64.9
DDH0698	327.05	146.7	-64.8
DDH0698	333.15	146.8	-64.7
DDH0698	339.24	147.0	-64.6
DDH0698	345.34	147.5	-64.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0698	351.43	148.2	-64.6
DDH0698	357.53	148.1	-64.6
DDH0698	363.63	147.9	-64.6
DDH0698	369.72	147.7	-64.3
DDH0698	375.82	147.8	-63.9
DDH0698	381.91	147.8	-63.7
DDH0698	388.01	148.5	-63.6
DDH0698	394.11	148.7	-63.5
DDH0698	400.20	148.5	-63.5
DDH0698	406.30	149.5	-63.1
DDH0699	0.00	145.0	-50.0
DDH0699	3.66	144.5	-50.0
DDH0699	9.75	143.8	-49.9
DDH0699	15.85	143.1	-49.9
DDH0699	21.95	142.4	-49.8
DDH0699	28.04	141.7	-49.8
DDH0699	34.14	141.0	-49.7
DDH0699	40.23	140.3	-49.7
DDH0699	46.33	139.6	-49.7
DDH0699	52.43	138.9	-49.6
DDH0699	58.52	138.2	-49.6
DDH0699	64.62	138.2	-49.6
DDH0699	70.71	138.4	-49.5
DDH0699	76.81	138.4	-49.5
DDH0699	82.91	138.7	-49.5
DDH0699	89.00	139.1	-49.0
DDH0699	95.10	139.3	-48.7
DDH0699	101.19	139.4	-48.4
DDH0699	107.29	139.6	-48.1
DDH0699	113.39	139.9	-47.8
DDH0699	119.48	140.0	-47.6
DDH0699	125.58	140.2	-47.4
DDH0699	131.67	140.4	-47.2
DDH0699	137.77	140.7	-47.0
DDH0699	143.87	140.9	-46.6
DDH0699	149.96	140.9	-46.3
DDH0699	156.06	141.3	-46.0
DDH0699	162.15	141.9	-45.6
DDH0699	168.25	142.3	-45.1
DDH0699	174.35	142.8	-44.5
DDH0699	180.44	143.3	-43.8
DDH0699	186.54	143.5	-43.5
DDH0699	192.63	143.5	-43.3
DDH0699	198.73	144.5	-43.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0699	204.83	144.2	-43.0
DDH0699	210.92	144.3	-42.8
DDH0699	217.02	144.5	-42.5
DDH0699	223.11	143.7	-42.6
DDH0699	229.21	144.3	-42.7
DDH0699	235.31	144.5	-42.8
DDH0699	241.40	144.8	-43.0
DDH0699	247.50	145.1	-43.2
DDH0699	253.59	145.2	-43.3
DDH0699	259.69	145.5	-43.9
DDH0699	265.79	145.7	-43.2
DDH0699	271.88	145.9	-43.3
DDH0699	277.98	146.0	-43.4
DDH0699	284.07	146.2	-43.3
DDH0699	290.17	146.4	-43.3
DDH0699	296.27	146.3	-43.3
DDH0699	302.36	146.7	-43.3
DDH0699	308.46	146.9	-43.3
DDH0699	314.55	147.2	-43.3
DDH0699	320.65	147.0	-43.2
DDH0699	326.75	148.2	-43.3
DDH0699	332.84	148.6	-43.5
DDH0699	338.94	148.9	-43.6
DDH0699	345.03	149.1	-43.7
DDH0699	351.13	149.3	-43.7
DDH0699	357.23	149.4	-43.7
DDH0699	363.32	149.6	-43.8
DDH0699	369.42	149.9	-43.8
DDH0699	375.51	150.2	-43.8
DDH0699	381.61	150.6	-43.8
DDH0699	387.71	151.2	-43.9
DDH0699	393.80	151.7	-44.1
DDH0699	399.90	151.9	-44.2
DDH0699	405.99	151.9	-44.2
DDH0699	412.09	152.0	-44.2
DDH0699	418.19	152.0	-44.1
DDH0699	424.28	151.8	-44.0
DDH0699	430.38	152.3	-44.0
DDH0699	436.47	152.4	-44.2
DDH0699	442.57	152.1	-44.3
DDH0699	448.67	151.8	-44.4
DDH0699	454.76	151.5	-44.3
DDH0700	0.00	161.0	-45.0
DDH0700	0.30	160.9	-45.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0700	6.40	160.7	-45.2
DDH0700	12.50	160.5	-45.3
DDH0700	18.59	160.3	-45.4
DDH0700	24.69	160.1	-45.5
DDH0700	30.78	159.9	-45.6
DDH0700	36.88	159.7	-45.7
DDH0700	42.98	159.6	-45.8
DDH0700	49.07	159.5	-45.9
DDH0700	55.17	159.4	-46.0
DDH0700	61.26	159.3	-46.1
DDH0700	67.36	159.2	-46.2
DDH0700	73.46	159.1	-46.3
DDH0700	79.55	159.0	-46.4
DDH0700	85.65	158.9	-46.5
DDH0700	91.74	158.8	-46.6
DDH0700	97.84	158.7	-46.6
DDH0700	103.94	158.7	-46.6
DDH0700	110.03	159.0	-46.7
DDH0700	116.13	158.9	-46.7
DDH0700	122.22	158.8	-46.6
DDH0700	128.32	158.5	-46.6
DDH0700	134.42	157.4	-46.7
DDH0700	140.51	157.6	-46.8
DDH0700	146.61	157.5	-46.4
DDH0700	152.70	156.7	-46.1
DDH0700	158.80	156.2	-45.9
DDH0700	164.90	155.7	-45.9
DDH0700	170.99	155.4	-45.7
DDH0700	177.09	154.8	-45.6
DDH0700	183.18	154.2	-45.5
DDH0700	189.28	154.1	-45.4
DDH0700	195.38	154.1	-45.4
DDH0700	201.47	154.0	-45.5
DDH0700	207.57	153.9	-45.6
DDH0700	213.66	153.6	-45.6
DDH0700	219.76	153.3	-45.6
DDH0700	225.86	153.3	-45.8
DDH0700	231.95	154.0	-46.2
DDH0700	238.05	153.9	-46.6
DDH0700	244.14	154.4	-47.0
DDH0700	250.24	154.4	-47.3
DDH0700	256.34	154.7	-47.7
DDH0700	262.43	154.6	-48.1
DDH0700	268.53	154.6	-48.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0700	274.62	154.0	-49.2
DDH0700	280.72	153.6	-49.6
DDH0700	286.82	153.3	-49.8
DDH0700	292.91	153.1	-50.5
DDH0700	299.01	153.0	-50.8
DDH0700	305.10	152.7	-50.9
DDH0700	311.20	153.0	-50.7
DDH0700	317.30	153.2	-50.4
DDH0702	0.00	122.0	-76.0
DDH0702	2.44	122.0	-76.1
DDH0702	8.53	122.0	-76.1
DDH0702	14.63	121.9	-75.8
DDH0702	20.73	121.9	-76.1
DDH0702	26.82	121.9	-75.6
DDH0702	32.92	121.8	-75.6
DDH0702	39.01	121.8	-75.9
DDH0702	45.11	121.8	-75.8
DDH0702	51.21	121.8	-76.1
DDH0702	57.30	121.7	-76.0
DDH0702	63.40	121.7	-76.2
DDH0702	69.49	121.7	-76.1
DDH0702	75.59	121.7	-75.9
DDH0702	81.69	121.6	-75.7
DDH0702	87.78	121.6	-75.6
DDH0702	93.88	121.6	-75.4
DDH0702	99.97	121.6	-75.2
DDH0702	106.07	122.2	-75.0
DDH0702	112.17	122.5	-74.8
DDH0702	118.26	122.8	-74.5
DDH0702	124.36	122.5	-74.2
DDH0702	130.45	122.4	-74.0
DDH0702	136.55	122.4	-73.8
DDH0702	142.65	122.8	-73.4
DDH0702	148.74	122.9	-72.8
DDH0702	154.84	124.5	-71.9
DDH0702	160.93	125.4	-71.2
DDH0702	167.03	125.6	-70.8
DDH0702	173.13	125.8	-70.4
DDH0702	179.22	126.4	-70.1
DDH0702	185.32	126.9	-69.7
DDH0702	191.41	127.9	-68.9
DDH0702	197.51	129.6	-68.0
DDH0702	203.61	130.6	-67.5
DDH0702	209.70	130.9	-66.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0702	215.80	131.6	-66.0
DDH0702	221.89	131.8	-65.8
DDH0702	227.99	136.2	-65.9
DDH0702	234.09	132.3	-65.7
DDH0702	240.18	132.6	-65.5
DDH0702	246.28	133.0	-65.3
DDH0702	252.37	133.2	-65.0
DDH0702	258.47	133.6	-64.7
DDH0702	264.57	133.6	-64.3
DDH0702	270.66	133.8	-64.0
DDH0702	276.76	133.8	-63.6
DDH0702	282.85	133.9	-63.4
DDH0702	288.95	134.0	-63.3
DDH0702	295.05	134.3	-63.1
DDH0702	301.14	134.5	-63.0
DDH0702	307.24	134.8	-63.0
DDH0702	313.33	135.1	-62.9
DDH0702	319.43	135.4	-62.8
DDH0702	325.53	135.7	-62.8
DDH0702	331.62	135.8	-62.7
DDH0702	337.72	136.0	-62.6
DDH0702	343.81	136.4	-62.4
DDH0702	349.91	137.0	-62.3
DDH0702	356.01	137.1	-62.2
DDH0702	362.10	137.4	-62.0
DDH0702	368.20	137.4	-61.4
DDH0702	374.29	137.4	-61.0
DDH0703	0.00	155.0	-48.0
DDH0703	1.22	155.0	-47.1
DDH0703	7.32	154.9	-47.1
DDH0703	13.41	154.9	-46.9
DDH0703	19.51	154.8	-46.5
DDH0703	25.60	154.8	-47.3
DDH0703	31.70	154.7	-47.6
DDH0703	37.80	154.6	-47.3
DDH0703	43.89	154.5	-47.7
DDH0703	49.99	154.4	-47.7
DDH0703	56.08	154.3	-47.7
DDH0703	62.18	154.2	-47.2
DDH0703	68.28	154.1	-46.5
DDH0703	74.37	154.0	-46.0
DDH0703	80.47	153.9	-45.8
DDH0703	86.56	153.8	-46.1
DDH0703	92.66	153.7	-46.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0703	98.76	153.6	-46.9
DDH0703	104.85	153.5	-46.9
DDH0703	110.95	153.4	-46.7
DDH0703	117.04	153.3	-46.8
DDH0703	123.14	154.0	-46.8
DDH0703	129.24	153.6	-46.9
DDH0703	135.33	153.2	-47.0
DDH0703	141.43	153.7	-47.1
DDH0703	147.52	153.5	-47.1
DDH0703	153.62	153.9	-47.0
DDH0703	159.72	153.7	-46.8
DDH0703	165.81	153.2	-46.5
DDH0703	171.91	152.7	-46.3
DDH0703	178.00	152.9	-46.4
DDH0703	184.10	153.1	-46.4
DDH0703	190.20	153.2	-46.3
DDH0703	196.29	153.4	-46.2
DDH0703	202.39	153.7	-46.1
DDH0703	208.48	152.9	-46.0
DDH0703	214.58	152.5	-46.0
DDH0703	220.68	152.5	-46.0
DDH0703	226.77	152.4	-46.1
DDH0703	232.87	151.5	-46.2
DDH0703	238.96	153.3	-46.3
DDH0703	245.06	152.4	-46.5
DDH0703	251.16	152.5	-46.6
DDH0703	257.25	152.6	-46.6
DDH0703	263.35	152.6	-46.7
DDH0703	269.44	152.2	-46.7
DDH0703	275.54	152.2	-46.7
DDH0703	281.64	151.8	-46.8
DDH0703	287.73	151.7	-46.9
DDH0703	293.83	151.6	-46.8
DDH0703	299.92	152.0	-46.8
DDH0703	306.02	152.3	-46.8
DDH0703	312.12	152.5	-46.9
DDH0703	318.21	152.7	-46.8
DDH0703	324.31	152.8	-46.7
DDH0704	0.00	99.0	-48.0
DDH0704	0.91	99.4	-47.7
DDH0704	7.01	99.8	-47.8
DDH0704	13.11	100.2	-47.5
DDH0704	19.20	100.6	-47.6
DDH0704	25.30	101.0	-47.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0704	31.39	101.4	-47.7
DDH0704	37.49	101.8	-47.9
DDH0704	43.59	102.2	-47.5
DDH0704	49.68	102.6	-47.7
DDH0704	55.78	103.0	-47.7
DDH0704	61.87	103.1	-47.7
DDH0704	67.97	103.2	-47.8
DDH0704	74.07	104.7	-47.9
DDH0704	80.16	106.4	-47.9
DDH0704	86.26	106.2	-47.9
DDH0704	92.35	106.0	-47.9
DDH0704	98.45	106.1	-47.8
DDH0704	104.55	106.3	-48.0
DDH0704	110.64	106.2	-48.0
DDH0704	116.74	106.3	-48.0
DDH0704	122.83	106.2	-48.0
DDH0704	128.93	106.1	-48.1
DDH0704	135.03	105.9	-48.1
DDH0704	141.12	104.9	-48.1
DDH0704	147.22	106.1	-48.1
DDH0704	153.31	106.4	-48.0
DDH0704	159.41	106.9	-47.9
DDH0704	165.51	107.3	-47.8
DDH0704	171.60	107.4	-47.6
DDH0704	177.70	107.5	-47.6
DDH0704	183.79	107.6	-47.4
DDH0704	189.89	107.7	-47.4
DDH0704	195.99	107.8	-47.1
DDH0704	202.08	107.9	-47.0
DDH0704	208.18	108.1	-46.9
DDH0705	0.00	139.0	-64.0
DDH0705	0.91	139.0	-63.2
DDH0705	7.01	139.0	-63.3
DDH0705	13.11	139.0	-63.6
DDH0705	19.20	139.0	-63.8
DDH0705	25.30	139.0	-63.6
DDH0705	31.39	138.9	-63.9
DDH0705	37.49	138.9	-64.0
DDH0705	43.59	138.9	-63.8
DDH0705	49.68	138.9	-64.1
DDH0705	55.78	138.9	-64.0
DDH0705	61.87	138.9	-63.7
DDH0705	67.97	139.3	-63.5
DDH0705	74.07	139.6	-63.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0705	80.16	139.8	-63.2
DDH0705	86.26	140.1	-63.1
DDH0705	92.35	140.1	-63.1
DDH0705	98.45	140.2	-62.9
DDH0705	104.55	140.5	-62.8
DDH0705	110.64	140.7	-62.8
DDH0705	116.74	140.6	-62.6
DDH0705	122.83	140.8	-62.6
DDH0705	128.93	140.8	-62.6
DDH0705	135.03	140.7	-62.4
DDH0705	141.12	141.0	-62.3
DDH0705	147.22	141.0	-62.1
DDH0705	153.31	141.0	-62.1
DDH0705	159.41	141.4	-61.8
DDH0705	165.51	141.4	-61.7
DDH0705	171.60	141.3	-61.4
DDH0705	177.70	141.5	-61.0
DDH0705	183.79	141.0	-60.6
DDH0705	189.89	141.1	-60.4
DDH0705	195.99	141.1	-60.2
DDH0705	202.08	141.3	-59.9
DDH0705	208.18	141.6	-59.6
DDH0705	214.27	141.8	-59.5
DDH0705	220.37	141.6	-59.3
DDH0705	226.47	141.9	-59.2
DDH0705	232.56	142.2	-59.2
DDH0705	238.66	142.0	-59.1
DDH0705	244.75	142.1	-59.0
DDH0705	250.85	142.2	-58.9
DDH0705	256.95	142.0	-58.8
DDH0705	263.04	141.4	-58.7
DDH0705	269.14	141.4	-58.7
DDH0705	275.23	142.1	-58.7
DDH0705	281.33	142.3	-58.6
DDH0705	287.43	142.3	-58.6
DDH0705	293.52	142.4	-58.6
DDH0705	299.62	141.5	-58.3
DDH0705	305.71	141.5	-58.1
DDH0705	311.81	141.9	-58.1
DDH0705	317.91	141.6	-58.0
DDH0705	324.00	141.7	-58.0
DDH0705	330.10	141.9	-57.9
DDH0705	336.19	142.1	-57.9
DDH0705	342.29	142.1	-57.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0705	348.39	142.0	-57.8
DDH0705	354.48	142.1	-57.7
DDH0710	0.00	164.0	-40.0
DDH0710	3.66	164.1	-35.9
DDH0710	9.75	164.1	-39.4
DDH0710	15.85	164.2	-39.8
DDH0710	21.95	164.3	-38.9
DDH0710	28.04	164.5	-39.5
DDH0710	34.14	164.7	-40.0
DDH0710	40.23	164.9	-39.3
DDH0710	46.33	165.1	-39.3
DDH0710	52.43	165.3	-39.4
DDH0710	58.52	165.5	-39.1
DDH0710	64.62	165.7	-38.8
DDH0710	70.71	165.9	-38.9
DDH0710	76.81	166.1	-38.9
DDH0710	82.91	166.3	-39.0
DDH0710	89.00	166.5	-39.1
DDH0710	95.10	166.7	-39.2
DDH0710	101.19	166.9	-39.3
DDH0710	107.29	166.7	-39.4
DDH0710	113.39	166.4	-39.4
DDH0710	119.48	166.3	-39.5
DDH0710	125.58	166.1	-39.7
DDH0710	131.67	166.2	-39.9
DDH0710	137.77	166.3	-40.0
DDH0710	143.87	166.5	-40.0
DDH0710	149.96	166.0	-40.1
DDH0710	156.06	166.1	-40.1
DDH0710	162.15	166.2	-40.2
DDH0710	168.25	166.1	-40.3
DDH0710	174.35	165.6	-40.3
DDH0710	180.44	164.9	-40.3
DDH0710	186.54	165.5	-40.4
DDH0710	192.63	165.1	-40.4
DDH0710	198.73	165.1	-40.5
DDH0710	204.83	165.0	-40.6
DDH0710	210.92	165.3	-40.7
DDH0710	217.02	164.8	-40.8
DDH0710	223.11	164.6	-40.9
DDH0710	229.21	165.1	-41.0
DDH0710	235.31	165.0	-41.1
DDH0710	241.40	164.8	-41.3
DDH0710	247.50	164.7	-41.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0710	253.59	164.7	-41.6
DDH0710	259.69	164.3	-41.8
DDH0710	265.79	164.4	-42.1
DDH0710	271.88	164.1	-42.4
DDH0710	277.98	163.7	-42.7
DDH0710	284.07	163.7	-43.3
DDH0710	290.17	163.5	-43.5
DDH0710	296.27	163.3	-43.8
DDH0710	302.36	163.2	-44.0
DDH0710	308.46	163.2	-44.2
DDH0710	314.55	163.1	-44.1
DDH0710	320.65	163.0	-44.0
DDH0710	326.75	162.9	-43.9
DDH0710	332.84	163.0	-43.7
DDH0710	338.94	163.0	-43.5
DDH0710	345.03	163.1	-43.5
DDH0710	351.13	163.1	-43.4
DDH0710	357.23	163.2	-43.4
DDH0712	0.00	97.0	-60.0
DDH0712	3.96	97.8	-60.4
DDH0712	10.06	98.6	-60.3
DDH0712	16.15	99.4	-61.1
DDH0712	22.25	100.2	-60.3
DDH0712	28.35	101.0	-60.6
DDH0712	34.44	101.8	-60.6
DDH0712	40.54	102.6	-60.4
DDH0712	46.63	103.4	-60.2
DDH0712	52.73	103.7	-60.0
DDH0712	58.83	102.9	-60.0
DDH0712	64.92	102.7	-59.9
DDH0712	71.02	105.4	-59.9
DDH0712	77.11	105.8	-59.8
DDH0712	83.21	105.9	-59.8
DDH0712	89.31	108.7	-59.8
DDH0712	95.40	109.5	-59.6
DDH0712	101.50	108.1	-59.6
DDH0712	107.59	108.2	-59.5
DDH0712	113.69	109.7	-59.5
DDH0712	119.79	110.1	-59.5
DDH0712	125.88	108.5	-59.5
DDH0712	131.98	107.0	-59.5
DDH0712	138.07	105.5	-59.5
DDH0712	144.17	103.8	-59.5
DDH0712	150.27	104.4	-59.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0712	156.36	105.7	-59.5
DDH0712	162.46	103.9	-59.5
DDH0712	168.55	108.1	-59.5
DDH0712	174.65	105.8	-59.4
DDH0712	180.75	108.1	-59.5
DDH0716	0.00	165.0	-72.0
DDH0716	4.27	165.3	-71.8
DDH0716	10.36	165.8	-71.6
DDH0716	16.46	166.1	-71.4
DDH0716	22.56	166.5	-71.2
DDH0716	28.65	166.9	-71.0
DDH0716	34.75	167.3	-70.8
DDH0716	40.84	167.7	-70.6
DDH0716	46.94	168.1	-70.4
DDH0716	53.04	168.4	-70.3
DDH0716	59.13	168.7	-70.2
DDH0716	65.23	169.0	-70.2
DDH0716	71.32	169.3	-70.4
DDH0716	77.42	171.2	-70.5
DDH0716	83.52	169.6	-70.5
DDH0716	89.61	170.4	-70.5
DDH0716	95.71	171.0	-70.4
DDH0716	101.80	172.1	-70.3
DDH0716	107.90	172.6	-70.3
DDH0716	114.00	173.8	-70.3
DDH0716	120.09	172.9	-70.2
DDH0716	126.19	171.8	-70.2
DDH0716	132.28	171.7	-70.2
DDH0716	138.38	170.3	-70.4
DDH0716	144.48	170.3	-70.4
DDH0716	150.57	170.2	-70.5
DDH0716	156.67	170.3	-70.6
DDH0716	162.76	170.7	-70.7
DDH0716	168.86	170.7	-70.7
DDH0716	174.96	171.2	-70.7
DDH0716	181.05	172.3	-70.7
DDH0716	187.15	173.1	-70.7
DDH0716	193.24	173.2	-70.7
DDH0716	199.34	170.7	-70.7
DDH0716	205.44	172.8	-70.5
DDH0716	211.53	172.9	-70.5
DDH0716	217.63	172.0	-70.4
DDH0716	223.72	171.8	-70.3
DDH0716	229.82	171.6	-69.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0716	235.92	170.3	-69.1
DDH0716	242.01	168.9	-68.5
DDH0716	248.11	168.0	-68.0
DDH0716	254.20	166.9	-67.7
DDH0716	260.30	167.1	-67.8
DDH0716	266.40	167.7	-67.9
DDH0716	272.49	167.8	-67.8
DDH0716	278.59	168.3	-67.9
DDH0716	284.68	168.8	-68.0
DDH0716	290.78	169.6	-68.0
DDH0716	296.88	170.0	-68.0
DDH0716	302.97	170.5	-68.0
DDH0716	309.07	170.7	-68.0
DDH0716	315.16	170.8	-68.0
DDH0716	321.26	171.1	-67.8
DDH0716	327.36	171.7	-67.5
DDH0716	333.45	171.2	-66.8
DDH0716	339.55	170.3	-66.2
DDH0716	345.64	169.1	-65.5
DDH0716	351.74	168.1	-65.4
DDH0716	357.84	168.3	-65.3
DDH0716	363.93	168.1	-65.4
DDH0716	370.03	167.7	-65.5
DDH0717	0.00	121.0	-61.0
DDH0717	3.96	120.7	-58.6
DDH0717	10.06	120.4	-58.4
DDH0717	16.15	120.1	-57.9
DDH0717	22.25	119.8	-58.1
DDH0717	28.35	119.5	-58.6
DDH0717	34.44	119.2	-58.2
DDH0717	40.54	118.9	-58.7
DDH0717	46.63	118.6	-58.5
DDH0717	52.73	118.3	-58.6
DDH0717	58.83	118.0	-58.7
DDH0717	64.92	117.7	-58.8
DDH0717	71.02	117.4	-58.6
DDH0717	77.11	117.1	-58.7
DDH0717	83.21	116.7	-58.2
DDH0717	89.31	117.1	-58.2
DDH0717	95.40	117.3	-58.0
DDH0717	101.50	118.1	-57.9
DDH0717	107.59	118.9	-57.5
DDH0717	113.69	118.4	-57.3
DDH0717	119.79	119.0	-57.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0717	125.88	119.6	-57.4
DDH0717	131.98	119.8	-57.3
DDH0717	138.07	119.5	-57.1
DDH0717	144.17	120.1	-57.0
DDH0717	150.27	120.7	-56.6
DDH0717	156.36	120.6	-56.2
DDH0717	162.46	120.7	-55.9
DDH0717	168.55	121.5	-55.9
DDH0717	174.65	121.9	-55.5
DDH0717	180.75	121.4	-55.1
DDH0717	186.84	121.4	-55.1
DDH0717	192.94	121.3	-54.9
DDH0717	199.03	122.1	-54.7
DDH0717	205.13	122.3	-54.2
DDH0717	211.23	122.6	-54.1
DDH0717	217.32	122.5	-54.1
DDH0717	223.42	123.1	-54.0
DDH0717	229.51	123.9	-53.8
DDH0717	235.61	124.2	-53.7
DDH0717	241.71	124.8	-53.8
DDH0717	247.80	125.2	-53.8
DDH0717	253.90	124.9	-53.7
DDH0717	259.99	125.6	-53.5
DDH0717	266.09	126.0	-53.3
DDH0717	272.19	126.7	-53.0
DDH0717	278.28	127.5	-52.8
DDH0717	284.38	128.3	-53.0
DDH0717	290.47	128.4	-53.2
DDH0717	296.57	128.5	-53.3
DDH0717	302.67	129.0	-53.2
DDH0717	308.76	130.0	-53.3
DDH0717	314.86	130.5	-53.2
DDH0717	320.95	131.1	-53.1
DDH0717	327.05	131.6	-53.1
DDH0717	333.15	131.7	-53.1
DDH0717	339.24	133.3	-53.5
DDH0717	345.34	134.1	-54.2
DDH0717	351.43	134.4	-54.2
DDH0717	357.53	134.5	-54.3
DDH0717	363.63	134.6	-54.2
DDH0717	369.72	135.2	-54.1
DDH0717	375.82	135.5	-54.0
DDH0717	381.91	135.5	-53.9
DDH0717	388.01	135.6	-53.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0717	394.11	136.4	-53.8
DDH0717	400.20	136.6	-53.8
DDH0718	0.00	164.0	-55.0
DDH0718	3.96	164.5	-57.2
DDH0718	10.06	165.0	-56.9
DDH0718	16.15	165.5	-56.9
DDH0718	22.25	166.0	-56.9
DDH0718	28.35	166.5	-56.9
DDH0718	34.44	167.0	-56.9
DDH0718	40.54	167.5	-56.9
DDH0718	46.63	168.0	-57.0
DDH0718	52.73	168.4	-56.9
DDH0718	58.83	169.0	-56.7
DDH0718	64.92	169.1	-56.7
DDH0718	71.02	169.3	-56.7
DDH0718	77.11	169.8	-56.8
DDH0718	83.21	169.9	-56.8
DDH0718	89.31	170.0	-56.9
DDH0718	95.40	170.9	-56.9
DDH0718	101.50	171.0	-57.0
DDH0718	107.59	173.9	-57.1
DDH0718	113.69	170.9	-57.2
DDH0718	119.79	171.5	-57.3
DDH0718	125.88	171.4	-57.3
DDH0718	131.98	170.8	-57.4
DDH0718	138.07	172.2	-57.8
DDH0718	144.17	167.8	-57.8
DDH0718	150.27	170.6	-57.3
DDH0718	156.36	170.3	-57.0
DDH0718	162.46	170.5	-57.0
DDH0718	168.55	171.0	-57.0
DDH0718	174.65	171.1	-57.1
DDH0718	180.75	171.5	-57.2
DDH0718	186.84	171.2	-57.2
DDH0718	192.94	171.7	-57.2
DDH0718	199.03	171.6	-57.1
DDH0718	205.13	171.3	-56.9
DDH0718	211.23	170.6	-56.8
DDH0718	217.32	170.2	-56.7
DDH0718	223.42	170.0	-56.6
DDH0718	229.51	169.7	-56.5
DDH0718	235.61	168.8	-56.6
DDH0718	241.71	169.0	-56.6
DDH0718	247.80	168.9	-56.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0718	253.90	169.1	-56.7
DDH0718	259.99	169.2	-56.8
DDH0718	266.09	169.1	-56.8
DDH0718	272.19	169.2	-56.8
DDH0718	278.28	168.8	-56.7
DDH0718	284.38	168.5	-56.7
DDH0718	290.47	168.3	-56.7
DDH0718	296.57	168.2	-56.7
DDH0718	302.67	167.9	-56.6
DDH0718	308.76	168.2	-56.6
DDH0718	314.86	168.3	-56.6
DDH0718	320.95	168.6	-56.6
DDH0718	327.05	168.4	-56.5
DDH0718	333.15	168.4	-56.5
DDH0718	339.24	168.4	-56.5
DDH0718	345.34	168.2	-56.4
DDH0718	351.43	168.4	-56.4
DDH0718	357.53	168.3	-55.9
DDH0718	363.63	167.7	-55.5
DDH0718	369.72	167.4	-55.4
DDH0718	375.82	167.4	-55.1
DDH0718	381.91	166.4	-55.1
DDH0718	388.01	165.8	-54.9
DDH0718	394.11	165.5	-54.9
DDH0718	400.20	165.0	-54.8
DDH0718	406.30	164.7	-54.9
DDH0718	412.39	163.8	-55.0
DDH0718	418.49	163.1	-55.0
DDH0718	424.59	163.1	-55.1
DDH0720	0.00	143.0	-60.0
DDH0720	0.91	142.7	-60.0
DDH0720	7.01	142.6	-59.9
DDH0720	13.11	142.5	-60.1
DDH0720	19.20	142.4	-60.4
DDH0720	25.30	142.3	-60.8
DDH0720	31.39	142.2	-61.3
DDH0720	37.49	142.1	-60.8
DDH0720	43.59	142.6	-60.9
DDH0720	49.68	142.7	-61.2
DDH0720	55.78	142.6	-61.1
DDH0720	61.87	142.5	-61.1
DDH0720	67.97	142.6	-61.1
DDH0720	74.07	142.5	-61.3
DDH0720	80.16	142.6	-61.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0720	86.26	142.8	-61.5
DDH0720	92.35	142.7	-61.3
DDH0720	98.45	142.6	-61.2
DDH0720	104.55	142.6	-60.9
DDH0720	110.64	142.4	-60.9
DDH0720	116.74	142.3	-60.7
DDH0720	122.83	142.1	-60.7
DDH0720	128.93	142.1	-60.7
DDH0720	135.03	142.1	-60.6
DDH0720	141.12	142.1	-60.6
DDH0720	147.22	142.3	-60.6
DDH0720	153.31	142.4	-60.6
DDH0720	159.41	142.5	-60.5
DDH0720	165.51	142.5	-60.5
DDH0720	171.60	142.7	-60.5
DDH0720	177.70	142.6	-60.4
DDH0720	183.79	142.6	-60.4
DDH0720	189.89	142.7	-60.4
DDH0720	195.99	142.9	-60.2
DDH0720	202.08	143.4	-60.2
DDH0720	208.18	142.9	-60.2
DDH0720	214.27	143.1	-60.2
DDH0720	220.37	143.2	-60.2
DDH0720	226.47	143.2	-60.1
DDH0720	232.56	143.2	-60.1
DDH0720	238.66	143.2	-60.1
DDH0720	244.75	143.4	-60.1
DDH0720	250.85	143.4	-60.1
DDH0720	256.95	143.4	-60.0
DDH0720	263.04	143.5	-60.0
DDH0720	269.14	143.5	-59.9
DDH0720	275.23	143.6	-59.8
DDH0720	281.33	144.0	-59.7
DDH0720	287.43	144.1	-59.5
DDH0721	0.00	68.0	-75.0
DDH0721	3.96	68.4	-78.5
DDH0721	10.06	69.0	-82.5
DDH0721	16.15	69.6	-78.0
DDH0721	22.25	70.2	-77.4
DDH0721	28.35	70.8	-77.6
DDH0721	34.44	71.4	-77.7
DDH0721	40.54	72.0	-77.8
DDH0721	46.63	72.6	-77.7
DDH0721	52.73	73.2	-77.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0721	58.83	73.8	-78.2
DDH0721	64.92	75.9	-78.5
DDH0721	71.02	79.7	-78.9
DDH0721	77.11	81.8	-79.1
DDH0721	83.21	89.9	-79.1
DDH0721	89.31	93.1	-79.2
DDH0721	95.40	92.2	-79.2
DDH0721	101.50	91.2	-79.3
DDH0721	107.59	90.8	-79.3
DDH0721	113.69	91.1	-79.3
DDH0721	119.79	91.7	-79.3
DDH0721	125.88	92.7	-79.3
DDH0721	131.98	93.7	-79.2
DDH0721	138.07	94.7	-79.1
DDH0721	144.17	95.7	-79.1
DDH0721	150.27	96.7	-79.1
DDH0721	156.36	97.7	-79.0
DDH0721	162.46	97.8	-79.0
DDH0721	168.55	98.5	-79.1
DDH0721	174.65	99.2	-79.1
DDH0721	180.75	99.9	-79.1
DDH0722	0.00	138.0	-71.0
DDH0722	1.22	138.1	-70.3
DDH0722	7.32	138.2	-70.6
DDH0722	13.41	138.3	-70.6
DDH0722	19.51	138.4	-70.4
DDH0722	25.60	138.5	-70.5
DDH0722	31.70	138.7	-74.3
DDH0722	37.80	138.8	-70.6
DDH0722	43.89	138.9	-70.6
DDH0722	49.99	139.0	-70.6
DDH0722	56.08	139.1	-70.7
DDH0722	62.18	139.2	-70.5
DDH0722	68.28	139.4	-70.8
DDH0722	74.37	139.5	-70.6
DDH0722	80.47	139.1	-70.6
DDH0722	86.56	139.1	-70.6
DDH0722	92.66	139.2	-70.7
DDH0722	98.76	139.3	-70.6
DDH0722	104.85	139.4	-70.5
DDH0722	110.95	139.7	-70.5
DDH0722	117.04	139.6	-70.4
DDH0722	123.14	139.9	-70.4
DDH0722	129.24	140.2	-70.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0722	135.33	140.6	-70.4
DDH0722	141.43	140.8	-70.4
DDH0722	147.52	140.8	-70.3
DDH0722	153.62	141.3	-70.3
DDH0722	159.72	141.4	-70.2
DDH0722	165.81	141.8	-70.1
DDH0722	171.91	142.0	-70.0
DDH0722	178.00	142.2	-70.0
DDH0722	184.10	142.4	-69.9
DDH0722	190.20	142.2	-69.9
DDH0722	196.29	142.3	-69.7
DDH0722	202.39	142.1	-69.6
DDH0722	208.48	142.3	-69.4
DDH0722	214.58	142.3	-68.8
DDH0722	220.68	142.4	-68.6
DDH0722	226.77	142.4	-68.4
DDH0722	232.87	142.2	-68.1
DDH0722	238.96	142.9	-67.8
DDH0722	245.06	143.0	-67.6
DDH0722	251.16	143.8	-67.4
DDH0722	257.25	143.6	-67.1
DDH0722	263.35	143.7	-66.9
DDH0722	269.44	143.7	-66.8
DDH0722	275.54	143.5	-66.5
DDH0722	281.64	143.9	-66.4
DDH0722	287.73	144.1	-66.3
DDH0722	293.83	144.3	-66.3
DDH0722	299.92	144.3	-66.3
DDH0722	306.02	144.3	-66.1
DDH0722	312.12	144.4	-66.1
DDH0722	318.21	144.3	-65.9
DDH0722	324.31	142.7	-65.8
DDH0722	330.40	143.5	-65.6
DDH0722	336.50	143.2	-65.2
DDH0723	0.00	157.0	-48.0
DDH0723	0.91	157.1	-48.0
DDH0723	7.01	157.2	-48.0
DDH0723	13.11	157.3	-48.0
DDH0723	19.20	157.4	-47.5
DDH0723	25.30	157.5	-48.8
DDH0723	31.39	157.6	-48.9
DDH0723	37.49	157.7	-48.6
DDH0723	43.59	157.8	-48.8
DDH0723	49.68	157.9	-48.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0723	55.78	158.0	-48.7
DDH0723	61.87	158.1	-48.4
DDH0723	67.97	158.2	-48.3
DDH0723	74.07	158.3	-48.4
DDH0723	80.16	158.4	-47.7
DDH0723	86.26	158.5	-48.4
DDH0723	92.35	158.6	-48.3
DDH0723	98.45	158.7	-48.4
DDH0723	104.55	158.9	-48.5
DDH0723	110.64	159.2	-48.5
DDH0723	116.74	159.1	-48.3
DDH0723	122.83	159.2	-48.2
DDH0723	128.93	159.4	-48.1
DDH0723	135.03	158.7	-47.9
DDH0723	141.12	158.5	-47.7
DDH0723	147.22	158.1	-47.8
DDH0723	153.31	158.0	-47.8
DDH0723	159.41	158.2	-48.0
DDH0723	165.51	158.3	-48.0
DDH0723	171.60	158.4	-48.1
DDH0723	177.70	159.8	-47.9
DDH0723	183.79	157.9	-47.9
DDH0723	189.89	157.4	-47.8
DDH0723	195.99	157.5	-47.7
DDH0723	202.08	157.1	-47.9
DDH0723	208.18	156.8	-47.9
DDH0723	214.27	156.5	-47.9
DDH0723	220.37	156.0	-48.0
DDH0723	226.47	155.6	-47.8
DDH0723	232.56	155.2	-47.8
DDH0723	238.66	155.1	-47.9
DDH0723	244.75	155.1	-47.8
DDH0723	250.85	154.9	-47.9
DDH0723	256.95	154.4	-48.1
DDH0723	263.04	154.5	-48.1
DDH0723	269.14	154.7	-48.1
DDH0723	275.23	154.9	-48.4
DDH0723	281.33	155.1	-48.5
DDH0723	287.43	154.6	-48.6
DDH0723	293.52	154.7	-48.6
DDH0723	299.62	154.9	-48.6
DDH0723	305.71	155.0	-48.3
DDH0723	311.81	155.0	-48.2
DDH0725	0.00	124.0	-58.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0725	0.91	124.0	-56.8
DDH0725	7.01	124.1	-56.9
DDH0725	13.11	124.1	-57.9
DDH0725	19.20	124.2	-57.7
DDH0725	25.30	124.3	-57.8
DDH0725	31.39	124.4	-57.7
DDH0725	37.49	124.4	-57.8
DDH0725	43.59	124.5	-58.0
DDH0725	49.68	124.6	-58.1
DDH0725	55.78	124.7	-57.9
DDH0725	61.87	124.8	-57.8
DDH0725	67.97	124.9	-57.7
DDH0725	74.07	125.0	-57.6
DDH0725	80.16	125.0	-57.5
DDH0725	86.26	125.1	-57.4
DDH0725	92.35	124.9	-57.6
DDH0725	98.45	125.6	-57.6
DDH0725	104.55	125.4	-57.6
DDH0725	110.64	124.8	-57.7
DDH0725	116.74	124.2	-57.7
DDH0725	122.83	125.4	-57.7
DDH0725	128.93	125.7	-57.9
DDH0725	135.03	125.4	-57.7
DDH0725	141.12	126.0	-57.6
DDH0725	147.22	126.3	-57.5
DDH0725	153.31	126.2	-57.2
DDH0725	159.41	126.7	-57.1
DDH0725	165.51	128.3	-56.9
DDH0725	171.60	125.4	-56.6
DDH0725	177.70	128.7	-56.4
DDH0725	183.79	128.3	-56.4
DDH0725	189.89	135.8	-56.4
DDH0725	195.99	129.3	-56.3
DDH0725	202.08	130.4	-56.2
DDH0725	208.18	130.9	-56.1
DDH0725	214.27	131.1	-55.9
DDH0725	220.37	131.2	-55.8
DDH0725	226.47	131.8	-55.6
DDH0725	232.56	132.3	-55.6
DDH0725	238.66	133.9	-55.4
DDH0725	244.75	133.4	-55.2
DDH0725	250.85	133.8	-55.1
DDH0725	256.95	134.0	-55.2
DDH0725	263.04	134.1	-55.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0725	269.14	134.3	-55.0
DDH0725	275.23	134.0	-55.0
DDH0725	281.33	133.9	-54.9
DDH0725	287.43	134.1	-54.9
DDH0725	293.52	133.6	-54.8
DDH0725	299.62	133.3	-54.8
DDH0725	305.71	132.8	-54.7
DDH0725	311.81	132.8	-54.3
DDH0725	317.91	133.4	-54.0
DDH0725	324.00	133.5	-53.9
DDH0726	0.00	134.0	-53.0
DDH0726	0.61	134.2	-53.6
DDH0726	6.71	134.4	-53.6
DDH0726	12.80	134.6	-53.6
DDH0726	18.90	134.8	-53.7
DDH0726	24.99	135.0	-53.9
DDH0726	31.09	135.2	-54.3
DDH0726	37.19	135.4	-54.3
DDH0726	43.28	135.6	-54.2
DDH0726	49.38	135.8	-54.5
DDH0726	55.47	136.0	-54.0
DDH0726	61.57	136.2	-54.2
DDH0726	67.67	136.4	-54.4
DDH0726	73.76	136.6	-53.8
DDH0726	79.86	136.2	-54.1
DDH0726	85.95	136.1	-54.0
DDH0726	92.05	136.0	-53.8
DDH0726	98.15	135.9	-53.5
DDH0726	104.24	135.8	-53.3
DDH0726	110.34	135.7	-53.2
DDH0726	116.43	135.9	-53.1
DDH0726	122.53	136.0	-53.0
DDH0726	128.63	136.2	-52.9
DDH0726	134.72	136.5	-52.8
DDH0726	140.82	136.6	-52.7
DDH0726	146.91	136.5	-52.6
DDH0726	153.01	136.7	-52.5
DDH0726	159.11	137.1	-52.4
DDH0726	165.20	137.7	-52.3
DDH0726	171.30	138.1	-52.2
DDH0726	177.39	138.4	-52.2
DDH0726	183.49	138.6	-52.1
DDH0726	189.59	138.6	-52.0
DDH0726	195.68	138.5	-52.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0726	201.78	138.2	-51.8
DDH0726	207.87	137.9	-51.8
DDH0726	213.97	137.6	-51.6
DDH0726	220.07	137.3	-51.5
DDH0726	226.16	137.7	-51.4
DDH0726	232.26	137.8	-51.2
DDH0726	238.35	138.2	-51.2
DDH0726	244.45	138.6	-51.2
DDH0726	250.55	139.2	-51.2
DDH0726	256.64	138.5	-51.1
DDH0726	262.74	139.3	-51.1
DDH0726	268.83	139.4	-51.0
DDH0726	274.93	140.3	-50.9
DDH0726	281.03	138.2	-50.6
DDH0726	287.12	138.0	-50.4
DDH0726	293.22	138.1	-50.2
DDH0726	299.31	138.7	-50.1
DDH0726	305.41	139.3	-50.2
DDH0727	0.00	125.0	-40.0
DDH0727	3.96	125.1	-40.2
DDH0727	10.06	125.3	-40.6
DDH0727	16.15	125.5	-38.3
DDH0727	22.25	125.7	-39.1
DDH0727	28.35	125.9	-40.0
DDH0727	34.44	126.0	-40.2
DDH0727	40.54	126.3	-40.3
DDH0727	46.63	126.6	-40.3
DDH0727	52.73	126.9	-40.3
DDH0727	58.83	127.2	-40.3
DDH0727	64.92	127.5	-40.0
DDH0727	71.02	127.8	-39.7
DDH0727	77.11	128.1	-39.1
DDH0727	83.21	128.4	-39.0
DDH0727	89.31	129.3	-39.0
DDH0727	95.40	129.4	-38.9
DDH0727	101.50	129.7	-38.9
DDH0727	107.59	129.7	-38.9
DDH0727	113.69	129.8	-38.7
DDH0727	119.79	129.8	-38.7
DDH0727	125.88	130.1	-38.6
DDH0727	131.98	130.6	-38.5
DDH0727	138.07	130.4	-38.6
DDH0727	144.17	130.7	-38.6
DDH0727	150.27	130.1	-38.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0727	156.36	130.4	-38.6
DDH0727	162.46	130.4	-38.6
DDH0727	168.55	130.5	-38.7
DDH0727	174.65	130.9	-38.8
DDH0727	180.75	131.1	-38.8
DDH0727	186.84	130.7	-38.8
DDH0727	192.94	130.8	-38.9
DDH0727	199.03	131.1	-38.9
DDH0727	205.13	130.9	-38.8
DDH0727	211.23	131.2	-38.9
DDH0727	217.32	131.8	-38.9
DDH0727	223.42	131.7	-38.9
DDH0727	229.51	131.9	-38.8
DDH0727	235.61	132.1	-38.7
DDH0727	241.71	132.2	-38.7
DDH0727	247.80	132.3	-38.8
DDH0727	253.90	132.5	-39.1
DDH0727	259.99	132.6	-39.4
DDH0727	266.09	132.5	-39.5
DDH0727	272.19	132.7	-39.5
DDH0727	278.28	132.8	-39.7
DDH0727	284.38	132.7	-39.8
DDH0727	290.47	132.8	-40.0
DDH0727	296.57	132.8	-40.1
DDH0727	302.67	132.8	-40.1
DDH0727	305.71	133.1	-40.2
DDH0727	308.76	133.2	-40.3
DDH0727	311.81	133.5	-40.3
DDH0727	314.86	133.3	-40.2
DDH0727	317.91	133.6	-40.2
DDH0727	324.00	133.7	-40.2
DDH0727	330.10	133.8	-40.1
DDH0727	336.19	133.9	-40.2
DDH0727	342.29	134.1	-40.2
DDH0727	348.39	134.3	-40.2
DDH0727	354.48	134.6	-40.2
DDH0728	0.00	144.0	-65.0
DDH0728	3.96	144.2	-65.4
DDH0728	10.06	144.6	-64.3
DDH0728	16.15	144.8	-64.5
DDH0728	22.25	145.2	-64.9
DDH0728	28.35	145.4	-64.7
DDH0728	34.44	145.6	-64.8
DDH0728	40.54	145.8	-64.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0728	46.63	146.0	-64.6
DDH0728	52.73	146.2	-64.4
DDH0728	58.83	146.5	-64.3
DDH0728	64.92	146.9	-64.3
DDH0728	71.02	147.1	-64.2
DDH0728	77.11	147.5	-64.1
DDH0728	83.21	147.8	-63.9
DDH0728	89.31	147.4	-63.7
DDH0728	95.40	147.2	-63.5
DDH0728	101.50	147.3	-63.2
DDH0728	107.59	147.4	-63.0
DDH0728	113.69	147.4	-62.8
DDH0728	119.79	147.4	-62.6
DDH0728	125.88	147.3	-62.5
DDH0728	131.98	147.6	-62.3
DDH0728	138.07	147.6	-62.2
DDH0728	144.17	148.0	-62.1
DDH0728	150.27	148.0	-62.1
DDH0728	156.36	148.2	-62.0
DDH0728	162.46	148.3	-61.9
DDH0728	168.55	148.6	-61.8
DDH0728	174.65	148.7	-61.7
DDH0728	180.75	148.7	-61.6
DDH0728	186.84	148.5	-61.6
DDH0728	192.94	148.7	-61.5
DDH0728	199.03	148.5	-61.6
DDH0728	205.13	148.3	-61.5
DDH0728	211.23	148.1	-61.4
DDH0728	217.32	147.6	-61.3
DDH0728	223.42	147.2	-61.2
DDH0728	229.51	147.3	-61.1
DDH0728	235.61	148.2	-61.1
DDH0728	241.71	148.7	-61.2
DDH0728	247.80	148.7	-61.2
DDH0728	253.90	148.6	-61.2
DDH0728	259.99	148.7	-61.0
DDH0728	266.09	148.9	-60.8
DDH0728	272.19	149.1	-60.7
DDH0728	278.28	149.3	-60.6
DDH0728	284.38	148.2	-60.4
DDH0728	290.47	149.2	-60.1
DDH0729	0.00	0.0	-90.0
DDH0729	1.22	5.3	-88.4
DDH0729	7.32	10.6	-88.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0729	13.41	15.9	-88.9
DDH0729	19.51	21.3	-88.7
DDH0729	25.60	37.4	-88.5
DDH0729	31.70	49.4	-88.1
DDH0729	37.80	58.6	-88.0
DDH0729	43.89	63.3	-87.8
DDH0729	49.99	71.8	-87.6
DDH0729	56.08	76.5	-87.3
DDH0729	62.18	77.8	-87.2
DDH0729	68.28	78.4	-86.4
DDH0729	74.37	87.4	-86.8
DDH0729	80.47	90.5	-86.5
DDH0729	86.56	93.2	-86.4
DDH0730	0.00	115.0	-40.0
DDH0730	3.96	115.2	-41.1
DDH0730	10.06	115.5	-41.0
DDH0730	16.15	115.7	-40.8
DDH0730	22.25	116.0	-41.4
DDH0730	28.35	116.2	-42.1
DDH0730	34.44	116.5	-42.2
DDH0730	40.54	116.7	-42.3
DDH0730	46.63	117.0	-42.1
DDH0730	52.73	117.2	-42.0
DDH0730	58.83	117.5	-41.7
DDH0730	64.92	117.7	-41.4
DDH0730	71.02	118.0	-41.2
DDH0730	77.11	118.1	-41.1
DDH0730	83.21	118.2	-41.1
DDH0730	89.31	118.6	-41.0
DDH0730	95.40	118.8	-40.9
DDH0730	101.50	118.9	-40.9
DDH0730	107.59	118.8	-41.0
DDH0730	113.69	118.6	-41.1
DDH0730	119.79	118.7	-41.0
DDH0730	125.88	118.9	-40.9
DDH0730	131.98	119.0	-40.8
DDH0730	138.07	119.8	-40.7
DDH0730	144.17	118.9	-40.7
DDH0730	150.27	119.6	-40.6
DDH0730	156.36	119.7	-40.7
DDH0730	162.46	119.8	-40.7
DDH0730	168.55	120.1	-40.7
DDH0730	174.65	120.6	-40.7
DDH0730	180.75	120.9	-40.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0730	186.84	121.0	-40.6
DDH0730	192.94	121.0	-40.5
DDH0730	199.03	121.2	-40.5
DDH0730	205.13	121.8	-40.5
DDH0730	211.23	121.8	-40.6
DDH0730	217.32	121.7	-40.6
DDH0730	223.42	122.5	-40.7
DDH0730	229.51	122.0	-40.7
DDH0730	235.61	122.1	-40.8
DDH0730	241.71	122.8	-40.7
DDH0730	247.80	122.1	-40.7
DDH0730	253.90	122.2	-40.7
DDH0730	259.99	122.6	-40.8
DDH0730	266.09	122.9	-40.7
DDH0730	272.19	123.2	-40.8
DDH0730	278.28	123.5	-41.0
DDH0730	284.38	123.7	-41.0
DDH0730	290.47	123.9	-41.0
DDH0730	296.57	124.1	-41.0
DDH0730	302.67	124.3	-41.0
DDH0730	308.76	124.5	-41.0
DDH0730	311.81	125.0	-41.1
DDH0730	314.86	124.6	-40.9
DDH0730	317.91	124.8	-40.9
DDH0730	320.95	124.7	-40.7
DDH0730	324.00	125.0	-40.8
DDH0730	327.05	125.0	-40.6
DDH0730	330.10	125.1	-40.6
DDH0730	336.19	125.2	-40.5
DDH0730	342.29	125.4	-40.4
DDH0730	348.39	125.7	-40.3
DDH0730	354.48	125.6	-40.2
DDH0730	360.58	125.8	-40.1
DDH0730	366.67	126.0	-40.0
DDH0731	0.00	336.0	-68.0
DDH0731	1.22	336.8	-67.2
DDH0731	7.32	337.6	-67.1
DDH0731	13.41	338.5	-67.6
DDH0731	19.51	339.0	-68.1
DDH0731	25.60	339.1	-68.5
DDH0731	31.70	339.8	-69.1
DDH0731	37.80	340.0	-69.7
DDH0731	43.89	340.5	-70.4
DDH0731	49.99	340.9	-71.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0731	56.08	340.7	-72.1
DDH0731	62.18	341.2	-72.4
DDH0731	68.28	341.0	-72.7
DDH0731	74.37	340.7	-72.9
DDH0731	80.47	337.2	-74.8
DDH0731	86.56	341.5	-73.1
DDH0731	92.66	343.4	-74.0
DDH0731	98.76	345.1	-74.8
DDH0731	104.85	346.5	-75.4
DDH0731	110.95	348.6	-75.6
DDH0731	117.04	350.6	-75.8
DDH0731	123.14	350.7	-76.0
DDH0731	129.24	350.6	-76.3
DDH0731	135.33	351.1	-77.3
DDH0731	141.43	350.5	-78.5
DDH0731	147.52	349.1	-79.5
DDH0732	0.00	317.0	-45.0
DDH0732	0.91	317.2	-44.3
DDH0732	7.01	317.4	-44.5
DDH0732	13.11	317.5	-44.1
DDH0732	19.20	317.6	-45.0
DDH0732	25.30	318.0	-44.9
DDH0732	31.39	316.7	-45.8
DDH0732	37.49	316.1	-45.9
DDH0732	43.59	315.6	-46.0
DDH0732	49.68	314.7	-46.1
DDH0732	55.78	314.0	-46.0
DDH0732	61.87	314.8	-45.0
DDH0732	67.97	313.2	-46.2
DDH0732	74.07	312.6	-46.5
DDH0732	80.16	312.6	-46.5
DDH0732	86.26	311.9	-46.5
DDH0732	92.35	311.4	-46.5
DDH0732	98.45	311.2	-46.5
DDH0732	104.55	312.4	-45.4
DDH0732	110.64	310.7	-46.2
DDH0732	116.74	310.5	-46.1
DDH0732	122.83	310.5	-46.0
DDH0732	128.93	310.1	-46.0
DDH0732	135.03	309.8	-46.3
DDH0732	141.12	314.7	-41.9
DDH0732	147.22	309.0	-46.6
DDH0732	153.31	308.3	-46.7
DDH0732	159.41	307.6	-46.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0732	165.51	307.3	-46.8
DDH0732	171.60	306.8	-46.8
DDH0732	177.70	306.5	-46.6
DDH0732	183.79	305.7	-46.7
DDH0733	0.00	99.0	-78.0
DDH0733	0.91	99.2	-78.4
DDH0733	7.01	99.8	-77.9
DDH0733	13.11	100.4	-78.0
DDH0733	19.20	101.0	-77.8
DDH0733	25.30	101.6	-76.0
DDH0733	31.39	102.2	-76.0
DDH0733	37.49	102.8	-76.6
DDH0733	43.59	103.4	-77.6
DDH0733	49.68	104.0	-77.4
DDH0733	55.78	104.6	-77.6
DDH0733	61.87	105.2	-76.9
DDH0733	67.97	105.8	-76.7
DDH0733	74.07	106.4	-76.4
DDH0733	80.16	107.0	-76.4
DDH0733	86.26	107.6	-75.8
DDH0733	92.35	108.2	-74.2
DDH0733	98.45	108.8	-73.9
DDH0733	104.55	109.4	-73.2
DDH0733	110.64	111.5	-72.6
DDH0733	116.74	112.5	-72.7
DDH0733	122.83	113.3	-72.7
DDH0733	128.93	113.7	-72.6
DDH0733	135.03	114.6	-72.5
DDH0733	141.12	115.6	-72.3
DDH0733	147.22	116.5	-72.2
DDH0733	153.31	117.2	-72.0
DDH0733	159.41	117.5	-71.8
DDH0733	165.51	117.3	-71.5
DDH0733	171.60	117.2	-71.3
DDH0733	177.70	117.3	-71.2
DDH0733	183.79	117.7	-71.1
DDH0733	189.89	118.1	-70.8
DDH0733	195.99	117.2	-70.6
DDH0733	202.08	117.3	-70.4
DDH0733	208.18	117.4	-70.2
DDH0733	214.27	117.5	-70.1
DDH0733	220.37	117.8	-70.0
DDH0733	226.47	118.0	-69.9
DDH0733	232.56	118.6	-69.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0733	238.66	119.4	-69.4
DDH0733	244.75	119.1	-69.1
DDH0733	250.85	120.4	-68.8
DDH0733	256.95	121.5	-68.7
DDH0733	263.04	122.0	-68.5
DDH0733	269.14	122.5	-68.2
DDH0733	275.23	123.0	-67.7
DDH0733	281.33	123.5	-67.0
DDH0733	287.43	124.0	-66.8
DDH0734	0.00	290.0	-68.0
DDH0734	1.22	289.0	-68.4
DDH0734	7.32	287.0	-68.4
DDH0734	13.41	286.4	-68.7
DDH0734	19.51	284.9	-69.2
DDH0734	25.60	283.0	-69.9
DDH0734	31.70	283.2	-69.0
DDH0734	37.80	283.6	-69.4
DDH0734	43.89	283.9	-69.8
DDH0734	49.99	284.3	-70.2
DDH0734	56.08	283.7	-70.7
DDH0734	62.18	283.8	-71.1
DDH0734	68.28	282.7	-71.2
DDH0734	74.37	281.0	-71.3
DDH0734	80.47	279.6	-71.7
DDH0734	86.56	279.1	-72.1
DDH0734	92.66	277.6	-72.5
DDH0734	98.76	276.3	-72.9
DDH0734	104.85	275.6	-73.5
DDH0734	110.95	275.3	-73.8
DDH0734	117.04	274.7	-74.0
DDH0734	123.14	274.8	-73.8
DDH0734	129.24	275.6	-74.0
DDH0735	0.00	132.0	-40.0
DDH0735	3.96	132.0	-40.6
DDH0735	10.06	132.1	-40.6
DDH0735	16.15	132.1	-39.9
DDH0735	22.25	132.1	-40.3
DDH0735	28.35	132.1	-40.3
DDH0735	34.44	132.2	-40.3
DDH0735	40.54	132.2	-40.3
DDH0735	46.63	132.2	-40.5
DDH0735	52.73	132.2	-40.8
DDH0735	58.83	132.3	-40.6
DDH0735	64.92	132.3	-40.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0735	71.02	132.3	-40.1
DDH0735	77.11	132.3	-40.1
DDH0735	83.21	132.4	-40.0
DDH0735	89.31	132.4	-39.8
DDH0735	95.40	132.4	-39.6
DDH0735	101.50	132.4	-39.4
DDH0735	107.59	132.5	-39.3
DDH0735	113.69	132.5	-39.3
DDH0735	119.79	132.7	-39.1
DDH0735	125.88	132.3	-39.0
DDH0735	131.98	132.1	-38.9
DDH0735	138.07	132.7	-38.9
DDH0735	144.17	132.5	-38.9
DDH0735	150.27	133.1	-38.9
DDH0735	156.36	132.9	-38.9
DDH0735	162.46	133.5	-39.0
DDH0735	168.55	133.8	-39.2
DDH0735	174.65	133.3	-39.4
DDH0735	180.75	133.3	-39.5
DDH0735	186.84	133.5	-39.5
DDH0735	192.94	133.9	-39.6
DDH0735	199.03	134.4	-39.5
DDH0735	205.13	135.0	-39.4
DDH0735	211.23	135.0	-39.3
DDH0735	217.32	135.2	-39.1
DDH0735	223.42	135.3	-39.2
DDH0735	229.51	135.2	-39.3
DDH0735	235.61	135.1	-39.4
DDH0735	241.71	135.1	-39.5
DDH0735	247.80	135.1	-39.6
DDH0735	253.90	135.1	-39.9
DDH0735	259.99	134.8	-40.1
DDH0735	266.09	134.9	-40.3
DDH0735	272.19	135.4	-40.4
DDH0735	278.28	135.8	-40.6
DDH0735	284.38	136.0	-40.7
DDH0735	290.47	135.6	-40.8
DDH0735	296.57	135.2	-41.0
DDH0735	302.67	135.2	-41.2
DDH0735	308.76	135.5	-41.5
DDH0735	314.86	135.3	-41.7
DDH0736	0.00	314.0	-55.0
DDH0736	2.13	313.6	-56.5
DDH0736	8.23	313.1	-58.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0736	14.33	312.6	-59.2
DDH0736	20.42	312.0	-59.4
DDH0736	26.52	311.1	-59.6
DDH0736	32.61	310.3	-59.5
DDH0736	38.71	309.8	-59.5
DDH0736	44.81	309.4	-59.4
DDH0736	50.90	309.2	-59.3
DDH0736	57.00	309.0	-59.2
DDH0736	63.09	308.5	-59.3
DDH0736	69.19	308.4	-59.3
DDH0736	75.29	308.0	-59.8
DDH0736	81.38	307.8	-59.7
DDH0736	87.48	307.5	-59.8
DDH0736	93.57	306.8	-59.9
DDH0736	99.67	306.2	-60.0
DDH0736	105.77	306.0	-60.0
DDH0736	111.86	305.7	-60.1
DDH0736	117.96	305.6	-60.1
DDH0736	124.05	305.5	-60.1
DDH0736	130.15	305.1	-60.2
DDH0736	136.25	304.7	-60.3
DDH0736	142.34	304.4	-60.5
DDH0736	148.44	304.4	-60.6
DDH0736	154.53	304.3	-60.7
DDH0736	160.63	304.2	-60.6
DDH0736	166.73	304.2	-60.6
DDH0736	172.82	303.9	-60.8
DDH0736	178.92	303.2	-61.0
DDH0736	185.01	302.9	-61.0
DDH0736	191.11	302.8	-60.9
DDH0737	0.00	308.0	-53.0
DDH0737	0.61	307.7	-53.0
DDH0737	6.71	307.4	-53.0
DDH0737	12.80	307.1	-52.9
DDH0737	18.90	307.4	-52.9
DDH0737	24.99	307.1	-53.2
DDH0737	31.09	306.5	-53.4
DDH0737	37.19	306.4	-53.5
DDH0737	43.28	307.0	-53.6
DDH0737	49.38	306.3	-53.9
DDH0737	55.47	306.3	-54.0
DDH0737	61.57	307.1	-54.0
DDH0737	67.67	306.0	-54.6
DDH0737	73.76	304.8	-54.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0737	79.86	305.0	-54.4
DDH0737	85.95	305.2	-54.6
DDH0737	92.05	304.0	-54.8
DDH0737	98.15	304.7	-54.8
DDH0737	104.24	303.1	-55.2
DDH0737	110.34	304.1	-55.2
DDH0737	116.43	303.1	-55.4
DDH0737	122.53	303.7	-55.6
DDH0737	128.63	303.4	-55.6
DDH0737	134.72	303.3	-56.1
DDH0737	140.82	303.0	-56.1
DDH0737	146.91	303.5	-56.4
DDH0737	153.01	302.7	-56.5
DDH0737	159.11	303.2	-56.5
DDH0737	165.20	303.1	-56.7
DDH0738	0.00	116.0	-68.0
DDH0738	0.91	116.0	-67.1
DDH0738	7.01	116.1	-67.1
DDH0738	13.11	116.1	-67.0
DDH0738	19.20	116.2	-67.9
DDH0738	25.30	116.2	-67.6
DDH0738	31.39	116.3	-67.6
DDH0738	37.49	116.3	-66.4
DDH0738	43.59	116.3	-66.1
DDH0738	49.68	116.4	-66.0
DDH0738	55.78	116.4	-65.6
DDH0738	61.87	116.5	-65.6
DDH0738	67.97	116.5	-65.9
DDH0738	74.07	116.6	-65.4
DDH0738	80.16	116.6	-64.7
DDH0738	86.26	116.7	-64.2
DDH0738	92.35	116.7	-64.6
DDH0738	98.45	118.1	-64.6
DDH0738	104.55	118.6	-64.4
DDH0738	110.64	119.0	-64.3
DDH0738	116.74	119.1	-64.1
DDH0738	122.83	119.3	-64.0
DDH0738	128.93	119.8	-63.6
DDH0738	135.03	120.6	-63.8
DDH0738	141.12	120.3	-63.7
DDH0738	147.22	120.0	-63.6
DDH0738	153.31	120.1	-63.6
DDH0738	159.41	120.0	-63.5
DDH0738	165.51	120.3	-63.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0738	171.60	120.1	-63.1
DDH0738	177.70	120.2	-62.9
DDH0738	183.79	120.9	-62.6
DDH0738	189.89	121.5	-62.4
DDH0738	195.99	122.0	-62.1
DDH0738	202.08	122.4	-61.9
DDH0738	208.18	122.7	-61.6
DDH0738	214.27	123.1	-61.3
DDH0738	220.37	123.7	-60.9
DDH0738	226.47	124.1	-60.6
DDH0738	232.56	124.7	-60.4
DDH0738	238.66	124.9	-60.2
DDH0738	244.75	125.4	-60.1
DDH0738	250.85	125.4	-60.0
DDH0738	256.95	127.1	-59.7
DDH0739	0.00	275.0	-45.0
DDH0739	0.30	275.5	-45.0
DDH0739	6.40	276.0	-45.1
DDH0739	12.50	276.6	-45.4
DDH0739	18.59	276.1	-45.3
DDH0739	24.69	275.3	-45.4
DDH0739	30.78	274.7	-45.5
DDH0739	36.88	274.4	-45.5
DDH0739	42.98	274.0	-45.7
DDH0739	49.07	273.6	-46.1
DDH0739	55.17	273.0	-46.4
DDH0739	61.26	272.8	-46.6
DDH0739	67.36	272.4	-46.9
DDH0739	73.46	272.4	-47.0
DDH0739	79.55	272.1	-47.2
DDH0739	85.65	271.9	-47.4
DDH0739	91.74	271.7	-47.5
DDH0739	97.84	271.6	-47.7
DDH0739	103.94	271.4	-48.1
DDH0739	110.03	270.7	-48.4
DDH0739	116.13	269.9	-48.6
DDH0739	122.22	269.5	-48.7
DDH0739	128.32	269.3	-48.8
DDH0739	134.42	269.1	-48.9
DDH0739	140.51	268.7	-49.0
DDH0739	146.61	268.3	-49.1
DDH0740	0.00	157.0	-50.0
DDH0740	0.91	157.0	-50.5
DDH0740	7.01	157.0	-50.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0740	13.11	157.0	-50.4
DDH0740	19.20	157.0	-51.0
DDH0740	25.30	157.0	-51.0
DDH0740	31.39	156.9	-51.7
DDH0740	37.49	156.9	-50.7
DDH0740	43.59	156.9	-50.7
DDH0740	49.68	156.9	-50.7
DDH0740	55.78	156.9	-50.2
DDH0740	61.87	156.9	-50.2
DDH0740	67.97	156.9	-50.3
DDH0740	74.07	157.0	-50.2
DDH0740	80.16	157.8	-50.2
DDH0740	86.26	157.8	-50.3
DDH0740	92.35	157.7	-50.3
DDH0740	98.45	157.6	-50.2
DDH0740	104.55	157.4	-50.0
DDH0740	110.64	157.5	-49.8
DDH0740	116.74	157.5	-49.5
DDH0740	122.83	157.3	-49.4
DDH0740	128.93	157.1	-49.2
DDH0740	135.03	157.3	-48.9
DDH0740	141.12	157.1	-48.7
DDH0740	147.22	157.3	-48.6
DDH0740	153.31	157.5	-48.6
DDH0740	159.41	157.3	-48.5
DDH0740	165.51	157.2	-48.4
DDH0740	171.60	157.1	-48.1
DDH0740	177.70	157.1	-48.1
DDH0740	183.79	157.1	-48.0
DDH0740	189.89	157.0	-47.9
DDH0740	195.99	156.9	-47.9
DDH0740	202.08	157.0	-47.8
DDH0740	208.18	156.9	-47.8
DDH0740	214.27	156.7	-47.7
DDH0740	220.37	156.6	-47.7
DDH0740	226.47	156.3	-47.7
DDH0740	232.56	156.0	-47.7
DDH0740	238.66	155.7	-47.6
DDH0740	244.75	155.6	-47.5
DDH0740	250.85	155.5	-47.5
DDH0740	256.95	155.5	-47.4
DDH0740	263.04	155.6	-47.4
DDH0741	0.00	143.0	-68.0
DDH0741	1.22	142.6	-67.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0741	7.32	142.3	-67.9
DDH0741	13.41	142.0	-67.9
DDH0741	19.51	141.7	-67.8
DDH0741	25.60	141.4	-67.8
DDH0741	31.70	141.1	-67.8
DDH0741	37.80	140.8	-67.8
DDH0741	43.89	140.5	-67.9
DDH0741	49.99	140.2	-67.8
DDH0741	56.08	139.9	-67.8
DDH0741	62.18	139.6	-67.7
DDH0741	68.28	139.3	-67.7
DDH0741	74.37	139.0	-67.6
DDH0741	80.47	138.7	-67.5
DDH0741	86.56	138.4	-67.5
DDH0741	92.66	138.1	-67.6
DDH0741	98.76	138.1	-67.4
DDH0741	104.85	138.3	-67.4
DDH0741	110.95	138.4	-67.3
DDH0741	117.04	138.7	-67.6
DDH0741	123.14	138.9	-67.2
DDH0741	129.24	139.5	-67.4
DDH0741	135.33	139.5	-67.4
DDH0741	141.43	139.9	-67.2
DDH0741	147.52	140.2	-67.2
DDH0741	153.62	140.4	-67.0
DDH0741	159.72	140.9	-66.7
DDH0741	165.81	141.2	-66.6
DDH0741	171.91	141.2	-66.5
DDH0741	178.00	141.5	-66.4
DDH0741	184.10	141.7	-66.2
DDH0741	190.20	141.9	-66.2
DDH0741	196.29	142.0	-66.1
DDH0741	202.39	142.3	-66.0
DDH0741	208.48	142.0	-65.7
DDH0741	214.58	142.3	-65.5
DDH0741	220.68	143.7	-64.8
DDH0741	226.77	144.6	-64.2
DDH0741	232.87	145.1	-63.9
DDH0741	238.96	145.2	-63.7
DDH0741	245.06	145.3	-63.5
DDH0741	251.16	145.5	-63.4
DDH0741	257.25	145.7	-63.2
DDH0741	263.35	145.7	-63.0
DDH0741	269.44	145.7	-62.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0741	275.54	145.7	-62.5
DDH0741	281.64	145.7	-62.3
DDH0741	287.73	145.9	-62.2
DDH0741	293.83	146.0	-62.1
DDH0741	299.92	146.0	-62.2
DDH0741	306.02	146.1	-62.3
DDH0741	312.12	146.2	-62.3
DDH0741	318.21	146.4	-62.3
DDH0741	324.31	146.7	-62.3
DDH0741	330.40	147.1	-62.4
DDH0741	336.50	146.9	-62.4
DDH0741	342.60	146.6	-62.4
DDH0741	348.69	146.5	-62.3
DDH0742	0.00	142.0	-56.0
DDH0742	4.27	142.0	-56.3
DDH0742	10.36	142.0	-55.7
DDH0742	16.46	142.0	-56.6
DDH0742	22.56	142.0	-56.9
DDH0742	28.65	141.9	-57.1
DDH0742	34.75	141.9	-57.2
DDH0742	40.84	141.9	-57.1
DDH0742	46.94	141.9	-57.1
DDH0742	53.04	141.9	-56.7
DDH0742	59.13	141.8	-56.7
DDH0742	65.23	141.8	-56.6
DDH0742	71.32	141.9	-56.5
DDH0742	77.42	141.9	-56.5
DDH0742	83.52	142.1	-56.4
DDH0742	89.61	141.7	-56.3
DDH0742	95.71	141.5	-56.2
DDH0742	101.80	141.6	-56.1
DDH0742	107.90	141.4	-56.0
DDH0742	114.00	141.5	-56.0
DDH0742	120.09	141.5	-55.9
DDH0742	126.19	141.5	-55.8
DDH0742	132.28	141.8	-55.8
DDH0742	138.38	142.0	-55.8
DDH0742	144.48	142.2	-55.7
DDH0742	150.57	142.2	-55.6
DDH0742	156.67	142.2	-55.5
DDH0742	162.76	142.4	-55.5
DDH0742	168.86	142.5	-55.4
DDH0742	174.96	142.7	-55.3
DDH0742	181.05	142.8	-55.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0742	187.15	142.9	-55.2
DDH0742	193.24	143.0	-55.1
DDH0742	199.34	143.0	-55.1
DDH0742	205.44	143.1	-55.0
DDH0742	211.53	142.9	-54.9
DDH0742	217.63	142.4	-54.7
DDH0742	223.72	143.3	-54.7
DDH0742	229.82	143.5	-54.6
DDH0742	235.92	143.0	-54.5
DDH0742	242.01	143.1	-54.3
DDH0742	248.11	143.3	-54.3
DDH0742	254.20	143.4	-54.2
DDH0742	260.30	143.4	-54.2
DDH0743	0.00	105.0	-40.0
DDH0743	0.61	104.9	-39.4
DDH0743	6.71	104.9	-39.4
DDH0743	12.80	104.8	-40.0
DDH0743	18.90	104.8	-40.2
DDH0743	24.99	104.7	-40.2
DDH0743	31.09	104.6	-40.3
DDH0743	37.19	104.6	-40.3
DDH0743	43.28	104.5	-40.3
DDH0743	49.38	104.4	-40.3
DDH0743	55.47	104.3	-40.4
DDH0743	61.57	104.2	-40.2
DDH0743	67.67	104.2	-40.1
DDH0743	73.76	104.3	-39.8
DDH0743	79.86	104.4	-39.7
DDH0743	85.95	104.6	-39.6
DDH0743	92.05	104.7	-39.7
DDH0743	98.15	104.4	-39.5
DDH0743	104.24	104.3	-39.4
DDH0743	110.34	104.4	-39.2
DDH0743	116.43	104.9	-39.2
DDH0743	122.53	105.1	-39.1
DDH0743	128.63	105.5	-39.0
DDH0743	134.72	105.6	-38.9
DDH0743	140.82	105.9	-38.9
DDH0743	146.91	106.1	-38.8
DDH0743	153.01	106.6	-38.8
DDH0743	159.11	106.2	-39.0
DDH0743	165.20	106.7	-39.1
DDH0743	171.30	106.8	-39.1
DDH0743	177.39	106.9	-37.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0743	183.49	107.0	-39.3
DDH0743	189.59	107.0	-39.5
DDH0743	195.68	107.1	-39.5
DDH0743	201.78	107.1	-39.6
DDH0743	207.87	107.2	-39.6
DDH0743	213.97	107.3	-39.7
DDH0743	220.07	107.4	-39.7
DDH0743	226.16	107.9	-39.6
DDH0743	232.26	108.2	-39.6
DDH0743	238.35	108.6	-39.7
DDH0743	244.45	108.9	-39.8
DDH0743	250.55	109.3	-40.0
DDH0743	256.64	109.7	-40.3
DDH0743	262.74	110.2	-40.3
DDH0743	268.83	110.6	-40.5
DDH0743	274.93	110.7	-40.5
DDH0743	281.03	110.8	-40.5
DDH0743	287.12	110.8	-40.5
DDH0743	293.22	111.1	-40.4
DDH0743	299.31	111.9	-40.7
DDH0743	305.41	112.2	-40.9
DDH0743	311.51	112.9	-41.1
DDH0743	317.60	113.4	-41.1
DDH0744	0.00	159.0	-50.0
DDH0744	1.22	159.0	-50.5
DDH0744	7.32	159.1	-49.0
DDH0744	13.41	159.2	-49.2
DDH0744	19.51	159.3	-49.8
DDH0744	25.60	159.4	-49.6
DDH0744	31.70	159.5	-50.4
DDH0744	37.80	159.6	-50.0
DDH0744	43.89	159.7	-50.0
DDH0744	49.99	159.8	-49.7
DDH0744	56.08	159.9	-49.5
DDH0744	62.18	160.0	-49.4
DDH0744	68.28	160.1	-49.3
DDH0744	74.37	160.2	-49.2
DDH0744	80.47	160.3	-49.1
DDH0744	86.56	160.4	-48.9
DDH0744	92.66	160.5	-48.8
DDH0744	98.76	160.6	-48.6
DDH0744	104.85	160.6	-48.3
DDH0744	110.95	160.7	-48.3
DDH0744	117.04	160.7	-48.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0744	123.14	160.7	-47.7
DDH0744	129.24	160.7	-47.6
DDH0744	135.33	160.9	-47.5
DDH0744	141.43	161.1	-47.4
DDH0744	147.52	161.2	-47.5
DDH0744	153.62	161.3	-47.6
DDH0744	159.72	161.4	-47.6
DDH0744	165.81	161.4	-47.5
DDH0744	171.91	161.6	-47.5
DDH0744	178.00	161.6	-47.5
DDH0744	184.10	161.6	-47.4
DDH0744	190.20	161.6	-47.3
DDH0744	196.29	162.1	-47.3
DDH0744	202.39	162.3	-47.3
DDH0744	208.48	162.5	-47.2
DDH0744	214.58	162.5	-47.2
DDH0744	220.68	162.3	-47.3
DDH0744	226.77	162.2	-47.2
DDH0744	232.87	161.8	-47.2
DDH0744	238.96	161.9	-47.0
DDH0744	245.06	162.1	-46.9
DDH0744	251.16	162.5	-47.0
DDH0744	257.25	162.4	-47.1
DDH0744	263.35	162.5	-51.1
DDH0745	0.00	202.0	-50.0
DDH0745	3.96	202.0	-50.5
DDH0745	10.06	201.4	-51.2
DDH0745	16.15	200.8	-51.0
DDH0745	22.25	200.2	-51.4
DDH0745	28.35	199.6	-51.8
DDH0745	34.44	199.0	-51.3
DDH0745	40.54	198.4	-51.6
DDH0745	46.63	197.8	-51.4
DDH0745	52.73	197.2	-51.0
DDH0745	58.83	196.6	-50.6
DDH0745	64.92	196.0	-50.1
DDH0745	71.02	195.4	-50.0
DDH0745	77.11	194.8	-50.0
DDH0745	83.21	194.5	-50.0
DDH0745	89.31	194.8	-49.9
DDH0745	95.40	194.8	-50.0
DDH0745	101.50	194.3	-50.0
DDH0745	107.59	194.4	-50.0
DDH0745	113.69	194.2	-50.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0745	119.79	193.9	-49.9
DDH0745	125.88	194.6	-50.0
DDH0745	131.98	194.5	-49.9
DDH0745	138.07	195.0	-49.9
DDH0745	144.17	194.8	-49.9
DDH0745	150.27	195.1	-49.9
DDH0745	156.36	195.2	-50.0
DDH0745	162.46	195.6	-49.9
DDH0745	168.55	195.1	-49.9
DDH0745	174.65	195.1	-49.9
DDH0745	180.75	195.1	-50.0
DDH0745	186.84	195.1	-49.9
DDH0745	192.94	195.0	-49.8
DDH0745	199.03	194.8	-49.7
DDH0746	0.00	164.0	-65.0
DDH0746	1.52	164.5	-64.4
DDH0746	7.62	165.0	-64.2
DDH0746	13.72	165.5	-64.1
DDH0746	19.81	166.0	-64.7
DDH0746	25.91	166.5	-64.4
DDH0746	32.00	167.1	-64.4
DDH0746	38.10	167.4	-64.3
DDH0746	44.20	167.6	-64.4
DDH0746	50.29	167.8	-64.1
DDH0746	56.39	167.6	-64.1
DDH0746	62.48	167.4	-64.1
DDH0746	68.58	167.2	-63.8
DDH0746	74.68	167.5	-63.6
DDH0746	80.77	167.4	-63.5
DDH0746	86.87	167.0	-63.2
DDH0746	92.96	167.2	-63.1
DDH0746	99.06	166.7	-63.0
DDH0746	105.16	166.2	-62.7
DDH0746	111.25	165.6	-62.5
DDH0746	117.35	165.3	-62.2
DDH0746	123.44	164.5	-61.8
DDH0746	129.54	164.2	-61.6
DDH0746	135.64	163.9	-61.5
DDH0746	141.73	164.0	-61.3
DDH0746	147.83	164.1	-61.1
DDH0746	153.92	163.9	-60.9
DDH0746	160.02	164.1	-60.7
DDH0746	166.12	164.0	-60.6
DDH0746	172.21	164.0	-60.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0746	178.31	163.6	-60.0
DDH0746	184.40	163.6	-59.7
DDH0746	190.50	163.3	-59.5
DDH0746	196.60	163.2	-59.4
DDH0746	202.69	163.0	-59.2
DDH0746	208.79	162.9	-59.0
DDH0746	214.88	162.9	-58.9
DDH0746	220.98	163.0	-58.8
DDH0746	227.08	163.0	-58.7
DDH0746	233.17	162.9	-58.6
DDH0746	239.27	162.9	-58.6
DDH0746	245.36	163.0	-58.6
DDH0746	251.46	163.1	-58.5
DDH0746	257.56	163.0	-58.5
DDH0746	263.65	163.1	-58.5
DDH0746	269.75	163.3	-58.4
DDH0746	275.84	163.4	-58.3
DDH0746	281.94	163.4	-58.2
DDH0746	288.04	163.5	-58.1
DDH0746	294.13	163.5	-57.9
DDH0746	300.23	163.4	-57.5
DDH0746	306.32	163.2	-57.3
DDH0747	0.00	30.0	-85.0
DDH0747	1.52	31.6	-84.9
DDH0747	7.62	33.2	-84.7
DDH0747	13.72	34.8	-84.6
DDH0747	19.81	36.4	-84.4
DDH0747	25.91	37.9	-84.3
DDH0747	32.00	39.5	-84.1
DDH0747	38.10	41.1	-84.0
DDH0747	44.20	42.7	-83.8
DDH0747	50.29	44.3	-83.7
DDH0747	56.39	44.0	-83.9
DDH0747	62.48	43.5	-83.8
DDH0747	68.58	42.9	-83.8
DDH0747	74.68	45.0	-83.9
DDH0747	80.77	46.6	-83.9
DDH0747	86.87	47.1	-83.9
DDH0747	92.96	46.4	-84.0
DDH0747	99.06	47.1	-84.0
DDH0747	105.16	46.5	-83.9
DDH0747	111.25	46.6	-83.8
DDH0747	117.35	47.1	-83.8
DDH0747	123.44	46.8	-83.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0747	129.54	45.8	-83.5
DDH0747	135.64	45.1	-83.7
DDH0747	141.73	46.5	-83.6
DDH0747	147.83	47.3	-83.6
DDH0747	153.92	47.7	-83.6
DDH0747	160.02	48.9	-83.6
DDH0747	166.12	49.5	-83.5
DDH0747	172.21	49.5	-83.6
DDH0747	178.31	51.5	-83.5
DDH0747	184.40	52.8	-83.6
DDH0747	190.50	54.7	-83.7
DDH0747	196.60	55.7	-83.7
DDH0747	202.69	56.9	-83.6
DDH0747	208.79	58.5	-83.7
DDH0747	214.88	61.1	-83.8
DDH0747	220.98	62.8	-83.9
DDH0747	227.08	65.6	-83.9
DDH0747	233.17	66.1	-84.1
DDH0747	239.27	67.7	-84.1
DDH0747	245.36	69.0	-84.2
DDH0747	251.46	69.4	-84.3
DDH0747	257.56	71.4	-84.3
DDH0747	263.65	69.9	-84.5
DDH0747	269.75	69.5	-84.5
DDH0747	275.84	69.4	-84.5
DDH0747	281.94	69.6	-84.4
DDH0747	288.04	70.5	-84.4
DDH0747	294.13	70.1	-84.4
DDH0747	300.23	71.9	-84.2
DDH0747	306.32	75.2	-84.4
DDH0747	312.42	76.2	-84.5
DDH0748	0.00	162.0	-61.0
DDH0748	0.61	161.8	-60.4
DDH0748	6.71	161.6	-60.4
DDH0748	12.80	161.4	-60.0
DDH0748	18.90	161.2	-60.2
DDH0748	24.99	161.0	-59.8
DDH0748	31.09	160.8	-60.2
DDH0748	37.19	160.5	-60.3
DDH0748	43.28	160.3	-60.0
DDH0748	49.38	160.1	-60.0
DDH0748	55.47	159.9	-60.0
DDH0748	61.57	158.1	-60.0
DDH0748	67.67	160.1	-60.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0748	73.76	160.0	-60.3
DDH0748	79.86	159.9	-60.5
DDH0748	85.95	159.9	-60.5
DDH0748	92.05	160.0	-60.5
DDH0748	98.15	160.1	-60.5
DDH0748	104.24	159.9	-60.5
DDH0748	110.34	160.1	-60.6
DDH0748	116.43	160.1	-60.5
DDH0748	122.53	160.0	-60.5
DDH0748	128.63	160.4	-60.5
DDH0748	134.72	160.4	-60.5
DDH0748	140.82	160.8	-60.6
DDH0748	146.91	160.9	-60.6
DDH0748	153.01	160.9	-60.6
DDH0748	159.11	160.8	-60.6
DDH0748	165.20	160.9	-60.6
DDH0748	171.30	160.9	-60.5
DDH0748	177.39	160.9	-60.5
DDH0748	183.49	160.8	-60.5
DDH0749A	0.00	193.0	-71.0
DDH0749A	1.22	193.2	-70.4
DDH0749A	7.32	193.3	-70.4
DDH0749A	13.41	193.4	-70.3
DDH0749A	19.51	193.6	-71.1
DDH0749A	25.60	193.7	-70.7
DDH0749A	31.70	193.8	-70.7
DDH0749A	37.80	193.9	-70.7
DDH0749A	43.89	194.1	-70.7
DDH0749A	49.99	194.6	-70.6
DDH0749A	56.08	195.5	-70.5
DDH0749A	62.18	195.2	-70.3
DDH0749A	68.28	194.7	-70.3
DDH0749A	74.37	194.5	-70.2
DDH0749A	80.47	195.0	-70.1
DDH0749A	86.56	195.7	-70.2
DDH0749A	92.66	195.7	-70.1
DDH0749A	98.76	195.1	-70.1
DDH0749A	104.85	195.7	-70.2
DDH0749A	110.95	195.5	-70.1
DDH0749A	117.04	195.6	-70.2
DDH0749A	123.14	195.6	-70.1
DDH0749A	129.24	195.5	-70.0
DDH0749A	135.33	194.8	-69.9
DDH0749A	141.43	195.5	-69.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0749A	147.52	195.3	-69.9
DDH0749A	153.62	194.5	-69.8
DDH0749A	159.72	194.3	-69.8
DDH0749A	165.81	192.7	-69.4
DDH0749A	171.91	190.5	-69.3
DDH0749A	178.00	189.1	-68.9
DDH0749A	184.10	188.4	-68.7
DDH0749A	190.20	187.6	-68.4
DDH0749A	196.29	186.9	-68.2
DDH0749A	202.39	186.2	-68.1
DDH0749A	208.48	185.4	-68.0
DDH0749A	214.58	185.3	-67.9
DDH0749A	220.68	185.2	-67.8
DDH0749A	226.77	184.6	-67.8
DDH0749A	232.87	184.1	-67.8
DDH0749A	238.96	183.7	-67.7
DDH0749A	245.06	182.8	-67.6
DDH0749A	251.16	182.1	-67.6
DDH0749A	257.25	181.4	-67.5
DDH0749A	263.35	181.0	-67.3
DDH0749A	269.44	180.8	-67.0
DDH0749A	275.54	180.6	-66.8
DDH0749A	281.64	180.0	-66.9
DDH0749A	287.73	180.5	-66.7
DDH0749A	293.83	180.6	-66.8
DDH0749A	299.92	179.9	-66.8
DDH0749A	306.02	179.4	-66.7
DDH0749A	312.12	178.6	-66.5
DDH0749A	318.21	178.2	-66.1
DDH0749A	324.31	178.2	-66.1
DDH0749A	330.40	178.2	-66.1
DDH0749A	336.50	177.3	-66.1
DDH0749A	342.60	176.1	-65.9
DDH0750	0.00	131.0	-74.0
DDH0750	0.91	131.0	-73.8
DDH0750	7.01	131.2	-73.5
DDH0750	13.11	131.4	-73.3
DDH0750	19.20	131.6	-73.3
DDH0750	25.30	131.8	-73.3
DDH0750	31.39	132.0	-73.2
DDH0750	37.49	132.1	-73.1
DDH0750	43.59	132.2	-73.1
DDH0750	49.68	132.3	-72.4
DDH0750	55.78	132.4	-72.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0750	61.87	132.5	-72.4
DDH0750	67.97	132.6	-72.2
DDH0750	74.07	132.7	-71.9
DDH0750	80.16	132.8	-72.7
DDH0750	86.26	132.9	-71.7
DDH0750	92.35	132.9	-71.7
DDH0750	98.45	133.2	-71.7
DDH0750	104.55	133.1	-71.7
DDH0750	110.64	133.2	-71.7
DDH0750	116.74	133.6	-71.8
DDH0750	122.83	134.4	-71.7
DDH0750	128.93	134.2	-71.5
DDH0750	135.03	134.6	-71.1
DDH0750	141.12	133.8	-70.9
DDH0750	147.22	134.4	-70.8
DDH0750	153.31	134.5	-70.7
DDH0750	159.41	134.5	-70.6
DDH0750	165.51	135.2	-70.6
DDH0750	171.60	135.6	-70.6
DDH0750	177.70	135.5	-70.6
DDH0750	183.79	135.4	-70.6
DDH0750	189.89	135.7	-70.6
DDH0750	195.99	136.0	-70.6
DDH0750	202.08	136.3	-70.6
DDH0750	208.18	136.6	-70.4
DDH0750	214.27	137.1	-70.2
DDH0750	220.37	137.4	-70.0
DDH0750	226.47	137.6	-69.9
DDH0750	232.56	137.4	-69.7
DDH0750	238.66	137.5	-69.5
DDH0750	244.75	137.3	-69.4
DDH0750	250.85	137.4	-69.3
DDH0750	256.95	137.4	-69.1
DDH0750	263.04	137.4	-69.0
DDH0751	0.00	322.0	-77.0
DDH0751	0.91	321.7	-76.9
DDH0751	7.01	321.3	-76.7
DDH0751	13.11	320.9	-77.3
DDH0751	19.20	320.5	-77.5
DDH0751	25.30	320.1	-77.7
DDH0751	31.39	319.7	-78.1
DDH0751	37.49	319.3	-78.4
DDH0751	43.59	318.9	-78.6
DDH0751	49.68	318.5	-79.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0751	55.78	318.1	-79.1
DDH0751	61.87	318.4	-79.4
DDH0751	67.97	319.1	-79.7
DDH0751	74.07	319.5	-80.0
DDH0751	80.16	320.7	-79.8
DDH0751	86.26	320.7	-79.7
DDH0751	92.35	320.8	-79.7
DDH0751	98.45	320.7	-80.1
DDH0751	104.55	319.7	-80.4
DDH0751	110.64	319.7	-80.5
DDH0751	116.74	319.9	-80.6
DDH0751	122.83	319.8	-80.6
DDH0751	128.93	319.9	-80.7
DDH0751	135.03	319.8	-80.7
DDH0751	141.12	320.0	-80.9
DDH0751	147.22	320.1	-80.9
DDH0751	153.31	319.5	-80.9
DDH0751	159.41	319.6	-81.0
DDH0752	0.00	165.0	-65.0
DDH0752	0.91	165.0	-66.3
DDH0752	7.01	164.8	-66.5
DDH0752	13.11	164.5	-64.1
DDH0752	19.20	164.2	-62.7
DDH0752	25.30	163.9	-63.9
DDH0752	31.39	163.6	-63.3
DDH0752	37.49	163.3	-63.3
DDH0752	43.59	163.0	-63.0
DDH0752	49.68	162.7	-62.7
DDH0752	55.78	162.4	-62.6
DDH0752	61.87	162.1	-62.4
DDH0752	67.97	161.8	-62.5
DDH0752	74.07	161.5	-62.5
DDH0752	80.16	161.2	-62.6
DDH0752	86.26	161.1	-62.3
DDH0752	92.35	161.1	-62.1
DDH0752	98.45	160.9	-62.0
DDH0752	104.55	160.9	-61.9
DDH0752	110.64	160.7	-61.7
DDH0752	116.74	160.5	-61.5
DDH0752	122.83	160.5	-61.2
DDH0752	128.93	160.4	-61.0
DDH0752	135.03	160.3	-60.7
DDH0752	141.12	160.1	-60.4
DDH0752	147.22	159.8	-60.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0752	153.31	159.6	-59.8
DDH0752	159.41	159.1	-59.6
DDH0752	165.51	158.5	-59.3
DDH0752	171.60	157.9	-59.0
DDH0752	177.70	157.0	-58.7
DDH0752	183.79	156.8	-58.4
DDH0752	189.89	156.8	-58.1
DDH0752	195.99	157.0	-57.7
DDH0752	202.08	157.6	-57.7
DDH0752	208.18	158.0	-57.6
DDH0752	214.27	158.4	-57.7
DDH0752	220.37	158.8	-57.6
DDH0752	226.47	159.2	-57.6
DDH0752	232.56	159.6	-57.5
DDH0752	238.66	160.5	-57.6
DDH0752	244.75	161.6	-57.6
DDH0752	250.85	162.3	-57.4
DDH0752	256.95	162.6	-57.3
DDH0752	263.04	163.4	-57.5
DDH0752	269.14	164.2	-57.4
DDH0752	275.23	164.4	-57.2
DDH0753	0.00	221.0	-69.0
DDH0753	1.22	220.9	-67.9
DDH0753	7.32	220.6	-67.9
DDH0753	13.41	220.3	-70.8
DDH0753	19.51	220.0	-67.7
DDH0753	25.60	219.7	-67.4
DDH0753	31.70	219.4	-68.3
DDH0753	37.80	219.1	-69.4
DDH0753	43.89	218.8	-69.1
DDH0753	49.99	218.5	-69.0
DDH0753	56.08	218.2	-68.7
DDH0753	62.18	218.2	-68.4
DDH0753	68.28	216.8	-68.9
DDH0753	74.37	217.0	-68.8
DDH0753	80.47	216.7	-68.8
DDH0753	86.56	217.1	-68.8
DDH0753	92.66	216.2	-68.9
DDH0753	98.76	215.6	-68.9
DDH0753	104.85	215.4	-69.0
DDH0753	110.95	216.0	-68.9
DDH0753	117.04	216.4	-68.8
DDH0753	123.14	217.3	-68.7
DDH0753	129.24	215.6	-68.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0753	135.33	215.3	-68.7
DDH0753	141.43	215.5	-68.7
DDH0753	147.52	216.5	-68.7
DDH0753	153.62	216.7	-68.8
DDH0753	159.72	217.8	-68.9
DDH0753	165.81	216.0	-68.9
DDH0753	171.91	215.8	-68.6
DDH0753	178.00	218.5	-69.1
DDH0753	184.10	218.8	-69.3
DDH0753	190.20	220.1	-69.4
DDH0753	196.29	219.2	-69.5
DDH0753	202.39	219.5	-69.6
DDH0753	208.48	219.8	-69.7
DDH0753	214.58	219.2	-69.7
DDH0753	220.68	218.6	-69.8
DDH0753	226.77	218.2	-69.8
DDH0753	232.87	217.8	-69.8
DDH0753	238.96	216.7	-69.8
DDH0753	245.06	216.0	-69.7
DDH0753	251.16	215.8	-69.7
DDH0753	257.25	215.3	-69.7
DDH0753	263.35	214.8	-69.8
DDH0753	269.44	215.0	-69.8
DDH0753	275.54	214.9	-69.8
DDH0753	281.64	215.3	-69.8
DDH0753	287.73	214.6	-69.7
DDH0753	293.83	213.1	-69.4
DDH0753	299.92	211.7	-68.9
DDH0753	306.02	210.6	-68.4
DDH0753	312.12	210.2	-68.1
DDH0754	0.00	352.0	-50.0
DDH0754	3.96	352.1	-49.9
DDH0754	10.06	352.2	-49.9
DDH0754	16.15	352.2	-49.8
DDH0754	22.25	352.3	-49.8
DDH0754	28.35	352.4	-49.7
DDH0754	34.44	352.5	-49.6
DDH0754	40.54	352.5	-49.6
DDH0754	46.63	352.6	-49.5
DDH0754	52.73	352.7	-49.4
DDH0754	58.83	352.8	-49.4
DDH0754	64.92	352.8	-49.3
DDH0754	71.02	352.9	-49.3
DDH0754	77.11	353.2	-49.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0754	83.21	353.0	-49.2
DDH0754	89.31	352.3	-49.2
DDH0754	95.40	352.6	-49.2
DDH0754	101.50	352.1	-49.2
DDH0754	107.59	353.3	-49.2
DDH0754	113.69	353.4	-49.3
DDH0754	119.79	353.3	-49.4
DDH0754	125.88	353.3	-49.5
DDH0754	131.98	353.4	-49.6
DDH0754	138.07	353.3	-49.6
DDH0754	144.17	353.2	-49.7
DDH0754	150.27	353.1	-49.8
DDH0754	156.36	353.1	-49.9
DDH0754	162.46	353.1	-49.9
DDH0754	168.55	352.5	-50.0
DDH0754	174.65	352.4	-50.2
DDH0754	180.75	352.3	-50.3
DDH0754	186.84	352.2	-50.2
DDH0754	192.94	352.2	-50.3
DDH0754	199.03	352.3	-50.4
DDH0754	205.13	352.3	-50.4
DDH0754	211.23	353.4	-50.5
DDH0754	217.32	352.7	-50.5
DDH0754	223.42	352.6	-50.6
DDH0754	229.51	352.5	-50.6
DDH0754	235.61	352.5	-50.6
DDH0754	241.71	352.6	-50.7
DDH0754	247.80	352.6	-50.7
DDH0754	253.90	352.7	-50.7
DDH0754	259.99	352.7	-50.7
DDH0754	266.09	352.8	-50.7
DDH0755	0.00	163.0	-67.0
DDH0755	4.27	162.3	-67.0
DDH0755	10.36	161.6	-66.9
DDH0755	16.46	160.9	-66.9
DDH0755	22.56	160.2	-66.9
DDH0755	28.65	159.6	-66.9
DDH0755	34.75	158.9	-66.8
DDH0755	40.84	158.2	-66.8
DDH0755	46.94	157.5	-66.8
DDH0755	53.04	156.8	-66.7
DDH0755	59.13	157.2	-66.7
DDH0755	65.23	157.4	-66.7
DDH0755	71.32	157.7	-66.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0755	77.42	157.4	-66.6
DDH0755	83.52	157.5	-66.4
DDH0755	89.61	157.3	-66.4
DDH0755	95.71	157.2	-66.0
DDH0755	101.80	157.0	-65.8
DDH0755	107.90	156.9	-65.6
DDH0755	114.00	156.7	-65.4
DDH0755	120.09	157.0	-65.2
DDH0755	126.19	157.3	-64.8
DDH0755	132.28	156.9	-64.5
DDH0755	138.38	157.3	-64.3
DDH0755	144.48	156.9	-64.1
DDH0755	150.57	156.6	-63.8
DDH0755	156.67	156.7	-63.6
DDH0755	162.76	156.7	-63.2
DDH0755	168.86	156.6	-63.0
DDH0755	174.96	156.7	-62.7
DDH0755	181.05	157.0	-62.6
DDH0755	187.15	157.1	-62.5
DDH0755	193.24	157.7	-62.3
DDH0755	199.34	157.7	-62.1
DDH0755	205.44	157.8	-61.8
DDH0755	211.53	158.0	-61.4
DDH0755	217.63	157.9	-61.2
DDH0755	223.72	158.0	-60.9
DDH0755	229.82	158.1	-60.8
DDH0755	235.92	158.3	-60.7
DDH0755	242.01	158.0	-60.1
DDH0755	248.11	157.7	-59.7
DDH0755	254.20	157.6	-59.5
DDH0755	260.30	157.7	-59.4
DDH0755	266.40	158.0	-59.3
DDH0755	272.49	158.1	-59.2
DDH0755	278.59	158.2	-59.1
DDH0755	284.68	158.2	-59.1
DDH0755	290.78	158.2	-59.2
DDH0755	296.88	158.2	-59.3
DDH0755	302.97	158.1	-59.4
DDH0755	309.07	158.1	-59.3
DDH0755	315.16	157.8	-59.3
DDH0755	321.26	157.5	-59.1
DDH0755	327.36	157.2	-59.1
DDH0755	333.45	157.1	-59.0
DDH0755	339.55	157.0	-59.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0755	345.64	156.6	-59.0
DDH0755	351.74	157.7	-58.9
DDH0755	357.84	157.4	-58.9
DDH0755	363.93	157.4	-58.8
DDH0755	370.03	157.8	-58.8
DDH0755	376.12	158.1	-58.8
DDH0755	382.22	158.6	-58.8
DDH0755	388.32	158.9	-58.8
DDH0756	0.00	145.0	-57.0
DDH0757	0.00	319.0	-40.0
DDH0757	0.91	319.8	-40.4
DDH0757	7.01	320.2	-40.4
DDH0757	13.11	320.6	-40.7
DDH0757	19.20	321.0	-40.3
DDH0757	25.30	321.4	-41.2
DDH0757	31.39	321.8	-41.6
DDH0757	37.49	322.2	-41.7
DDH0757	43.59	322.5	-43.0
DDH0757	49.68	322.8	-43.5
DDH0757	55.78	323.1	-41.9
DDH0757	61.87	323.4	-41.1
DDH0757	67.97	323.7	-43.4
DDH0757	74.07	324.0	-43.6
DDH0757	80.16	324.3	-43.3
DDH0757	86.26	324.6	-43.5
DDH0757	92.35	324.9	-43.4
DDH0757	98.45	325.2	-43.3
DDH0757	104.55	325.5	-43.3
DDH0757	110.64	325.8	-43.2
DDH0757	116.74	325.7	-43.3
DDH0757	122.83	325.6	-43.2
DDH0757	128.93	325.7	-43.2
DDH0757	135.03	325.4	-43.2
DDH0757	141.12	325.3	-43.3
DDH0757	147.22	324.8	-43.2
DDH0757	153.31	325.1	-43.2
DDH0757	159.41	324.8	-43.2
DDH0757	165.51	324.9	-43.1
DDH0757	171.60	324.7	-43.1
DDH0757	177.70	324.6	-43.1
DDH0757	183.79	324.7	-43.0
DDH0757	189.89	324.3	-42.9
DDH0757	195.99	324.1	-42.8
DDH0757	202.08	324.0	-42.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0758	0.00	157.0	-56.0
DDH0758	3.96	157.0	-55.1
DDH0758	10.06	157.1	-55.1
DDH0758	16.15	157.2	-55.2
DDH0758	22.25	157.1	-55.1
DDH0758	28.35	157.0	-54.9
DDH0758	34.44	157.1	-55.0
DDH0758	40.54	157.2	-55.8
DDH0758	46.63	157.3	-55.2
DDH0758	52.73	157.2	-55.6
DDH0758	58.83	157.1	-55.6
DDH0758	64.92	157.0	-55.8
DDH0758	71.02	157.1	-55.3
DDH0758	77.11	157.2	-57.1
DDH0758	83.21	157.1	-55.7
DDH0758	89.31	157.0	-55.7
DDH0758	95.40	157.1	-55.6
DDH0758	101.50	157.2	-55.4
DDH0758	107.59	157.1	-55.3
DDH0758	113.69	157.5	-55.2
DDH0758	119.79	157.5	-55.0
DDH0758	125.88	156.9	-54.9
DDH0758	131.98	156.4	-54.7
DDH0758	138.07	156.2	-54.6
DDH0758	144.17	155.6	-54.7
DDH0758	150.27	155.7	-54.7
DDH0758	156.36	155.8	-54.9
DDH0758	162.46	156.0	-55.0
DDH0758	168.55	156.5	-55.0
DDH0758	174.65	156.6	-54.9
DDH0758	180.75	157.3	-54.9
DDH0758	186.84	157.4	-54.7
DDH0758	192.94	157.6	-54.6
DDH0758	199.03	156.9	-54.3
DDH0758	205.13	156.2	-54.0
DDH0758	211.23	155.9	-54.0
DDH0758	217.32	156.3	-54.0
DDH0758	223.42	156.3	-54.0
DDH0758	229.51	156.5	-54.2
DDH0758	235.61	157.3	-54.3
DDH0758	241.71	157.2	-54.3
DDH0758	247.80	157.0	-54.3
DDH0758	253.90	157.4	-54.2
DDH0758	259.99	157.7	-54.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0758	266.09	158.1	-54.1
DDH0758	272.19	158.2	-54.0
DDH0758	278.28	158.0	-54.0
DDH0758	284.38	157.6	-53.8
DDH0758	290.47	157.2	-53.7
DDH0758	296.57	157.0	-53.6
DDH0758	302.67	157.1	-53.6
DDH0758	308.76	157.1	-53.6
DDH0758	314.86	156.9	-53.7
DDH0758	320.95	157.1	-53.7
DDH0758	327.05	157.0	-53.7
DDH0758	333.15	157.1	-53.7
DDH0759	0.00	119.0	-65.0
DDH0759	4.27	119.2	-64.1
DDH0759	10.36	119.4	-64.1
DDH0759	16.46	119.6	-64.2
DDH0759	22.56	119.8	-63.9
DDH0759	28.65	120.0	-63.3
DDH0759	34.75	120.2	-63.1
DDH0759	40.84	120.4	-63.0
DDH0759	46.94	120.6	-62.2
DDH0759	53.04	120.5	-62.5
DDH0759	59.13	121.1	-62.7
DDH0759	65.23	121.4	-62.6
DDH0759	71.32	121.7	-62.4
DDH0759	77.42	122.0	-62.3
DDH0759	83.52	122.0	-62.2
DDH0759	89.61	121.8	-62.0
DDH0759	95.71	121.8	-61.8
DDH0759	101.80	121.7	-61.7
DDH0759	107.90	122.0	-61.8
DDH0759	114.00	122.4	-61.7
DDH0759	120.09	123.0	-61.7
DDH0759	126.19	123.5	-61.7
DDH0759	132.28	124.0	-61.6
DDH0759	138.38	124.2	-61.5
DDH0759	144.48	124.2	-61.3
DDH0759	150.57	123.7	-61.2
DDH0759	156.67	123.7	-61.0
DDH0759	162.76	124.5	-61.0
DDH0759	168.86	125.2	-60.9
DDH0759	174.96	126.0	-60.8
DDH0759	181.05	126.5	-60.7
DDH0759	187.15	126.7	-60.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0759	193.24	126.5	-60.4
DDH0759	199.34	126.5	-60.3
DDH0759	205.44	126.7	-60.2
DDH0759	211.53	126.8	-60.2
DDH0759	217.63	127.2	-60.2
DDH0759	223.72	127.5	-60.2
DDH0759	229.82	128.0	-60.3
DDH0759	235.92	128.4	-60.4
DDH0759	242.01	128.8	-60.4
DDH0759	248.11	129.2	-60.3
DDH0759	254.20	129.4	-60.2
DDH0759	260.30	129.6	-60.1
DDH0759	266.40	129.9	-59.9
DDH0759	272.49	130.2	-59.8
DDH0759	278.59	130.5	-59.6
DDH0759	284.68	130.2	-59.5
DDH0759	290.78	130.1	-59.5
DDH0759	296.88	130.8	-59.4
DDH0759	302.97	131.0	-59.2
DDH0759	309.07	131.2	-59.0
DDH0759	315.16	131.2	-58.9
DDH0759	321.26	131.2	-58.9
DDH0759	327.36	131.2	-58.8
DDH0759	333.45	131.9	-58.7
DDH0759	339.55	132.5	-58.7
DDH0759	345.64	132.8	-58.6
DDH0759	351.74	133.3	-58.3
DDH0759	357.84	132.9	-58.1
DDH0759	363.93	133.2	-58.1
DDH0759	370.03	133.0	-58.0
DDH0759	376.12	133.0	-58.0
DDH0759	382.22	132.7	-57.9
DDH0759	388.32	133.4	-58.0
DDH0759	394.41	133.5	-57.9
DDH0760	0.00	134.0	-58.0
DDH0760	3.96	134.1	-56.0
DDH0760	10.06	134.3	-56.3
DDH0760	16.15	134.4	-55.9
DDH0760	22.25	134.6	-56.4
DDH0760	28.35	134.7	-56.7
DDH0760	34.44	134.9	-56.6
DDH0760	40.54	135.0	-56.8
DDH0760	46.63	135.2	-55.6
DDH0760	52.73	135.3	-54.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0760	58.83	135.5	-53.5
DDH0760	64.92	135.6	-51.9
DDH0760	71.02	135.8	-50.5
DDH0760	77.11	135.9	-49.3
DDH0760	83.21	136.1	-49.2
DDH0760	89.31	136.2	-49.5
DDH0760	95.40	136.4	-49.6
DDH0760	101.50	136.5	-49.9
DDH0760	107.59	136.7	-49.9
DDH0760	113.69	136.8	-49.8
DDH0760	119.79	137.0	-49.7
DDH0760	125.88	137.3	-49.4
DDH0760	131.98	138.6	-49.3
DDH0760	138.07	138.2	-49.2
DDH0760	144.17	138.4	-49.1
DDH0760	150.27	138.6	-48.9
DDH0760	156.36	138.5	-48.8
DDH0760	162.46	138.6	-48.6
DDH0760	168.55	138.4	-48.5
DDH0760	174.65	138.8	-48.4
DDH0760	180.75	139.0	-48.3
DDH0760	186.84	139.0	-47.9
DDH0760	192.94	138.7	-47.5
DDH0760	199.03	138.3	-47.3
DDH0760	205.13	138.3	-47.2
DDH0760	211.23	138.4	-46.8
DDH0760	217.32	138.6	-46.6
DDH0760	223.42	137.6	-46.3
DDH0760	229.51	138.2	-46.0
DDH0760	235.61	138.3	-45.7
DDH0760	241.71	138.3	-45.5
DDH0760	247.80	138.4	-45.4
DDH0760	253.90	138.4	-45.3
DDH0760	259.99	138.4	-45.1
DDH0760	266.09	138.1	-44.9
DDH0760	272.19	138.7	-44.9
DDH0760	278.28	138.3	-44.8
DDH0760	284.38	138.4	-44.7
DDH0760	290.47	138.9	-44.7
DDH0760	296.57	142.8	-44.6
DDH0760	302.67	139.6	-44.6
DDH0760	308.76	139.5	-44.6
DDH0760	314.86	139.7	-44.6
DDH0760	320.95	139.7	-44.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0760	327.05	139.8	-44.6
DDH0761	0.00	160.0	-45.0
DDH0761	0.61	160.2	-46.7
DDH0761	6.71	160.3	-46.5
DDH0761	12.80	160.4	-46.1
DDH0761	18.90	160.5	-46.0
DDH0761	24.99	160.6	-46.4
DDH0761	31.09	160.7	-46.4
DDH0761	37.19	160.8	-45.9
DDH0761	43.28	160.9	-45.9
DDH0761	49.38	161.0	-45.6
DDH0761	55.47	161.1	-44.7
DDH0761	61.57	161.2	-44.6
DDH0761	67.67	161.3	-44.2
DDH0761	73.76	161.4	-43.3
DDH0761	79.86	161.5	-43.1
DDH0761	85.95	161.6	-42.8
DDH0761	92.05	161.7	-43.6
DDH0761	98.15	161.8	-42.5
DDH0761	104.24	160.1	-42.3
DDH0761	110.34	160.6	-41.9
DDH0761	116.43	161.4	-42.3
DDH0761	122.53	161.3	-42.2
DDH0761	128.63	161.4	-42.1
DDH0761	134.72	161.3	-42.0
DDH0761	140.82	161.5	-42.0
DDH0761	146.91	161.1	-41.9
DDH0761	153.01	161.3	-41.8
DDH0761	159.11	161.2	-41.8
DDH0761	165.20	161.1	-41.1
DDH0761	171.30	161.0	-41.7
DDH0761	177.39	161.3	-41.8
DDH0761	183.49	161.0	-41.8
DDH0761	189.59	161.0	-41.9
DDH0761	195.68	161.0	-41.8
DDH0761	201.78	161.4	-41.8
DDH0761	207.87	161.9	-41.8
DDH0761	213.97	161.4	-41.9
DDH0762	0.00	134.0	-40.0
DDH0762	0.61	134.0	-41.1
DDH0762	6.71	134.1	-44.3
DDH0762	12.80	134.1	-41.4
DDH0762	18.90	134.1	-38.5
DDH0762	24.99	134.2	-38.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0762	31.09	134.2	-40.3
DDH0762	37.19	134.2	-39.8
DDH0762	43.28	134.3	-39.6
DDH0762	49.38	134.3	-39.6
DDH0762	55.47	134.3	-39.7
DDH0762	61.57	134.4	-40.1
DDH0762	67.67	134.4	-40.3
DDH0762	73.76	134.5	-40.5
DDH0762	79.86	135.5	-40.5
DDH0762	85.95	135.5	-40.1
DDH0762	92.05	134.6	-41.5
DDH0762	98.15	134.6	-40.1
DDH0762	104.24	134.6	-39.7
DDH0762	110.34	134.6	-39.5
DDH0762	116.43	135.4	-39.4
DDH0762	122.53	135.6	-39.5
DDH0762	128.63	135.6	-39.3
DDH0762	134.72	135.2	-39.3
DDH0762	140.82	135.8	-39.2
DDH0762	146.91	136.1	-39.2
DDH0762	153.01	135.1	-39.1
DDH0762	159.11	136.6	-39.2
DDH0762	165.20	136.0	-39.3
DDH0762	171.30	136.9	-39.2
DDH0762	177.39	136.8	-39.1
DDH0762	183.49	136.0	-39.0
DDH0762	189.59	135.6	-39.1
DDH0762	195.68	136.0	-39.1
DDH0762	201.78	136.0	-39.1
DDH0762	207.87	137.3	-39.2
DDH0762	213.97	137.5	-39.2
DDH0762	220.07	137.4	-39.1
DDH0762	226.16	136.8	-39.2
DDH0762	232.26	136.8	-39.1
DDH0762	238.35	136.8	-39.2
DDH0762	244.45	136.9	-39.2
DDH0762	250.55	137.0	-39.2
DDH0762	256.64	137.0	-39.4
DDH0762	262.74	136.9	-39.6
DDH0763	0.00	219.0	-40.0
DDH0763	3.96	219.2	-39.8
DDH0763	10.06	219.5	-39.6
DDH0763	16.15	219.7	-39.3
DDH0763	22.25	219.9	-39.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0763	28.35	219.4	-39.1
DDH0763	34.44	219.5	-39.1
DDH0763	40.54	219.6	-39.0
DDH0763	46.63	219.7	-39.2
DDH0763	52.73	219.6	-39.3
DDH0763	58.83	219.8	-39.2
DDH0763	64.92	219.9	-39.1
DDH0763	71.02	219.5	-39.3
DDH0763	77.11	218.8	-39.5
DDH0763	83.21	218.9	-39.6
DDH0763	89.31	219.0	-39.6
DDH0763	95.40	219.2	-39.7
DDH0763	101.50	219.3	-39.8
DDH0763	107.59	219.5	-39.9
DDH0763	113.69	219.5	-40.1
DDH0763	119.79	219.4	-40.2
DDH0763	125.88	219.0	-40.2
DDH0763	131.98	218.9	-40.4
DDH0763	138.07	219.1	-40.5
DDH0763	144.17	219.9	-40.6
DDH0763	150.27	219.9	-40.6
DDH0763	156.36	220.6	-40.5
DDH0763	162.46	220.4	-40.7
DDH0763	168.55	220.2	-40.7
DDH0763	174.65	219.8	-40.8
DDH0763	180.75	220.1	-40.9
DDH0763	186.84	220.8	-41.0
DDH0763	192.94	221.1	-41.1
DDH0764	0.00	180.0	-40.0
DDH0764	0.91	179.8	-40.8
DDH0764	7.01	179.7	-40.8
DDH0764	13.11	179.6	-42.5
DDH0764	19.20	179.5	-41.1
DDH0764	25.30	179.3	-41.5
DDH0764	31.39	179.2	-41.9
DDH0764	37.49	179.1	-42.1
DDH0764	43.59	179.0	-41.8
DDH0764	49.68	178.9	-40.8
DDH0764	55.78	178.8	-41.1
DDH0764	61.87	178.7	-41.2
DDH0764	67.97	178.5	-41.3
DDH0764	74.07	178.4	-41.5
DDH0764	80.16	178.3	-39.5
DDH0764	86.26	178.2	-41.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0764	92.35	178.1	-42.0
DDH0764	98.45	177.6	-42.4
DDH0764	104.55	177.5	-42.6
DDH0764	110.64	177.5	-42.8
DDH0764	116.74	177.6	-43.0
DDH0764	122.83	177.6	-43.4
DDH0764	128.93	177.7	-44.0
DDH0764	135.03	178.0	-44.4
DDH0764	141.12	177.5	-44.7
DDH0764	147.22	177.5	-45.0
DDH0764	153.31	177.4	-45.1
DDH0764	159.41	177.5	-45.2
DDH0764	165.51	177.4	-45.4
DDH0764	171.60	177.5	-45.4
DDH0764	177.70	177.6	-45.5
DDH0764	183.79	177.6	-45.7
DDH0764	189.89	177.4	-45.7
DDH0764	195.99	177.2	-45.9
DDH0764	202.08	177.0	-45.9
DDH0764	208.18	176.4	-45.8
DDH0764	214.27	176.1	-45.7
DDH0764	220.37	175.7	-45.5
DDH0764	226.47	175.7	-45.5
DDH0764	232.56	175.8	-45.6
DDH0764	238.66	175.4	-45.7
DDH0764	244.75	175.0	-45.8
DDH0764	250.85	175.8	-45.7
DDH0765	0.00	145.0	-45.0
DDH0765	0.61	144.9	-43.5
DDH0765	6.71	143.9	-43.5
DDH0765	12.80	144.9	-43.6
DDH0765	18.90	143.0	-43.7
DDH0765	24.99	143.7	-43.7
DDH0765	31.09	144.0	-43.9
DDH0765	37.19	143.6	-43.8
DDH0765	43.28	143.9	-43.8
DDH0765	49.38	143.9	-43.8
DDH0765	55.47	144.1	-43.7
DDH0765	61.57	144.1	-43.7
DDH0765	67.67	144.1	-43.7
DDH0768	0.00	160.0	-45.0
DDH0768	0.91	159.7	-44.8
DDH0768	7.01	159.4	-44.8
DDH0768	13.11	159.1	-44.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0768	19.20	158.6	-44.6
DDH0768	25.30	158.3	-44.7
DDH0768	31.39	157.5	-44.5
DDH0768	37.49	156.8	-44.6
DDH0768	43.59	156.0	-44.4
DDH0768	49.68	155.4	-44.4
DDH0768	55.78	154.9	-44.4
DDH0768	61.87	154.6	-44.5
DDH0768	67.97	154.4	-44.4
DDH0768	74.07	154.2	-44.4
DDH0768	80.16	153.9	-44.3
DDH0768	86.26	154.4	-44.2
DDH0768	92.35	155.0	-44.1
DDH0768	98.45	155.4	-44.1
DDH0768	104.55	155.5	-44.0
DDH0768	110.64	155.7	-43.9
DDH0768	116.74	155.5	-43.9
DDH0768	122.83	155.3	-43.8
DDH0768	128.93	154.8	-43.9
DDH0768	135.03	154.8	-43.8
DDH0768	141.12	154.6	-43.8
DDH0768	147.22	154.8	-43.7
DDH0768	153.31	156.2	-43.6
DDH0768	159.41	156.5	-43.5
DDH0768	165.51	156.7	-43.3
DDH0768	171.60	156.7	-43.3
DDH0768	177.70	156.5	-43.4
DDH0768	183.79	156.1	-43.4
DDH0768	189.89	155.8	-43.4
DDH0768	195.99	155.6	-43.3
DDH0768	202.08	155.5	-43.2
DDH0768	208.18	155.6	-43.2
DDH0769	0.00	65.0	-45.0
DDH0769	0.61	65.1	-44.9
DDH0769	6.71	65.1	-44.9
DDH0769	12.80	65.1	-44.8
DDH0769	18.90	65.1	-44.8
DDH0769	24.99	65.2	-44.7
DDH0769	31.09	65.2	-44.7
DDH0769	37.19	65.2	-44.6
DDH0769	43.28	65.3	-44.6
DDH0769	49.38	65.3	-44.5
DDH0769	55.47	65.3	-44.5
DDH0769	61.57	65.4	-44.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0769	67.67	65.4	-44.4
DDH0769	73.76	66.4	-44.4
DDH0769	79.86	67.1	-44.5
DDH0769	85.95	67.9	-44.6
DDH0769	92.05	68.6	-44.5
DDH0769	98.15	68.9	-44.4
DDH0769	104.24	69.0	-44.3
DDH0769	110.34	69.3	-44.2
DDH0769	116.43	69.6	-44.2
DDH0769	122.53	70.0	-44.2
DDH0769	128.63	70.5	-44.1
DDH0769	134.72	70.9	-44.1
DDH0769	140.82	71.3	-44.1
DDH0769	146.91	71.6	-44.1
DDH0770	0.00	180.0	-40.0
DDH0770	0.61	179.9	-40.0
DDH0770	6.71	179.8	-39.9
DDH0770	12.80	179.7	-39.9
DDH0770	18.90	179.6	-39.9
DDH0770	24.99	179.5	-39.8
DDH0770	31.09	179.5	-39.8
DDH0770	37.19	179.4	-39.8
DDH0770	43.28	179.3	-39.7
DDH0770	49.38	179.2	-39.7
DDH0770	55.47	179.1	-39.7
DDH0770	61.57	179.0	-39.6
DDH0770	67.67	178.9	-39.6
DDH0770	73.76	178.8	-39.6
DDH0770	79.86	179.0	-39.6
DDH0770	85.95	178.9	-39.9
DDH0770	92.05	178.7	-40.1
DDH0770	98.15	178.7	-40.2
DDH0770	104.24	178.7	-40.3
DDH0770	110.34	178.7	-40.3
DDH0770	116.43	178.7	-40.3
DDH0770	122.53	177.5	-40.3
DDH0771	0.00	132.0	-79.0
DDH0771	3.96	131.9	-79.8
DDH0771	10.06	131.8	-79.6
DDH0771	16.15	131.8	-80.2
DDH0771	22.25	131.9	-79.9
DDH0771	28.35	131.8	-79.9
DDH0771	34.44	131.7	-80.1
DDH0771	40.54	131.6	-80.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0771	46.63	131.5	-80.4
DDH0771	52.73	131.4	-80.6
DDH0771	58.83	131.3	-80.4
DDH0771	64.92	134.1	-80.8
DDH0771	71.02	132.6	-80.6
DDH0771	77.11	135.1	-80.5
DDH0771	83.21	136.1	-80.4
DDH0771	89.31	136.9	-80.1
DDH0771	95.40	136.8	-80.1
DDH0771	101.50	137.2	-79.7
DDH0771	107.59	133.8	-79.4
DDH0771	113.69	133.3	-79.4
DDH0771	119.79	132.7	-79.4
DDH0771	125.88	132.5	-79.5
DDH0771	131.98	133.1	-79.6
DDH0771	138.07	133.7	-79.6
DDH0771	144.17	134.8	-79.5
DDH0771	150.27	135.4	-80.9
DDH0771	156.36	136.1	-79.3
DDH0771	162.46	136.5	-79.2
DDH0771	168.55	136.0	-79.2
DDH0771	174.65	135.8	-79.0
DDH0771	180.75	136.2	-78.8
DDH0771	186.84	136.1	-78.8
DDH0771	192.94	136.0	-78.6
DDH0771	199.03	136.0	-78.5
DDH0771	205.13	135.1	-78.3
DDH0771	211.23	135.2	-78.2
DDH0771	217.32	136.3	-78.1
DDH0771	223.42	136.6	-78.1
DDH0771	229.51	136.2	-78.1
DDH0771	235.61	136.1	-78.1
DDH0771	241.71	136.9	-78.2
DDH0771	247.80	136.9	-78.3
DDH0771	253.90	136.4	-78.3
DDH0771	259.99	134.7	-78.3
DDH0771	266.09	134.8	-78.3
DDH0771	272.19	135.1	-78.2
DDH0771	278.28	135.4	-78.2
DDH0771	284.38	135.2	-78.0
DDH0771	290.47	136.1	-77.9
DDH0771	296.57	135.9	-77.9
DDH0771	302.67	136.2	-77.7
DDH0772	0.00	62.0	-81.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0772	1.22	63.3	-80.2
DDH0772	7.32	64.4	-80.8
DDH0772	13.41	65.5	-80.5
DDH0772	19.51	66.6	-79.8
DDH0772	25.60	67.7	-80.2
DDH0772	31.70	68.8	-80.5
DDH0772	37.80	69.9	-80.4
DDH0772	43.89	71.4	-80.7
DDH0772	49.99	72.4	-80.7
DDH0772	56.08	73.4	-80.8
DDH0772	62.18	74.4	-80.9
DDH0772	68.28	75.7	-81.0
DDH0772	74.37	76.7	-81.0
DDH0772	80.47	77.7	-80.9
DDH0772	86.56	78.7	-80.7
DDH0772	92.66	79.7	-80.2
DDH0772	98.76	80.7	-79.9
DDH0772	104.85	81.5	-79.9
DDH0772	110.95	82.0	-79.8
DDH0772	117.04	83.3	-79.8
DDH0772	123.14	84.1	-79.6
DDH0772	129.24	84.5	-79.6
DDH0772	135.33	84.8	-79.4
DDH0772	141.43	84.0	-79.3
DDH0772	147.52	84.7	-79.7
DDH0772	153.62	84.5	-79.2
DDH0772	159.72	83.2	-79.2
DDH0772	165.81	85.5	-79.2
DDH0772	171.91	87.5	-79.2
DDH0772	178.00	89.3	-79.2
DDH0772	184.10	91.5	-78.9
DDH0772	190.20	92.1	-78.8
DDH0772	196.29	92.6	-78.8
DDH0772	202.39	92.9	-78.7
DDH0772	208.48	93.9	-78.7
DDH0772	214.58	94.7	-78.6
DDH0772	220.68	95.1	-78.5
DDH0772	226.77	95.9	-78.5
DDH0772	232.87	96.6	-78.1
DDH0772	238.96	98.7	-77.9
DDH0772	245.06	100.6	-77.6
DDH0772	251.16	103.1	-77.5
DDH0772	257.25	106.5	-77.2
DDH0772	263.35	109.3	-76.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0772	269.44	111.7	-76.6
DDH0772	275.54	115.4	-76.1
DDH0772	281.64	115.3	-76.0
DDH0772	287.73	111.4	-75.9
DDH0772	293.83	117.7	-75.7
DDH0772	299.92	118.5	-75.6
DDH0772	306.02	119.3	-75.5
DDH0772	312.12	120.5	-75.3
DDH0772	318.21	120.7	-75.1
DDH0773	0.00	150.0	-71.0
DDH0773	1.22	149.9	-71.1
DDH0773	7.32	149.9	-71.2
DDH0773	13.41	149.8	-71.9
DDH0773	19.51	149.9	-71.6
DDH0773	25.60	149.8	-71.4
DDH0773	31.70	149.7	-70.7
DDH0773	37.80	149.8	-70.5
DDH0773	43.89	149.9	-70.1
DDH0773	49.99	150.1	-70.1
DDH0773	56.08	150.1	-70.1
DDH0773	62.18	150.4	-70.0
DDH0773	68.28	150.0	-69.9
DDH0773	74.37	149.5	-69.7
DDH0773	80.47	149.7	-69.5
DDH0773	86.56	149.9	-69.3
DDH0773	92.66	149.8	-69.2
DDH0773	98.76	150.2	-69.1
DDH0773	104.85	150.1	-68.9
DDH0773	110.95	150.6	-68.9
DDH0773	117.04	150.7	-68.9
DDH0773	123.14	150.9	-68.9
DDH0773	129.24	151.0	-68.8
DDH0773	135.33	151.2	-68.5
DDH0773	141.43	151.4	-68.2
DDH0773	147.52	151.5	-68.0
DDH0773	153.62	151.2	-67.7
DDH0773	159.72	151.2	-67.4
DDH0773	165.81	151.1	-67.4
DDH0773	171.91	151.1	-67.3
DDH0773	178.00	150.9	-67.1
DDH0773	184.10	151.0	-67.1
DDH0773	190.20	150.6	-67.0
DDH0773	196.29	150.6	-66.9
DDH0773	202.39	150.8	-66.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0773	208.48	151.0	-66.7
DDH0774	0.00	178.0	-48.0
DDH0774	0.91	178.0	-47.2
DDH0774	7.01	177.9	-47.0
DDH0774	13.11	177.8	-47.1
DDH0774	19.20	177.7	-46.8
DDH0774	25.30	177.7	-46.6
DDH0774	31.39	177.7	-46.1
DDH0774	37.49	177.7	-45.5
DDH0774	43.59	177.7	-45.1
DDH0774	49.68	177.6	-45.0
DDH0774	55.78	177.5	-44.7
DDH0774	61.87	177.5	-44.6
DDH0774	67.97	177.3	-44.6
DDH0774	74.07	177.1	-44.5
DDH0774	80.16	176.5	-44.6
DDH0774	86.26	176.6	-44.6
DDH0774	92.35	176.5	-44.6
DDH0774	98.45	176.5	-44.5
DDH0774	104.55	176.2	-44.5
DDH0774	110.64	176.1	-44.3
DDH0774	116.74	175.8	-44.2
DDH0774	122.83	175.6	-44.1
DDH0774	128.93	175.5	-44.0
DDH0774	135.03	175.6	-43.9
DDH0774	141.12	175.6	-43.9
DDH0774	147.22	175.5	-43.8
DDH0774	153.31	175.4	-43.8
DDH0774	159.41	175.5	-43.7
DDH0774	165.51	175.5	-43.7
DDH0774	171.60	175.6	-43.7
DDH0774	177.70	175.8	-43.6
DDH0775	0.00	41.0	-54.0
DDH0775	5.18	41.0	-53.7
DDH0775	11.28	41.1	-53.6
DDH0775	17.37	41.3	-53.6
DDH0775	23.47	41.5	-54.2
DDH0775	29.57	41.7	-53.3
DDH0775	35.66	41.9	-53.3
DDH0775	41.76	42.0	-53.7
DDH0775	47.85	42.1	-54.0
DDH0775	53.95	42.2	-54.2
DDH0775	60.05	42.3	-54.3
DDH0775	66.14	42.4	-54.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0775	72.24	42.9	-54.4
DDH0775	78.33	43.5	-54.5
DDH0775	84.43	43.8	-54.6
DDH0775	90.53	44.0	-54.6
DDH0775	96.62	44.1	-54.6
DDH0775	102.72	44.2	-54.6
DDH0775	108.81	44.2	-54.5
DDH0775	114.91	44.3	-54.5
DDH0775	121.01	44.4	-54.4
DDH0775	127.10	44.5	-54.4
DDH0775	133.20	45.0	-54.5
DDH0775	139.29	45.4	-54.6
DDH0775	145.39	47.0	-54.8
DDH0775	151.49	47.8	-54.8
DDH0775	157.58	48.3	-54.8
DDH0775	163.68	49.0	-54.8
DDH0775	169.77	50.2	-54.8
DDH0775	175.87	50.0	-54.9
DDH0775	181.97	50.0	-54.9
DDH0775	188.06	51.1	-54.9
DDH0775	194.16	51.1	-55.0
DDH0775	200.25	51.5	-55.1
DDH0775	206.35	51.1	-55.2
DDH0775	212.45	52.6	-55.3
DDH0775	218.54	53.0	-55.2
DDH0775	224.64	53.8	-55.3
DDH0775	230.73	55.0	-55.2
DDH0776	0.00	157.0	-70.0
DDH0776	4.27	156.9	-69.6
DDH0776	10.36	156.8	-69.5
DDH0776	16.46	156.7	-69.5
DDH0776	22.56	156.6	-69.6
DDH0776	28.65	156.5	-69.4
DDH0776	34.75	156.3	-68.7
DDH0776	40.84	156.1	-68.0
DDH0776	46.94	155.9	-67.8
DDH0776	53.04	155.9	-67.7
DDH0776	59.13	155.5	-67.6
DDH0776	65.23	155.5	-67.6
DDH0776	71.32	155.5	-67.5
DDH0776	77.42	155.5	-67.5
DDH0776	83.52	155.2	-67.4
DDH0776	89.61	155.3	-67.4
DDH0776	95.71	155.3	-67.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0776	101.80	155.1	-67.2
DDH0776	107.90	155.2	-67.1
DDH0776	114.00	154.9	-67.0
DDH0776	120.09	154.5	-66.8
DDH0776	126.19	154.2	-66.7
DDH0776	132.28	154.4	-66.7
DDH0776	138.38	154.3	-66.6
DDH0776	144.48	154.5	-66.5
DDH0776	150.57	153.8	-66.4
DDH0776	156.67	155.2	-66.3
DDH0776	162.76	154.9	-66.2
DDH0776	168.86	154.6	-66.1
DDH0776	174.96	154.8	-65.9
DDH0776	181.05	155.1	-65.8
DDH0776	187.15	154.6	-65.7
DDH0776	193.24	154.8	-65.6
DDH0776	199.34	155.5	-65.5
DDH0776	205.44	154.8	-65.5
DDH0776	211.53	154.5	-65.4
DDH0776	217.63	154.4	-65.3
DDH0776	223.72	154.7	-65.4
DDH0776	229.82	154.7	-65.3
DDH0777	0.00	131.0	-75.0
DDH0777	1.52	131.1	-77.1
DDH0777	7.62	131.2	-77.1
DDH0777	13.72	131.3	-76.3
DDH0777	19.81	131.4	-75.8
DDH0777	25.91	131.5	-75.3
DDH0777	32.00	131.2	-75.0
DDH0777	38.10	130.1	-74.6
DDH0777	44.20	129.0	-74.1
DDH0777	50.29	128.3	-73.8
DDH0777	56.39	128.2	-73.5
DDH0777	62.48	127.9	-73.3
DDH0777	68.58	127.0	-72.9
DDH0777	74.68	126.9	-72.6
DDH0777	80.77	126.8	-72.3
DDH0777	86.87	127.1	-72.0
DDH0777	92.96	127.6	-71.9
DDH0777	99.06	128.1	-71.7
DDH0777	105.16	128.4	-71.5
DDH0777	111.25	128.3	-71.4
DDH0777	117.35	128.2	-71.2
DDH0777	123.44	128.4	-71.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0777	129.54	128.1	-70.9
DDH0778	0.00	38.0	-72.0
DDH0778	1.52	38.0	-70.2
DDH0778	7.62	38.0	-71.0
DDH0778	13.72	38.0	-70.8
DDH0778	19.81	38.0	-70.6
DDH0778	25.91	38.0	-70.3
DDH0778	32.00	37.9	-70.3
DDH0778	38.10	37.9	-70.1
DDH0778	44.20	37.9	-70.3
DDH0778	50.29	37.9	-70.4
DDH0778	56.39	37.9	-70.7
DDH0778	62.48	37.9	-70.6
DDH0778	68.58	38.4	-70.6
DDH0778	74.68	38.7	-70.5
DDH0778	80.77	39.1	-70.3
DDH0778	86.87	40.1	-70.4
DDH0778	92.96	40.5	-70.5
DDH0778	99.06	41.0	-70.6
DDH0778	105.16	41.3	-70.6
DDH0778	111.25	41.4	-70.6
DDH0778	117.35	41.7	-70.5
DDH0778	123.44	42.0	-70.5
DDH0778	129.54	42.2	-70.5
DDH0778	135.64	42.5	-70.6
DDH0778	141.73	43.0	-70.8
DDH0778	147.83	43.2	-70.8
DDH0778	153.92	43.4	-70.8
DDH0778	160.02	44.0	-70.8
DDH0778	166.12	44.6	-70.8
DDH0778	172.21	44.9	-70.8
DDH0778	178.31	45.1	-70.8
DDH0778	184.40	45.5	-70.8
DDH0778	190.50	46.0	-70.8
DDH0778	196.60	46.4	-70.8
DDH0778	202.69	46.8	-70.8
DDH0778	208.79	47.1	-70.8
DDH0778	214.88	47.5	-70.9
DDH0778	220.98	47.7	-71.0
DDH0778	227.08	47.7	-70.9
DDH0778	233.17	47.6	-70.9
DDH0778	239.27	47.8	-71.0
DDH0778	245.36	47.8	-71.0
DDH0778	251.46	48.0	-71.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0778	257.56	48.7	-71.0
DDH0778	263.65	48.9	-71.0
DDH0778	269.75	49.3	-70.9
DDH0778	275.84	49.6	-70.9
DDH0778	281.94	49.9	-70.9
DDH0778	288.04	50.0	-70.9
DDH0778	294.13	50.5	-70.9
DDH0778	300.23	50.9	-70.9
DDH0778	306.32	51.5	-70.9
DDH0778	312.42	52.2	-70.8
DDH0780	0.00	20.0	-59.0
DDH0780	0.91	20.1	-56.1
DDH0780	7.01	20.1	-57.9
DDH0780	13.11	20.1	-57.6
DDH0780	19.20	20.2	-57.0
DDH0780	25.30	20.2	-55.1
DDH0780	31.39	20.2	-55.2
DDH0780	37.49	20.3	-55.7
DDH0780	43.59	20.3	-55.7
DDH0780	49.68	20.3	-55.8
DDH0780	55.78	20.4	-56.0
DDH0780	61.87	20.4	-55.9
DDH0780	67.97	26.7	-56.1
DDH0780	74.07	26.8	-56.0
DDH0780	80.16	26.7	-55.9
DDH0780	86.26	26.8	-56.0
DDH0780	92.35	27.0	-56.0
DDH0780	98.45	26.9	-55.9
DDH0780	104.55	27.5	-56.0
DDH0780	110.64	28.0	-56.2
DDH0780	116.74	28.8	-56.1
DDH0780	122.83	29.4	-56.2
DDH0780	128.93	30.6	-57.1
DDH0780	135.03	30.1	-56.4
DDH0780	141.12	30.3	-56.6
DDH0780	147.22	30.6	-56.8
DDH0780	153.31	30.7	-57.0
DDH0780	159.41	31.6	-57.3
DDH0780	165.51	32.7	-57.5
DDH0780	171.60	34.1	-57.8
DDH0780	177.70	33.9	-57.8
DDH0780	183.79	36.2	-57.8
DDH0780	189.89	34.7	-57.9
DDH0780	195.99	38.3	-57.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0780	202.08	34.2	-58.0
DDH0780	208.18	36.4	-58.2
DDH0780	214.27	36.2	-58.4
DDH0780	220.37	36.2	-58.5
DDH0780	226.47	35.5	-58.7
DDH0780	232.56	38.2	-58.9
DDH0780	238.66	37.3	-59.1
DDH0780	244.75	37.3	-59.3
DDH0780	250.85	38.1	-59.6
DDH0780	256.95	36.9	-59.8
DDH0781A	0.00	61.0	-55.0
DDH0781A	1.22	59.8	-54.4
DDH0781A	7.32	59.6	-54.8
DDH0781A	13.41	59.4	-54.6
DDH0781A	19.51	59.2	-54.3
DDH0781A	25.60	59.1	-54.1
DDH0781A	31.70	59.0	-53.9
DDH0781A	37.80	59.0	-54.0
DDH0781A	43.89	59.5	-53.9
DDH0781A	49.99	60.1	-53.9
DDH0781A	56.08	60.2	-53.9
DDH0781A	62.18	60.6	-53.8
DDH0781A	68.28	60.7	-53.8
DDH0781A	74.37	60.8	-53.7
DDH0781A	80.47	60.9	-53.8
DDH0781A	86.56	60.8	-53.6
DDH0781A	92.66	61.3	-53.6
DDH0781A	98.76	60.7	-53.5
DDH0781A	104.85	60.9	-53.5
DDH0781A	110.95	61.0	-53.3
DDH0781A	117.04	61.9	-53.4
DDH0781A	123.14	63.9	-53.4
DDH0781A	129.24	62.6	-53.3
DDH0781A	135.33	62.8	-53.3
DDH0781A	141.43	63.0	-53.3
DDH0781A	147.52	62.9	-53.4
DDH0781A	153.62	62.9	-53.4
DDH0781A	159.72	63.0	-53.4
DDH0781A	165.81	63.3	-53.3
DDH0781A	171.91	63.6	-53.3
DDH0781A	178.00	64.0	-53.2
DDH0781A	184.10	64.8	-53.3
DDH0781A	190.20	64.5	-53.2
DDH0781A	196.29	64.8	-53.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0781A	202.39	64.7	-53.2
DDH0781A	208.48	64.7	-53.2
DDH0781A	214.58	64.7	-53.2
DDH0781A	220.68	65.0	-53.1
DDH0781A	226.77	65.0	-53.1
DDH0781A	232.87	64.9	-53.1
DDH0781A	238.96	65.0	-53.1
DDH0781A	245.06	65.2	-53.1
DDH0781A	251.16	66.1	-53.0
DDH0781A	257.25	67.1	-52.9
DDH0781A	263.35	68.2	-52.9
DDH0781A	269.44	68.8	-52.8
DDH0781A	275.54	69.2	-52.8
DDH0781A	281.64	69.4	-52.7
DDH0781A	287.73	69.6	-52.8
DDH0781A	293.83	69.8	-52.8
DDH0781A	299.92	70.1	-52.8
DDH0781A	306.02	70.3	-52.8
DDH0781A	312.12	70.4	-52.8
DDH0781A	318.21	70.5	-52.8
DDH0781A	324.31	70.9	-52.8
DDH0781A	330.40	71.2	-52.7
DDH0781A	336.50	72.1	-52.6
DDH0781A	342.60	72.3	-52.5
DDH0785	0.00	163.0	-75.0
DDH0785	4.27	155.2	-74.0
DDH0785	10.36	155.0	-74.2
DDH0785	16.46	154.8	-74.0
DDH0785	22.56	154.6	-73.9
DDH0785	28.65	154.8	-74.0
DDH0785	34.75	154.9	-73.9
DDH0785	40.84	154.7	-73.8
DDH0785	46.94	155.0	-73.9
DDH0785	53.04	154.6	-73.9
DDH0785	59.13	154.9	-73.8
DDH0785	65.23	155.1	-73.8
DDH0785	71.32	154.7	-73.8
DDH0785	77.42	153.9	-73.6
DDH0785	83.52	153.3	-73.5
DDH0785	89.61	153.0	-73.4
DDH0785	95.71	152.7	-73.3
DDH0785	101.80	152.7	-73.1
DDH0785	107.90	152.9	-72.8
DDH0785	114.00	153.9	-72.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0785	120.09	153.5	-72.3
DDH0785	126.19	153.2	-72.0
DDH0785	132.28	152.7	-71.6
DDH0785	138.38	152.4	-71.2
DDH0785	144.48	152.2	-70.9
DDH0785	150.57	152.2	-70.4
DDH0785	156.67	145.8	-70.0
DDH0785	162.76	151.9	-69.8
DDH0785	168.86	151.8	-69.6
DDH0785	174.96	151.6	-69.4
DDH0785	181.05	151.6	-69.3
DDH0785	187.15	151.6	-69.1
DDH0785	193.24	151.5	-69.0
DDH0785	199.34	151.8	-68.8
DDH0786	0.00	141.0	-74.0
DDH0786	1.22	140.9	-73.8
DDH0786	7.32	140.8	-73.7
DDH0786	13.41	140.7	-72.4
DDH0786	19.51	140.8	-72.4
DDH0786	25.60	140.9	-73.5
DDH0786	31.70	141.0	-73.4
DDH0786	37.80	140.9	-73.1
DDH0786	43.89	140.8	-72.8
DDH0786	49.99	140.7	-72.2
DDH0786	56.08	140.6	-71.8
DDH0786	62.18	140.7	-71.4
DDH0786	68.28	140.8	-70.8
DDH0786	74.37	140.9	-70.7
DDH0786	80.47	141.1	-70.5
DDH0786	86.56	140.9	-70.1
DDH0786	92.66	140.8	-69.7
DDH0786	98.76	142.3	-69.4
DDH0786	104.85	143.4	-69.1
DDH0786	110.95	142.8	-68.8
DDH0786	117.04	143.5	-68.4
DDH0786	123.14	143.3	-68.1
DDH0786	129.24	143.3	-68.0
DDH0786	135.33	143.6	-67.7
DDH0786	141.43	145.1	-67.6
DDH0786	147.52	144.7	-67.3
DDH0786	153.62	144.3	-67.2
DDH0786	159.72	144.2	-67.0
DDH0786	165.81	144.0	-66.8
DDH0786	171.91	144.8	-66.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0786	178.00	145.5	-66.7
DDH0786	184.10	146.0	-66.4
DDH0786	190.20	145.6	-65.7
DDH0786	196.29	145.1	-65.1
DDH0786	202.39	144.3	-64.6
DDH0786	208.48	144.2	-64.1
DDH0786	214.58	144.7	-63.6
DDH0786	220.68	145.4	-62.1
DDH0786	226.77	145.4	-62.1
DDH0786	232.87	145.4	-61.7
DDH0786	238.96	145.4	-61.2
DDH0786	245.06	145.2	-60.7
DDH0786	251.16	144.7	-60.3
DDH0786	257.25	144.9	-60.1
DDH0786	263.35	145.4	-60.2
DDH0786	269.44	146.3	-60.2
DDH0786	275.54	146.7	-60.1
DDH0786	281.64	146.5	-59.9
DDH0786	287.73	146.4	-59.7
DDH0786	293.83	146.1	-59.5
DDH0786	299.92	145.9	-59.4
DDH0786	306.02	145.5	-59.3
DDH0787	0.00	133.0	-74.0
DDH0787	0.91	132.9	-74.0
DDH0787	7.01	132.7	-74.4
DDH0787	13.11	132.5	-74.4
DDH0787	19.20	132.4	-74.7
DDH0787	25.30	132.2	-75.0
DDH0787	31.39	132.0	-75.0
DDH0787	37.49	131.9	-75.1
DDH0787	43.59	131.8	-74.9
DDH0787	49.68	132.6	-74.8
DDH0787	55.78	132.5	-74.6
DDH0787	61.87	132.5	-74.4
DDH0787	67.97	131.2	-74.2
DDH0787	74.07	130.4	-74.0
DDH0787	80.16	130.6	-74.2
DDH0787	86.26	131.2	-74.2
DDH0787	92.35	132.6	-74.2
DDH0787	98.45	132.4	-74.3
DDH0787	104.55	131.8	-73.6
DDH0787	110.64	133.2	-73.5
DDH0787	116.74	133.6	-73.1
DDH0787	122.83	133.0	-72.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0787	128.93	132.7	-72.6
DDH0787	135.03	131.5	-72.3
DDH0787	141.12	131.9	-72.3
DDH0787	147.22	132.0	-71.1
DDH0787	153.31	132.3	-72.0
DDH0787	159.41	132.6	-71.9
DDH0787	165.51	133.5	-71.5
DDH0787	171.60	134.7	-71.2
DDH0787	177.70	135.0	-70.8
DDH0787	183.79	135.2	-70.5
DDH0787	189.89	135.1	-70.3
DDH0787	195.99	134.4	-70.0
DDH0787	202.08	134.1	-69.9
DDH0787	208.18	134.1	-69.9
DDH0787	214.27	134.1	-69.8
DDH0787	220.37	134.5	-71.1
DDH0787	226.47	134.8	-69.8
DDH0787	232.56	135.7	-69.9
DDH0787	238.66	136.0	-71.6
DDH0787	244.75	136.5	-69.8
DDH0787	250.85	137.5	-69.6
DDH0787	256.95	137.9	-69.5
DDH0787	263.04	138.3	-69.3
DDH0787	269.14	138.8	-69.1
DDH0787	275.23	139.0	-69.0
DDH0787	281.33	139.2	-68.8
DDH0787	287.43	139.4	-68.7
DDH0787	293.52	139.4	-68.5
DDH0787	299.62	139.1	-68.3
DDH0788	0.00	208.0	-64.0
DDH0788	4.27	209.2	-64.0
DDH0788	10.36	209.3	-64.0
DDH0788	16.46	210.1	-63.9
DDH0788	22.56	209.7	-64.0
DDH0788	28.65	209.8	-64.0
DDH0788	34.75	209.8	-64.1
DDH0788	40.84	209.9	-64.0
DDH0788	46.94	210.0	-64.0
DDH0788	53.04	210.1	-64.1
DDH0788	59.13	210.0	-64.0
DDH0788	65.23	210.0	-64.0
DDH0788	71.32	209.9	-64.0
DDH0788	77.42	209.9	-64.0
DDH0788	83.52	210.0	-64.0

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0788	89.61	209.8	-63.9
DDH0788	95.71	208.8	-63.9
DDH0788	101.80	209.2	-63.9
DDH0788	107.90	209.2	-63.9
DDH0788	114.00	209.1	-63.8
DDH0788	120.09	208.9	-63.8
DDH0788	126.19	208.6	-63.8
DDH0788	132.28	208.1	-63.8
DDH0788	138.38	207.7	-63.8
DDH0788	144.48	207.4	-63.9
DDH0788	150.57	207.2	-63.7
DDH0788	156.67	207.0	-63.7
DDH0788	162.76	206.5	-63.7
DDH0788	168.86	206.3	-63.7
DDH0788	174.96	206.2	-63.7
DDH0788	181.05	205.8	-63.7
DDH0788	187.15	205.7	-63.7
DDH0788	193.24	205.8	-63.7
DDH0788	199.34	205.8	-63.6
DDH0788	205.44	205.7	-63.6
DDH0790	0.00	143.0	-67.0
DDH0790	1.52	142.7	-67.0
DDH0790	7.62	142.5	-61.0
DDH0790	13.72	142.3	-60.3
DDH0790	19.81	142.1	-60.0
DDH0790	25.91	141.9	-58.9
DDH0790	32.00	141.7	-58.5
DDH0790	38.10	141.5	-58.3
DDH0790	44.20	141.2	-58.2
DDH0790	50.29	140.9	-57.9
DDH0790	56.39	140.6	-57.7
DDH0790	62.48	140.5	-57.4
DDH0790	68.58	140.2	-57.3
DDH0790	74.68	139.9	-57.2
DDH0790	80.77	139.7	-57.1
DDH0790	86.87	139.2	-56.9
DDH0790	92.96	139.1	-56.8
DDH0790	99.06	138.8	-56.6
DDH0790	105.16	138.8	-56.6
DDH0790	111.25	138.7	-56.5
DDH0790	117.35	138.6	-56.4
DDH0790	123.44	138.5	-56.3
DDH0790	129.54	138.6	-56.2
DDH0790	135.64	138.6	-56.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0790	141.73	138.6	-56.1
DDH0792	0.00	165.0	-50.0
DDH0792	4.27	164.9	-49.0
DDH0792	10.36	164.8	-48.4
DDH0792	16.46	164.7	-48.5
DDH0792	22.56	165.8	-48.8
DDH0792	28.65	166.2	-48.3
DDH0792	34.75	166.0	-48.0
DDH0792	40.84	165.8	-48.0
DDH0792	46.94	165.6	-47.9
DDH0792	53.04	165.5	-47.8
DDH0792	59.13	165.4	-47.7
DDH0792	65.23	165.2	-47.6
DDH0792	71.32	164.8	-47.5
DDH0792	77.42	164.5	-47.4
DDH0792	83.52	164.4	-47.4
DDH0792	89.61	164.3	-47.3
DDH0792	95.71	164.0	-47.0
DDH0792	101.80	164.0	-46.9
DDH0792	107.90	163.8	-47.0
DDH0792	114.00	163.7	-47.0
DDH0792	120.09	163.6	-46.9
DDH0792	126.19	163.3	-46.9
DDH0792	132.28	163.2	-46.8
DDH0792	138.38	163.0	-46.7
DDH0792	144.48	161.7	-46.4
DDH0792	150.57	161.5	-46.1
DDH0792	156.67	160.8	-45.6
DDH0792	162.76	160.0	-45.2
DDH0792	168.86	159.5	-45.0
DDH0792	174.96	159.0	-44.5
DDH0792	181.05	158.6	-44.1
DDH0792	187.15	158.4	-43.8
DDH0792	193.24	158.4	-43.7
DDH0792	199.34	158.8	-43.6
DDH0792	205.44	159.1	-43.6
DDH0792	211.53	157.7	-43.4
DDH0792	217.63	157.8	-43.4
DDH0792	223.72	158.2	-43.2
DDH0792	229.82	157.3	-43.1
DDH0792	235.92	157.8	-43.0
DDH0792	242.01	157.9	-43.0
DDH0792	248.11	158.0	-43.0
DDH0792	254.20	157.8	-43.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0792	260.30	157.8	-42.9
DDH0792	266.40	157.8	-42.9
DDH0792	272.49	157.7	-42.7
DDH0792	278.59	157.8	-42.7
DDH0794	0.00	156.0	-58.0
DDH0794	1.22	155.5	-58.0
DDH0794	7.32	155.0	-58.2
DDH0794	13.41	154.5	-59.1
DDH0794	19.51	154.0	-58.7
DDH0794	25.60	153.5	-57.7
DDH0794	31.70	153.0	-57.6
DDH0794	37.80	152.5	-57.6
DDH0794	43.89	152.0	-57.5
DDH0794	49.99	151.7	-57.5
DDH0794	56.08	152.0	-57.4
DDH0794	62.18	152.0	-57.4
DDH0794	68.28	152.0	-57.4
DDH0794	74.37	152.0	-57.3
DDH0794	80.47	152.0	-57.2
DDH0794	86.56	151.8	-57.2
DDH0794	92.66	151.6	-57.1
DDH0794	98.76	151.4	-57.1
DDH0794	104.85	151.3	-57.1
DDH0794	110.95	151.3	-57.2
DDH0794	117.04	151.1	-57.2
DDH0794	123.14	151.3	-57.2
DDH0794	129.24	151.2	-57.2
DDH0794	135.33	151.2	-57.1
DDH0794	141.43	151.2	-57.1
DDH0794	147.52	151.2	-57.1
DDH0794	153.62	151.2	-57.0
DDH0794	159.72	151.2	-57.0
DDH0794	165.81	151.5	-57.0
DDH0794	171.91	151.4	-56.9
DDH0794	178.00	151.5	-56.9
DDH0794	184.10	151.5	-56.8
DDH0794	190.20	151.4	-56.8
DDH0794	196.29	151.4	-56.8
DDH0794	202.39	151.4	-56.7
DDH0794	208.48	151.0	-56.5
DDH0794	214.58	150.8	-56.2
DDH0794	220.68	150.8	-56.1
DDH0794	226.77	150.7	-56.0
DDH0794	232.87	150.8	-55.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0794	238.96	150.9	-55.5
DDH0798	0.00	165.0	-40.0
DDH0798	0.91	164.5	-39.0
DDH0798	7.01	164.0	-39.5
DDH0798	13.11	163.5	-39.6
DDH0798	19.20	163.0	-39.9
DDH0798	25.30	162.5	-39.9
DDH0798	31.39	162.0	-39.7
DDH0798	37.49	161.2	-39.6
DDH0798	43.59	160.7	-39.6
DDH0798	49.68	160.8	-39.7
DDH0798	55.78	161.0	-39.7
DDH0798	61.87	161.2	-39.5
DDH0798	67.97	161.2	-39.5
DDH0798	74.07	161.2	-39.6
DDH0798	80.16	161.0	-39.5
DDH0800	0.00	113.0	-40.0
DDH0800	0.91	111.8	-37.0
DDH0800	7.01	110.6	-36.4
DDH0800	13.11	109.4	-37.1
DDH0800	19.20	108.2	-36.9
DDH0800	25.30	107.0	-36.6
DDH0800	31.39	105.6	-36.3
DDH0800	37.49	106.3	-36.1
DDH0800	43.59	106.7	-35.9
DDH0800	49.68	107.0	-35.7
DDH0800	55.78	107.3	-35.7
DDH0800	61.87	107.5	-35.6
DDH0800	67.97	107.9	-35.5
DDH0800	74.07	108.1	-35.4
DDH0800	80.16	108.4	-35.4
DDH0800	86.26	108.6	-35.3
DDH0800	92.35	108.3	-35.3
DDH0803	0.00		-90.0
DDH0803	2.44	352.8	-89.0
DDH0803	8.53	348.4	-89.4
DDH0803	14.63	8.0	-88.9
DDH0803	20.73	10.6	-88.9
DDH0803	26.82	13.5	-88.7
DDH0803	32.92	18.6	-88.6
DDH0805	0.00		-90.0
DDH0805	20.42	347.1	-88.6
DDH0805	26.52	351.4	-88.1
DDH0805	32.61	338.1	-88.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0805	38.71	343.3	-87.5
DDH0805	44.81	341.8	-87.4
DDH0805	50.90	338.1	-87.6
DDH0805	57.00	343.1	-87.7
DDH0805	63.09	341.0	-87.7
DDH0806	0.00		-90.0
DDH0806	8.23	46.7	-89.7
DDH0806	26.52	298.3	-89.3
DDH0806	38.71	305.4	-89.2
DDH0806	44.81	284.6	-89.4
DDH0806	50.90	278.6	-89.4
DDH0806	57.00	280.7	-89.4
DDH0806	63.09	264.5	-89.7
DDH0807	0.00		-90.0
DDH0807	24.08	331.4	-88.3
DDH0807	30.18	330.1	-88.6
DDH0807	36.27	328.9	-88.7
DDH0807	42.37	327.0	-88.7
DDH0807	48.46	334.1	-89.0
DDH0807	54.56	332.4	-89.6
DDH0807	60.66	69.0	-89.8
DDH0807	66.75	128.3	-89.3
DDH0807	72.85	138.6	-88.6
DDH0809	0.00		-90.0
DDH0809	17.98	126.7	-89.5
DDH0809	24.08	111.6	-89.4
DDH0809	30.18	98.8	-89.5
DDH0809	36.27	101.6	-89.3
DDH0809	42.37	122.1	-88.7
DDH0809	48.46	128.1	-88.5
DDH0809	54.56	132.2	-88.1
DDH0809	60.66	137.3	-87.4
DDH0809	66.75	143.1	-86.9
DDH0809	72.85	147.9	-86.3