

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP59	15	163.4	-51.9
WKP59	30	163.3	-52.2
WKP59	60	163.5	-51.1
WKP59	90	163.9	-50
WKP59	120	164.6	-49.2
WKP59	153	165	-47.8
WKP59	180	165.1	-47.5
WKP59	210	165.3	-47.2
WKP59	240	165.1	-47.2
WKP59	270	166.6	-46.4
WKP59	300	166.1	-47
WKP59	330	166.1	-46.8
WKP59	367	165.90	-46.7
WKP59	390	165.80	-46.7
WKP59	420	166.20	-46.1
WKP59	450	166.3	-46.2
WKP59	480	165.5	-46.3
WKP59	510	165.8	-46.3
WKP60	30	153.36	-30
WKP60	60	153.6	-30.7
WKP60	90	153.7	-30.2
WKP60	120	153.7	-30.5
WKP60	150	153.2	-29.4
WKP60	180	149.1	-29.1
WKP60	180	153	-29.1
WKP60	210	153.1	-29.2
WKP60	240	152.8	-29.4
WKP60	270	153	-29.4
WKP60	300	153.2	-29.9
WKP60	330	152.9	-30.6
WKP60	360	153.2	-30.5
WKP60	390	153	-30.3
WKP60	420	153.2	-30
WKP60	450	153.5	-29.5
WKP60	480	153.3	-29
WKP60	510	153.3	-28
WKP60	540	153	-27.3
WKP60	570	152.8	-27.9
WKP60	600	152.8	-28
WKP60	611	152.8	-28.2
WKP61	30	164	-38.1
WKP61	60	163.2	-38
WKP61	90	163.8	-37.1
WKP61	120	163.4	-36.4
WKP61	150	163.7	-35
WKP61	180	164	-35.2
WKP61	210	163.9	-34.7
WKP61	240	165.4	-34.2

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP61	270	164.8	-34.2
WKP61	300	165.7	-33.6
WKP61	330	163.4	-34.3
WKP61	360	165.6	-33.4
WKP61	390	166.3	-33.6
WKP61	420	165.2	-33.3
WKP61	450	165.6	-33.7
WKP61	480	165.4	-33.7
WKP61	510	165.6	-33.7
WKP61	523	165.5	-33.7
WKP62	0	163.4	-24
WKP62	30	163.2	-26.4
WKP62	60	163.9	-26.8
WKP62	90	163.3	-26.2
WKP62	120	162.7	-25.8
WKP62	150	162.4	-25
WKP62	180	162.1	-24.8
WKP62	210	162.4	-24.4
WKP62	240	162	-23.9
WKP62	270	162.9	-23.6
WKP62	300	162.4	-23.3
WKP62	330	163.3	-23.5
WKP62	360	163	-22.8
WKP62	390	164.2	-22.4
WKP62	393	164.2	-22.4
WKP62	420	163.5	-21.9
WKP62	450	165	-21.7
WKP62	480	164.5	-22.4
WKP62	510	164	-22.6
WKP62	540	164.2	-23.2
WKP63	0	153.9	-24
WKP63	30	155.1	-24.3
WKP63	60	154.2	-24.5
WKP63	90	154.2	-24.4
WKP63	120	154.1	-23.4
WKP63	150	153.6	-22.7
WKP63	180	154.2	-21.7
WKP63	210	153.4	-21.9
WKP63	240	153.3	-22.1
WKP63	246	153.3	-22.1
WKP63	270	153.1	-22.2
WKP63	300	152.7	-23.3
WKP63	330	152.7	-23.6
WKP63	360	152.8	-23.9
WKP63	390	153	-24.3
WKP63	420	153	-24.5
WKP63	450	152.9	-24.4
WKP63	492	152.8	-24.9

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP63	510	152.5	-25.8
WKP63	540	152.7	-25
WKP63	570	152.4	-23.7
WKP64	0	136.9	-24
WKP64	15	140.1	-24.6
WKP64	20	140.1	-24.2
WKP64	30	140.3	-24.9
WKP64	60	139.7	-25.3
WKP64	90	139.6	-25.5
WKP64	120	139.9	-24.3
WKP64	150	138.5	-23.1
WKP64	180	138.5	-22.4
WKP64	210	138.3	-21.9
WKP64	240	138.3	-22.6
WKP64	270	138.3	-23.5
WKP64	300	138.3	-23.9
WKP64	330	137.8	-24.9
WKP64	360	137.8	-25.4
WKP64	390	137.8	-26.6
WKP64	426	138.4	-26.6
WKP65	30	159.9	-29.9
WKP65	60	158.9	-30.2
WKP65	90	158.6	-29.8
WKP65	120	158.3	-28.1
WKP65	150	158.3	-27.6
WKP65	180	158.5	-27.6
WKP65	210	160.1	-27.9
WKP65	240	158.5	-27.7
WKP65	270	158.7	-27.7
WKP65	300	159.1	-27.2
WKP65	330	159.1	-26.9
WKP65	360	159.6	-26.7
WKP65	390	159.8	-26.4
WKP65	420	160	-26
WKP65	450	160.2	-25.8
WKP65	480	160.4	-25.1
WKP65	510	160.1	-25.1
WKP65	540	160.2	-25.6
WKP65	570	160	-25.7
WKP65	600	159.7	-25.6
WKP65	630	159.6	-25.5
WKP66	15	155.5	-40.9
WKP66	30	155.2	-41.3
WKP66	60	154.7	-41.7
WKP66	90	154.9	-41.6
WKP66	120	155.6	-41.2
WKP66	155	155	-40.4
WKP66	180	155.2	-40.3

NZMG

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP66	210	155.3	-40.2
WKP66	240	154.7	-41
WKP66	270	155	-40.8
WKP66	299	155.2	-40.5
WKP66	300	155.2	-40.5
WKP66	350	155.4	-40.3
WKP66	359	155.8	-40
WKP66	389	155.9	-39.8
WKP66	390	155.9	-39.8
WKP66	420	155.7	-39.6
WKP66	480	155.2	-39.6
WKP66	510	155	-39.7
WKP66	539	155.6	-39.5
WKP66	542	155.6	-39.5
WKP67	15	159.9	-33.7
WKP67	30	160.7	-34.2
WKP67	60	160.8	-33.8
WKP67	90	160.4	-33.3
WKP67	120	159.6	-32.3
WKP67	150	159.2	-30.3
WKP67	180	159.9	-30.1
WKP67	210	159.9	-30
WKP67	240	160.1	-29.2
WKP67	270	160.3	-29.6
WKP67	300	161.1	-29.6
WKP67	330	161.5	-29.2
WKP67	360	161	-28.8
WKP67	390	161.8	-28.3
WKP67	420	162	-28.3
WKP67	450	161.6	-27.7
WKP67	480	161.9	-26.7
WKP67	508	161.7	-27.2