

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111D	0.0	152.7	-26.2
WKP111D	3.0	152.7	-26.2
WKP111D	6.0	152.5	-26.3
WKP111D	9.0	152.5	-26.2
WKP111D	12.0	152.4	-25.9
WKP111D	15.0	152.4	-25.7
WKP111D	18.0	152.3	-25.7
WKP111D	21.0	152.3	-25.9
WKP111D	24.0	152.3	-26.0
WKP111D	27.0	152.2	-26.0
WKP111D	30.0	152.2	-26.0
WKP111D	33.0	152.2	-26.0
WKP111D	36.0	152.2	-26.1
WKP111D	39.0	152.2	-26.2
WKP111D	42.0	152.2	-26.3
WKP111D	45.0	152.3	-26.4
WKP111D	48.0	152.2	-26.5
WKP111D	51.0	152.1	-26.5
WKP111D	54.0	152.1	-26.5
WKP111D	57.0	152.1	-26.5
WKP111D	60.0	152.2	-26.6
WKP111D	63.0	152.1	-26.6
WKP111D	66.0	152.1	-26.6
WKP111D	69.0	152.1	-26.9
WKP111D	72.0	152.1	-27.1
WKP111D	75.0	152.1	-27.2
WKP111D	78.0	152.1	-27.2
WKP111D	81.0	152.0	-27.3
WKP111D	84.0	152.0	-27.3
WKP111D	87.0	151.9	-27.5
WKP111D	90.0	151.9	-27.6
WKP111D	93.0	151.9	-27.7
WKP111D	96.0	151.9	-27.8
WKP111D	99.0	151.9	-28.0
WKP111D	102.0	151.9	-28.1
WKP111D	105.0	151.9	-28.2
WKP111D	108.0	151.9	-28.2
WKP111D	111.0	151.9	-28.2
WKP111D	114.0	151.9	-28.3
WKP111D	117.0	151.8	-28.4
WKP111D	120.0	151.9	-28.5
WKP111D	123.0	151.8	-28.7
WKP111D	126.0	151.8	-28.8
WKP111D	129.0	151.8	-28.8
WKP111D	132.0	151.8	-28.7
WKP111D	135.0	151.8	-28.7
WKP111D	138.0	151.7	-28.8
WKP111D	141.0	151.7	-28.8

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111D	144.0	151.8	-28.8
WKP111D	147.0	151.8	-28.8
WKP111D	150.0	151.8	-28.9
WKP111D	153.0	151.8	-28.8
WKP111D	156.0	151.8	-28.9
WKP111D	159.0	151.8	-28.9
WKP111D	162.0	151.8	-28.8
WKP111D	165.0	151.8	-28.9
WKP111D	168.0	151.7	-29.0
WKP111D	171.0	151.7	-29.0
WKP111D	174.0	151.7	-29.2
WKP111D	177.0	151.6	-29.3
WKP111D	180.0	151.7	-29.4
WKP111D	183.0	151.7	-29.5
WKP111D	186.0	151.7	-29.6
WKP111D	189.0	151.7	-29.6
WKP111D	192.0	151.6	-29.8
WKP111D	195.0	151.6	-29.9
WKP111D	198.0	151.6	-30.0
WKP111D	201.0	151.6	-30.1
WKP111D	204.0	151.6	-30.1
WKP111D	207.0	151.6	-30.3
WKP111D	210.0	151.6	-30.3
WKP111D	213.0	151.6	-30.4
WKP111D	216.0	151.5	-30.5
WKP111D	219.0	151.5	-30.6
WKP111D	222.0	151.5	-30.7
WKP111D	225.0	151.5	-30.8
WKP111D	228.0	151.4	-31.0
WKP111D	231.0	151.4	-31.0
WKP111D	234.0	151.3	-31.1
WKP111D	237.0	151.3	-31.2
WKP111D	240.0	151.3	-31.3
WKP111D	243.0	151.2	-31.4
WKP111D	246.0	151.2	-31.6
WKP111D	249.0	151.3	-31.7
WKP111D	252.0	151.3	-31.8
WKP111D	255.0	151.3	-31.9
WKP111D	258.0	151.3	-32.1
WKP111D	261.0	151.2	-32.3
WKP111D	264.0	151.2	-32.3
WKP111D	267.0	151.2	-32.5
WKP111D	270.0	151.3	-32.7
WKP111D	273.0	151.3	-32.7
WKP111D	276.0	151.4	-32.8
WKP111D	279.0	151.4	-33.0
WKP111D	282.0	151.3	-33.1
WKP111D	285.0	151.3	-33.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111D	288.0	151.2	-33.3
WKP111D	291.0	151.2	-33.4
WKP111D	294.0	151.1	-33.6
WKP111D	297.0	150.8	-34.1
WKP111D	300.0	150.3	-34.5
WKP111D	303.0	151.4	-33.7
WKP111D	306.0	151.4	-33.9
WKP111D	309.0	151.4	-34.1
WKP111D	312.0	151.4	-34.2
WKP111D	315.0	151.5	-34.5
WKP111D	318.0	152.0	-35.5
WKP111D	321.0	152.5	-35.9
WKP111D	324.0	152.9	-36.7
WKP111D	327.0	152.9	-37.1
WKP111D	330.0	153.0	-37.2
WKP111D	333.0	153.5	-37.8
WKP111D	336.0	154.5	-39.1
WKP111D	339.0	155.7	-39.9
WKP111D	342.0	156.1	-40.2
WKP111D	345.0	156.1	-40.6
WKP111D	348.0	156.2	-41.1
WKP111D	351.0	156.1	-41.9
WKP111D	354.0	156.1	-42.7
WKP111D	357.0	156.1	-43.5
WKP111D	360.0	156.1	-43.6
WKP111D	363.0	156.3	-43.6
WKP111D	366.0	156.5	-43.7
WKP111D	369.0	157.5	-44.4
WKP111D	372.0	158.4	-44.9
WKP111D	375.0	159.1	-45.4
WKP111D	378.0	160.0	-45.7
WKP111D	381.0	161.0	-46.2
WKP111D	384.0	162.0	-46.9
WKP111D	387.0	163.0	-47.6
WKP111D	390.0	164.2	-48.2
WKP111D	393.0	164.9	-48.7
WKP111D	396.0	165.4	-49.5
WKP111D	399.0	166.3	-50.5
WKP111D	402.0	167.3	-51.3
WKP111D	405.0	168.5	-52.1
WKP111D	408.0	169.8	-52.5
WKP111D	411.0	170.3	-52.7
WKP111D	414.0	170.3	-52.8
WKP111D	417.0	170.4	-52.9
WKP111D	420.0	170.4	-53.0
WKP111D	423.0	170.5	-53.1
WKP111D	426.0	170.4	-53.1
WKP111D	429.0	170.5	-53.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111D	432.0	170.4	-53.4
WKP111D	435.0	170.4	-53.4
WKP111D	438.0	170.3	-53.4
WKP111D	441.0	170.0	-53.6
WKP111D	444.0	169.9	-53.6
WKP111D	447.0	170.0	-53.4
WKP111D	450.0	169.9	-53.3
WKP111D	453.0	169.7	-53.2
WKP111D	456.0	169.5	-53.2
WKP111D	459.0	169.4	-53.5
WKP111D	462.0	169.4	-53.7
WKP111D	465.0	169.1	-53.8
WKP111D	468.0	168.9	-53.6
WKP111D	471.0	168.9	-53.5
WKP111D	474.0	168.8	-53.4
WKP111D	477.0	168.8	-53.2
WKP111D	480.0	168.7	-53.2
WKP111D	483.0	168.6	-53.2
WKP111D	486.0	168.5	-53.1
WKP111D	489.0	168.4	-53.0
WKP111D	492.0	168.4	-52.9
WKP111D	495.0	168.5	-52.7
WKP111D	498.0	168.7	-52.8
WKP111D	501.0	168.9	-52.9
WKP111D	504.0	168.9	-52.9
WKP111D	507.0	168.9	-53.0
WKP111D	510.0	168.9	-53.0
WKP111D	513.0	168.9	-53.0
WKP111D	516.0	169.1	-53.0
WKP111D	519.0	169.1	-53.0
WKP111D	522.0	169.1	-53.0
WKP111D	525.0	169.0	-52.9
WKP111D	528.0	169.2	-52.8
WKP111D	531.0	169.2	-52.8
WKP111D	534.0	169.2	-52.8
WKP111D	537.0	169.2	-52.8
WKP111D	540.0	169.1	-52.7
WKP111D	543.0	169.2	-52.7
WKP111D	546.0	169.0	-52.7
WKP111D	549.0	169.1	-52.6
WKP111D	552.0	169.0	-52.6
WKP111E	0.0	152.7	-26.2
WKP111E	3.0	152.7	-26.2
WKP111E	6.0	152.5	-26.3
WKP111E	9.0	152.5	-26.2
WKP111E	12.0	152.4	-25.9
WKP111E	15.0	152.4	-25.7
WKP111E	18.0	152.3	-25.7

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111E	21.0	152.3	-25.9
WKP111E	24.0	152.3	-26.0
WKP111E	27.0	152.2	-26.0
WKP111E	30.0	152.2	-26.0
WKP111E	33.0	152.2	-26.0
WKP111E	36.0	152.2	-26.1
WKP111E	39.0	152.2	-26.2
WKP111E	42.0	152.2	-26.3
WKP111E	45.0	152.3	-26.4
WKP111E	48.0	152.2	-26.5
WKP111E	51.0	152.1	-26.5
WKP111E	54.0	152.1	-26.5
WKP111E	57.0	152.1	-26.5
WKP111E	60.0	152.2	-26.6
WKP111E	63.0	152.1	-26.6
WKP111E	66.0	152.1	-26.6
WKP111E	69.0	152.1	-26.9
WKP111E	72.0	152.1	-27.1
WKP111E	75.0	152.1	-27.2
WKP111E	78.0	152.1	-27.2
WKP111E	81.0	152.0	-27.3
WKP111E	84.0	152.0	-27.3
WKP111E	87.0	151.9	-27.5
WKP111E	90.0	151.9	-27.6
WKP111E	93.0	151.9	-27.7
WKP111E	96.0	151.9	-27.8
WKP111E	99.0	151.9	-28.0
WKP111E	102.0	151.9	-28.1
WKP111E	105.0	151.9	-28.2
WKP111E	108.0	151.9	-28.2
WKP111E	111.0	151.9	-28.2
WKP111E	114.0	151.9	-28.3
WKP111E	117.0	151.8	-28.4
WKP111E	120.0	151.9	-28.5
WKP111E	123.0	151.8	-28.7
WKP111E	126.0	151.8	-28.8
WKP111E	129.0	151.8	-28.8
WKP111E	132.0	151.8	-28.7
WKP111E	135.0	151.8	-28.7
WKP111E	138.0	151.7	-28.8
WKP111E	141.0	151.7	-28.8
WKP111E	144.0	151.8	-28.8
WKP111E	147.0	151.8	-28.8
WKP111E	150.0	151.8	-28.9
WKP111E	153.0	151.8	-28.8
WKP111E	156.0	151.8	-28.9
WKP111E	159.0	151.8	-28.9
WKP111E	162.0	151.8	-28.8

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111E	165.0	151.8	-28.9
WKP111E	168.0	151.7	-29.0
WKP111E	171.0	151.7	-29.0
WKP111E	174.0	151.7	-29.2
WKP111E	177.0	151.6	-29.3
WKP111E	180.0	151.7	-29.4
WKP111E	183.0	151.7	-29.5
WKP111E	186.0	151.7	-29.6
WKP111E	189.0	151.7	-29.6
WKP111E	192.0	151.6	-29.8
WKP111E	195.0	151.6	-29.9
WKP111E	198.0	151.6	-30.0
WKP111E	201.0	151.6	-30.1
WKP111E	204.0	151.6	-30.1
WKP111E	207.0	151.6	-30.3
WKP111E	210.0	151.6	-30.3
WKP111E	213.0	151.6	-30.4
WKP111E	216.0	151.5	-30.5
WKP111E	219.0	151.5	-30.6
WKP111E	222.0	151.5	-30.7
WKP111E	225.0	151.5	-30.8
WKP111E	228.0	151.4	-31.0
WKP111E	231.0	151.4	-31.0
WKP111E	234.0	151.3	-31.1
WKP111E	237.0	151.3	-31.2
WKP111E	240.0	151.3	-31.3
WKP111E	243.0	151.2	-31.4
WKP111E	246.0	151.2	-31.6
WKP111E	249.0	151.3	-31.7
WKP111E	252.0	151.3	-31.8
WKP111E	255.0	151.3	-31.9
WKP111E	258.0	151.3	-32.1
WKP111E	261.0	151.2	-32.3
WKP111E	264.0	151.2	-32.3
WKP111E	267.0	151.2	-32.5
WKP111E	270.0	151.3	-32.7
WKP111E	273.0	151.3	-32.7
WKP111E	276.0	151.4	-32.8
WKP111E	279.0	151.4	-33.0
WKP111E	282.0	151.3	-33.1
WKP111E	285.0	151.3	-33.2
WKP111E	288.0	151.2	-33.3
WKP111E	291.0	151.2	-33.4
WKP111E	294.0	151.1	-33.6
WKP111E	297.0	150.8	-34.1
WKP111E	300.0	150.3	-34.5
WKP111E	303.0	149.7	-34.7
WKP111E	306.0	149.5	-35.0

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111E	309.0	149.1	-35.5
WKP111E	312.0	148.7	-35.6
WKP111E	315.0	148.4	-35.8
WKP111E	318.0	148.1	-35.8
WKP111E	321.0	148.0	-35.8
WKP111E	324.0	148.1	-36.0
WKP111E	327.0	148.4	-36.4
WKP111E	330.0	148.6	-36.7
WKP111E	333.0	149.1	-36.8
WKP111E	336.0	150.2	-36.4
WKP111E	339.0	151.2	-36.2
WKP111E	342.0	151.7	-36.2
WKP111E	345.0	151.9	-36.3
WKP111E	348.0	152.3	-36.4
WKP111E	351.0	153.2	-36.5
WKP111E	354.0	154.5	-36.8
WKP111E	357.0	155.5	-36.7
WKP111E	360.0	156.3	-36.1
WKP111E	363.0	156.9	-35.6
WKP111E	366.0	157.1	-35.3
WKP111E	369.0	157.4	-35.1
WKP111E	372.0	157.6	-34.9
WKP111E	375.0	157.7	-34.8
WKP111E	378.0	157.7	-34.9
WKP111E	381.0	158.4	-34.9
WKP111E	384.0	159.4	-35.1
WKP111E	387.0	160.3	-35.1
WKP111E	390.0	160.9	-34.9
WKP111E	393.0	161.2	-34.5
WKP111E	396.0	161.7	-34.7
WKP111E	399.0	162.7	-35.1
WKP111E	402.0	164.0	-35.4
WKP111E	405.0	165.3	-35.6
WKP111E	408.0	166.7	-35.3
WKP111E	411.0	167.9	-35.2
WKP111E	414.0	168.2	-35.3
WKP111E	417.0	168.2	-35.3
WKP111E	420.0	168.2	-35.3
WKP111E	423.0	168.3	-35.3
WKP111E	426.0	168.2	-35.3
WKP111E	429.0	168.2	-35.3
WKP111E	432.0	168.4	-35.5
WKP111E	435.0	168.5	-35.5
WKP111E	438.0	168.5	-35.5
WKP111E	441.0	168.5	-35.5
WKP111E	444.0	168.5	-35.5
WKP111E	447.0	168.5	-35.5
WKP111E	450.0	168.5	-35.6

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111E	453.0	168.5	-35.5
WKP111E	456.0	168.5	-35.5
WKP111E	459.0	168.4	-35.5
WKP111E	462.0	168.4	-35.5
WKP111E	465.0	168.5	-35.4
WKP111E	468.0	168.4	-35.4
WKP111E	471.0	168.4	-35.3
WKP111E	474.0	168.4	-35.2
WKP111E	477.0	168.5	-35.2
WKP111E	480.0	168.4	-35.1
WKP111E	483.0	168.5	-35.1
WKP111E	486.0	168.4	-35.0
WKP111E	489.0	168.2	-35.1
WKP111E	492.0	168.2	-35.2
WKP111E	495.0	168.2	-35.1
WKP111E	498.0	168.2	-35.0
WKP111E	501.0	168.2	-35.1
WKP111E	504.0	168.1	-35.0
WKP111E	507.0	168.1	-34.9
WKP111E	510.0	168.1	-34.9
WKP111E	513.0	168.1	-35.1
WKP111E	516.0	168.0	-35.0
WKP111E	519.0	168.1	-34.9
WKP111E	522.0	168.1	-34.8
WKP111E	525.0	168.0	-34.8
WKP111E	528.0	168.0	-34.7
WKP111E	531.0	168.0	-34.8
WKP111E	534.0	168.1	-34.8
WKP111E	537.0	168.2	-35.1
WKP111E	540.0	168.1	-35.1
WKP111E	543.0	168.2	-35.0
WKP111E	546.0	168.3	-35.0
WKP111E	549.0	168.3	-35.0
WKP111E	552.0	168.3	-35.0
WKP111E	555.0	168.3	-34.9
WKP111E	558.0	168.3	-34.8
WKP111E	561.0	168.3	-34.9
WKP111E	564.0	168.2	-34.9
WKP111E	564.3	168.2	-34.9
WKP113A	0.0	158.0	-32.6
WKP113A	3.0	157.9	-32.5
WKP113A	6.0	157.9	-32.4
WKP113A	9.0	157.9	-32.4
WKP113A	12.0	157.9	-32.6
WKP113A	15.0	158.0	-33.2
WKP113A	18.0	158.1	-33.8
WKP113A	21.0	158.1	-33.9
WKP113A	24.0	158.1	-33.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP113A	27.0	158.1	-32.7
WKP113A	30.0	158.0	-31.9
WKP113A	33.0	157.9	-31.4
WKP113A	36.0	157.8	-31.6
WKP113A	39.0	157.8	-32.3
WKP113A	42.0	157.8	-32.7
WKP113A	45.0	157.9	-32.8
WKP113A	48.0	158.0	-32.9
WKP113A	51.0	158.0	-32.9
WKP113A	54.0	157.9	-33.0
WKP113A	57.0	158.0	-33.0
WKP113A	60.0	158.0	-33.0
WKP113A	63.0	158.0	-33.0
WKP113A	66.0	157.9	-33.0
WKP113A	69.0	157.9	-33.0
WKP113A	72.0	157.9	-32.9
WKP113A	75.0	158.0	-32.9
WKP113A	78.0	158.0	-33.0
WKP113A	81.0	158.1	-32.9
WKP113A	84.0	158.1	-32.7
WKP113A	87.0	158.0	-32.6
WKP113A	90.0	158.0	-32.4
WKP113A	93.0	158.1	-32.3
WKP113A	96.0	158.1	-32.1
WKP113A	99.0	158.1	-32.0
WKP113A	102.0	158.1	-32.0
WKP113A	105.0	158.1	-31.8
WKP113A	108.0	158.1	-31.7
WKP113A	111.0	158.2	-31.5
WKP113A	114.0	158.2	-31.3
WKP113A	117.0	158.2	-31.1
WKP113A	120.0	158.2	-30.8
WKP113A	123.0	158.2	-30.6
WKP113A	126.0	158.3	-30.4
WKP113A	129.0	158.3	-30.3
WKP113A	132.0	158.3	-30.1
WKP113A	135.0	158.3	-29.9
WKP113A	138.0	158.2	-29.8
WKP113A	141.0	158.1	-29.7
WKP113A	144.0	158.1	-29.8
WKP113A	147.0	158.1	-29.8
WKP113A	150.0	158.1	-29.8
WKP113A	153.0	158.0	-29.8
WKP113A	156.0	158.0	-29.7
WKP113A	159.0	158.0	-29.6
WKP113A	162.0	158.0	-29.5
WKP113A	165.0	158.0	-29.4
WKP113A	168.0	158.0	-29.3

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP113A	171.0	158.0	-29.2
WKP113A	174.0	158.0	-29.1
WKP113A	177.0	158.0	-29.0
WKP113A	180.0	158.0	-29.0
WKP113A	183.0	158.1	-29.0
WKP113A	186.0	158.2	-29.0
WKP113A	189.0	158.1	-29.1
WKP113A	192.0	157.8	-29.4
WKP113A	195.0	157.6	-29.7
WKP113A	198.0	157.8	-29.9
WKP113A	201.0	157.8	-29.8
WKP113A	204.0	157.7	-30.2
WKP113A	207.0	157.7	-30.2
WKP113A	210.0	157.7	-30.1
WKP113A	213.0	157.7	-30.3
WKP113A	216.0	157.3	-31.2
WKP113A	219.0	156.9	-32.2
WKP113A	222.0	156.8	-32.3
WKP113A	225.0	156.8	-32.3
WKP113A	228.0	156.8	-32.4
WKP113A	231.0	156.7	-32.5
WKP113A	234.0	156.7	-32.7
WKP113A	237.0	156.7	-32.8
WKP113A	240.0	156.8	-32.8
WKP113A	243.0	156.8	-32.8
WKP113A	246.0	156.7	-32.9
WKP113A	249.0	156.7	-32.9
WKP113A	252.0	156.7	-33.0
WKP113A	255.0	156.7	-33.2
WKP113A	258.0	156.6	-33.3
WKP113A	261.0	156.6	-33.4
WKP113A	264.0	156.6	-33.5
WKP113A	267.0	156.5	-33.6
WKP113A	270.0	156.5	-33.6
WKP113A	273.0	156.5	-33.6
WKP113A	276.0	156.5	-33.6
WKP113A	279.0	156.5	-33.7
WKP113A	282.0	156.4	-33.8
WKP113A	285.0	156.4	-33.9
WKP113A	288.0	156.4	-33.9
WKP113A	291.0	156.3	-33.9
WKP113A	294.0	156.4	-33.9
WKP113A	297.0	156.4	-33.9
WKP113A	300.0	156.4	-33.9
WKP113A	303.0	156.4	-33.8
WKP113A	306.0	156.3	-33.8
WKP113A	309.0	156.3	-33.7
WKP113A	312.0	156.3	-33.7

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP113A	315.0	156.3	-33.7
WKP113A	318.0	156.3	-33.7
WKP113A	321.0	156.4	-33.7
WKP113A	324.0	156.4	-33.7
WKP113A	327.0	156.4	-33.6
WKP113A	330.0	156.4	-33.6
WKP113A	333.0	156.5	-33.5
WKP113A	336.0	156.5	-33.4
WKP113A	339.0	156.5	-33.3
WKP113A	342.0	156.5	-33.3
WKP113A	345.0	156.4	-33.2
WKP113A	348.0	156.3	-33.1
WKP113A	351.0	156.1	-33.0
WKP113A	354.0	156.1	-33.0
WKP113A	357.0	156.1	-33.0
WKP113A	360.0	156.1	-32.8
WKP113A	363.0	156.1	-32.7
WKP113A	366.0	156.1	-32.6
WKP113A	369.0	156.0	-32.5
WKP113A	372.0	156.0	-32.4
WKP113A	375.0	155.9	-32.3
WKP113A	378.0	155.9	-32.1
WKP113A	381.0	155.9	-32.0
WKP113A	384.0	155.9	-31.9
WKP113A	387.0	155.9	-31.8
WKP113A	390.0	155.8	-31.7
WKP113A	393.0	155.8	-31.5
WKP113A	396.0	155.7	-31.4
WKP113A	399.0	155.8	-31.3
WKP113A	402.0	155.9	-31.2
WKP113A	405.0	156.0	-31.0
WKP113A	408.0	155.9	-30.9
WKP113A	411.0	156.0	-30.8
WKP113A	414.0	155.9	-30.8
WKP113A	417.0	155.9	-30.7
WKP113A	420.0	155.8	-30.7
WKP113A	423.0	155.8	-30.5
WKP113A	426.0	155.8	-30.3
WKP113A	429.0	155.8	-30.2
WKP113A	432.0	155.7	-30.2
WKP113A	435.0	155.7	-30.2
WKP113A	438.0	155.6	-30.2
WKP113A	441.0	155.7	-30.2
WKP113A	444.0	155.6	-30.3
WKP113A	447.0	155.6	-30.3
WKP113A	450.0	155.6	-30.3
WKP113A	453.0	155.6	-30.4
WKP113A	456.0	155.6	-30.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP113A	459.0	155.5	-30.4
WKP113A	462.0	155.5	-30.3
WKP113A	465.0	155.6	-30.3
WKP113A	468.0	155.5	-30.3
WKP113A	471.0	155.5	-30.3
WKP113A	474.0	155.5	-30.2
WKP113A	477.0	155.6	-30.4
WKP113A	480.0	155.6	-30.5
WKP113A	483.0	155.5	-30.5
WKP113A	486.0	155.5	-30.5
WKP113A	489.0	155.6	-30.4
WKP113A	492.0	155.6	-30.4
WKP113A	495.0	155.7	-30.4
WKP113A	498.0	155.7	-30.4
WKP113B	0.0	158.0	-32.6
WKP113B	3.0	157.9	-32.5
WKP113B	6.0	157.9	-32.4
WKP113B	9.0	157.9	-32.4
WKP113B	12.0	157.9	-32.6
WKP113B	15.0	158.0	-33.2
WKP113B	18.0	158.1	-33.8
WKP113B	21.0	158.1	-33.9
WKP113B	24.0	158.1	-33.5
WKP113B	27.0	158.1	-32.7
WKP113B	30.0	158.0	-31.9
WKP113B	33.0	157.9	-31.4
WKP113B	36.0	157.8	-31.6
WKP113B	39.0	157.8	-32.3
WKP113B	42.0	157.8	-32.7
WKP113B	45.0	157.9	-32.8
WKP113B	48.0	158.0	-32.9
WKP113B	51.0	158.0	-32.9
WKP113B	54.0	157.9	-33.0
WKP113B	57.0	158.0	-33.0
WKP113B	60.0	158.0	-33.0
WKP113B	63.0	158.0	-33.0
WKP113B	66.0	157.9	-33.0
WKP113B	69.0	157.9	-33.0
WKP113B	72.0	157.9	-32.9
WKP113B	75.0	158.0	-32.9
WKP113B	78.0	158.0	-33.0
WKP113B	81.0	158.1	-32.9
WKP113B	84.0	158.1	-32.7
WKP113B	87.0	158.0	-32.6
WKP113B	90.0	158.0	-32.4
WKP113B	93.0	158.1	-32.3
WKP113B	96.0	158.1	-32.1
WKP113B	99.0	158.1	-32.0

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP113B	102.0	158.1	-32.0
WKP113B	105.0	158.1	-31.8
WKP113B	108.0	158.1	-31.7
WKP113B	111.0	158.2	-31.5
WKP113B	114.0	158.2	-31.3
WKP113B	117.0	158.2	-31.1
WKP113B	120.0	158.2	-30.8
WKP113B	123.0	158.2	-30.6
WKP113B	126.0	158.3	-30.4
WKP113B	129.0	158.3	-30.3
WKP113B	132.0	158.3	-30.1
WKP113B	135.0	158.3	-29.9
WKP113B	138.0	158.2	-29.8
WKP113B	141.0	158.1	-29.7
WKP113B	144.0	158.1	-29.8
WKP113B	147.0	158.1	-29.8
WKP113B	150.0	158.1	-29.8
WKP113B	153.0	158.0	-29.8
WKP113B	156.0	158.0	-29.7
WKP113B	159.0	158.0	-29.6
WKP113B	162.0	158.0	-29.5
WKP113B	165.0	158.0	-29.4
WKP113B	168.0	158.0	-29.3
WKP113B	171.0	158.0	-29.2
WKP113B	174.0	158.0	-29.1
WKP113B	177.0	158.0	-29.0
WKP113B	180.0	158.0	-29.0
WKP113B	183.0	158.1	-29.0
WKP113B	186.0	158.2	-29.0
WKP113B	189.0	158.1	-29.1
WKP113B	192.0	157.8	-29.4
WKP113B	195.0	157.6	-29.7
WKP113B	198.0	157.7	-29.8
WKP113B	201.0	157.7	-29.9
WKP113B	204.0	157.6	-30.2
WKP113B	207.0	157.6	-30.2
WKP113B	210.0	157.7	-30.2
WKP113B	213.0	157.6	-30.4
WKP113B	216.0	157.4	-30.8
WKP113B	219.0	157.3	-31.0
WKP113B	222.0	157.2	-31.1
WKP113B	225.0	157.2	-31.1
WKP113B	228.0	157.1	-31.1
WKP113B	231.0	157.0	-31.1
WKP113B	234.0	156.9	-31.4
WKP113B	237.0	156.9	-31.8
WKP113B	240.0	156.9	-32.0
WKP113B	243.0	156.9	-32.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP113B	246.0	157.0	-33.1
WKP113B	249.0	157.2	-34.0
WKP113B	252.0	157.6	-34.9
WKP113B	255.0	157.9	-35.6
WKP113B	258.0	158.2	-36.3
WKP113B	261.0	158.6	-36.9
WKP113B	264.0	159.0	-37.6
WKP113B	267.0	159.2	-38.4
WKP113B	270.0	159.3	-39.1
WKP113B	273.0	159.5	-39.9
WKP113B	276.0	159.7	-40.8
WKP113B	279.0	160.0	-41.6
WKP113B	282.0	160.2	-42.0
WKP113B	285.0	160.3	-42.1
WKP113B	288.0	160.3	-42.1
WKP113B	291.0	160.3	-42.1
WKP113B	294.0	160.2	-42.1
WKP113B	297.0	160.1	-42.0
WKP113B	300.0	160.1	-41.9
WKP113B	303.0	160.2	-41.8
WKP113B	306.0	160.1	-41.7
WKP113B	309.0	160.1	-41.6
WKP113B	312.0	160.1	-41.4
WKP113B	315.0	160.1	-41.3
WKP113B	318.0	160.1	-41.2
WKP113B	321.0	160.1	-41.1
WKP113B	324.0	160.1	-41.0
WKP113B	327.0	160.1	-40.9
WKP113B	330.0	160.1	-40.8
WKP113B	333.0	160.1	-40.7
WKP113B	336.0	160.0	-40.6
WKP113B	339.0	160.1	-40.5
WKP113B	342.0	160.1	-40.3
WKP113B	345.0	160.0	-40.2
WKP113B	348.0	160.0	-40.0
WKP113B	351.0	160.0	-40.0
WKP113B	354.0	159.9	-39.9
WKP113B	357.0	159.8	-39.8
WKP113B	360.0	159.8	-39.7
WKP113B	363.0	159.7	-39.5
WKP113B	366.0	159.7	-39.5
WKP113B	369.0	159.7	-39.3
WKP113B	372.0	159.7	-39.2
WKP113B	375.0	159.7	-39.1
WKP113B	378.0	159.7	-39.0
WKP113B	381.0	159.7	-38.9
WKP113B	384.0	159.6	-38.7
WKP113B	387.0	159.5	-38.6

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP113B	390.0	159.5	-38.5
WKP113B	393.0	159.5	-38.4
WKP113B	396.0	159.5	-38.3
WKP113B	399.0	159.5	-38.1
WKP113B	402.0	159.6	-38.0
WKP113B	405.0	159.5	-37.9
WKP113B	408.0	159.6	-37.7
WKP113B	411.0	159.6	-37.6
WKP113B	414.0	159.5	-37.5
WKP113B	417.0	159.6	-37.4
WKP113B	420.0	159.5	-37.3
WKP113B	423.0	159.5	-37.1
WKP113B	426.0	159.5	-37.0
WKP113B	429.0	159.5	-36.9
WKP113B	432.0	159.5	-36.8
WKP113B	435.0	159.5	-36.6
WKP113B	438.0	159.5	-36.5
WKP113B	441.0	159.5	-36.4
WKP113B	444.0	159.5	-36.3
WKP113B	447.0	159.4	-36.1
WKP113B	450.0	159.4	-36.1
WKP113B	453.0	159.4	-35.9
WKP113B	456.0	159.4	-35.7
WKP113B	459.0	159.3	-35.5
WKP113B	462.0	159.3	-35.3
WKP113B	465.0	159.2	-35.2
WKP113B	468.0	159.2	-35.0
WKP113B	471.0	159.2	-34.9
WKP113B	474.0	159.2	-34.7
WKP113B	477.0	159.2	-34.6
WKP113B	480.0	159.1	-34.7
WKP113B	483.0	159.1	-34.6
WKP113B	486.0	159.1	-34.5
WKP113B	489.0	159.1	-34.3
WKP113B	492.0	159.1	-34.1
WKP113B	495.0	159.1	-34.0
WKP113B	498.0	159.1	-33.9
WKP113B	501.0	159.2	-33.7
WKP113B	504.0	159.1	-33.6
WKP113B	507.0	159.2	-33.4
WKP113B	510.0	159.2	-33.1
WKP113B	513.0	159.2	-33.2
WKP118C	0.0	155.7	-22.8
WKP118C	3.0	155.6	-22.5
WKP118C	6.0	155.5	-22.8
WKP118C	9.0	155.4	-22.4
WKP118C	12.0	155.3	-22.2
WKP118C	15.0	155.2	-22.3

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP118C	18.0	155.1	-22.6
WKP118C	21.0	155.0	-22.8
WKP118C	24.0	155.0	-23.1
WKP118C	27.0	155.0	-23.3
WKP118C	30.0	155.1	-23.2
WKP118C	33.0	155.1	-23.3
WKP118C	36.0	155.1	-23.4
WKP118C	39.0	155.0	-23.4
WKP118C	42.0	155.0	-23.3
WKP118C	45.0	155.0	-23.2
WKP118C	48.0	155.0	-23.2
WKP118C	51.0	155.0	-23.4
WKP118C	54.0	155.1	-23.5
WKP118C	57.0	155.1	-23.5
WKP118C	60.0	155.1	-23.5
WKP118C	63.0	155.1	-23.7
WKP118C	66.0	155.1	-23.9
WKP118C	69.0	155.1	-24.0
WKP118C	72.0	155.1	-24.1
WKP118C	75.0	155.2	-24.3
WKP118C	78.0	155.2	-24.3
WKP118C	81.0	155.2	-24.3
WKP118C	84.0	155.2	-24.2
WKP118C	87.0	155.2	-24.1
WKP118C	90.0	155.2	-23.9
WKP118C	93.0	155.2	-23.9
WKP118C	96.0	155.1	-23.9
WKP118C	99.0	155.1	-23.9
WKP118C	102.0	155.1	-23.8
WKP118C	105.0	155.0	-23.7
WKP118C	108.0	155.0	-23.6
WKP118C	111.0	154.9	-23.6
WKP118C	114.0	154.9	-23.5
WKP118C	117.0	154.9	-23.5
WKP118C	120.0	154.9	-23.5
WKP118C	123.0	154.9	-23.4
WKP118C	126.0	154.9	-23.4
WKP118C	129.0	154.9	-23.5
WKP118C	132.0	154.9	-23.5
WKP118C	135.0	154.8	-23.5
WKP118C	138.0	154.8	-23.4
WKP118C	141.0	154.8	-23.4
WKP118C	144.0	154.8	-23.4
WKP118C	147.0	154.8	-23.4
WKP118C	150.0	154.8	-23.4
WKP118C	153.0	154.8	-23.5
WKP118C	156.0	154.8	-23.5
WKP118C	159.0	154.8	-23.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP118C	162.0	154.9	-23.4
WKP118C	165.0	154.9	-23.3
WKP118C	168.0	154.9	-23.2
WKP118C	171.0	154.9	-23.1
WKP118C	174.0	154.9	-23.0
WKP118C	177.0	154.9	-23.0
WKP118C	180.0	155.0	-22.9
WKP118C	183.0	154.9	-22.9
WKP118C	186.0	154.9	-22.9
WKP118C	189.0	154.9	-22.9
WKP118C	192.0	154.9	-22.9
WKP118C	195.0	154.8	-22.8
WKP118C	198.0	154.7	-22.8
WKP118C	201.0	154.6	-23.2
WKP118C	204.0	154.4	-23.9
WKP118C	207.0	154.1	-24.1
WKP118C	210.0	153.9	-23.7
WKP118C	213.0	153.9	-23.3
WKP118C	216.0	154.0	-23.0
WKP118C	219.0	154.1	-22.6
WKP118C	222.0	154.4	-22.1
WKP118C	225.0	154.5	-22.1
WKP118C	228.0	154.5	-22.2
WKP118C	231.0	154.8	-22.4
WKP118C	234.0	155.1	-22.5
WKP118C	237.0	155.2	-22.4
WKP118C	240.0	155.4	-22.1
WKP118C	243.0	155.8	-21.3
WKP118C	246.0	156.2	-20.6
WKP118C	249.0	156.5	-20.2
WKP118C	252.0	156.4	-19.8
WKP118C	255.0	156.0	-19.5
WKP118C	258.0	155.4	-19.6
WKP118C	261.0	155.1	-19.7
WKP118C	264.0	155.0	-19.3
WKP118C	267.0	155.2	-18.8
WKP118C	270.0	155.4	-18.5
WKP118C	273.0	155.6	-18.3
WKP118C	276.0	155.7	-18.3
WKP118C	279.0	155.7	-18.5
WKP118C	282.0	155.6	-18.5
WKP118C	285.0	155.4	-18.3
WKP118C	288.0	155.3	-18.5
WKP118C	291.0	155.2	-19.1
WKP118C	294.0	155.1	-19.5
WKP118C	297.0	155.1	-19.4
WKP118C	300.0	155.2	-19.3
WKP118C	303.0	155.4	-19.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP118C	306.0	155.9	-19.5
WKP118C	309.0	156.7	-19.4
WKP118C	312.0	157.7	-18.9
WKP118C	315.0	158.3	-18.5
WKP118C	318.0	158.7	-18.4
WKP118C	321.0	159.5	-18.2
WKP118C	324.0	160.4	-18.3
WKP118C	327.0	160.8	-18.4
WKP118C	330.0	160.7	-18.5
WKP118C	333.0	160.7	-18.5
WKP118C	336.0	160.6	-18.6
WKP118C	339.0	160.6	-18.7
WKP118C	342.0	160.6	-18.7
WKP118C	345.0	160.6	-18.8
WKP118C	348.0	160.6	-18.9
WKP118C	351.0	160.5	-18.9
WKP118C	354.0	160.5	-19.0
WKP118C	357.0	160.5	-19.0
WKP118C	360.0	160.5	-19.0
WKP118C	363.0	160.5	-19.1
WKP118C	366.0	160.5	-19.2
WKP118C	369.0	160.5	-19.2
WKP118C	372.0	160.5	-19.1
WKP118C	375.0	160.4	-19.1
WKP118C	378.0	160.4	-19.1
WKP118C	381.0	160.4	-19.2
WKP118C	384.0	160.4	-19.3
WKP118C	387.0	160.4	-19.3
WKP118C	390.0	160.4	-19.3
WKP118C	393.0	160.3	-19.3
WKP118C	396.0	160.4	-19.4
WKP118C	399.0	160.4	-19.4
WKP118C	402.0	160.4	-19.5
WKP118C	405.0	160.3	-19.4
WKP118C	408.0	160.3	-19.4
WKP118C	411.0	160.4	-19.5
WKP118C	414.0	160.4	-19.5
WKP118C	417.0	160.3	-19.6
WKP118C	420.0	160.3	-19.6
WKP118C	423.0	160.3	-19.5
WKP118C	426.0	160.3	-19.4
WKP118C	429.0	160.3	-19.4
WKP118C	432.0	160.3	-19.3
WKP118C	435.0	160.3	-19.2
WKP118C	438.0	160.3	-19.2
WKP118C	441.0	160.3	-19.1
WKP118C	444.0	160.3	-19.1
WKP118C	447.0	160.2	-19.0

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP118C	450.0	160.2	-19.0
WKP118C	453.0	160.1	-19.0
WKP118C	456.0	160.1	-18.9
WKP118C	459.0	160.1	-18.9
WKP118C	462.0	160.0	-18.8
WKP118C	465.0	160.0	-18.7
WKP118C	468.0	160.0	-18.5
WKP118C	471.0	159.9	-18.3
WKP118C	474.0	159.9	-18.2
WKP118C	477.0	159.8	-18.1
WKP118C	480.0	159.8	-18.0
WKP118C	483.0	159.9	-17.9
WKP118C	486.0	160.0	-17.8
WKP118C	489.0	160.0	-17.7
WKP118C	492.0	160.0	-17.6
WKP118C	495.0	160.0	-17.5
WKP118C	498.0	159.9	-17.4
WKP118C	501.0	160.0	-17.4
WKP118C	504.0	159.9	-17.4
WKP118C	507.0	159.9	-17.4
WKP118C	510.0	159.9	-17.4
WKP118C	513.0	159.9	-17.5
WKP118C	516.0	159.8	-17.6
WKP118C	519.0	159.9	-17.6
WKP118C	522.0	159.8	-17.5
WKP118C	525.0	159.7	-17.4
WKP118C	528.0	159.8	-17.4
WKP118C	531.0	159.8	-17.5
WKP118C	534.0	159.7	-17.6
WKP118C	537.0	159.7	-17.5
WKP118C	540.0	159.8	-17.4
WKP118C	543.0	159.9	-17.4
WKP118C	546.0	160.0	-17.3
WKP118C	549.0	159.9	-17.3
WKP118C	552.0	159.8	-17.3
WKP118C	555.0	159.7	-17.3
WKP118C	558.0	159.8	-17.2
WKP118C	561.0	159.7	-17.1
WKP118C	564.0	159.8	-17.1
WKP118C	567.0	159.8	-17.1
WKP118C	570.0	159.8	-17.1
WKP118C	573.0	159.8	-17.1
WKP118C	576.0	159.8	-17.1
WKP118C	577.7	159.8	-17.1
WKP122	0.0	156.3	-28.5
WKP122	3.0	156.4	-28.1
WKP122	6.0	156.3	-28.4
WKP122	9.0	156.3	-28.7

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP122	12.0	156.4	-28.9
WKP122	15.0	156.4	-28.9
WKP122	18.0	156.5	-29.0
WKP122	21.0	156.5	-29.1
WKP122	24.0	156.5	-29.2
WKP122	27.0	156.5	-29.3
WKP122	30.0	156.5	-29.4
WKP122	33.0	156.4	-29.5
WKP122	36.0	156.4	-29.6
WKP122	39.0	156.4	-29.7
WKP122	42.0	156.4	-29.8
WKP122	45.0	156.4	-29.8
WKP122	48.0	156.5	-29.9
WKP122	51.0	156.5	-30.0
WKP122	54.0	156.5	-30.0
WKP122	57.0	156.4	-30.0
WKP122	60.0	156.5	-30.1
WKP122	63.0	156.5	-30.2
WKP122	66.0	156.4	-30.2
WKP122	69.0	156.4	-30.2
WKP122	72.0	156.4	-30.3
WKP122	75.0	156.4	-30.3
WKP122	78.0	156.4	-30.4
WKP122	81.0	156.5	-30.5
WKP122	84.0	156.5	-30.5
WKP122	87.0	156.6	-30.6
WKP122	90.0	156.7	-30.6
WKP122	93.0	156.7	-30.6
WKP122	96.0	156.7	-30.6
WKP122	99.0	156.7	-30.6
WKP122	102.0	156.7	-30.6
WKP122	105.0	156.7	-30.7
WKP122	108.0	156.7	-30.7
WKP122	111.0	156.7	-30.7
WKP122	114.0	156.8	-30.6
WKP122	117.0	156.8	-30.6
WKP122	120.0	156.9	-30.6
WKP122	123.0	156.9	-30.5
WKP122	126.0	157.0	-30.4
WKP122	129.0	157.0	-30.4
WKP122	132.0	157.1	-30.3
WKP122	135.0	157.1	-30.2
WKP122	138.0	157.2	-30.1
WKP122	141.0	157.2	-30.0
WKP122	144.0	157.3	-29.9
WKP122	147.0	157.3	-29.8
WKP122	150.0	157.4	-29.7
WKP122	153.0	157.4	-29.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP122	156.0	157.4	-29.4
WKP122	159.0	157.5	-29.3
WKP122	162.0	157.6	-29.2
WKP122	165.0	157.6	-29.1
WKP122	168.0	157.7	-29.0
WKP122	171.0	157.7	-29.0
WKP122	174.0	157.7	-28.9
WKP122	177.0	157.7	-28.8
WKP122	180.0	157.7	-28.7
WKP122	183.0	157.8	-28.5
WKP122	186.0	157.8	-28.4
WKP122	189.0	157.8	-28.3
WKP122	192.0	157.8	-28.1
WKP122	195.0	157.8	-28.0
WKP122	198.0	157.8	-27.9
WKP122	201.0	157.9	-27.8
WKP122	204.0	157.9	-27.7
WKP122	207.0	158.0	-27.6
WKP122	210.0	158.1	-27.6
WKP122	213.0	158.1	-27.5
WKP122	216.0	158.2	-27.6
WKP122	219.0	158.3	-27.5
WKP122	222.0	158.4	-27.5
WKP122	225.0	158.5	-27.4
WKP122	228.0	158.5	-27.2
WKP122	231.0	158.6	-27.1
WKP122	234.0	158.6	-26.9
WKP122	237.0	158.6	-26.8
WKP122	240.0	158.7	-26.6
WKP122	243.0	158.6	-26.5
WKP122	246.0	158.7	-26.3
WKP122	249.0	158.7	-26.1
WKP122	252.0	158.7	-26.0
WKP122	255.0	158.7	-25.8
WKP122	258.0	158.7	-25.6
WKP122	261.0	158.7	-25.5
WKP122	264.0	158.7	-25.5
WKP122	267.0	158.8	-25.6
WKP122	270.0	158.8	-25.5
WKP122	273.0	158.8	-25.6
WKP122	276.0	158.8	-25.6
WKP122	279.0	158.9	-25.6
WKP122	282.0	158.8	-25.7
WKP122	285.0	158.9	-25.7
WKP122	288.0	159.0	-25.8
WKP122	291.0	159.0	-25.9
WKP122	294.0	158.9	-26.0
WKP122	297.0	158.9	-26.0

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP122	300.0	158.9	-26.1
WKP122	303.0	158.9	-26.2
WKP122	306.0	159.0	-26.2
WKP122	309.0	159.1	-26.2
WKP122	312.0	159.1	-26.4
WKP122	315.0	159.1	-26.4
WKP122	318.0	159.1	-26.5
WKP122	321.0	159.1	-26.5
WKP122	324.0	159.1	-26.6
WKP122	327.0	159.1	-26.6
WKP122	330.0	159.1	-26.7
WKP122	333.0	159.1	-26.8
WKP122	336.0	159.1	-26.8
WKP122	339.0	159.1	-26.8
WKP122	342.0	159.2	-26.9
WKP122	345.0	159.1	-27.0
WKP122	348.0	159.3	-27.0
WKP122	351.0	159.3	-27.1
WKP122	354.0	159.3	-27.1
WKP122	357.0	159.3	-27.0
WKP122	360.0	159.3	-27.1
WKP122	363.0	159.4	-27.1
WKP122	366.0	159.4	-27.1
WKP122	369.0	159.4	-27.1
WKP122	372.0	159.5	-27.1
WKP122	375.0	159.5	-27.1
WKP122	378.0	159.4	-27.2
WKP122	381.0	159.4	-27.1
WKP122	384.0	159.4	-27.0
WKP122	387.0	159.4	-26.9
WKP122	390.0	159.4	-26.8
WKP122	393.0	159.6	-26.7
WKP122	396.0	159.7	-26.8
WKP122	398.0	159.6	-26.8
WKP123	0.0	157.2	-35.0
WKP123	3.0	157.2	-34.8
WKP123	6.0	157.2	-34.9
WKP123	9.0	157.2	-35.0
WKP123	12.0	157.1	-35.1
WKP123	15.0	157.1	-35.2
WKP123	18.0	157.2	-35.2
WKP123	21.0	157.2	-35.3
WKP123	24.0	157.2	-35.4
WKP123	27.0	157.1	-35.4
WKP123	30.0	157.1	-35.5
WKP123	33.0	157.1	-35.6
WKP123	36.0	157.1	-35.7
WKP123	39.0	157.1	-35.8

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP123	42.0	157.1	-35.9
WKP123	45.0	157.1	-36.0
WKP123	48.0	157.1	-36.0
WKP123	51.0	157.1	-36.0
WKP123	54.0	157.1	-36.0
WKP123	57.0	157.0	-36.0
WKP123	60.0	157.0	-36.1
WKP123	63.0	157.0	-36.1
WKP123	66.0	157.0	-36.1
WKP123	69.0	157.0	-36.1
WKP123	72.0	157.0	-36.1
WKP123	75.0	157.0	-36.2
WKP123	78.0	157.0	-36.3
WKP123	81.0	157.0	-36.4
WKP123	84.0	157.0	-36.4
WKP123	87.0	157.0	-36.6
WKP123	90.0	157.0	-36.8
WKP123	93.0	157.0	-36.9
WKP123	96.0	157.0	-36.9
WKP123	99.0	157.0	-37.0
WKP123	102.0	156.9	-37.0
WKP123	105.0	156.9	-36.9
WKP123	108.0	157.0	-36.7
WKP123	111.0	157.0	-36.5
WKP123	114.0	157.0	-36.4
WKP123	117.0	157.0	-36.2
WKP123	120.0	157.1	-36.1
WKP123	123.0	157.0	-35.9
WKP123	126.0	157.1	-35.7
WKP123	129.0	157.0	-35.6
WKP123	132.0	157.0	-35.4
WKP123	135.0	157.0	-35.3
WKP123	138.0	156.9	-35.1
WKP123	141.0	157.0	-35.0
WKP123	144.0	156.9	-34.8
WKP123	147.0	156.9	-34.7
WKP123	150.0	156.9	-34.5
WKP123	153.0	157.0	-34.3
WKP123	156.0	156.9	-34.2
WKP123	159.0	156.9	-34.0
WKP123	162.0	157.0	-33.8
WKP123	165.0	157.0	-33.7
WKP123	168.0	156.9	-33.5
WKP123	171.0	157.0	-33.3
WKP123	174.0	157.0	-33.2
WKP123	177.0	157.0	-33.0
WKP123	180.0	157.0	-32.8
WKP123	183.0	157.0	-32.6

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP123	186.0	157.0	-32.4
WKP123	189.0	156.9	-32.3
WKP123	192.0	156.9	-32.1
WKP123	195.0	156.8	-32.0
WKP123	198.0	156.8	-31.8
WKP123	201.0	156.9	-31.7
WKP123	204.0	156.9	-31.6
WKP123	207.0	157.1	-31.5
WKP123	210.0	157.2	-31.4
WKP123	213.0	157.2	-31.3
WKP123	216.0	157.2	-31.1
WKP123	219.0	157.2	-31.0
WKP123	222.0	157.3	-30.8
WKP123	225.0	157.3	-30.6
WKP123	228.0	157.4	-30.4
WKP123	231.0	157.4	-30.3
WKP123	234.0	157.4	-30.2
WKP123	237.0	157.4	-30.1
WKP123	240.0	157.4	-30.0
WKP123	243.0	157.4	-29.8
WKP123	246.0	157.4	-29.7
WKP123	249.0	157.3	-29.6
WKP123	252.0	157.2	-29.5
WKP123	255.0	157.3	-29.3
WKP123	258.0	157.3	-29.2
WKP123	261.0	157.3	-29.2
WKP123	264.0	157.3	-29.0
WKP123	267.0	157.2	-28.9
WKP123	270.0	157.1	-28.7
WKP123	273.0	157.2	-28.6
WKP123	276.0	157.1	-28.4
WKP123	279.0	157.2	-28.3
WKP123	282.0	157.2	-28.3
WKP123	285.0	157.2	-28.2
WKP123	288.0	157.1	-28.0
WKP123	291.0	157.0	-27.9
WKP123	294.0	157.1	-27.8
WKP123	297.0	157.2	-27.6
WKP123	300.0	157.1	-27.6
WKP123	303.0	157.1	-27.5
WKP123	306.0	157.1	-27.3
WKP123	309.0	157.1	-27.2
WKP123	312.0	157.1	-27.1
WKP123	315.0	157.1	-26.9
WKP123	318.0	157.1	-26.8
WKP123	321.0	157.2	-26.7
WKP123	324.0	157.2	-26.5
WKP123	327.0	157.2	-26.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP123	330.0	157.2	-26.3
WKP123	333.0	157.1	-26.1
WKP123	336.0	157.1	-26.1
WKP123	337.3	157.1	-26.1
WKP124	0.0	153.0	-20.7
WKP124	3.0	153.0	-20.4
WKP124	6.0	153.0	-20.1
WKP124	9.0	152.9	-19.9
WKP124	12.0	152.8	-19.7
WKP124	15.0	152.6	-19.9
WKP124	18.0	152.6	-20.1
WKP124	21.0	152.7	-20.3
WKP124	24.0	152.6	-20.6
WKP124	27.0	152.6	-20.9
WKP124	30.0	152.6	-21.1
WKP124	33.0	152.6	-21.2
WKP124	36.0	152.7	-21.5
WKP124	39.0	152.6	-21.7
WKP124	42.0	152.6	-22.0
WKP124	45.0	152.6	-22.3
WKP124	48.0	152.6	-22.5
WKP124	51.0	152.5	-22.9
WKP124	54.0	152.4	-23.3
WKP124	57.0	152.4	-23.4
WKP124	60.0	152.3	-23.6
WKP124	63.0	152.4	-24.2
WKP124	66.0	152.3	-23.9
WKP124	69.0	152.1	-23.8
WKP124	72.0	151.9	-24.1
WKP124	75.0	151.9	-24.6
WKP124	78.0	151.9	-25.0
WKP124	81.0	151.9	-25.3
WKP124	84.0	151.9	-25.2
WKP124	87.0	151.8	-25.3
WKP124	90.0	151.6	-25.8
WKP124	93.0	151.5	-25.9
WKP124	96.0	151.5	-26.1
WKP124	99.0	151.4	-26.4
WKP124	102.0	151.4	-26.5
WKP124	105.0	151.4	-26.8
WKP124	108.0	151.4	-27.0
WKP124	111.0	151.4	-27.2
WKP124	114.0	151.4	-27.4
WKP124	117.0	151.3	-27.6
WKP124	119.0	151.2	-27.8
WKP124	122.0	151.1	-28.0
WKP124	125.0	151.2	-28.3
WKP124	128.0	151.1	-28.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124	131.0	151.2	-28.8
WKP124	134.0	151.1	-29.0
WKP124	137.0	151.0	-29.1
WKP124	140.0	150.8	-29.2
WKP124	143.0	150.9	-29.3
WKP124	146.0	150.9	-29.4
WKP124	149.0	151.2	-29.6
WKP124	150.0	151.2	-29.7
WKP124	152.0	151.0	-29.7
WKP124	155.0	151.1	-29.9
WKP124	158.0	151.0	-30.0
WKP124	161.0	151.1	-30.2
WKP124	164.0	151.0	-30.4
WKP124	167.0	151.0	-30.4
WKP124	170.0	150.9	-30.6
WKP124	173.0	150.9	-30.8
WKP124	176.0	151.0	-30.9
WKP124	179.0	151.1	-31.1
WKP124A	0.0	153.0	-20.7
WKP124A	3.0	153.0	-20.4
WKP124A	6.0	153.0	-20.1
WKP124A	9.0	152.9	-19.9
WKP124A	12.0	152.8	-19.7
WKP124A	15.0	152.6	-19.9
WKP124A	18.0	152.6	-20.1
WKP124A	21.0	152.7	-20.3
WKP124A	24.0	152.6	-20.6
WKP124A	27.0	152.6	-20.9
WKP124A	30.0	152.6	-21.1
WKP124A	33.0	152.6	-21.2
WKP124A	36.0	152.7	-21.5
WKP124A	39.0	152.6	-21.7
WKP124A	42.0	152.6	-22.0
WKP124A	45.0	152.6	-22.3
WKP124A	48.0	152.6	-22.5
WKP124A	51.0	152.5	-22.9
WKP124A	54.0	152.4	-23.3
WKP124A	57.0	152.4	-23.4
WKP124A	60.0	152.3	-23.6
WKP124A	63.0	152.4	-24.2
WKP124A	66.0	152.3	-23.9
WKP124A	69.0	152.1	-23.8
WKP124A	72.0	151.9	-24.1
WKP124A	75.0	151.9	-24.6
WKP124A	78.0	151.9	-25.0
WKP124A	81.0	151.9	-25.3
WKP124A	84.0	151.9	-25.2
WKP124A	87.0	151.8	-25.3

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124A	90.0	151.6	-25.8
WKP124A	93.0	151.5	-25.9
WKP124A	96.0	151.5	-26.1
WKP124A	99.0	151.4	-26.4
WKP124A	102.0	151.4	-26.5
WKP124A	105.0	151.4	-26.8
WKP124A	108.0	151.4	-27.0
WKP124A	111.0	151.4	-27.2
WKP124A	114.0	151.4	-27.4
WKP124A	117.0	151.3	-27.6
WKP124A	119.0	151.2	-27.8
WKP124A	122.0	151.1	-28.0
WKP124A	125.0	151.2	-28.3
WKP124A	128.0	151.1	-28.4
WKP124A	131.0	151.2	-28.8
WKP124A	134.0	151.1	-29.0
WKP124A	137.0	151.0	-29.1
WKP124A	140.0	150.8	-29.2
WKP124A	143.0	150.9	-29.3
WKP124A	146.0	150.9	-29.4
WKP124A	149.0	151.2	-29.6
WKP124A	150.0	151.2	-29.7
WKP124A	152.0	151.0	-29.7
WKP124A	155.0	151.1	-29.9
WKP124A	156.0	150.4	-28.7
WKP124A	159.0	150.4	-29.1
WKP124A	162.0	150.4	-29.5
WKP124A	165.0	150.4	-29.3
WKP124A	168.0	150.4	-29.3
WKP124A	171.0	150.2	-29.5
WKP124A	174.0	150.0	-29.6
WKP124A	177.0	149.9	-29.7
WKP124A	180.0	149.8	-29.7
WKP124A	183.0	149.7	-29.8
WKP124A	186.0	149.6	-30.0
WKP124A	189.0	149.5	-30.3
WKP124A	192.0	149.5	-30.6
WKP124A	195.0	149.4	-30.9
WKP124A	198.0	149.4	-31.1
WKP124A	201.0	149.3	-31.2
WKP124A	204.0	149.2	-31.4
WKP124A	207.0	149.2	-31.7
WKP124A	210.0	149.2	-32.0
WKP124A	213.0	149.2	-32.1
WKP124A	216.0	149.0	-32.2
WKP124A	219.0	149.0	-32.5
WKP124A	222.0	148.9	-32.7
WKP124A	225.0	148.9	-32.8

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124A	228.0	148.8	-33.1
WKP124A	231.0	148.7	-33.3
WKP124A	234.0	148.7	-33.5
WKP124A	237.0	148.6	-33.6
WKP124A	240.0	148.6	-33.8
WKP124A	243.0	148.6	-33.9
WKP124A	246.0	148.6	-34.2
WKP124A	249.0	148.5	-34.4
WKP124A	252.0	148.4	-34.5
WKP124A	255.0	148.3	-34.5
WKP124A	258.0	148.3	-34.7
WKP124A	261.0	148.3	-34.9
WKP124A	264.0	148.3	-35.1
WKP124A	267.0	148.2	-35.3
WKP124A	270.0	148.1	-35.4
WKP124A	273.0	148.1	-35.6
WKP124A	276.0	148.1	-35.8
WKP124A	279.0	148.1	-35.8
WKP124A	282.0	148.0	-35.3
WKP124A	285.0	148.0	-34.4
WKP124A	288.0	147.9	-33.4
WKP124A	291.0	147.8	-32.6
WKP124A	294.0	148.0	-31.8
WKP124A	297.0	148.6	-30.9
WKP124A	300.0	148.9	-30.1
WKP124A	303.0	148.8	-29.9
WKP124A	306.0	148.7	-29.7
WKP124A	309.0	148.9	-29.2
WKP124A	312.0	149.1	-28.5
WKP124A	315.0	149.4	-28.4
WKP124A	318.0	149.4	-28.4
WKP124A	321.0	149.2	-28.1
WKP124A	324.0	148.9	-27.6
WKP124A	327.0	148.8	-27.4
WKP124A	330.0	148.5	-27.0
WKP124A	333.0	148.3	-26.8
WKP124A	336.0	147.7	-26.5
WKP124A	339.0	147.0	-26.2
WKP124A	342.0	146.7	-26.0
WKP124A	345.0	146.1	-25.6
WKP124A	348.0	145.2	-25.3
WKP124A	351.0	144.5	-24.9
WKP124A	354.0	144.2	-24.7
WKP124A	357.0	144.0	-24.8
WKP124A	360.0	144.0	-24.9
WKP124A	363.0	144.0	-25.0
WKP124A	366.0	144.0	-25.0
WKP124A	369.0	144.0	-25.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124A	372.0	144.0	-25.3
WKP124A	375.0	144.0	-25.4
WKP124A	378.0	143.9	-25.4
WKP124A	381.0	143.9	-25.4
WKP124A	384.0	143.9	-25.4
WKP124A	387.0	144.0	-25.5
WKP124A	390.0	144.0	-25.6
WKP124A	393.0	143.9	-25.7
WKP124A	396.0	143.9	-25.7
WKP124A	399.0	143.9	-25.8
WKP124A	402.0	143.9	-25.8
WKP124A	405.0	143.8	-25.8
WKP124A	408.0	143.8	-25.9
WKP124A	411.0	143.8	-25.9
WKP124A	414.0	143.7	-25.9
WKP124A	417.0	143.7	-25.9
WKP124A	420.0	143.6	-25.9
WKP124A	423.0	143.6	-25.8
WKP124A	426.0	143.6	-25.8
WKP124A	429.0	143.6	-25.8
WKP124A	432.0	143.5	-25.7
WKP124A	435.0	143.4	-25.6
WKP124A	438.0	143.4	-25.4
WKP124A	441.0	143.4	-25.3
WKP124A	444.0	143.3	-25.2
WKP124A	447.0	143.3	-25.0
WKP124A	450.0	143.3	-25.0
WKP124A	453.0	143.2	-24.9
WKP124A	456.0	143.2	-24.7
WKP124A	459.0	143.2	-24.6
WKP124A	462.0	143.1	-24.5
WKP124A	465.0	143.1	-24.3
WKP124A	468.0	143.0	-24.2
WKP124A	471.0	143.0	-24.1
WKP124A	474.0	143.0	-24.1
WKP124A	477.0	143.1	-24.1
WKP124A	480.0	143.0	-24.1
WKP124A	483.0	143.0	-24.0
WKP124A	486.0	143.0	-24.1
WKP124A	489.0	143.0	-24.2
WKP124A	492.0	142.9	-24.1
WKP124A	495.0	143.0	-24.1
WKP124A	498.0	143.0	-24.0
WKP124A	501.0	142.9	-24.1
WKP124A	504.0	142.9	-24.0
WKP124A	507.0	142.9	-24.0
WKP124A	510.0	142.9	-23.9
WKP124A	513.0	142.9	-23.9

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP124A	516.0	142.9	-23.8
WKP124A	519.0	142.9	-23.8
WKP124A	522.0	142.9	-23.8
WKP124A	525.0	142.8	-23.8
WKP124A	528.0	142.8	-23.7
WKP124A	531.0	142.6	-23.9
WKP124A	534.0	142.8	-23.7
WKP124A	537.0	142.7	-23.6
WKP124A	540.0	142.7	-23.7
WKP124A	543.0	142.7	-23.7
WKP124A	546.0	142.7	-23.5
WKP124A	549.0	142.7	-23.4
WKP124A	552.0	142.6	-23.5
WKP124A	555.0	142.7	-23.4
WKP124A	558.0	142.7	-23.3
WKP124A	561.0	142.7	-23.3
WKP124A	564.0	142.7	-23.3
WKP124A	565.0	142.7	-23.3
WKP125	0.0	159.7	-40.8
WKP125	3.0	160.1	-40.9
WKP125	6.0	160.1	-40.9
WKP125	9.0	160.1	-40.9
WKP125	12.0	159.9	-41.0
WKP125	15.0	160.0	-41.2
WKP125	18.0	159.9	-41.2
WKP125	21.0	159.9	-41.3
WKP125	24.0	159.9	-41.3
WKP125	27.0	159.9	-41.5
WKP125	30.0	159.9	-41.4
WKP125	33.0	160.0	-41.5
WKP125	36.0	159.9	-41.5
WKP125	39.0	159.9	-41.5
WKP125	42.0	159.9	-41.5
WKP125	45.0	159.9	-41.6
WKP125	48.0	159.9	-41.5
WKP125	51.0	159.9	-41.6
WKP125	54.0	160.0	-41.7
WKP125	57.0	160.0	-41.8
WKP125	60.0	160.1	-41.9
WKP125	63.0	160.2	-41.9
WKP125	66.0	160.3	-41.9
WKP125	69.0	160.3	-41.7
WKP125	72.0	160.3	-41.7
WKP125	75.0	160.2	-41.7
WKP125	78.0	160.2	-41.8
WKP125	81.0	160.2	-41.9
WKP125	84.0	160.2	-41.9
WKP125	87.0	160.3	-42.0

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP125	90.0	160.3	-41.9
WKP125	93.0	160.2	-41.9
WKP125	96.0	160.2	-42.0
WKP125	99.0	160.1	-42.1
WKP125	102.0	160.1	-42.2
WKP125	105.0	160.0	-42.3
WKP125	108.0	160.0	-42.3
WKP125	111.0	160.0	-42.3
WKP125	114.0	160.0	-42.2
WKP125	117.0	160.0	-42.1
WKP125	120.0	160.0	-41.8
WKP125	123.0	160.1	-41.5
WKP125	126.0	160.0	-41.4
WKP125	129.0	160.0	-41.3
WKP125	132.0	160.1	-41.2
WKP125	135.0	160.0	-41.1
WKP125	138.0	160.1	-41.0
WKP125	141.0	160.1	-40.9
WKP125	144.0	160.1	-40.8
WKP125	147.0	160.2	-40.7
WKP125	150.0	160.3	-40.6
WKP125	153.0	160.3	-40.4
WKP125	156.0	160.4	-40.4
WKP125	159.0	160.4	-40.2
WKP125	162.0	160.4	-40.1
WKP125	165.0	160.5	-40.0
WKP125	168.0	160.5	-39.9
WKP125	171.0	160.5	-39.7
WKP125	174.0	160.5	-39.6
WKP125	177.0	160.5	-39.5
WKP125	180.0	160.5	-39.3
WKP125	183.0	160.5	-39.2
WKP125	186.0	160.5	-39.0
WKP125	189.0	160.5	-38.9
WKP125	192.0	160.5	-38.8
WKP125	195.0	160.5	-38.7
WKP125	198.0	160.4	-38.5
WKP125	201.0	160.4	-38.4
WKP125	204.0	160.4	-38.2
WKP125	207.0	160.4	-38.1
WKP125	210.0	160.4	-38.0
WKP125	213.0	160.4	-37.9
WKP125	216.0	160.4	-37.7
WKP125	219.0	160.4	-37.6
WKP125	222.0	160.4	-37.5
WKP125	225.0	160.4	-37.4
WKP125	228.0	160.4	-37.2
WKP125	231.0	160.4	-37.1

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP125	234.0	160.4	-37.0
WKP125	237.0	160.5	-36.9
WKP125	240.0	160.5	-36.9
WKP125	243.0	160.5	-36.8
WKP125	246.0	160.5	-36.6
WKP125	249.0	160.5	-36.5
WKP125	252.0	160.5	-36.4
WKP125	255.0	160.5	-36.2
WKP125	258.0	160.5	-36.1
WKP125	261.0	160.5	-35.9
WKP125	264.0	160.6	-35.8
WKP125	267.0	160.6	-35.6
WKP125	270.0	160.6	-35.5
WKP125	273.0	160.6	-35.3
WKP125	276.0	160.6	-35.2
WKP125	279.0	160.6	-35.1
WKP125	282.0	160.7	-34.9
WKP125	285.0	160.7	-34.7
WKP125	288.0	160.6	-34.7
WKP125	291.0	160.6	-34.5
WKP125	294.0	160.6	-34.4
WKP125	297.0	160.6	-34.2
WKP125	300.0	160.6	-34.2
WKP125	303.0	160.2	-34.0
WKP125	306.0	160.2	-33.8
WKP125	309.0	160.3	-33.7
WKP125	312.0	160.2	-33.6
WKP125	315.0	160.2	-33.5
WKP125	318.0	160.2	-33.4
WKP125	321.0	160.2	-33.2
WKP125	324.0	160.2	-33.0
WKP125	327.0	160.3	-32.8
WKP125	330.0	160.2	-32.7
WKP125	333.0	160.2	-32.5
WKP125	336.0	160.2	-32.5
WKP125	337.9	160.2	-32.5
WKP126	0.0	150.0	-48.9
WKP126	3.0	150.3	-48.4
WKP126	6.0	150.3	-48.2
WKP126	9.0	150.3	-48.3
WKP126	12.0	150.4	-48.4
WKP126	15.0	150.4	-48.4
WKP126	18.0	150.5	-48.4
WKP126	21.0	150.5	-48.5
WKP126	24.0	150.6	-48.4
WKP126	27.0	150.5	-48.4
WKP126	30.0	150.6	-48.4
WKP126	33.0	150.6	-48.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP126	36.0	150.6	-48.4
WKP126	39.0	150.6	-48.3
WKP126	42.0	150.7	-48.3
WKP126	45.0	150.8	-48.3
WKP126	48.0	150.9	-48.3
WKP126	51.0	150.9	-48.3
WKP126	54.0	150.6	-48.3
WKP126	57.0	150.5	-48.2
WKP126	60.0	150.3	-48.2
WKP126	63.0	150.3	-48.2
WKP126	66.0	150.4	-48.2
WKP126	69.0	150.5	-48.2
WKP126	72.0	150.6	-48.1
WKP126	75.0	150.6	-48.0
WKP126	78.0	150.7	-47.8
WKP126	81.0	150.7	-47.7
WKP126	84.0	150.7	-47.6
WKP126	87.0	150.7	-47.3
WKP126	90.0	150.7	-47.1
WKP126	93.0	150.8	-47.0
WKP126	96.0	150.7	-46.9
WKP126	99.0	150.7	-46.8
WKP126	102.0	150.7	-46.6
WKP126	105.0	150.7	-46.6
WKP126	108.0	150.7	-46.7
WKP126	111.0	150.8	-46.6
WKP126	114.0	150.9	-46.5
WKP126	117.0	150.9	-46.4
WKP126	120.0	150.9	-46.4
WKP126	123.0	150.9	-46.4
WKP126	126.0	150.8	-46.4
WKP126	129.0	150.9	-46.4
WKP126	132.0	150.9	-46.4
WKP126	135.0	151.0	-46.4
WKP126	138.0	151.0	-46.4
WKP126	141.0	151.0	-46.4
WKP126	144.0	151.1	-46.4
WKP126	147.0	151.1	-46.4
WKP126	150.0	151.1	-46.4
WKP126	153.0	151.2	-46.4
WKP126	156.0	151.2	-46.4
WKP126	159.0	151.2	-46.4
WKP126	162.0	151.3	-46.4
WKP126	165.0	151.3	-46.4
WKP126	168.0	151.3	-46.4
WKP126	171.0	151.4	-46.3
WKP126	174.0	151.4	-46.3
WKP126	177.0	151.4	-46.3

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP126	180.0	151.5	-46.3
WKP126	183.0	151.4	-46.3
WKP126	186.0	151.5	-46.3
WKP126	189.0	151.5	-46.3
WKP126	192.0	151.5	-46.3
WKP126	195.0	151.6	-46.3
WKP126	198.0	151.6	-46.3
WKP126	201.0	151.6	-46.3
WKP126	204.0	151.6	-46.3
WKP126	207.0	151.6	-46.2
WKP126	210.0	151.6	-46.2
WKP126	213.0	151.6	-46.2
WKP126	216.0	151.5	-46.2
WKP126	219.0	151.6	-46.2
WKP126	222.0	151.5	-46.2
WKP126	225.0	151.6	-46.2
WKP126	228.0	151.6	-46.2
WKP126	231.0	151.6	-46.2
WKP126	234.0	151.6	-46.2
WKP126	237.0	151.6	-46.2
WKP126	240.0	151.6	-46.2
WKP126	243.0	151.6	-46.2
WKP126	246.0	151.6	-46.2
WKP126	249.0	151.7	-46.2
WKP126	252.0	151.7	-46.2
WKP126	255.0	151.7	-46.2
WKP126	258.0	151.7	-46.2
WKP126	261.0	151.7	-46.2
WKP126	264.0	151.8	-46.2
WKP126	267.0	151.7	-46.1
WKP126	270.0	151.8	-46.1
WKP126	273.0	151.8	-46.1
WKP126	276.0	151.9	-46.1
WKP126	279.0	151.9	-46.0
WKP126	282.0	152.0	-46.0
WKP126	285.0	151.9	-46.1
WKP126	288.0	151.9	-46.0
WKP126	291.0	151.9	-46.0
WKP126	294.0	152.0	-45.9
WKP126	297.0	152.0	-45.9
WKP126	300.0	152.0	-45.9
WKP126	303.0	152.0	-45.8
WKP126	306.0	152.0	-45.8
WKP126	309.0	152.0	-45.7
WKP126	310.6	152.0	-45.7
WKP127	0.0	167.0	-42.6
WKP127	3.0	167.0	-42.7
WKP127	6.0	167.0	-42.9

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP127	9.0	166.9	-43.0
WKP127	12.0	166.8	-43.0
WKP127	15.0	166.8	-43.0
WKP127	18.0	166.7	-43.1
WKP127	21.0	166.7	-43.1
WKP127	24.0	166.7	-43.1
WKP127	27.0	166.7	-43.1
WKP127	30.0	166.8	-43.1
WKP127	33.0	166.8	-43.2
WKP127	36.0	166.8	-43.1
WKP127	39.0	166.8	-43.1
WKP127	42.0	166.8	-43.0
WKP127	45.0	166.9	-42.9
WKP127	48.0	166.9	-42.8
WKP127	51.0	166.9	-42.7
WKP127	54.0	166.9	-42.7
WKP127	57.0	166.9	-42.8
WKP127	60.0	166.9	-42.7
WKP127	63.0	166.9	-42.6
WKP127	66.0	166.9	-42.6
WKP127	69.0	166.9	-42.6
WKP127	72.0	166.9	-42.6
WKP127	75.0	166.9	-42.6
WKP127	78.0	167.0	-42.6
WKP127	81.0	167.0	-42.5
WKP127	84.0	167.0	-42.4
WKP127	87.0	167.1	-42.4
WKP127	90.0	167.1	-42.3
WKP127	93.0	167.2	-42.2
WKP127	96.0	167.2	-42.1
WKP127	99.0	167.3	-42.0
WKP127	102.0	167.3	-42.0
WKP127	105.0	167.4	-42.0
WKP127	108.0	167.4	-41.9
WKP127	111.0	167.4	-41.9
WKP127	114.0	167.5	-41.8
WKP127	117.0	167.5	-41.8
WKP127	120.0	167.5	-41.8
WKP127	123.0	167.5	-41.8
WKP127	126.0	167.6	-41.8
WKP127	129.0	167.6	-41.8
WKP127	132.0	167.7	-41.8
WKP127	135.0	167.7	-41.8
WKP127	138.0	167.7	-41.8
WKP127	141.0	167.8	-41.7
WKP127	144.0	167.8	-41.6
WKP127	147.0	167.9	-41.6
WKP127	150.0	167.9	-41.6

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP127	153.0	167.9	-41.6
WKP127	156.0	168.0	-41.6
WKP127	159.0	167.9	-41.5
WKP127	162.0	168.0	-41.5
WKP127	165.0	168.0	-41.5
WKP127	168.0	168.1	-41.5
WKP127	171.0	168.1	-41.5
WKP127	174.0	168.2	-41.4
WKP127	177.0	168.2	-41.4
WKP127	180.0	168.3	-41.4
WKP127	183.0	168.3	-41.4
WKP127	186.0	168.4	-41.3
WKP127	189.0	168.4	-41.3
WKP127	192.0	168.5	-41.2
WKP127	195.0	168.4	-41.2
WKP127	198.0	168.5	-41.1
WKP127	201.0	168.5	-41.1
WKP127	204.0	168.6	-41.1
WKP127	207.0	168.6	-41.0
WKP127	210.0	168.6	-41.0
WKP127	213.0	168.6	-41.0
WKP127	216.0	168.7	-40.9
WKP127	219.0	168.7	-40.9
WKP127	222.0	168.9	-40.8
WKP127	225.0	169.0	-40.8
WKP127	228.0	169.1	-40.8
WKP127	231.0	169.2	-40.8
WKP127	234.0	169.3	-40.8
WKP127	237.0	169.3	-40.8
WKP127	240.0	169.4	-40.7
WKP127	243.0	169.4	-40.7
WKP127	246.0	169.4	-40.7
WKP127	249.0	169.4	-40.6
WKP127	252.0	169.4	-40.6
WKP127	255.0	169.4	-40.6
WKP127	258.0	169.4	-40.5
WKP127	261.0	169.5	-40.4
WKP127	264.0	169.5	-40.4
WKP127	267.0	169.5	-40.4
WKP127	270.0	169.5	-40.3
WKP127	273.0	169.5	-40.3
WKP127	276.0	169.5	-40.4
WKP127	279.0	169.6	-40.3
WKP127	282.0	169.6	-40.3
WKP127	285.0	169.6	-40.3
WKP127	288.0	169.6	-40.3
WKP127	291.0	169.7	-40.3
WKP127	294.0	169.7	-40.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP127	297.0	169.8	-40.2
WKP127	300.0	169.7	-40.1
WKP127	303.0	169.8	-40.1
WKP127	306.0	169.9	-40.0
WKP127	309.0	169.8	-40.0
WKP127	312.0	170.0	-40.0
WKP127	315.0	169.9	-39.9
WKP127	318.0	170.0	-39.9
WKP127	321.0	170.1	-39.8
WKP127	324.0	170.0	-39.7
WKP127	327.0	170.1	-39.7
WKP127	330.0	170.1	-39.6
WKP127	333.0	170.2	-39.5
WKP127	336.0	170.3	-39.5
WKP127	339.0	170.2	-39.4
WKP127	342.0	170.4	-39.4
WKP127	345.0	170.3	-39.3
WKP127	348.0	170.4	-39.4
WKP127	351.0	170.5	-39.3
WKP127	354.0	170.5	-39.2
WKP127	357.0	170.6	-39.3
WKP127	360.0	170.6	-39.2
WKP127	363.0	170.6	-39.2
WKP127	366.0	170.7	-39.1
WKP127	369.0	170.7	-39.1
WKP127	372.0	170.9	-39.0
WKP127	375.0	170.8	-38.9
WKP127	378.0	170.8	-38.9
WKP127	379.2	170.8	-38.9